

# Suggested Commercial Vegetable Varieties for Michigan

This is only a partial listing of satisfactory varieties and seed sources.  
 Many other excellent varieties are available from these and other seed companies.

By BERNARD H. ZANDSTRA and HUGH C. PRICE, Extension Specialists in Horticulture.

	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>ASPARAGUS</b>			
Mary Washington		1, 2, 3, 5, 6, 8, 9	Old standard variety; various strains available
Mary Washington 500W		7, 12	Developed by Univ. of California, Davis.
Viking		17	Developed by Vineland Research Sta., Vineland, Ontario
Waltham Washington		16	Developed by Waltham Experiment Sta., Waltham, Mass.
<b>SNAPBEANS</b>			
Astro	52	1, 2, 7, 14	Can be machine-harvested for processing or shipping; resistant to common bean mosaic virus.
Bush Blue Lake 274	54	2, 3, 7, 9, 10, 16, 17	Good quality, heavy yields; for processing or market; resistant to common bean mosaic virus.
Green Ruler	51	9	Early, Romano type, flat pods; developed at MSU.
Provider	50	1, 2, 9, 10, 13, 14, 17, 18	Early, good yield; resistant to common bean mosaic virus; and tolerant to powdery mildew.
Spartan Arrow	51	6, 9, 14, 17	Concentrated, early set; good for market; developed at MSU.
Tender Crop	55	3, 7, 8, 9, 10, 13, 14, 16, 17	For local market and processing.
Earliwax	55	7, 13, 15, 18	For processing; deep yellow.
Kinghorn Wax	55	2, 8, 14, 15, 16, 17	For canning and freezing; golden yellow.
<b>BEETS (Red)</b>			
Crosby Green Top	60	9	Good for bunching.
Detroit Dark Red	66	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 16, 17, 18	For processing or market; does well on muck land; many different strains.
Ruby Queen	60	1, 5, 6, 7, 8, 9, 10, 13, 14, 16, 17, 18	Bright red interior; smooth uniform shape; good cool weather emergence; for processing or market.
<b>BROCCOLI</b>			
Bravo	67	14, 17	Early season; large head.
Cleopatra	75	5, 17	Early season; good side-shoot growth.
Crusader	75	14	Mid-season; medium heads.
Green Comet	60	1, 3, 6, 9, 16, 17	Early season; good for plant sales.



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>BROCCOLI, cont'd.</b>			
Green Duke	70	1, 14	Early season; large, uniform heads.
Green Hornet	60	17	Early season; large heads, little side-shoot growth.
Spartan Early	70	1, 5, 9, 10, 17	Adapted for spring and summer crops; developed at MSU.
<b>BRUSSELS SPROUTS</b>			
Jade Cross	95	3, 5, 8, 13, 16, 17	Hybrid; heavy producer.
Jade Cross Strain E	92	1, 9, 17, 18	Slightly taller than Jade Cross, less tendency for base rot.
<b>CABBAGE (Fresh market)</b>			
Excel	100	9	Late; large solid heads; for fall market; yellows resistant.
Gourmet	70	1, 7, 17	Mid-season; uniform heads, good wrapper leaves; yellows resistant.
Market Prize	76	9	Mid-season; excellent shipper; compact heads; yellows resistant.
Market Topper	73	9	Mid-season; uniform heads; yellows resistant.
Market Victor	65	9	Early; small, compact heads and plants; yellows resistant.
Princess	70	14, 17	Mid-season; compact plant; good wrapper leaves; good shipper; yellows resistant.
Superette	66	1, 7	Early; uniform, solid heads; good shipper.
Tastie	68	14, 17	Mid-season; good shipper; yellows resistant.
<b>CABBAGE (Processing)</b>			
King Cole	74	5, 7, 16, 17, 18	Mid-season; forms medium heads at close spacing; forms large heads at wider spacing; firm, uniform heads; yellows resistant.
Roundup	78	7, 17	Late; good for market at half-grown stage; large heads when mature; yellows resistant.
Sanibel	85	1, 9	Late; cut early for market or at maturity for processing; yellows resistant.
<b>CABBAGE (Red)</b>			
Red Danish	100	8, 9, 16, 17	Late; uniform, deep red heads; yellows resistant.
Red Head	85	1, 9, 10, 17	Mid-season; solid, slightly flattened heads; yellows tolerant.
Ruby Ball	72	3, 6, 9	Early; not yellows tolerant.
<b>CABBAGE (Chinese)</b>			
Michihli	80	2, 3, 5, 6, 7, 9, 14, 16, 17, 18	Tall; dark green leaves.
Springtime	60	17	Wong Bok type; short, thick heads; sow in spring for summer harvest.
Summertime	70	17	Wong Bok type; sow in July for September harvest; good storage.
Wintertime	80	17	Wong Bok type; sow in summer for October harvest; good storage; tolerant to wilt.



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>CARROTS (Fresh market)</b>			
Gold Pak	110	1, 2, 3, 6, 8, 9, 10, 13, 14, 16, 17, 18	Open-pollinated; later than most hybrids; main fresh market variety in Michigan; moderate resistance to Cercospora blight.
Grenadier	79	9	Hybrid; early; long; for fresh market but can be used for slicing; Cercospora blight tolerant.
Spartan Delite	100	1, 2, 9, 14	Hybrid; very long; excellent exterior and interior color; for fresh market or slicing; moderate resistance to Cercospora blight; developed at MSU.
Spartan Delux	100	2, 9, 10	Hybrid; early; slightly shorter and heavier root shape than Spartan Delite; good resistance to Cercospora blight; developed at MSU.
Spartan Fancy	100	1, 2, 9, 10, 14, 17	Hybrid; resembles Spartan Delite, but slightly shorter; tolerant to Cercospora blight; developed at MSU.
Trophy	78	9	Hybrid; early; resembles Grenadier; smooth root exterior.
<b>CARROTS (Processing)</b>			
Chantenay Red Core	100	2, 7, 10, 13, 14	Large carrot; good for dicing.
Chantenay Royal	100	3, 9, 10, 14, 16, 18	Large carrot; good for dicing.
Danvers 126	100	1, 2, 7, 9, 10, 13, 14, 17, 18	Open-pollinated; main processing carrot in Michigan; primarily for soup and baby food; but can be used for dicing; good resistance to Cercospora blight.
Spartan Bonus	110	1, 9, 17	Hybrid; color and taste superior to Danvers; for soup and baby food; less suited for dicing; moderate resistance to Cercospora blight; developed at MSU.
<b>CAULIFLOWER</b>			
Clou	67	17	Mid-season; uniform, large heads; fall harvest.
Dominant	68	17	Mid-season; heavy heads; for market or processing.
Imperial 10-6	58	9	Early mid-season; matures ahead of Snowball Y; good cover leaves.
Self-Blanche	72	6, 9, 17	Mid-season; wrapper leaves cover head; no tying needed when grown in cool weather; good for fall crop; developed at MSU.
Snowball Y	70	1, 2, 5, 7, 9, 10, 12, 13, 14, 17	Mid-season; uniform heads; popular for market.
Snowcrown	53	1, 3, 6, 9, 17, 18	Early; hybrid; medium heads; uniform maturity; for early market.
Greenball		5, 8, 12	Green cauliflower; needs no tying; excellent flavor; developed at MSU.
<b>SWEET CORN (Yellow)</b>			
Apache	82	2, 16	High quality, main season hybrid; for machine or hand harvest.
Aztec	68	2, 16	Early hybrid; tolerant to cool soil and growing conditions; tolerant to one strain of maize dwarf mosaic (MDM).



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>SWEET CORN (Yellow), cont'd.</b>			
Comanche	72	2, 16	Early mid-season hybrid; tolerant to cool soils; for machine or hand pick.
Earlivee	63	16, 17	Very early fresh market hybrid; small ears; do not plant for main season.
Gold Cup	80	9, 17	Main season hybrid; medium ears; excellent quality.
Jubilee	84	6, 9, 16, 18	Late season hybrid; large ears; for fresh market and processing.
Merit	84	2, 17	Main season hybrid; large ears; for roadside and local market.
Northern Belle	74	9, 17	Early mid-season hybrid; medium ears; good yields and quality.
Seneca Chief	82	1, 9, 17, 18	Main season fresh market hybrid; slender ears; good quality.
Seneca Scout	81	9	Main season hybrid; for local market or shipping; can be machine picked.
Spring Gold	67	9, 17	Early hybrid; small ears; for local markets; some tolerance to MDM.
Sundance	69	9	Early season hybrid; ear size and quality same as main season hybrids; some tolerance to MDM.
<b>SWEET CORN (White)</b>			
Comet	80	2, 16	Main season white hybrid; for shipping or local markets; resistant to Southern leaf blight and smut; tolerant to Northern leaf blight.
Quicksilver	79	9	Main season white hybrid; good quality; machine pick.
Silver Queen	94	1, 3, 6, 9, 16, 17, 18	Late white hybrid; excellent quality and shelf life; large ears.
<b>SWEET CORN (Bicolor)</b>			
Bi-Queen	92	1, 3, 18	Late hybrid; large ears.
Harmony	73	9	Early mid-season hybrid; medium ears; good quality; some tolerance to MDM.
Sprite	68	9	Early hybrid; medium ears.
Sugar Dots	84	7	Main season hybrid; good size ears.
Sweet Sue	88	9	Late hybrid; good quality.
<b>SWEET CORN (Super sweet)</b>			
Extra Early Super Sweet	67	17	
Illinichief	87	6, 8, 17, 18	
<b>CUCUMBERS (Pickling)</b>			
Bounty		2	Hybrid; black spined; later than Premier; good yield for machine harvest; resistant to scab and cucumber mosaic virus (CMV); tolerant to angular leaf spot (ALS).



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
Calypso	52	1, 9, 14, 15	Hybrid; white spined; developed by North Carolina State Univ.; resistant to scab, CMV, ALS; tolerant to anthracnose and powdery mildew; good yield; machine harvest.
Green Spear 14	55	14	Hybrid; white spined; resistant to scab, CMV, ALS and powdery mildew; long fruit is useful for chipping or slicing.
Green Star	51	9	Hybrid; white spined; resistant to scab and CMV; tolerant to ALS and anthracnose; good yields for machine harvest or for hand pick; slightly later than most varieties.
Perfecto Verde 14	55	14	Hybrid; white spined; resistant to scab, CMV, downy mildew, anthracnose and ALS; slightly earlier than Green Spear 14; machine harvest; fruit shorter than Green Spear 14.
Premier		2	Hybrid; white spined; earlier than most varieties; machine harvest; good yields; resistant to scab and CMV.
Triple Mech	51	15	Three-way cross hybrid; high yield potential but requires intensive production practices, including no nitrogen or water stress; resistant to scab, CMV and ALS; some tolerance to anthracnose; machine harvest.
<b>CUCUMBERS (Slicing)</b>			
Cypress	65	7	Early hybrid; high total yield potential; resistant to scab and CMV.
Gemini	70	4, 5, 9, 13, 16, 17, 18	Early gynoecious hybrid; some resistance to downy and powdery mildew, ALS, anthracnose, scab and CMV.
High Mark II	60	2, 17	Main season hybrid; some tolerance to CMV, scab and downy mildew; use in field or greenhouse.
Marketmore 70	68	1, 3, 4, 9, 13, 14, 16, 17, 18	Main season; open-pollinated; uniform dark green; high pack-out; resistant to scab and CMV.
Pacer	62	9	Early; open-pollinated; fruit resembles Marketmore 70, but matures several days earlier.
Sprint N		2	Early gynoecious hybrid; high yielding; resistant to CMV, scab and anthracnose.
<b>EGGPLANT</b>			
Black Magic	73	9	Hybrid; early mid-season; oval fruit.
Burpee Hybrid	70	3	Early; oval fruit.
Classic	76	9	Hybrid; mid-season; elongated fruit.
Dusky	69	1, 6, 9, 15, 16, 17	Hybrid; early; small fruited; heavy yields.
Jersey King	75	3, 17	Hybrid, mid-season; elongated fruit.
Special Hibush	82	9	Main-season; elongated fruit.
<b>LETTUCE (Head)</b>			
Fulton	90	1, 5, 7, 10, 13, 17	Medium early; good on muck soils; slow bolting; resistant to tip burn.



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>LETTUCE (Head), cont'd.</b>			
Great Lakes 659	86	1, 2, 5, 7, 10, 12, 14, 16, 18	Medium early; for late summer and fall; good on muck soil; slow bolting; resistant to tip burn.
Ithaca	85	1, 2, 7, 9, 12, 16, 17, 18	Medium early; adapted to mineral or muck soils; resistant to tip burn and brown rib.
Minetto	83	1, 2, 5, 7, 9, 10, 13	Early; small, solid heads; well adapted for muck soils; slow bolting; resistant to tip burn.
<b>LETTUCE (Leaf)</b>			
Domineer	40	17	Early; for greenhouse and outdoors; developed at MSU.
Grand Rapids	45	1, 2, 3, 5, 7, 9, 10, 13, 14, 17, 18	For greenhouse or outdoors; resistant to tip burn.
Waldmann's Green	45	9, 12	Slightly darker green; longer than Grand Rapids.
<b>LETTUCE (Bibb)</b>			
Buttercrunch	80	1, 3, 5, 6, 8, 9, 10, 13, 14, 16, 17	Larger than Summer Bibb; grows well all season.
Summer Bibb	62	1, 5, 9, 16	Slow bolting.
<b>MUSKMELON</b>			
Ambrosia	84	17	Main season hybrid; round fruit, heavy netting and no ribbing; small, dense fruit with small seed cavity; some tolerance to powdery and downy mildew.
Burpee Hybrid	85	3, 16, 17	Main season; deep ribbed; heavy netted; good quality for local market.
Classic	85	1, 8, 15, 16	Main season; resembles Burpee Hybrid; tolerant to Fusarium wilt and downy mildew.
Early Dawn	82	9	Early hybrid; large, oval-round fruits; lightly netted fruit with large seed cavity; fair quality.
Earlisweet		15	Early hybrid; many small fruit (avg. 2 lb); quality round fruit with medium netting and slight ribbing.
Gold Star	87	9	Main season hybrid; resembles Burpee Hybrid.
Saticoy Hybrid	90	8, 9, 15, 16, 17	Late, very productive hybrid; shallow ribs and light netting; oval shape with small seed cavity; good shipper.
<b>ONIONS (Yellow)</b>			
Abundance	104	1, 5, 13, 14	Mid-season; large size; poor storage.
Downing Yellow Globe	112	1, 2, 5, 8, 10, 11, 14, 16	Late; standard yellow variety; good storage; several strains available.
Garnet	105	2	Early; good for muck soils; good storage.
Gladiator		10	Late; excellent storage.
Spartan Banner	107	1, 9, 10	Late; excellent storage; high yields; developed at MSU.



	<i>Days to Harvest</i>	<i>Seed Source (see p. 11)</i>	<i>Comments</i>
<b>ONIONS (Yellow), cont'd.</b>			
Spartan Gem		5, 10	Late; good storage; developed at MSU.
Spartan Sleeper	110	1, 17	Mid-season; excellent storage; developed at MSU.
<b>ONIONS (Red)</b>			
Ruby	105	1, 2	Mid-season; larger than Southport Red Globe; fair storage.
Southport Red Globe	110	1, 5, 6, 7, 8, 9, 10, 14, 16, 17	Mid-season; standard red onion for market; fair storage.
<b>ONIONS (Green Bunching)</b>			
Beltsville Bunching	65	1, 2, 10, 17	Non-bulbing variety; tolerant to pink root and smut; resistant to yellow dwarf; for local market; withstands hot weather.
Southport White Bunching	65	1, 2, 5, 9, 17	Standard bunching variety; will bulb if not harvested early.
White Lisbon	60	1, 5, 6, 9, 10, 12, 14, 17	For early crop; will bulb if not harvested promptly.
<b>ONIONS (Sets)</b>			
Yellow Ebenezer	105	1, 8, 14, 17	Standard yellow set onion; stores well; flat onion when mature.
White Ebenezer	100	1, 5, 14, 17	Standard white set onion; stores well; flat onion when mature; also for pickling.
Golden Globe	110	5, 14	Stores well as sets; globe-shaped onion when mature.
Red Wethersfield		5, 14	Standard red set onion; fair storage.
<b>ONIONS (Sweet Spanish)</b>			
Yellow Sweet Spanish	120	1, 3, 5, 8, 9, 10	Late; usually grown from transplants.
<b>PEPPERS (Sweet, bell)</b>			
Bell Boy	75	1, 3, 6, 8, 15, 16, 17, 18	Hybrid; excellent fresh market fruit; recommended for trial; resistant to tobacco mosaic virus (TMV).
Big Belle		7	Hybrid; excellent fresh market fruit; recommended for trial.
Emerald Giant	80	4, 9	Main season; open-pollinated; large, thick-walled fruit; sets poorly under cool nights; resistant to TMV.
Keystone Resistant Giant	80	2, 4, 7, 9, 10, 13, 14, 17, 18	Main season; open-pollinated; resembles Emerald Giant.
Lady Bell	72	9	Hybrid; early mid-season; large 3-4 lobed fruit; resistant to TMV.
Midway	74	3, 9, 16, 17	Early mid-season; large fruit.
Yolo Wonder B	80	5, 9, 13, 14, 16, 18	Main season; open-pollinated; large, 3-4 lobed fruit; resistant to TMV.
Yolo Wonder L	78	1, 2, 4, 5, 7, 10, 14, 18	Resembles Yolo Wonder B but has taller plants; resistant to TMV.
<b>PEPPERS (Early, sweet)</b>			
Canape	62	1, 3, 9, 17	Early hybrid; small, tapered fruit, 3-lobed; high yields, good for red fruit production.
Shepard	68	17	Early; tapered fruit, up to 7 in. long; forms red fruit early.



	<i>Days to Harvest</i>	<i>Seed Source (see p. 11)</i>	<i>Comments</i>
<b>PEPPERS (Early, Sweet), cont'd.</b>			
Staddons Select	72	9, 16, 17	Slightly later than Canape; medium fruit; heavy production; fruit not uniform, but good as an early crop.
Stokes Early Hybrid	60	17	Medium fruit; good yields for a very early pepper; produces red fruit early.
<b>PEPPERS (Hot)</b>			
Hungarian Yellow Wax	70	2, 3, 4, 5, 7, 8, 9, 10, 13, 16, 17, 18	
Rumanian Wax	70	4, 9	
Red Cherry	80	1, 4, 14, 17	
<b>PUMPKIN</b>			
Connecticut Field	115	1, 2, 6, 7, 8, 9, 10, 13, 14, 16, 17, 18	Standard, yellow; variable shape and size; good for carving.
Howden	115	9	Selection from Connecticut Field but more uniform; many large fruit.
Jack O'Lantern	110	3, 7, 8, 12, 13, 14, 17, 18	Medium size; good for carving.
Young's Beauty	112	9, 14, 16	Medium size; good for carving.
Spookie	110	9, 14, 17	Small fruit; for small jack o'lanterns and pie.
Small Sugar	115	2, 3, 17	Standard pie pumpkin; small, flattened fruit.
Big Max	120	1, 2, 3, 7, 8, 14, 16, 17, 18	Very large fruit—may exceed 100 lb; for carving or pies.
Jackpot	100	9	Hybrid; shorter vines than most varieties; medium to large fruit.
Early Sweet Sugar	90	10, 14	Small fruit; for carving or pie.
<b>RADISH (Red)</b>			
Cherry Belle	24	1, 2, 3, 5, 6, 7, 8, 9, 10, 13, 14, 17, 18	Short-topped; round shape, bright red; good for greenhouse forcing.
Red Prince	23	1, 2, 7, 10, 14, 17	Medium topped; globe shape; scarlet; good on muck soil; resistant to Fusarium wilt.
Scarlet Globe	23	3, 5, 6, 7, 10, 13, 14, 16, 17, 18	Short-topped; globe shape; scarlet; for mineral soils.
Scarlet Knight	24	1, 6, 9, 14, 18	Slightly taller than Red Prince; round to globe shape; scarlet; does not develop bluish color under adverse conditions; resistant to Fusarium wilt; good for warm weather use.
<b>RADISH (White)</b>			
Icicle, Short Top	30	7, 9, 10, 16, 18	White; good on muck soil.
White Icicle	30	1, 2, 3, 5, 6, 8, 13, 14, 17	White; longer tops than short top strain.
<b>RUTABAGA</b>			
American Purple Top	90	2, 6, 7, 8, 9, 10, 13, 14, 18	Standard American rutabaga; large roots.
Laurentian	90	1, 6, 9, 14, 17	Standard Canadian rutabaga; medium roots.
Macomber	92	1, 9	White skin and flesh; round roots.



	<i>Days to Harvest</i>	<i>Seed Source (see p. 11)</i>	<i>Comments</i>
<b>SPINACH</b>			
Dark Green Bloomsdale	43	1, 7, 9, 18	Savoy; for spring crop.
Long Standing Bloomsdale	48	3, 6, 10, 13, 14, 17	Savoy; for spring crop; takes warm weather better than many varieties.
Melody	43	1, 3, 6, 9, 17, 18	Semi-savoy; hybrid; for spring and fall crops; for fresh market and processing; resistant to downy mildew and blight.
Virginia Savoy	39	2	Savoy; for fall crop or overwinter; for fresh market or processing; tolerant to blight.
<b>SQUASH (Summer)</b>			
<b>(Zucchini)</b>			
Black Jack	48	17	Hybrid; very dark green.
Burpee Hybrid Zucchini	50	3	Medium green.
Caserta	52	13, 14	Zucchini type; grey-green.
President	47	17	Hybrid; medium green; long.
Zucchini Elite	48	9	Hybrid; slightly large; dark green.
Zucchini Select	47	17	Hybrid; dark green; tolerant to powdery and downy mildew.
<b>(Straightneck)</b>			
Early Prolific Straightneck	52	2, 3, 8, 9, 10, 18	Standard yellow variety.
Seneca Butterbar	51	1, 3	Hybrid; yellow; cylindrical fruits.
Seneca Prolific	51	1, 9, 18	Hybrid; yellow straightneck type; more uniform than Early Prolific.
<b>(Crookneck)</b>			
Golden Swan		15	Semi-crook; light yellow.
Sundance		1, 15, 18	Hybrid; yellow crookneck; smooth skin.
Yellow Crookneck	55	2, 3, 5, 7, 8, 10, 13, 18	Open-pollinated; standard crookneck variety.
<b>(Scallop)</b>			
Early White Bush Scallop	60	7, 10, 14	Open-pollinated; white.
Patty Pan	50	3, 8, 16, 18	Hybrid; scallop type; white.
<b>SQUASH (Winter)</b>			
<b>(Acorn)</b>			
Ebony	80	8, 14, 18	Acorn; vine type; large fruit.
Table Ace	78	1, 8, 9, 18	Hybrid; acorn; semi-bush type.
Table King	80	1, 3, 6, 7, 9, 14, 16, 17, 18	Acorn; bush type.
Table Queen	90	1, 2, 3, 5, 6, 7, 9, 10, 13, 14, 16, 17	Acorn; vine type.
<b>(Buttercup)</b>			
Buttercup Burgess Strain	100	1, 9, 14, 16, 17, 18	
<b>(Butternut)</b>			
Butternut	110	2, 3, 5, 7, 8, 9, 10, 14, 16	Standard butternut variety.
Hercules	100	13, 14, 16	Butternut type; uniform, cylindrical shape.
Waltham Butternut	110	1, 2, 3, 6, 9, 13, 14, 16, 17, 18	Somewhat larger, more uniform, fewer crooknecks than standard butternut.
Hubbard types	110-120	3, 5, 6, 8, 9, 13, 16, 17, 18	Large squash; silver, gold or dark green.
Delicious types	105	9, 16, 17	Gold or green; medium fruits; for processing.



	<u>Days to Harvest</u>	<u>Seed Source</u> (see p. 11)	<u>Comments</u>
<b>TOMATOES (Fresh market)</b>			
Campbell 1327	75	4, 9, 17, 18	Main season; open-pollinated; large tomatoes; pack-out percentage variable.
Floramerica	80	3, 6, 9, 15, 17, 18	Main season hybrid; large, soft, attractive fruit; good production; plant on trial basis.
Jackpot		7	Main season hybrid; slightly smaller fruit than Royal Flush, but smoother; firm fruit.
Jet Star	72	9	Early mid-season hybrid; good yields of smooth fruit; fruit tends to be soft under high temperature conditions.
Redpack	75	9, 17	Early hybrid; good production of large, deep, firm fruit.
Royal Flush		7	Main season hybrid; large, firm fruit; fruit tends to be rough when set under cool conditions.
Setmore	71	9	Early mid-season hybrid; heavy yields of large fruit; adapted for cages.
<b>TOMATOES (Processing)</b>			
Campbell 28	70	4, 17	Juice
Campbell 37		4	Paste
Chico III	70	2, 4, 10	Paste
Heinz 1350	75	3, 4, 5, 9, 13, 16, 17, 18	Juice
Lafayette		4	Juice
Red Rock		4	Paste
Roma VF	76	1, 3, 7, 9, 10, 13, 17, 18	Paste
Ventura		4	Paste
<b>TOMATOES (Cherry)</b>			
Droplet		6	Developed at MSU.
Large Red Cherry	72	3, 4, 7, 10, 16	
Small Fry	68	3, 6, 9, 15, 16, 17	
<b>WATERMELON</b>			
Charleston Gray	96	1, 2, 3, 5, 7, 8, 9, 10, 14, 17, 18	Standard, long-season variety; light green skin, bright red flesh; large, oblong fruit, 20-30 lb; for far southern Michigan only.
Crimson Sweet	97	1, 2, 3, 5, 7, 9, 10, 14, 17, 18	Medium fruit—about 15 lb; striped light and dark green skin; deep red flesh; needs longer season than Sugar Baby; resistant to Fusarium wilt and anthracnose.
Sugar Baby	86	1, 2, 3, 5, 7, 8, 9, 10, 13, 14, 16, 17	Standard ice-box type; dark green; 8-10 in. fruit; good in northern areas with short season.
Summer Festival	88	1, 9	Hybrid; small to medium oval fruit; light green skin; a few days later than Sugar Baby.



## SEED SOURCES

The following companies sell or produce the seeds of varieties as listed. Other companies and local distributors also handle many of these varieties. No endorsement of the companies listed or their products is intended, and no criticism of those not listed is implied.

1. Abbot and Cobb, Inc.  
4744 Frankford Ave.  
Philadelphia, PA 19124  
(215) 535-1907
2. Asgrow Seed Co.  
Kalamazoo, MI 49001
3. Burpee Seed Co.  
Clinton, IA 52732
4. A. L. Castle, Inc.  
P.O. Box 877  
Morgan Hill, CA 95037  
(408) 779-3141
5. Dessert Seed Co., Inc.  
P.O. Box 181  
El Centro, CA 92243
6. Farmer Seed and Nursery Co.  
Faribault, MN 55021
7. Ferry-Morse Seed Co., Inc.  
P.O. Box 431  
Orchard Park, NY 14127  
(716) 662-9301
8. Gurney Seed and Nursery Co.  
Yankton, SD 57079  
(605) 665-4451
9. Joseph Harris Co., Inc.  
Moreton Farm  
Rochester, NY 14624  
(716) 594-9411  
(716) 247-3963
10. Keystone Seed Co.  
P.O. Box 1438  
Hollister, CA 95032
11. Krummrey Farms  
13900 M-106  
Box 137  
Stockbridge, MI 49285
12. Moran Seeds, Inc.  
1155 Harkins Road  
Salinas, CA 93901  
(408) 424-1875
13. Niagara Seeds  
FMC Corp.  
Modesto, CA 95353
14. Northrup, King and Co.  
1500 Jackson Street, NE  
Minneapolis, MN 55440  
(612) 781-8011
15. Petoseed Co., Inc.  
P.O. Box 4206  
Saticoy, CA 93003  
(805) 647-1188
16. Seedway, Inc.  
Hall, NY 14463  
(315) 596-6391
17. Stokes Seeds, Inc.  
P.O. Box 548  
Buffalo, NY 14240
18. Otis S. Twilley Seed Co.  
P.O. Box 1817  
Salisbury, MD 21801  
(301) 749-3245

*This information is for educational purposes only. Reference to commercial products or trade names does not imply discrimination or indorsement by the Cooperative Extension Service. Cooperative Extension Service Programs are open to all without regard to race, color, or national origin. Issued in furtherance of cooperative extension work in agriculture and home economics, acts of May 8, and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Gordon E. Guyer, Director, Cooperative Extension Service, Michigan State University, E. Lansing, MI 48824.*

*IP-3R-1:79-5M-TG, Price 35¢*



