

WHAT EVERY GIRL SHOULD KNOW

Margaret H. Sanger



KNOWLEDGE OF LIFE SERIES

098983

LITTLE BLUE BOOK NO. 14
Edited by E. Haldeman-Julius

What Every Girl Should Know

Margaret H. Sanger

HALDEMAN-JULIUS COMPANY
GIRARD, KANSAS

**Copyright,
Haldeman-Julius Company.**

PRINTED IN THE UNITED STATES OF AMERICA

WHAT EVERY GIRL SHOULD KNOW

I. INTRODUCTION

Students of vice, whether teachers, clergymen, social workers or physicians, have been laboring for years to find the cause and cure for vice, and especially for prostitution. They have failed so far to agree on either the cause or the cure, but it is interesting to know that upon one point they have been compelled to agree: *Ignorance of the sex functions* is one of the strongest forces that sends young girls into unclean living.

This, together with the knowledge of the rapidly increasing spread of venereal diseases and the realization of their subtle nature, has awakened us to the need of a saner and healthier attitude on the sex subject, and to the importance of *sex education* for boys and girls.

This need has shown itself so clearly that the question no longer seems to be, "Is there need of instruction?" but, "Who shall instruct?" Shall the mother or teacher instruct? When shall such instruction be given? In childhood, or in puberty?

To the writer the answer is simple. The mother should begin as soon as questions arise, for it is to the mother that the child goes for information before he enters the classroom. If, therefore, the mother answers his questions truthfully and simply and satisfies his curiosity, she will find that the subject of sex ceases to be an isolated subject, and becomes a natural part of the child's general learning. A woman

4 WHAT EVERY GIRL SHOULD KNOW

does not need to be a college graduate, with a special degree in the study of botany, before she can tell her child the beautiful truth of its birth. But she does need to clear her own mind of prudishness, and to understand that the procreative act is natural, clean and healthful; that all nature is beautified through it, and consequently that it is devoid of offensiveness.

If the mother can impress the child with the beauty and wonder and sacredness of the sex functions, she has taught it the first lesson, and the teacher can elaborate on these teachings as the child advances in school. All schools should teach anatomy of the sex organs and their physiology, instead of teaching the human body in the neuter gender as has been done up to this time.

The whole object of teaching the child about reproduction through evolution is to clear its mind of any shame or mystery concerning its birth and to impress it with the beauty and naturalness of procreation, in order to prepare it for the knowledge of puberty and marriage.

There must of necessity be special information for the pubescent boy and girl, for having arrived at stages in their mental development where they no longer take for granted what has been told them by the parents, they are keen to form their own ideas and gather information independently. It is right, therefore, to give them the facts as science has found them.

There are workers and philanthropists who say there is too much stress put upon the subject of venereal diseases; that the young girl

after learning or hearing of the dangers she is likely to encounter in the sexual relation, is afraid to marry and consequently lives a life unloved and alone.

To which I reply that my object in telling young girls the truth is for the definite purpose of preventing them from entering into sexual relations, whether in marriage or out of it, without thinking and knowing. Better a thousand times to live alone and unloved than to be tied to a man who has robbed her of health or of the joy of motherhood, or welcoming the pains of motherhood, live in anxiety lest her sickly offspring be taken out of her life, or grow up a chronic invalid.

I have more faith in the force of love. I believe that two people convinced that they love each other and desire to live together will talk as frankly of their own health and natures as they do today of house furnishings and salaries. Their love for each other will protect them from ill health and disease, and prompt them to procure of their own accord a certificate of health if each has the right information and knowledge.

There are, however, different phases of nature, the knowledge of which binds and cements the love of two people, other than venereal diseases, for these diseases are only symptoms of a great social disorder.

Every girl should first understand herself; she should know her anatomy, including sex anatomy; she should know the epochs of a normal woman's life, and the unfoldment which each epoch brings; she should know the effect

the emotions have on her acts, and finally she should know the fullness and richness of life when crowned by the flower of motherhood.

II. GIRLHOOD—PART I.

It has been said that the American girl between the ages of 12 and 18 is the most neglected girl in the world. Just why this is so, it is difficult to say, but I doubt whether she is alone in this neglect, for this is known as the *adolescent period*, and it is only within the last few years that the mental and physical aspect of this period has been at all considered, or its importance recognized in any part of the world.

The *adolescent period* is the time between the ages of 12 and 22, when the physical development comes suddenly into prominence; when the mental faculties become independently active, and the sex of the individual strongly manifests itself. It is a period of the greatest importance to the girl, for her physical, mental and moral development during this time will have an important effect on her future life.

It is also a period of the greatest interest to the mother, provided there is sympathy, confidence and understanding between mother and daughter. Too much importance cannot be attached to the necessity of an early confidence between the girl and her mother before this period arrives, for this will give a girl a sense of superiority, a poise, and understanding of herself, and consequently she will be practically immune from the influence of a bad environment, which otherwise might affect her

in a way detrimental to her health and happiness. Up to this period there is very little manifestation of self.

Fortunately, we have come to recognize that healthy outdoor play is as good for the little girl as it is for the boy, and the ideas of our grandmothers' day—that boys were to play ball, ride horseback, swim, shoot, etc., while the girl's play was restricted to sedentary pursuits, such as sewing, doll playing, etc.—have been placed on the relic heap, and the girl of today keeps pace with her brother in physical freedom and activity.

With the passing of those ideas passed also our ideal of the delicate girl, with a cough, small waist and dainty appetite, and the girl physically strong and healthy, with a broader view of life, has taken her place.

About the age of 12 there comes a sudden change in the girl—her dresses are outgrown, her form assumes shape, her bust and limbs develop, and, in the words of Stanley Hall, "hips, thighs, limbs, shoulders and arms round out into contours more or less beautiful, curves always predominating over angles. The physical development is not alone in this work, for the mental and moral instincts are developing so rapidly that it is difficult to understand this new and lovely creature who is neither the child of yesterday nor the woman of tomorrow.

There is often very little patience shown the adolescent girl, for neither parents nor teachers have been aware that this is a separate and distinct stage—this passing from childhood into womanhood—and must be recognized as such.

The first and most noticeable change in the girl at this age is the increase in height, which begins at the 13th year and ends about the 15th. There are girls who begin earlier and continue to grow for several years after this age, but it is with the average we deal, and the growth after the age of 15 is not so perceptible.

Many girls show almost no other signs of womanly development until after this growth has ceased. The bones at this time are soft enough to yield to pressure (being cartilaginous), which makes the wearing of a corset especially dangerous, for the pressure on the ribs interferes with the development of the lungs and tuberculosis is more easily contracted. Corsets should not be worn before the 21st year if possible, and then very loosely, for tight lacing is more harmful at this age than a few years later. Those who have made careful investigations of the harmful effects of corsets claim that not only are the chest and walls of the abdomen injured, but the development of the sexual organs is seriously hampered, causing many functional diseases, commonly painful, and also irregular menstruation, caused by arrested development of the cervix.

The girl who scoffs at the idea of the Chinese women binding up their feet, is doubtless ignorant of the fact that to bind up her own thoracic and pelvic structure (i. e., the chest and abdominal portions of her body) in tight corsets is doing greater harm to her health and injury to her development than the binding of the feet could possibly do. Havelock Ellis says a few words on this subject which show that

the habit of binding the feet of the Chinese women is based on the same ideas as the European woman has when she deforms her waist—they are both done for sexual attractiveness.

As this rapid growth begins, the girl often finds it difficult to hold herself up straight, her shoulders become stooped, her head and neck are thrust forward in a most ungainly manner. As she becomes conscious of this, instead of correcting it, she is likely to slouch and assume the most awkward habits. Her arms seem longer to her; hands, legs and feet become new burdens to carry, and the desire to hide the hands behind the back, to fold the arms, to bend one knee in order to lessen the length of the body, and to lean on something while talking, are all signs of this consciousness.

With the invention of modern machinery and the monotony of specialized work in the mills and factories, it is natural that this should bring with it, if not entirely new diseases and deformities, at least a greater volume than has heretofore been known. Consider the little children in the cotton mills, standing for long periods with the weight of the body thrown on one foot—a position which causes curvature of the spine. Again, consider the young girls still in their "teens" bending over sewing machines from morning until night, from year to year; their premium for this work is right-sided lateral curvature. Sitting with one leg crossed over the other as in sewing, carrying books under the arm to and from school, lift-

ing and carrying heavy burdens, bundles, or small children, such as the abused and deformed "little mothers" spend their play time in doing—all cause curvature of the spine.

Curvature is one of the most common deformities. Any position which throws the spinal column out of its natural line for any length of time is likely to produce it. Regular exercise in the open air will do much to prevent this, together with walking and dancing. If curvature is already noticeable, then it is best to get professional instructions and follow them closely.

Next to the rapid bony development, the changes in the heart and circulation are most noticeable. The heart grows more rapidly during the adolescent age than the arteries do, which increases the supply of blood in the arteries and causes general circulatory disturbance of which we see many outward signs such as blushing, nose bleed, headache, cold feet and hands, anemia, loss of appetite (or an appetite so capricious as to drive one frantic trying to satisfy it, for it jumps from ice cream soda to dill pickles, according to whim). Some of these symptoms require special attention, particularly in the case of the girl at school or in an office, who finds her work a great effort, tires easily, and becomes pale and nervous. Such a girl should spend as much time as possible in the open air, and build up her strength on milk and eggs. Sometimes a simple iron tonic will do much to overcome these disturbances.

Pimples on the face are also very common

at this period. Physicians assert that with cleanliness of the skin and regularity of the bowels, these symptoms will disappear without the aid of medicines or cosmetics. Such symptoms are of great annoyance to the adolescent girl, who is just developing pride in looking neat and keeping up an appearance of daintiness, and she goes to unending trouble to rid herself of facial blemishes, which often seem to grow worse and if tampered with leave ugly scars.

The nervous system also undergoes great changes at this age, and the growing girl is subject to various forms of nervous affections, such as stammering, jerking, restlessness, etc. These are symptoms which, if allowed to continue unattended, may develop into permanent disorders. In short, the adolescent girl needs constant watchfulness and attention.

GIRLHOOD—PART II.

The organs of sense are also awakened to activity in the adolescent girl. The sense of smell becomes extremely acute; offensive odors are *very* offensive, while pleasant ones are greatly enjoyed and desired. Thus we find perfumes used lavishly in girlhood, and alas! too often indiscriminately.

With the development of the other senses the sense of color is awakened. The girl, who yesterday allowed her elders to choose clothing and colors for her, at this time becomes most exacting in her own selection of ribbons and dresses. Sunsets and forests have become beautiful, and often the girl with artistic talent

decides at this age to choose art as her life work. Laces, jewelry, trinkets, ribbons and shop windows become her world. Indeed, so great is her desire to possess ornaments that she has been known to resort to petty thievery, when unable to avail herself of the means to obtain them otherwise. Certain authorities, who have made vice and kindred subjects a study, assert that it is this great desire for trinkets, silk petticoats, etc., which induces girls to sell their bodies and enter prostitution. Such authorities fail to see the economic significance of these unsatisfied desires. There is something wrong with a system of society which allows its women to sell their bodies for such trifles, the desire for which is part of their natural development.

A craving for beauty and pleasure, dancing, music, singing and laughter, an innate hereditary desire to adorn and beautify herself, which comes down to her from primitive woman, together with a burning desire for and love of romance, characterize the adolescent girl and often remain with her far beyond the adolescent age. When the imagination is thus aroused it is not unusual to learn that the young girl yields to it, tells strange tales about herself, and is, therefore, often accused of lying. But this and petty thievery disappear as reason and will power are developed.

The change of voice in a girl is not so distinct as in a boy, but the voice gradually becomes softer, fuller and of a more womanly pitch, though the change is quite unnoticeable while it occurs.

The hearing becomes keener, noises which a few months ago were considered a joke are now disturbing (such as father's loud sneeze). Music and singing have charms which in childhood were unappreciated.

Parents and teachers, who do not appreciate the change taking place with the girl at this period, have small patience with such doings, calling her "giddy" and "affected," when in reality it is all part of her development and can be guided and directed into beautiful channels. Together with her personal adornment comes interest in her surroundings. New and elaborate decorations furnish her bedroom, and toilet accessories become objects of pride. Primitive colors are displayed, largely in curtains, bed coverings, wall paper, etc., all of which explain the independent ego in the stage of transition.

There are many forms of disturbance which the girl suffers at this period, such as hysteria and insanity, which, however, we will not dwell upon here. Enough has been said on the subject to impress upon my readers the cause of these physical and mental disturbances, and to realize that special care and consideration should be given to the girl at this particular age.

The emotional nature also plays a most prominent part in the developing girl. One of the strongest emotions which very few girls, passing from childhood into womanhood, escape, is religious awakening of one kind or another. It is said by some investigators that 80 percent of the conversions of women in

the churches take place before the age of 20. From 30 to 40 years only a very few occur—something like one or two percent.

It is also shown that more young girls join the church than boys. Some girls seem almost consumed by the desire to do good and be good in every thought and word and act, and have been known to go through various forms of self-punishment, such as fasting, sacrificing pleasure, etc. Again, others spend hours in absolute devotion, to the neglect of health and studies. It is very easily seen why the church takes its "flock" while still in the adolescent period, for at no subsequent time is the girl's mind so plastic or impressionable. If the same girl who enters the convent at 18 years waited until 22, she would very likely not enter, for the mental changes are the most intense from 16 to 18 years of age.

Another common emotional awakening of girlhood is the affections. In boys this awakening causes them to gather together in gangs. They follow their leader whom they greatly admire and obey. In girls it assumes a more simple form, such as devotion to a girl friend of her own age, and the affection between them is deep and intense while it lasts. They tell their most private thoughts in secret to each other, dividing all honors, pleasures and gifts; they are almost inseparable, and I have known a girl whose affection was so deep for her "chum" that she wore mourning when the chum's father died. Another form of affection which the girl of this age manifests is that for an older woman, often a teacher or neighbor.

Parents sometimes look askance at this relation, and rightly so, for such a friendship may be beneficial or harmful according to the character of the older woman.

But with all these interests there is nothing so all-absorbing or so interesting to the adolescent girl as *herself*. She has become conscious of *self*. Now she burns with ambition to go out into the world and do mighty things. She feels sure she will be a great singer, or a dancer, or, perhaps, an actress. Again, she feels she will write a wonderful book—about herself, or at least she will be the heroine. Or she will write a wonderful tragic play; or she will nurse on the battlefields and care for the sick and dying. These, together with thousands of other desires, burn in her mind, and can be increased or lessened according to the character of the books she reads. The literature placed in a girl's hands at this age has as great an influence on her thoughts and acts as do her companions. In early adolescence this self-consciousness manifests itself in modesty, blushing, giggling and physical awkwardness (mentioned earlier on this subject), all signs that the girl is conscious of that inner self—the ego.

It is at this stage when the mother tries to explain what the menstrual period means to the girl that she is met with icy indifference. The girl refuses to talk on this subject, or anything pertaining to sex, because she has just become conscious of her sex, and everything connected with it seems offensively personal. She most likely has received her sexual in-

formation from someone else, and the mother is astonished at the stubborn silence on the part of her daughter—she fails to realize that someone else has that confidence which belongs to her and which she should have gained many years earlier. There is a strong tie between the adolescent girl and her sexual informant. The influence of an older girl over a younger, between whom there are confidences regarding sex, is surprisingly great. The mind at this age is very susceptible to influences of any kind, and the ideals instilled into a girl's mind are of paramount importance.

These are only a few of the disturbances of the adolescent girl. But they are sufficient for us to know that at the bottom of all these disturbances is the mysterious influence of sex gradually unfolding itself and finally claiming its own.

At the time these emotions are in full sway along comes a newer and deeper one. The boy with whom she has played for the past several years, run races, played house, ball and games, one day looks into her eyes—and something happens. Perhaps the look was accompanied by a pull at her hair, a pinch on her arm, or a hit with an apple core, but the glance was one which awakened within her a new instinct—the consciousness of sex—and upon her horizon *man* appears.

Those who have investigated boy and girl love affairs seem to be of the opinion that they are invariably of short duration. Out of 100 high school girls interrogated, two had married while at school, and one of these had re-

ceived a divorce shortly after. This goes to prove that the boy a girl is willing to elope with or even starve for at 18, is quite forgotten at the age of 25.

When girls marry between the ages of 19 and 20—the years when they are developing in body, mind and character—they are at a loss to understand themselves, because they are ignorant of the fact that the wonderful instinct of sex is making itself felt. For thousands of years this instinct has been in the germ of life. When they have reached that age nature is preparing them to proclaim their right, to perform their natural functions, to propagate.

III. PUBERTY—PART I.

Puberty is the age at which the girl or boy becomes capable of reproduction. Writers differ in the use of the word. Many use it to denote the whole period of time during which the procreative ability continues, which is usually from the fourteenth to the forty-fifth year. There are still other uses of the word, but we will use it as the age when the boy or girl becomes sexually matured or ripe, the first indication of which is the menstrual flow in the girl and seminal emission in the boy.

When we speak of puberty it is necessary to have some knowledge of the organs of reproduction and their structure. So far the physiology taught in the public schools has not treated of these organs. When trying to get books on this subject a girl is met with the question: "Are you a nurse or physician?"

13 WHAT EVERY GIRL SHOULD KNOW

If she is not, the books are denied her. Consequently the average girl is kept in ignorance of the function of these organs, and is at a loss to know where to go for clean information. It is necessary, therefore, to give this information here, without mincing words, if there is any benefit to be derived from the following discussion. It is very simple for the girl to learn the correct names of these organs and call them by such names. They are the *ovaries*, *fallopian tubes*, *uterus*, *vagina* and *breasts*. The breasts are not always classed as reproductive organs, but later writers recognize their relation to them, and as such they are now included.

Let us first take the ovaries, which are two small internal glands (invisible, of course) about the size and shape of an almond, placed on each side of the extreme lower part of the woman's abdomen. They are imbedded in large ligaments and tissues which also help to hold the uterus (the womb) in place. Inside the ovaries are thousands of little eggs called *ovules*, which have been there since the birth of the girl. It is claimed there are from twenty to fifty thousand ovules in the ovary at birth. The work of the ovary is to develop and mature these eggs, and send them on to be fertilized. At the time of puberty, these eggs are all in different stages of development. Those in the center of the ovary ripen first and burst through the outer cover of the ovary (which is like a capsule and at the time of menstruation becomes swollen and congested). The ovule is caught by the fringy ends of the fallopian

tubes which are in a constant lashing motion, sending the egg through the tube to the uterus.

The fallopian tubes are about four and one-half inches in length and join the ovaries to the upper and outer angle of the uterus. Its duties are to convey the ova (or eggs) from the ovary to the uterus. Sometimes the sperm cell from the male comes up into the tube to meet the egg and it is fertilized here. The union of the two cells usually occurs in the outer end of the fallopian tube; but this is not the nest nature has prepared for the egg's development, and unless it returns into the uterus it causes serious trouble and an operation is necessary. Impregnation in the tube is very rare, but it is possible.

The uterus, often spoken of as the womb, is a hollow muscular organ into which the egg comes from the tubes to be fertilized, four to eight days from ovaries to uterus. After fertilization it remains here, is nourished and developed until it can grow no more. Then it is thrown out by contraction of the muscles, the process we call the birth of a child. The uterus is about three inches long, and its shape is like a pear with the small end downward. It is not fastened to any of the bony parts, but is held in place by the ligaments and tissues, which also allow it to move with different movements of the body. One of the most interesting facts about the uterus, which is so small in its cavity, is that it can stretch to accommodate the growing child within it to a length of from nineteen to twenty-one inches. This is because it is one and one-half inches

thick and composed of layers of muscles which are tough and yet elastic. At the upper side of the uterus are the openings into the fallopian tubes. At the small end of the uterus is another opening leading into the vagina. It is through this opening that the sperm of the male comes in order to fertilize the egg. Thus you can readily see the uterus is the nest or cradle where the egg is to live until it becomes strong enough to subsist on other nourishment.

The vagina is a muscular tube-like passage which extends from the small part of the uterus (called the neck) to the outer surface of the body, where its opening is usually partly closed in virgins by a thin membrane or film known as the *hymen*. The walls of the vagina are also very thick and elastic. This is sometimes called the birth canal. The hymen was for years a subject for discussion in the professional world among physicians. In my talks to girls I find it a subject of great interest and often anxiety to many of them, for the average girl seems possessed with the old idea that the presence of the hymen is necessary to marital happiness. Not long ago its absence was considered cause for serious discord between husband and wife, and I have been told that under the old law its absence was sufficient ground for divorce.

Fortunately, modern science has thrown some light on this subject and disproved the theory that its absence was necessarily due to a woman's having had sexual relations. There are cases on record of women who have lived four and five years in prostitution who were

found with perfectly preserved hymen. It is important to know that it differs in size and shape in women. Also, that in some women it has been entirely absent since birth. Many little girls and babies have no hymen. It can be destroyed by accident, or injured by operations or examinations where the physician did not use the greatest care. In some women it is easily destroyed; in others it is more difficult. It is not at all uncommon for a physician to find the hymen unruptured when he comes to deliver the first born child. All of which goes to prove that neither its presence nor its absence is necessarily the sign of virginity.

PUBERTY—PART II.

Beginning with puberty the eggs from the ovary are expelled as they ripen or mature. This process is called *ovulation* and occurs about every twenty-eight days. It is closely related to menstruation, but it is not menstruation, as you will soon learn. Some writers say the egg is expelled at other times than at the menstrual periods; another writer asserts that one passes every six hours, alternating male and female. There are many views and ideas on the subject of ovulation, but the most generally accepted theory is that the egg is expelled from the ovary every twenty-eight days.

When the egg ripens, the ovary discharges it and sends it on to find its way through the tubes to the uterus. Here we find the blood supply of the uterus greatly increased in prep-

aration for the egg. We find that the inner lining of the uterus becomes very soft and smooth so that the egg can very easily find a place in which to lodge itself after it has been fertilized. We also find that the cells swell and multiply, all in preparation to welcome and nourish the incoming egg or ovum. If the egg is fertilized by the male, it then remains in the uterus to develop. If not, it is thrown out, together with all the preparation made to receive it. The cells burst and discharge their contents; the mucus, blood, cells and all come away in what is called the *menstrual flow*.

This process goes on every four weeks in girls after they reach the age of puberty and continues at regular periods as long as the egg is not fertilized until the reproductive age is over, which is usually between the forty-fifth and fiftieth year. If, however, the egg is fertilized the menstrual flow ceases and this blood supply goes to nourish the new life in the uterus. It does not appear again until after the birth of the child, and usually ceases while the child depends upon the milk from the mammal glands.

The age at which this process (menstruation) first takes place in girls differs in individuals. Climate has some effect upon it, for girls in warm or southern climates mature earlier than in colder places. In this climate (temperate zone) the average girl reaches puberty at fourteen years of age. Some have been known to reach it as early as the eleventh and others not until the eighteenth year, all in the same place and yet normal and healthy,

which shows there is no reason for anxiety if the girl does not menstruate at fourteen, provided she is developing normally and is in good health. During the first few years after its appearance the periods are likely to be irregular. This is because the sexual organs are not fully developed. Often the period does not occur after the first time for three, five, or even eight months, and sometimes not for a year. This irregularity continues for two or three years. Cases of girls coming from Europe have been known where the period was perfectly established over there, but after arriving in this climate the menstrual flow did not occur again for a year or more. Usually this irregularity lasts only a few months, and when once it has become regular, there should be no worry over its arrival a day or two earlier or later.

The length of time the period lasts differs in women also. The average length of time is four or five days, yet there are women in which it lasts fully a week, and others but a few hours. The length of time should not be of as much concern as the amount of discharge which is expelled each time. It is, of course, difficult to estimate this, but physicians claim that more than three protectives in twenty-four hours should not be used. In all women the flow is most profuse during the first two days.

The care of the health should receive more attention during the first two days than is usually given it. To the girl who has to work from early morning until late at night, these

two days are unusually hard on her nerves and on her general health, and I regret that I have no new message for her to help lighten the burden, which the present atrocious industrial system makes so hard for her.

Physicians say there should be no need of interrupting the regular routine of the day at this time more than any other. There are a few strong women to whom this period makes no difference, but the average girl in this country spends two days of pain and discomfort. Out of 1,000 girls questioned, only 16 percent were entirely free from pain, which proves that the time has come for a woman to cease being ashamed of this function, and insist upon at least one day's rest at the expense of her employer. Some of the old biblical ideas instilled into men's minds, that a woman is unclean at this time, have been the cause of much hardship and many sneers endured by a woman during these periods. The consequence has been that she will bear the most intense pain rather than allow the men working with her to suspect that she is menstruating. It is all nonsense and wrong, and it is time women should band together in one great sisterhood to protect one another from being slowly drained and exhausted of their powers of motherhood for the benefit of their exploiters. Women who belong to unions should demand that this day be given them and their sisters. Girls continue to suffer pains in the abdomen and back, pains running down the limbs, headache, often nausea, besides being nervous and irritable, yet hang on a strap

in an overcrowded street car, stand or sit all day in the shop or at the machine and utter no protest. They know, too, that they are not alone in this suffering, for they see about them day after day hundreds of other woman enduring the same pain, yet they remain silent.

There is one thing to remember, and that is that the greatest strain comes on the nervous system at this period. One of the best ways to assist in building up the nervous strength is in sleep and rest; and for the girl who cannot remain away from the shop, fearing to lose her "job," the next best thing is to get to bed early, for there's nothing that builds up the exhausted nerves like sleep. Fortunately, the girl at school has some consideration shown her at this time, and it is well that this is so, for until the period becomes established there is special danger of overdoing in school work, which often causes St. Vitus dance and other nervous disorders.

I believe in the regular warm tub bath, or cold sponge, followed by a good rubbing all over the body at this time, together with nine or ten hours' sleep, and light, nourishing food without stimulant. If the bowels are active, it often lessens the pain considerably, and it is very important that every girl attend to this if she has any regard for her health.

There are a few abnormalities of the menstrual function which I will not take the space to state here. Before leaving the subject, I wish to impress upon the reader that most abnormalities, such as too little or too much flow, or very great exhausting pain, are usually

caused, not by any disease of the generative organs, but more often by a disturbance of the general health, which can often be treated and cured by building up the system.

IV. SEXUAL IMPULSE—PART I.

The sexual impulse is the strongest force in all living creatures. It is this that animates the struggle for existence; it is this that attracts and unites two beings, that they may reproduce their kind; it is this that inspires man to the highest and noblest thoughts; it is this that also inspires man to all endeavors and achievements, to all art and poetry; this impulse is the creative instinct which dominates all living things and without which life must die. If then, this force, this impulse, plays so strong a part in our lives, is it not necessary that we know something about it?

At the time of puberty there come both to boys and girls, two impulses—one, the desire to touch or caress; to come in contact with, to write or to speak to, an individual of the opposite sex. This impulse is much stronger in girls than in boys. The other is the impulse that impels the individual to discharge the accumulation of ripe sex cells, and relieve himself of the nervous tension which this accumulation produces. This impulse is stronger in boys than in girls. One writer states that this is an unconscious desire for relief from physical congestion, not differing greatly from the sense of relief which the emptying of the bladder or rectum produces. These two impulses together constitute the Sexual Impulse, and

WHAT EVERY GIRL SHOULD KNOW 21

this is the foundation upon which love, the greatest of all emotions, is based.

At the time of puberty the first manifestation of sexual maturity in the girl is the appearance of the menstrual flow. But also at puberty there comes the sexual impulse, which evidences itself during sleep, in a filmy substance dropping from the mouth of the uterus. This "detumescence" does not appear very often in young girls, but later in life when sex instinct becomes stronger it occurs during sleep, especially in young widows having experienced sexual relations. Girls are, however, seldom aware of its taking place; consequently, it has not the danger which its counterpart presents to the boy.

In the preceding section on puberty, we discussed only the girl at puberty, but here it is necessary to understand that during puberty many changes also take place in the boy, such as change of voice, the growth of hair on the face and on various parts of the body, and most important, the discharge of the sexual fluid commonly known as seminal emissions. This later symptom appears in every normal healthy boy on reaching the age of puberty, but unlike the menstrual period which occurs at a stated period in girls, the seminal emissions do not depend upon a special period; they occur at different times, often twice a month. Unlike menstruation, which in the girl lasts from two to seven days, the discharge lasts only a few seconds, and is not accompanied by pain. This expulsion is considered perfectly normal, and is not a sign of physical or sexual weakness.

but a sign that there is a surplus accumulation of ripe sex cells, which have come to their full development and overflow. Nature takes care of this and uses all of this life-giving fluid according to the needs of the individual, casting off the surplus.

It is this symptom that alarms young boys at puberty. It is this overflow which enables quack doctors to play upon the innocent and ignorant boy, telling him that it is an indication of weakness. And it is also this—as the result of telling older boys about it—that leads boys to houses of prostitution; for they are told by their ignorant advisers that they must have sexual relations or endanger their sexual capacity.

It is also this overflow which, occurring in sleep, awakens the boy, so that he is conscious of it; he is conscious also of a pleasurable sensation which this sense of relief produces, and unless warned against it he will try at some later time to bring on this relief by friction or mechanical means, which is known as masturbation—often called self-abuse. The age of puberty is one of the periods in an individual's life in which it is easiest to acquire this habit, in girls as well as in boys, through the accumulation of the "detumescence." There is the same nervous tension that exists in boys, due to congestion of the now fully developed genital organs, perhaps slighter in intensity, but it is there and the girl becomes conscious of it.

When older girls are told about sex, menstruation, etc., they are often led into the habit of masturbation. Cases have been known where

children formed this habit in infancy almost, through the ignorance of nurses or even mothers, who, not aware of the consequences, have kept babies from crying by gently patting or rubbing the sexual parts. It may be caused also by uncleanliness, itching, tight clothing, etc.

When the habit is formed in very small children, it can be exercised in the very presence of the parents, but they, being ignorant of the habit itself, or the consequences, interpret the actions as "baby ways." Again, the habit is formed upon entering school. It is said no school is free from it; and it is a fact that no institution today is free from pupils who practice masturbation.

This subject of masturbation is at present under discussion from many points of view in the medical profession; some doctors claiming that, as with venereal diseases, we lay too much stress on the matter, and exaggerate the harm done to the individual by it. One writer plainly states that it is of such common practice that out of 100 young men and women, 99 are addicted to it, and the hundredth one is lying. Another says that out of 100 men and women arriving at the age of 25, 99 have practiced it at some time.

By these examples such writers would try to prove that because 99 people out of 100 are not in insane asylums the practice cannot be as harmful as it is stated by others to be.

Let us take a sane and logical view of this subject. In children, before they have reached the age of puberty, prior to the development

of the sexual organs, it stands to reason that to abuse these organs before they are strong enough to be exercised must weaken them for their natural functions. Again, masturbation, unlike the sexual act, can be practiced individually and at all times and nearly anywhere. This gives the individual unlimited opportunity for indulgence, and consequently drains and exhausts the system of the vitality necessary for full development.

In the boy or girl past puberty we find one of the most dangerous forms of masturbation, i. e., mental masturbation, which consists of forming mental pictures, thinking of obscene or voluptuous pictures. This form is considered especially harmful to the brain, for the habit becomes so fixed that it is almost impossible to free the thoughts from lustful pictures. Every girl should guard against the man who invariably turns a word or sentence into a lustful, or commonly termed, "smutty" channel, for nine times out of ten he is a mental masturbator.

Perhaps the greatest physical danger to the chronic masturbator is the inability to perform the sexual act naturally. The strong physical irritants which are used are likely to produce catarrhal disease of these organs in both sexes, producing such irritating sensations that relief is demanded, and this can be obtained only by repeating the habit, and so it continues. The individual promises himself over and over again after such exercises to overcome the habit, but his will power gradually becomes destroyed and the impulse continues. He knows

and intuitively feels that such practice degrades him and destroys his character; he feels he is losing control of himself, and also realizes that his health, especially his nervous system, is being undermined.

It would not be difficult to fill page after page of heartrending confessions made by young girls, whose lives were blighted by this pernicious habit, always begun so innocently, for even after they have ceased the habit, they find themselves incapable of any relief in the natural act. This causes a nervous and excited condition in the girl, tossing about nervously for hours after. It is much more difficult for a girl to overcome the habit than for a man. The effects are more permanent in her.

At puberty every boy and girl should be taught these dangers and temptations and also how to avoid them, by keeping active, mentally and physically, by going to bed only when sleepy, and by avoiding intoxicating drinks and stimulants.

SEXUAL IMPULSE—PART II.

In the first part of this chapter we learned that the sexual impulse is a combination of the two impulses, the one which impels the discharge of ripe sex cells, strongest in the boy, and the other which impels the individual to touch or caress an individual of the opposite sex, strongest in the girl.

Every girl has in mind an ideal man. This ideal begins to form sometime in the early adolescent age. He is usually distinct in her mind as to his physical qualities, such as dark

or light hair, or brown or blue eyes. He is always a certain physical type and often remains an ideal to her through life. At the time of forming the type she will be attracted toward many men who seem to answer the ideal type, but as she reads and develops through the various stages of the adolescent period, the ideal changes and grows with her. As she reaches the romantic stage the ideal must be brave, daring, courteous. If she is inclined toward outdoor sports he must be athletic. And so it goes on until the twenty-third year, when the average girl has a fairly settled idea of the man who would suit her as a mate through life.

When the sexual impulse makes itself felt strongest in the adolescent boy and girl, and they, feeling satisfied with the physical beauty and perfection of each other, marry, they are aware that the incentive to love when based on physical attraction alone is soon destroyed. For sickness, poverty or disease will affect even the most seemingly perfect physical attraction.

Let us not confuse the sexual impulse with love, for it alone is not love, but merely a necessary quality for the growth of love. Sexual attraction or impulse is the foundation of the beautiful emotion of love. Upon this is built respect, self-control, sympathy, unity of purpose, many common tastes and desires, building up and up until real love unites two individuals as one being, one life. Then it becomes the strongest and purest emotion of which the human soul is capable. There is no doubt that the natural aim of the sexual im-

pulse is the sexual act, yet when the impulse is strongest and followed by the sexual act without love or any of the relative instincts which go to make up love, the relations are invariably followed by a feeling of disgust. Respect for each other and for oneself is a primary essential to this intimate relation.

In plant and animal life the reproductive cell of the male is the active seeker of the passive female cell, imbued with the instinct to chase and bodily capture the female cell for the purpose of reproduction. This instinct man, as he is today, has inherited, and, as with the lower forms of life, the senses are intensely involved. It is kept alive by the senses of sight, sound and smell, and reaches its highest development through the sense of touch. It is heightened by touching smooth and soft surfaces—which is said to account for the pleasure of kissing.

In the early part of this chapter I spoke of the desire to touch being stronger in girls than in boys. This desire leads a girl to kiss and fondle a man without any conscious desire for the sexual act; whereas the man, to be touched and caressed by the girl for whom he has a sexual attraction, has stimulated within him the accumulation of sex cells, and the desire for the sexual act becomes paramount in his mind. Many a young girl bubbling over with the joy of living, innocent of any serious consequences, is oft-times misjudged by men on account of these natural actions. But she soon puts on her armor of defense, and stifles and represses such outbursts of affection.

Society, too, condemns the natural expression

of woman's emotion, save under certain prescribed conditions. In consequence of this, women suppress their natural desires and direct this great force into other channels, participating in the bigger and broader movements and activities in which they are active today. This is one reason why the type of the so-called "old maid," so characteristic of the generation past, has disappeared. These great maternal powers are being used up in the activities of modern life. Instead of allowing it to remain dormant and make her odd and whimsical, the modern woman turns her sexual impulse into a big directing force.

That the male creature is the pursuer of the female in all forms of life, there is no question, but that the female has the choice of selection and uses fine discrimination in her choice, cannot be denied either. This instinct of selection seems to lie dormant in women of today, for at puberty nature calls to every girl to make a selection suitable to her nature. Yet few girls follow this instinct on account of the specter of economic insecurity which looms up before them. Instead of asking themselves: "Are we matable and sympathetic?" they ask: "Shall we have enough food, clothing and shelter?"

Indeed, girls, this system increases our degradation, and places us lower than the animals. All over the civilized world today girls are being given and taken in marriage with but one purpose in view: to be well supported by the men who take them. The girl does not concern herself with the man's physical condition—his hereditary taints, the cleanliness of his

mind or past life, nor with the future of the race.

There will no doubt be a great change in woman's attitude on this subject in the next few years. When women gain their economic freedom they will cease being playthings and utilities for men, but will assert themselves and choose the fathers of their offspring. As Bernard Shaw tells of her in one of his greatest plays, woman will hunt down her ideal in order to produce the Superman.

There seems to be a general tendency on the part of the woman who is demanding political freedom, to demand sexual freedom also. When a girl reaches the age nearing thirty her natural development tends toward sexual freedom. It seems as though nature, knowing the time of reproduction is drawing to a close, calls with all the fury of her strength for the woman to complete her development and procreate. It is at this age that physicians claim a woman awakens to the sexual desire, and it is at this age that women seek affection, or gratification with a "lover." To such a woman there is nothing to say; she is mature, developed and can judge for herself where best her happiness lies.

But to the young girl, at the age of twenty or even younger, immature, mentally undeveloped, there is something to be said, and that is that every physical impulse, every sensual feeling, every lustful desire will come to her white-washed with the sacred word "Love."

Neither the boy nor the girl knows the difference between the sexual impulse and love. A boy meets a girl, he feels a great attraction

for her, he feels the sexual impulse throbbing within him, he is full of this life-giving current, he feels it throughout his being; he walks lighter and straighter, he feels it in his voice, in his laughter; he grows tenderer within himself, and to women. He feels all this and is sure it is a love that will never die. If there is an attraction on the girl's part there is no difficulty in persuading her that this feeling is love.

But it is not love; it is the creative force or sexual impulse scattered through his being and the sexual act brings it to a focus.

If motherhood comes to the girl through this relation, she has developed and the experience has enriched her life. But today the girl has an idea she has escaped the greatest disgrace when she has avoided motherhood. If the relation was based on physical attraction alone, a few abortions and the monotony of everyday life soon remove this, and the man goes elsewhere in search of this wonderful sensation which he felt at first, but did not know how to keep or how to use.

The girl, however, has become a new being, sexually awakened and conscious of it, but ignorant of the use of the forces she possesses, she plunges forth blindly, with social and economic forces against her, and prostitution beckoning at every turn. So she soon passes with the crowd on the road to the Easiest Way. This is the story of thousands of young girls living in prostitution.

Women should know that the creative instinct does not need to be expended entirely on

the propagation of the race. Though the sex cells are placed in a part of the anatomy for the essential purpose of easily expelling them into the female for the purpose of reproduction, there are other elements in the sexual fluid, which are the essence of blood, nerve, brain and muscle. When redirected into the building and strengthening of these, we find men or women of the greatest endurance and greatest magnetic power. A girl can waste her creative powers by brooding over a love affair to the extent of exhausting her system with results not unlike the effects of masturbation and debauchery.

The sexual impulse is natural. It is natural in animals, in degenerates, and in man. But in man it is mixed with other essentials which together are termed love. These essentials are derived from man's power of reasoning by which he is known as a higher species and through which he differs from the animals.

It is well to understand that the natural aim of the sexual impulse is the sexual act and the natural aim of the sexual act is reproduction, though it does not always result in this. It is possible for conception to take place without love, it is even possible that there is no conscious knowledge to procreate before or during the act, yet this does not disprove the fact that nature has designed it for the purpose of reproduction, no matter what uses man has put it to today.

Every girl should know that to hold in check the sexual impulse, to absorb this power into the system until there is a freely conscious

sympathy, a confidence and respect between her and her ideal, will go toward building up the sexual impulse and will make the purest, strongest and most sacred passion of adult life, compared to which all other passions pale into insignificance.

V. REPRODUCTION—PART I.

In teaching children or young persons the process of reproduction, one of the cleanest, most natural and beautiful methods is to tell them the process which goes on in the various forms of life in the flower, fish, frog, bird and to lead up to the highest and most complex of all living creatures—man.

They watch the butterfly and bee carry a load of pollen from the father buttercup to fertilize the seeds within the mother flowers. They watch Mr. and Mrs. Frog awaken from their long winter nap, and stirred by the life-giving impulse within them, start for the breeding pond. They watch Father Thrush win his mate and patiently stand guard over her during the tedious hatching days. They are told and see that the flowers depend upon outside forces to bring the pollen from the male to the female to fertilize the seeds before the seeds could grow. They are taught that the mother fish lays her eggs in the water first and that the father fish, unlike the flowers, being able to move about, carries the pollen (which is now a fluid) to the seeds himself. They are told that Father Frog, being a higher creature, fertilized the eggs before they reached the water, and Father Thrush being still higher in

the scale fertilized the eggs before they left the mother's body. That the higher the species was, the greater the care required to preserve that species.

The girl at puberty should be taught this process and something of what goes on within the womb after the ovum has been fertilized. She should know that all organic life is the result of a simple cell; that man is a community of cells, banded together and depending upon each cell to carry on its work, for the benefit of the whole.

Let us first, then, get an idea of a cell and what it is and what it does. A cell is a tiny portion of living matter having in its center a spot or nucleus which represents the point of germination; it is separated from its sister cells by partitions of cell membrane. A simple cell is formed by the fusion of two germ cells when they meet to exchange nuclear elements. After this fusion they are able to proceed with fission, which means splitting into parts, and it is the subsequent cellular growth of the fused germcell that constitutes reproduction.

There are two kinds of reproductive cells: the ova in the female and the spermatozoa in the male. When the sexual act takes place, there is deposited into the vagina a secretion known as semen. According to one authority, each deposit or ejaculation contains 50,000,000 spermatozoa. About the same time in the act there occur in the female spasmodic contractions of the muscles of the uterus which draws in a small amount of the semen which the male has left there.

The sperm cell of the male under the microscope shows that it has both head and tail. The tail enables it to move and advance with a tadpole-like motion toward the ovum.

As in the lower forms of life, the male cell has within it the instinct to chase and capture the female cell. Consequently, it does not depend upon the uterine contractions of the female to enable it to reach the ovum for fertilization. The vagina, being a corrugated or wrinkled tube, hides and secretes the sperm cell for days, unless it is removed with water or killed by poisonous injections.

When, however, the sperm comes near the ovum it is drawn to it as to a magnet. The ovum, being carefully protected by nature within the ovaries, leaves its sister cells and travels alone. The sperm cell, however, having more dangerous paths to travel, must provide against the uncertainty of doing its great work by going in numbers, though it takes but a single cell to produce human life. A number of the male cells go to meet the ovum, but only one enters it. Almost at the moment the head enters the ovum it becomes completely absorbed by the ovum and all trace of it is lost.

This union of the two cells is called *fertilization*, *fecundation*, *impregnation*, or *conception*. Any of these terms may be used. This union usually takes place in the tube, but the fertilized egg does not remain there—it wanders along and finds its way into the uterus.

Now that the ovum has been fertilized, it readily becomes attached to the soft lining of the uterus which has been specially prepared

to receive it. No menstruation occurs. The woman is now *pregnant*. A new being is created, and marvelous changes will now take place within the tiny cell clinging so weakly to the lining of the uterus. At this time the ovum is so small it can scarcely be seen by the naked eye, but in two weeks it has grown to the size of a pea, in four weeks to the size of a walnut, and in eight weeks to the size of a lemon. At this time it is three inches long and is completely formed, the head being much larger in proportion to the rest of its body. What has happened to the ovum in these few weeks is briefly this: All the changes in the evolution of the animal kingdom, that man had to pass through to arrive at his present shape, the human embryo goes through step by step within the uterus in a very short period. Immediately after fertilization the ovum begins to divide into sections or lobes, into 2, 4, 8, 16, 32, etc. cells until they are almost numberless. Each cell splits in the middle of the nucleus, forming two complete new cells and so on.

In the next stage this mass of cells forms into shape like a hollow ball. The third stage is the meeting of the two layers of cells, as if the ball had collapsed, and these two layers meet and unite as one, stretch and flatten out like a worm. After this stage things become more complicated; new organs begin to develop, line marks for the backbone and intestinal canal show themselves, as do the bony and muscular structure of the skeleton.

A slight pulsation is observed, showing the

development of the heart. The head fold is formed by a gradual bending of the spinal column at the front end of the ovum, which we now call the *embryo*. There are also formed at this time processes which soon become arms and legs; there is a furrow on the face, pits for the eyes; and all of this has happened in less than four weeks.

From this time forward development is rapid; the bones, which up to this time have been soft matter, grow harder, and all organs which were only outlined, now become definitely formed. At the end of the fourth month the embryo has grown to its natural shape. The remaining months it increases in size and gains strength. The uterus becomes enlarged, rises out of the pelvis and occupies the abdominal cavity. It takes 40 weeks or 280 days to complete the growth of the human embryo, although the time may be two weeks more or less and still be normal.

Let us see how the child has been fed all this time. When the ovum is fertilized, and up to the eighth week, it is fed by delicate branched threads, which form a covering for it. These threads are called *villi*, and dip into the uterine surface for nourishment from the mother to supply the embryo.

About the eighth week these villi have become greatly intertwined into a mass of spongy tissue full of blood vessels called the *placenta* (afterbirth). This fastens itself to one side of the uterus, takes oxygen as well as nutriment from the mother and sends it through the umbilical cord to the child, the point of at-

tachment being at the navel, the depression left on the belly of the child by the cutting of the umbilical cord at birth. In the same way it takes the waste products from the child to the mother, and she, in turn, throws them out of her system through the kidneys, bowels and skin. The child and placenta are both encased with a membranous sac, which secretes and serves to hold a watery fluid in which the child swims.

The child is folded together with legs on the thighs and thighs on the belly, arms on the chest and head bent forward over the breast. Toward the end of the term it moves about slightly, often stretches a little, and has periods of rest when it scarcely moves, and again periods of great activity. A mother first feels the child move in the fourth or fifth month. Often the young mother at this time begins to worry over her acts lest something she should do might deform the precious charge she carries. This, as you can readily understand from its early development, is impossible, for by the end of the second month the child has been formed, and no mental impressions of the mother can alter its shape. Just as the nucleus of the male sperm has within it all the contributions which the father of the child can give it, until after it is born, so does the mother give it its physical qualities right at the beginning.

Whatever is to be inherited from the father must be within the substance of the spermatozoon at the time the ovum is fertilized. He has no further prenatal influence over it. How

great or how little influence a mother has over her child through her thoughts has not been proven, nor has the subject of determining or influencing the sex of the unborn child been settled.

At the end of nine months the child's development is complete and it is ready for its journey to the outside world. The process of this journey is called "labor"—a word which will describe the mother's share in it. When this occurs before the embryo is able to live outside the uterus it is known as *abortion*.

REPRODUCTION—PART II.

In the first part of this chapter I said that if the process of labor occurs before the seventh month, which is the earliest time the foetus (or embryo) can live for any length of time outside the womb, it is known as abortion or miscarriage. When labor occurs later than this or within two weeks before term, it is known as premature labor.

The average girl in using the word abortion, has in mind a criminal act, whereby the process of pregnancy is purposely interrupted. She prefers the word *miscarriage*. There is also a belief among girls that a miscarriage occurring in the early stages of pregnancy can be brought about without bad results or any serious consequences to her health.

It is a mistake to regard an abortion as of slight importance, for any interruption in the process of pregnancy is always more dangerous than the natural labor at full term. One writer claims there are more women ill in consequence

of abortion than from full term childbirth, on account of which there are so many women who are semi-invalids. There can be no doubt that the often excessive loss of blood leaves the woman in a weak and rundown condition, thereby lessening her powers of resistance to other diseases. The shock to the woman's system is greater than that produced by natural labor, and consequently leaves her in a hysterical and often critically nervous state for some time after.

The causes of abortion are many. Among them are overexertion, overexcitement, shock, fright, fall, great anger, dancing, fatigue, lifting heavy weights, purgative medicines, and excessive sexual intercourse. The dangers resulting from abortion are blood poison, hemorrhage—even lockjaw has been known to be the result of abortion. There is also the danger that one miscarriage is likely to follow another, and may disable a woman to carry a child to the full term. If there is the same care and treatment given the woman who aborts as the woman in childbirth, she will naturally be less likely to suffer serious results than if no medical attention were given her.

One of the most common disturbances of pregnancy is nausea, more commonly called "morning sickness," because it is felt in the morning when the woman first assumes the erect position. As a rule, this lasts only during the early months.

About the latter part of the fourth month, or often not before the fifth month, movements of the foetus are felt. These movements are

called "life," and women are glad of this signal that all is progressing naturally. One writer said a woman had described the first feeling of life as "the trembling movements of a bird within the hand."

There are often many nervous manifestations accompanying the pregnant woman, such as headache, neuralgia, toothache, and as a usual thing constipation is always present, and should receive attention. The teeth also should receive attention at this time for they decay easily on account of the secretions in the mouth which are increased during pregnancy.

The breasts enlarge in the early months of pregnancy, and there is a fullness and tingling felt often in the fifth week. The nipples become erect and the skin around the nipple becomes dark brown. These are only a few of the disturbances of pregnancy, but enough to show that other organs besides the uterus are tested in strength and how important it is to have a good healthy body. In fact, every tissue and fiber in the woman's body feels the impetus of pregnancy, and all kinds of physical changes occur.

One of the common questions asked by young women in early married life is how to tell whether they are pregnant. This is not always easy, but there are a few points on which a diagnosis is based, namely: in a healthy woman (during the reproductive age) the function of menstruation stops, the morning sickness comes on, and enlargement of the breasts with dark color around the nipples. These are early indications that pregnancy exists. I am not going

to take the time nor space to explain that all three of the above named can exist in nervous women, even when pregnancy does not exist. It is, as I said before, with the average healthy girl I am dealing, not with the exception. The only certain signs of pregnancy are hearing the heart-beats of the child and feeling its movements.

Another question which troubles a young woman is how to count the time when she will be confined. This, too, is difficult to say, for an error of two weeks earlier or later is possible, because the time of conception is seldom definitely known. Experience has given a method of arriving at an approximate date which is used and which answers the purpose fairly well, though it is by no means perfect. Add seven days to the first day of the last menstruation and count nine months forward. For example: Mrs. A. menstruated last, beginning October 5; add seven days, this brings the date to October 12; add nine months, which brings the date of confinement to July 12. It is well to have everything prepared two weeks before this date so that the woman can be as much as possible in the open air during the remaining waiting days.

The dress of the pregnant woman should receive serious attention. In the first place, it should be simple and warm, without bands restricting the circulation of any part of the body, like skirt bands, round garters, corsets and tight shoes. The secret of a comfortable outfit for the expectant mother is to have all clothing hang from the shoulders. Combination

underwear can be bought as reasonably as the separate drawers and shirt. There should be no pressure on the womb from above—rather let all support come from below. The corset gets in its harmful work by pressing down the uterus into the pelvis, thus displacing the abdominal organs and crowding them together in such a way as to cause injury to the uterus as well as to the child itself. The muscles of the uterus and abdomen are weakened and from this results that horror of all women: the "high stomach." Some women, especially those having borne children, prefer to wear in the latter days of pregnancy an abdominal supporter. If it is well fitted to the body it helps to assist the abdominal muscles in carrying the weight and affords great relief. If women would devote to making themselves comfortable during pregnancy as much time as they give to the baby's outfit, they would profit by it. Instead of wearing an old worn-out dress, ill-fitting and out of style, make one "maternity" dress to fit the figure. This can, of course, be let out in size as the figure grows. It can be made of some pretty, inexpensive material and gives such comfort and ease of the mind as well as to the body that the woman who has once had one will never again do without it.

The food also should be simple. In fact, there are few restrictions to be placed on food unless so ordered by the physician. One common mistake of women is that they believe they are eating for two persons, and consequently must gorge themselves, which of course results in indigestion. Physicians advise a

small amount of meat once a day. Plenty of water, milk and cereals, fruit, vegetables and especially fruit, which loosens the bowels. Rich pastry or starches fried in fat should not be eaten, because they are hard to digest. There is no reason why the diet should be at all strict unless a woman is under the special care of a physician. She should take a moderate amount of exercise every day, but should not get tired. Walking in the open air in the sunlight is best. Avoid dancing, swimming and all violent exercises; sewing on a sewing machine should be restricted. Fainting in the early months is often caused from bad air in overcrowded and overheated rooms, also from an empty stomach when the woman is too busy to notice nature's call for nourishment.

It is now generally agreed that alcohol taken by the mother during pregnancy has very bad effects on the offspring.

There is little more to be said here except that a pregnant woman should be mentally and physically active, though without becoming fatigued. And of all things she should keep out of the hearing of old superstitions, which have a sign for every act and keep a young woman constantly worried. She should not be allowed to worry over her approaching labor, and as far as possible, she should be kept cheerful and happy.

At the end of the period the child and the placenta are expelled from the uterus. The uterus gradually returns to its former size. It requires about six weeks for this to occur and it is very important that there should be no

heavy lifting and overwork at this time. As a rule after childbirth, the woman's form becomes matured and more developed. The facial expression takes on a kinder, a maternal look, the whole nervous system is awakened to sympathy, pain or grief bringing tears to the eyes quicker than ever before. Especially is this true for the first few years following.

The important thing is that the care of the pregnant woman should be begun in girlhood. If we are going to be and have mothers, then we should give attention to the development of the organs which make mothers.

VI. SOME CONSEQUENCES OF IGNORANCE AND SILENCE—PART I.

When the boy arrives at the age of puberty, he is in greater danger than a girl of being not only led astray by companions, but being actually sent into unclean living by those nearest to him, and most interested in his welfare—HIS PARENTS.

The reason for this is that there has been and still is a false notion among many parents that so soon as the boy has seminal emissions he must have sexual relations or suffer in health. That the seminal emissions are not harmful and that they grow less frequent as the boy grows older is a fact of which few mothers seem to be aware.

One of the most common errors I have found among people, even those educated in other lines of thought, is that the sexual organs will become useless unless they are used in early

manhood. This is considered untrue by the best authorities on the subject, for it is known that the essential organs of reproduction are glands, not unlike the tear glands of the eyes or the milk glands of the breasts. The tear glands do not atrophy even if one does not cry for years, nor the milk glands during the entire period of reproduction. The same can be said of the sexual glands.

Another idea which is fast being uprooted is that the sexual act is an appetite, not unlike that of hunger and thirst, which must be fed by the boy's sowing his "wild oats" before settling down to marriage. It is now a recognized fact that it is no more necessary for a boy to "sow wild oats" than it is for a girl, and women are today demanding of men the same cleanliness of body and mind which men have heretofore considered necessary only in women. It is now the unreserved opinion of the foremost medical men of the day that a man does not suffer in health from living a continent life, nor is he a "molly-coddle" from so doing.

Just one more word on the subject of continence, and that is that it is not at all unusual to find men determined to remain continent until they find their ideal woman. Nor for athletes in training engaged in contests, nor for sailors, on long sea voyages, and many others for long periods of time, is continence impossible; in fact, they are better for it.

SOME CONSEQUENCES OF IGNORANCE AND SILENCE—PART II.

The two venereal diseases which I will tell you something of here are those most commonly known to all—gonorrhoea and syphilis.

Gonorrhoea is an inflammation of the urethra (water passage) characterized by redness, swelling, smarting pain on the passing of water, and accompanied by thick purulent (poisonous) discharge, at first creamy in color, and later a greenish yellow. It is considered by the highest authorities as solely a sexual disease in adults, depending almost exclusively upon sexual intercourse as its mode of origin and infection. Children, however, especially infants and little girls, can be infected by the hands of the mother or nurse being soiled with the discharge, also where the fresh discharge is on towels, toilets, etc. It starts in inflammation of the outer delicate parts but seldom enters the urethra.

In former days gonorrhoea was considered an ordinary catarrhal inflammation — “no worse than a bad cold,” the old saying went. It was thought to originate in women with the discharge at the end of the menstrual period, or leucorrhoea; in fact any secretions from the uterus, of an irritating character, were thought to be sources of gonorrhoea. However, with the discovery of the microbe “gonococcus,” in 1879, by Dr. Neisser, it is now an established fact that the disease comes from a source where there is either latent or chronic gon-

orrhoea, which, of course, means that the gonococcus is present. It is considered a conservative estimate that at least 50 percent of the adult population in this country have suffered from gonococcal infection. More men than women have been and are infected.

The first symptoms of the disease appear from three to seven days after infection, and under proper treatment the discharge may disappear in six or eight weeks.

If the man or woman places himself under the care of a specialist within forty-eight hours after infection, the disease is often of much shorter duration. When allowed to become chronic, it is called *gleet*. Too much emphasis cannot be put upon the danger of placing anyone with this disease into the hands of the doctors who advertise so conspicuously, claiming rapid and complete cures for all sexual diseases. Experience has shown that thousands of boys and young men, attracted by such alluring promises as only the quack can put forth, have been under such treatment, only to find later that the disease was allowed to remain in the tissues, the discharge only having been dried up. The germs were allowed to continue their work on up into the bladder, kidneys, joints, heart and even to the brain. The germs can live for years in the body hidden away in the gland ducts, the mucus membrane of the organ first attacked being in a normal state, yet when a condition arises in which the vitality of the tissues in which the germs are lodged is lowered, or which gives the germs themselves

more nourishment or stimulus, such as alcohol or excessive intercourse, they almost always become active again.

In women the small part of the womb (cervix), as well as the urethra, are favorite places of attack. When the disease attacks the cervix a woman may not be conscious of it, and so, unless prominent symptoms attend it, she may infect many persons in the meantime. In man, on the other hand, the disease cannot be present without his knowing there is something wrong, and it should be impressed upon him that it is a moral obligation on his part not to have sexual relations until he has been examined and pronounced cured by a specialist in genito-urinary diseases. Your general practitioner will always recommend to you a specialist if you ask him to.

When the disease attacks the uterus and ovaries it very often blocks the fallopian tubes and prevents the impregnation of the ovum. It is said that over one-third of the childless marriages are due to gonorrhoea in women, innocently contracted from their husbands. Both men and women can become sterile from this disease. The seminal tubes in the man become blocked, thus disabling him from impregnating the ovum.

Gonorrhoea differs from syphilis, and though it is not a disease which can be transmitted from the parent to children, as syphilis can, yet it is a subtle, wrecking disease and can do almost as much harm to the individual.

Syphilis is an infectious disease, caused by a special microbe which is caught by contagion

or heredity. It is chronic in course, varied and intermittent in character, and the length of time it remains in the body is indefinite. It is so widespread that no country in the world is free from it, neither is any organ of the body exempt from its ravages.

Let us take a young man indulging in promiscuous sexual intercourse, who cohabits with a syphilitic woman. He notices nothing wrong for about five weeks, when he becomes aware of a pimple on the sexual organs, to which perhaps he pays little attention. This grows and becomes hard at the base and is ulcerated on the top. About ten days after the appearance of the ulcer (or chancre) the boy notices that the glands of the groins begin to swell, but as there is little or no pain attached he still pays no attention to all this.

After three, or sometimes four weeks, the ulcerated opening heals, but leaves the hard lump under the skin. In two or even three months after the time of infection the first general symptoms appear. His bones ache, he is mentally depressed, slightly feverish at night, and a rash appears upon his body and sore spots in the mouth and throat. These symptoms usually decide him to consult a doctor, who finds him in the second stage of syphilis. This condition lasts usually about two and one-half years, the rash often lasting a short period, and leaving, but to return again.

The blood within the ulcers on the body contain the poisons of the disease, and for three or four years the poison can be transmitted by contagion, or by heredity.

The third stage is the most destructive, especially to the nervous system, for this disease is recognized as the greatest factor in organic disturbances of the nervous system. It not rarely is the cause of cerebral and spinal meningitis, paralysis of the legs, paralysis of one side of the body, and that most helpless and terrible disease, softening of the brain, and many other diseases which affect the spinal cord, which are seldom if ever cured. The majority of those diseased are left with physical or mental infirmities, rendering them public charges.

There have been cases where the third stage did not develop, and as this stage is not distinctly separated from the second stage by a definite line, it may not take place for months, or even years after the first sore appeared. Again, this stage has been averted by careful treatment in the early stages, and it is here that the hope of all the afflicted lies.

Every case of syphilis begins with the characteristic pimple or chancre, except inherited syphilis. The chancre always appears where the infection enters, and the glands swell in the same vicinity. For instance, if he uses the pipe of a syphilitic, whose mouth contains the sore patches, the victim finds the chancre will appear on his lips, mouth or throat, and the glands of the neck will swell.

It is said that almost ten percent of the infections are contracted innocently, especially in European countries, where kissing and other forms of endearment are much indulged in. In this country innocent infection is not so com-

mon, but more women than men contract it innocently and in this manner.

In women, too, the first symptoms are not so characteristic as in men. She may pay no attention to the chancre for a month; even if she does feel aches in the bones, she thinks she is run down, or thinks she has malaria; even the rash does not alarm her, and often only repeated miscarriages will be the only symptoms she can remember of the early stages. She may continue for years before the disease reaches the third stage. This is not always so, for in every individual the disease differs in character and duration.

Gonorrhoea and syphilis differ in many ways. For instance, the former shows itself in a week or ten days after infection, while syphilis shows no signs for five or six weeks. Gonorrhoea is considered a purely sexual disease, because infection takes place only in sexual relations (except where the germ gets into the eyes), while syphilis can be contracted in many other ways, through forks, spoons, glasses or cups, towels, sponges, bathtubs, toilets, pipes, dental and barber's instruments and kissing.

Gonorrhoea is considered a social danger because it has direct effect upon the offspring, and upon future generations because its effects are visited upon the child.

The cure of syphilis depends upon the individual's environment, constitution and his habits, chiefly as regards alcohol and tobacco. Alcohol is considered the commonest and most active enemy of the patient's recovery. Men

addicted to the use of alcohol are the most difficult to cure. There seems to be no doubt that if the disease receives the proper treatment there is every hope for the individual to live a normal life.

[Further information about these and other sexual diseases is available in Dr. Greer's "Venereal Diseases" (Little Blue Book No. 726), and in Dr. Pusey's specialized "Syphilis" (Little Blue Book No. 903).]

VII. MENOPAUSE OR CHANGE OF LIFE

In the chapter on Puberty, it was stated that the menstrual function began in the average girl at fifteen years of age and continued until the forty-fifth or fiftieth year. At this later age it ceases, together with her sexual or child-bearing capabilities and is known as the Menopause or Change of Life.

This constitute a period from the beginning of irregularities in the appearance of the menstrual flow, until it has actually ceased, which period usually lasts two and one-half to three years. Thousands of women know nothing of the period which, like puberty, they must pass through, being entirely ignorant of the process.

It is usual for them to look toward this age with dread and foreboding; where a little knowledge of the nature of the process would enable them to enter upon this period physically prepared, insuring their safe passage through this dreaded and much-feared period.

The greatest change occurring in the woman at this time is that which goes on in the ovaries. They cease to do their work and ovulation stops. The first indication that the

woman has that this is likely to occur, is by the ceasing of the menses or monthlies (menstruation). Ovulation, however, very often continues for several months, even a year after menstruation has entirely ceased. The glandular tissues of the uterus, tubes and ovaries degenerate, which is said to account for the menopause, and that of the ovaries occurs later than the tubes and uterus, which explains the continuance of ovulation after the menses have stopped.

In a few women the menopause is accompanied by very little or almost no discomfort at all, just the sudden stopping of the monthlies announces to them that this period has come. The majority, however, do not pass through this time so easily, but suffer for the entire period with one affliction or another.

Among the symptoms most common are flushings or flashes, which are mostly confined to head, face and neck, and are increased by heat and motion and are followed by profuse sweating, giddiness, backache, sleeplessness, disturbances of digestion like diarrhoea, or constipation, blueness, depression of spirits, shortness of breath, palpitation and nervous irritability.

But the most alarming symptom of the menopause is hemorrhage. This is too often considered lightly and classed with the minor symptoms of this period. Whenever there is excessive bleeding, there is surely a cause which calls for special and immediate attention. There may be an inflamed condition of the lining of the uterus (womb), or ulceration, general diseases of the heart, lungs and kidneys can also

be the cause of excessive bleeding at this period. Some authorities claim that it also has its cause in early or profuse menstruation, too frequent and difficult labors, abortions and alcoholic drinking, but the most common cause of hemorrhage at this time is cancer. It is a fact that cancer in women, from the age of 40 to 50 is more common than at any other age.

Perhaps it is not generally known that cancer sometimes begins as a local disease, and if taken in time can be removed so completely that radical cure follows. No wonder, then, that hemorrhage should be an alarming symptom, for if care is not taken the dreaded disease, cancer, may be allowed to take root, and the results are too generally known to dwell upon. At the first signs of hemorrhage or excessive flow, a woman should place herself under the care of a gynecologist (specialist in the diseases of woman), just as a pregnant woman is under the care of a physician until she is entirely free from the dangers of childbirth.

Women have heretofore looked to this period with dread, on account of the consequences which neglect has caused. It need not be dreaded, for assuring word comes from prominent physicians who have made this special period a study, that the natural symptoms of the menopause do not portend loss of life, reason or health. It is a period as natural to the woman as menstruation, and with a little care these symptoms or ailments will cease in a few years, leaving the woman to enjoy many more years of good health.

When the period is delayed beyond the fiftieth year, it calls for the same attention as excessive flow. These are two important signs of disease, and should receive immediate care. The period is, however, often brought about at an earlier age than is normal, by mental or physical shock, illness, operation, etc.

The age at which it occurs often differs with climate, race and social relations, for one authority claims that the sexual function is "generally abolished earlier in the laboring classes, who are compelled to work hard and have many cares," and further states that a vigorous vitality causes prolongation of the menstrual process.

In the average woman it does not cease at once, but has two or three periods of cessation, returns again for an irregular period and continues in this irregularity for the entire time of two and one-half to three years. It is important to know that the changes which are going on in the organs of the woman are exactly opposite from those which occur at puberty. At puberty the organs are increasing with life, vigor, and vitality, while at the menopause they are receding or going backward.

The generative organs gradually but surely shrink or atrophy after menstruation stops. The uterus becomes small. The vagina, whose walls were formerly corrugated or wrinkled, now becomes smooth. The orifice or opening of the vagina becomes shrunken, unless it has been previously enlarged by child-bearing. The whole process tends to show that the child-bearing period is at end, which in fact has

caused much mental anxiety and disturbance among women to the extent of melancholy and insanity.

It seems a very small thing to give to every woman, going through this disagreeable period of life, a complete change of climate and rest until the change has become established. Certainly she has served society to the best of her knowledge, often "entering into the valley of the shadow of death"—many times fearlessly—to give the best of herself to the race. It is a small thing to give in return.

All that is needed is to keep guard on oneself—watch the diet and bowels. A light vegetable diet seems best at this time unless very actively engaged in physical exercise, a little meat once a day. Keep free from foods difficult to digest, cheese, fried foods, hot bread, etc., drink plenty of water, and eat fruit to keep the bowels open; slight exercise in the open air, rest, sleep and freedom from mental anxiety are the simple rules which are generally prescribed for women at this stage of their lives.

VIII. CONCLUSION

In completing this discussion I cannot refrain from uttering just a word about the relation of the entire subject I have been discussing to the economic problem. It is impossible to separate the ignorance of parents, prostitution, venereal diseases, or the silence of the medical profession from the great economic questions that the world is facing today. It

is here ever before us, and the more we look into the so-called evils of the day the more we realize that the whole structure of present day society is built upon a rotten and decaying foundation. Until the evils of capitalism are swept away, there is no hope for young working girls to live a beautiful life during their girlhood. There is no hope for boys or girls of the laboring classes to build up strong and sturdy bodies. There is no hope that a woman can live in the family relation and have children without sacrificing every vestige of individual development. There is no hope that prostitution will cease, as long as there is hunger. There is no hope for a strong race as long as venereal diseases exist. And they will exist until women rise in one big sisterhood to fight this capitalist society which compels a woman to serve as a sex implement for man's use.

NOTE

The attention of the reader is called to the Little Blue Books by William J. Fielding, which extend the discussion of this same subject, amplifying and emphasizing its various phases: "What Every Young Woman Should Know" (No. 655); "What Every Married Woman Should Know" (No. 657); "Woman's Sexual Life" (No. 689); "What the Woman Past Forty Should Know" (No. 536); and to Dr. Charles B. Reed's "What Every Expectant Mother Should Know" (No. 127).

Readers desiring to communicate directly with Mrs. Sanger may address her at The American Birth Control League, Inc., 104 Fifth Avenue, New York City.

LITTLE BLUE BOOK NO.
Edited by E. Haldeman-Julius

14



E. HALDEMAN-JULIUS
Editor
LITTLE BLUE BOOKS