MSU Extension Publication Archive

Archive copy of publication, do not use for current recommendations. Up-to-date information about many topics can be obtained from your local Extension office.

Identifying Trees of Michigan MSU Extension Mel Koelling, Extension Specialist, Forestry Department November 1995 28 pages

The PDF file was provided courtesy of the Michigan State University Library

Scroll down to view the publication.

IDENTIFYING TREES OF MICHIGAN

Extension Bulletin E2332 👹 November 1995






Identifying Trees of Michigan

Forests are an important feature of the Michigan landscape. Nearly 18 million acres or essentially 50 percent of the land area of the state are occupied by forest vegetation. These forests contribute significantly to the economic well-being of the state through a variety of products. Michigan's forests also provide an environment for many recreational activities while creating a habitat favorable for many wildlife species. Forests also make important contributions to the quality of Michigan's many lakes and streams.

Michigan's forests are diverse. More than 100 different species of trees



grow in the state. Not all trees are present in all locations, reflecting species preferences for differing sites and environments. In addition to the many native species, several other trees have been introduced into the state and can be found in many locations.

This publication briefly describes 64 of the more common trees present in Michigan. It is designed to assist anyone with an interest in tree identification in becoming better acquainted with some of the most important trees in the state. Illustrations, keys and other descriptive information are provided.

Acknowledgements:

By Mel Koelling, Extension Specialist , Forestry Department, MSU

Michigan State University would like to thank William Carey Grimm, noted botanist and science teacher, for permission to use his outstanding drawings in this bulletin. Appreciation is also extended to the Stackpole Company, Harrisburg, Pennsylvania, publishers of **The Book of Trees**, written and illustrated by Mr. Grimm. Without the permission of the author and the publisher, this publication would not have been attempted. James Neal, formerly MSU District Extension Leader, Resource Development, prepared the original publication E-616, *Familiar Trees of Michigan*.

Cover: A sprawling Burr Oak is an old friend to Bellvue Highway travelers, Brookfield Township, Eaton Co. Courtesy: Bob Neumann, Outreach Communications, MSU.

Above: Squirrel's view of a Northern Red Oak tree in MSU's Baker Woodland.

Courtesy: Leslie Johnson, Outreach Communications, MSU.

There are many books available to anyone interested in further information about trees. Some of them are listed below:

Manual of the Trees of North America, Charles Sprague Sargent Smith, Peter Publishing Co., New York, NY, 1952.

Michigan Trees, Charles Herbert Otis University of Michigan Press, Ann Arbor, MI, 1931 (reprinted 1976).

Michigan Trees Worth Knowing, Norman F. Smith Michigan Department of Conservation, Lansing, MI, 1961.

North American Trees, Richard J. Preston Iowa State University Press, Ames, Iowa, 1976.

Textbook of Dendrology, William M. Harlow and Ellwood S. Harrar, McGraw-Hill Book Company, New York, NY, 1969.

The Book of Trees, William C. Grimm Stackpole Company, Harrisburg, PA, 1965.

Trees, Herbert S. Zimm and Alexander C. Martin Simon and Schuster Publishing Company, New York, NY, 1952.

Trees of North America, Thomas S. Elias, Gramercy Publishing Company, New York, N.Y. 1987.

Table of Contents

How to use this publication	3
Key to identifying trees of Michigan	3-4
Leaf, twig, bud characteristics	5-6
Types of fruit	
Illustrations and descriptions of trees	8-23
TREE	
Ash, American Mountain	18
Black	23
White	23
Aspen, Large-toothed	11
Trembling	
Basswood, American	
Beech	14
Birch, Gray	13
Paper	14
Yellow	13
Boxelder	21
Butternut	12
Catalpa, Northern	23
Cedar, Eastern Red	11
Northern White	10
Cherry, Wild Black	19
Chestnut, Horse	22
Cottonwood, Eastern	
Dogwood, Flowering	22
Elm, American	16
Rock	16
Slippery	16
Fir, Balsam	10
Gum, Black	22
Hackberry	17
Hemlock, Eastern	10
Hickory, Bitternut	13
Shagbark	13
Hophornbeam, Eastern	14

.

Kentucky Coffeetree	19
Locust, Honey	19
Maple, Black	20
Norway	21
Red	
Silver	21
Striped	20
Sugar	20
Mulberry, Red	
Oak, Black	
Bur	
Northern Red	
Pin	
Swamp White	
White	
Orange, Osage	
Pine, Austrian	
Eastern White	
Jack	
Red	
Scotch	
Poplar, Balsam	
White	
Redbud	
Sassafras	
Spruce, Black	
Norway	
White	
Sumac, Staghorn	
Sycamore	
Tamarack	
Thorn, Variable	
Tulip Tree	
Walnut, Black	
Willow, Black	

How to Use this Publication

A number of different characteristics can be used to identify trees of Michigan. The illustrations on pages 5-7 show basic differences in leaves, buds and fruits, and name some of the trees with these characteristics. The "Key to Identifying Trees of Michigan (below) can help you use these characteristics and the process of elimination to identify trees.


The remainder of the publication shows leaves, twigs, buds and fruit of 64 of the most common trees of Michigan.

Key to Identifying Trees of Michigan

1	Trees with needle-like or scale-like leaves; fruit a cone, or cone-like (conifers).	
	Leaves needle-like.	
<u>_</u>	1. Leaves in bundles or on clusters.	
	a) Leaves in bundles	
	(1) Leaves or needles in 5s	White Pine
	(2) Leaves or needles in 2s	
	(a) Leaves 4-to 6-inches long	Bed Pine
	(b) Leaves 1-to 2-inches long	
	b) Leaves in clusters, soft and flexible, shed in fall	
	2. Leaves not in bundles	
	a) Leaves flattened.	
	(1) Leaves 1/2-inch long, cones 1/2-to 3/4-inch long and hang free	Hemlock
	(2) Leaves 3/4-inch long, cones 2-to 3-inches and erect	
	b) Leaves four sided.	
	(1) Branchlets smooth, needles ill-scented, 1-to 2-inch cones	White Spruce
	(2) Branchlets hairy, short needles pleasantly scented, 1/2-to 3/4-inch cones	
B,	. Leaves scale-like	
	1. Branchlets flattened in fan-like sprays, fruit reddish brown	Northern White
	· · · · · · · · · · · · · · · · · · ·	Cedar
	2. Branchlets 4 angled, not in fan-like sprays, fruit berry-like and dark blue	
Α.	 Leaves compound. 1. Opposite. a) Palmately compound; seven leaflets 	Horse Chestnut
	b) Pinnately compound.	
	(1) Leaf margins entire or finely toothed, leaflets distinctly petioled; fruit a single samara	Ashes
	(2) Leaf margins coarsely toothed or lobed, leaflets somewhat petioled or sessile; fruit	
	a double samara	Box-elder
	2. Alternate	
	a) Leaflets small, less than 2 inches long; fruit a pod, branches with thorns	Honey Locust
	 b) Leaflets large, more than 2 inches long. 	
	(1) Fruit, a pod, 4 to 10 inches long, reddish brown	Kentucky Coffee
		Tree
	(2) Fruit a drupe, 3/16 inches on an erect conical cluster	Staghorn Sumac
	(3) Fruit a nut; twig pith chambered	
	(a) Pith, buff colored	
	(b) Pith, chocolate colored	
_	(4) Fruit a nut; twig-pith homogeneous	True Hickories
В.	. Leaves simple.	
	1. Opposite.	Marat
	a) Leaves lobed (star-like); fruit a samara	
	b) Leaves not lobed	Catalan
	(1) Large, heart-shaped; fruit a cylindrical pod 6 to 14 inches long	Gataipa

	E
(2) Small to medium, ovate; fruit a red berry, borne in clusters	Dogwood
2. Alternate.	
a) Leaves lobed or notched	
(1) Leaves as wide as they are long.	
(a) Twigs and leaves aromatic, leaves of three forms; entire, mitten-shaped and	Desertan
3-lobed	Sassairas
 (b) Twigs and leaves not aromatic, leaves of one form i) Leaf margin entire, four lobed; flower tulip-shaped 	Vollow Poolar
i) Leat margin entire, four lobed; flower tulip-snaped ii) Leat margins not entire	
 [a] Leat margins not entire [a] Leat margin finely to coarsely toothed, petioles laterally flattened 	Cottoowood
aj Lear margin ninely lo coarsely toolneo, perioles laterany nationeo	
[b] Leaf mitten-shaped, twigs zig-zag; fruit edible	Aspen, Poplars
[c] Leaf million-snaped, twigs zig-zag; thill eoloie [c] Leaf one form, pointed lobes, hollow petiole at base; old bark peels in thin curled piece	
(2) Leaves longer than wide.	
(2) Leaves medium to large, fruit an acorn	
 (a) Leaves medium to large, nutrian acom i) Leaves bristle tipped, inside of acorn shell hairy; kernel bitter 	Red or
I Ledres Diste upper, inside of acom shell hany, kerner onter and and an and an and an and an and an and an and	Black Oaks
ii) Leaves rounded; inside of acorn shell smooth; kernel sweet	
b) Leaves not lobed or notched.	
(1) Leaves with unequal bases, one-sided as to midrib position	
(a) Margins doubly serrated	Fime
(b) Margin not doubly serrated	
 i) Leaf heart-shaped; fruit a small woody nut subtended by a leaf-like blade 	Basswood
ii) Leaf ovate; fruit a small dark red drupe, corky bark	
(2) Leaves with equal-base (not one-sided)	
(a) Leaf margin entire	
i) Leaf heart-shaped; fruit a legume	
(b) Leaf margin not entire.	
i) Spiny, toothed or bristle-like at the end of each vein; fruit a nut.	
[a] Bark smooth, blue gray; terminal bud long, pointed; fruit a small triangular nut	Beech
ii) Margin finely or doubly serrated	///////////////////////////////////////
[a] Margin finely serrated	
(i) Fruit fleshy, leaves finely toothed, fruit a one-seeded drupe	Cherry
(ii) Fruit not fleshy, leaf petiole short, leaves lance-shaped with long tapered tips	
[b] Margin doubly serrated	
(i) Bark white and peeling	White Birch
(ii) Bark white and tight to tree	
(iii) Bark yellow and peeling, wintergreen taste	

Shapes of Leaves







Ovate



Elliptical



Obovate

Lance-shaped



Deltoid (Triangular)



Heart-shaped


Types of Leaf Margins

















Types of Buds



BEECH Narrowly conical)



STRIPED MAPLE (Stalked)

ASPEN ELM (Scales in 2 ranks) (Outermost scale centered directly over leaf scarl

CHESTNUT (Ovoid)

CHESTNUT OAK (Conical)



SCRUB OAK .

(Accessory)


HOP HORNBEAM WHITE ASH (Striate scales) (Rounded)



0



TULIP TREE (Showing stipule scar encircling twig)




TERMINAL BUD (Hickory)


5



Parts, Types and Positions of Leaves



Types of Fruit




WHITE PINE

(Pinus strobus)

RED PINE



White Pine — Soft flexible bluish green needles, five in a bundle with a 4 to 8 inch cone slightly curved. Once called the "Monarch of the North". State tree of Michigan.




Red Pine — Also called Norway pine. Needles dark green in color, two to a bundle and 4 to 6 inches long. The cones are 2 inches long. Needles break clean when bent.

JACK PINE

(Pinus banksiana)

SCOTCH PINE

(Pinus sylvestris)





Jack Pine – Tree of light sandy soils, forming pure stands on burned over forest lands in the north. Cones may remain closed for years, usually heat will open cones to release seed.

Scotch Pine – Bluish-green, slightly twisted needles. Cones 1½ to 2½ inches long, pointing backward along branches. Favorite for Christmas trees. Imported from Europe so usually planted.

AUSTRIAN PINE

BLACK SPRUCE

(Pinus nigra)


(Picea mariana)

NORWAY SPRUCE


WHITE SPRUCE

(Picea abies)

(Picea glauca)




Austrian Pine – Similar to Red Pine. Dark dull green needles, 3 to 5 inches long. Cones are stalkless and 2 to 3 inches long. Frequently planted as an ornamental tree. A native of Europe.



Norway Spruce – Imported tree planted as an ornamental. Large cylindrical cones 4 to 7 inches long. Branchlets hang from lateral limbs on older trees like weeping willow. Widely planted in the U.S.





Black Spruce – Truly a northern tree, extending to limits of tree growth. Needles blunt-pointed and 1/4 to 3/8 of an inch long. Cones 3/4 to 1 inch long. Often cut for Christmas trees.

White Spruce – Frequently used for Christmas trees and pulpwood. Bluish-green needle, 1/2 to 3/4 inches long. Cones are 1-1/2 to 2 inches long with thin, rounded, smooth-margined scales.


EASTERN HEMLOCK

(Tsuga canadensis)

(Abies balsamea)



Eastern Hemlock – Leaves 1/2 inch long with a stalk which remains on the twig when leaf falls. Slightly notched leaf tips. Hemlock bark is rich in tannic acid, and used to be in demand for tanning hides.




Balsam Fir – Favorite Christmas tree because of fragrant odor. Branches form "cross", symbol of Christmas and Easter. Flat leaf 3/4 inch long with two prominent whitish lines on the lower surface. Difficult to grow in plantations.

NORTHERN WHITE CEDAR

(Thuja occidentalis)





Tamarack – Sheds leaves in fall. Leaf is 1/2 to 3/4 inches long, very narrow, soft and flexible. Leaf is pale-green in color turning yellow in fall. Used for poles and pulpwood. Wood is heavy, hard and strong.


Northern White Cedar – Widely used for fence posts, shingles and poles. Leaves are 1/8 to 1/4 inch long and overlapping. Preferred food and cover for whitetailed deer.

EASTERN RED CEDAR

TREMBLING ASPEN


BALSAM POPLAR

(Populus balsamifera)




Eastern Red Cedar - Really a Juniper not a cedar. Used for cedar chests because of odor and color. Cones are dark blue and berry-like and have a sweet resinous taste. Good bird food.

LARGE-TOOTHED ASPEN (Populus grandidentata)



Trembling Aspen - Commonly called "popple" or "poplar". Leaves are round and "quake" in the slightest breeze. Tree enjoyed by deer and beaver. Excellent pulpwood tree.

Large-Toothed Aspen - Similar to trembling Aspen only leaf has large course margin. Leaf stem also flat which causes quaking in a breeze. Tree bark is more yellowish in color than trembling Aspen. Best of the aspens for lumber and pulpwood.




Balsam Poplar - Balm of Gilead, tacamahac, are other common names of balsam poplar. Leaf is 3 to 6 inches long. Buds are brown and very resinous and fragrant.

EASTERN COTTONWOOD

(Populus deltoides)

BLACK WILLOW



Eastern Cottonwood – Leaf heart to triangle shaped, 3 to 5 inches long. Planted as a street and shade tree. Tree grows fast and limited in use. Used for boxes, excelsior, crates, and baskets.




Black Willow – Grows along banks of streams and bottomlands close to water. Leaves lance shaped and 3 to 6 inches long. 1/4 to 5/8 inch wide. Small amounts of this wood are used for artificial limbs.

BLACK WALNUT

(Juglans nigra)





Butternut – Also known as white walnut. Leaves are 15 to 30 inches long, with 11 to 17 in. leaflets. Fruit is an oblong 2 – 2-1/2 inch nut. Tolerates more northernly climate than black walnut. Wood of very little value. Twigs have a chocolate colored chambered pith.


Black Walnut – Queen of American cabinet woods. Also used for gun stocks. Nuts are good for cakes and cookies. Leaves are 12 to 24 inches long. Twigs have a pale brown chambered center.

BITTERNUT HICKORY

(Carya cordiformis)

SHAGBARK HICKORY

(Carya ovata)



Bitternut Hickory – At all seasons bitternut hickory can be identified by bright, yellow, granular buds. Leaves 6 to 10 inches long with 7 to 11 leaflets. Fruit too bitter to eat.



Shagbark Hickory – Stout twigs and gray bark which hangs loosely helps to identify this tree. Leaves 8 to 14 inches long with usually 5 leaflets. The nuts are edible. The wood makes good tool handles.



Yellow Birch – Most valuable of all birches. One of the principal members of the climax beech-birchmaple forest association. Identified by amber-yellow to silvery-yellowish-gray bark which peels off in thin film-like curls. Widely used for fancy veneer.



Gray Birch – Also called white birch and poplar birch. Leaves are triangle-shaped. 2 to 3 inches long. Bark is tight and chalky-white with dark triangularshaped blotches below branches.

PAPER BIRCH

(Betula papyrifera)

EASTERN HOPHORNBEAM


(Ostrya virginiana)



Paper Birch – Known as canoe birch and white birch. Creamy-white bark which peels off in thin papery layers exposing orange-colored inner bark. Wood used for toothpicks and spools.



Eastern Hophornbeam – Small tree distinguished by shreddy-appearing bark with shaggy plates which curve away from the trunk. Leaves similar to yellow birch. Wood is hard and tough, hence the common name "Ironwood." Used as an ornamental.




Beech – The "initial" tree because of the smooth gray bark which is easy to carve upon. Leaves turn a bronzed-brown color in the fall. Beechnuts are enjoyed by white tailed deer and grouse.



Northern Red Oak – Valuable shade tree along streets and about home grounds. Becomes a large tree 70 to 90 feet in height and 2 to 4 feet in diameter. Also valuable for furniture, cooperage and interior work.

WHITE OAK

(Quercus alba)



Pin Oak – Takes its name from the short, stiff, pinlike shoots with which its branches are studded. Attractive form, so used for ornamental purposes. Selected for shade tree use on highly acid soils.



Black Oak — Nearly black trunk with characteristic bright yellow inner bark. Uses are similar to red oak. Grows on dry or rocky slopes and ridges.



Bur Oak – Corky ridges on branchlets. Large acorns 1 to 2 inches with short stalks and having fringed margins. Also called overcup oak. Leaf almost divided in half by deep sinus.



White Oak – One of the largest and most valuable trees growing in Michigan. Whiskey barrels, flooring and furniture are some uses. Leaves are 5 to 9 inches long with a smooth leaf margin.

SWAMP WHITE OAK

ROCK ELM

(Quercus bicolor)

(Ulmus thomasii)



(Ulmus americana)




Swamp White Oak – Dark brownish bark of the branches peels off and exposes light colored inner bark. Similar to white oak but wood is more knotty.



American Elm – The "umbrella shaped" tree common along Michigan roadways. The Dutch elm disease is threatening to eliminate this tree particularly in lower Michigan. Leaves oval shaped, and two sides are unequal.

SLIPPERY ELM

(Ulmus rubra)



Rock Elm – Also called cork elm because of 1 to 4 parallel but discontinuous wings on branches. Leaves 21/2 to 41/2 inches long, pointed with unequal sides and smooth surface.




Slippery Elm - Leaves 4 to 7 inches long, oval shaped. Leaf surface very rough to touch. Inner bark "slippery."

HACKBERRY


(Celtis occidentalis)

RED MULBERRY


(Morus rubra)



Hackberry – Leaves alternate, 2 to 4 inches long. Also called sugarberry. Fruits are pea shaped, dark purplish in color with a sweet taste similar to dates.



Red Mulberry — Small tree seldom over 30 feet tall. The edible black fruit is enjoyed by robins, wood thrush, catbirds and cedar wax wings.



Osage Orange — Planted for hedge rows. Fruit resembles pale green oranges, 3 to 5 inches in diameter. Orange colored wood sometimes used for making archery bows.



Tulip Tree – Also called tulip poplar. Flowers resemble tulips so the name – tulip tree. Fine wood used for furniture, musical instruments, etc. Bees make excellent honey from the flower of this tree.

SASSAFRAS

(Sassafras albidum)

SYCAMORE



Sassafras — Noted for sassafras tea which is brewed from bark of roots. Three shaped leaves, unlobed, 3-lobed and 2-lobed or mitten shaped.



Sycamore — Mottled bark and scaly. Large leaf resembling a maple. Fruit, ball-shaped 1 inch in diameter on a slender stalk.



American Mountain Ash – Brilliant orange-red colored berries in clusters most characteristic of this tree. The fruit is enjoyed by many birds. An ornamental tree.



Variable Thorn – A shrub or small tree with white flowers in May. Branches thorny, pale brown with scaly bark.


WILD BLACK CHERRY

(Prunus serotina)

REDBUD



Wild Black Cherry – Valuable tree used for furniture, solidly or as a veneer. Fruits are purplish black and enjoyed by man and animal alike.



Redbud – Also called Judas tree. Tree is 15 to 30 feet in height. An ornamental tree which has a pretty lavender-rose pea-like blossoms near Easter time before leaves come out. Leaves are heart shaped.

Kentucky Coffee Tree – Leaves are alternate and twice compounded. The fruit is a broad thick, flattened, reddish-brown pod, 4 to 10 inches long.



(Gleditsia triacanthos)



Honey Locust – Usually trunk and large branches have thick stout branched spines. Thornless variety planted for ornamental use. Fruit, like Kentucky coffee tree, is a 10 to 18 inch flat pod.

KENTUCKY COFFEE-TREE (Gymnocladus dioicus)

STAGHORN SUMAC

(Rhus typhina)

STRIPED MAPLE

BLACK MAPLE

(Acer nigrum)




Staghorn Sumac — Stout, dense, velvety, twigs, makes this small tree resemble antlers of the male deer in velvet. Sumac seldom grows over 20 feet in height. Wood of no commercial value.



Striped Maple – Green to reddish brown bark with conspicuous whitish lines or streaks. Also called moosewood or goosefoot maple. Leaves are 5 to 6 inches long and nearly as broad.

SUGAR MAPLE (Acer saccharum)

Sugar Maple – The "maple syrup" tree. Also used in furniture, flooring, novelties, and spools and bobbins. Abnormalties may cause "curly maple" or birdseye maple grain which is valuable for cabinets.




Black Maple – Resembles sugar maple but bark is darker with leaves that droop and 3-lobed. Sugar maple and black maple lumber are both marketed as "hard maple."

(Acer negundo)




Boxelder – A unique maple because leaves are pinnately compound with 3 to 5 leaflets. Twigs are stout and purplish in color with a white bloom which is easily rubbed off,




Silver Maple – Extensively planted as an ornamental tree along streets. Leaf is silver on top side with white underneath, deeply 5-lobed. Fruits or samara are largest of maple 1½ to 2½ inches long.

RED MAPLE


(Acer rubum)



(Acer platanoides)



Red Maple — Twigs are slender, and bright red in winter. Often called soft maple. Characteristically leaves are a brilliant red in fall.




Norway Maple – A native of Europe. Planted in U.S. for shade tree use. Well adapted to city smoke and dusts. Holds leaves well into fall.

HORSE CHESTNUT

BLACK GUM


(Aesculus hippocastanum)

AMERICAN BASSWOOD



Horse Chestnut – "Buckeye" to many people. Planted as a shade tree. Fruit is a smooth lustrous brown nut. Leaflets are 4 to 6 inches long. Some superstitious people carry the nuts in their pockets to prevent rheumatism. Nuts are not edible.


(Nyssa sylvatica)




American basswood — "American linden" is the common name. Sprouts freely. Leaves are heart shaped and are 4 to 6 inches long. Makes excellent honey.

FLOWERING DOGWOOD


(Cornus florida)



Black Gum – Also called black tupelo. Leaves are thick, 2 to 5 inches long with wedge-shaped bases. Leaves tend to cluster in fives.



Flowering Dogwood – A flowering tree seldom reaching any commercial size. Extensively planted as ornamental. Flowers shaped like a cross and blooms at Easter time.



White Ash – Baseball bats, handles, snowshoes, and skis are common products made from this wood. A compound leaf with 5 to 9 leaflets (usually 7).



Black Ash — Leaves are 10 to 16 inches long with 7 to 11 (usually 9) leaflets. Occupies wet, low areas. Used for basket making, barrel hoops, etc.

NORTHERN CATALPA


(Catalpa speciosa)



Northern Catalpa – Large 4 to 8 inch leaf, 3 to 5 inches wide. Fruits are 8 to 15 inches long, banana shaped, but less than ½ inch in diameter. Sometimes used for fence posts.



(Populus alba)



White Poplar — Leaves are dark-green above, and silvery white beneath. Leaf under-surface is white and wooly. Also called silver leaf poplar. Often seen around old residences in the country.

,

¥.

MICHIGAN STATE MSU is an affirmative action/equal opportunity institution. Michigan State University Extension educational programs and materials are available to all without regard to race, color, national origin, sex, disability, religion or age.

Issued in furtherance of MSU Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Gail L. Imig, Director, MSU Extension, East Lansing, MI 48824.

This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by MSU Extension or bias against those not mentioned. This bulletin becomes public property upon publication and may be reprinted verbatim as a separate or within another publication with credit to MSU. Reprinting cannot be used to advertise a commercial product or company.

Rep, 11:95-5M-KMF-Mb, \$1, for sale only