MAINTENANCE



BRIEFS

LATHAM WINS PIPER AND OAKLEY AWARD

FAR HILLS, N.J. - James M. Latham has been honored with the USGA Green Section's Piper and Oakley Award. Latham was actively involved on the USGA Turfgrass and Environmental Research Committee from 1995 to 2002. He attended numerous researchmonitoring visits and offered advice on the research being considered by the committee. Latham worked as a USGA Green Section Agronomist from 1956 to 1960 and from 1984 to 1994. In the interim, Latham worked for 25 years with the Milwaukee Sewerage Commission, helping to promote one of the nation's first businesses designed to recycle waste products into landscape fertilizers. The Piper and Oakley award was established in 1998 to periodically recognize those who have contributed to the programs and activities of the USGA Green Section.

NEGCSA HONORS KURPOSKA

DELMAR, N.Y. - The Northeastern Golf Course Superintendents Association (NEGCSA) has presented its Distinguished Service Award to James Kurposka, superintendent of Normanside Country Club here. Kurposka previously worked at Colonie Country Club, Albany Country Club and Noyack Golf & Country Club. The NEGCSA presented Kurposka with the award to recognize his involvement, interest and commitment to the association. The award has been presented annually by the NEGCSA since

EPIC ADDS SPANISH TITLES

WEST BEND, Wis. — EPIC of Wisconsin has added two new Spanish titles to its Superintendent's Video Workshop series of golf course maintenance training programs. Both "The Fine Art of Hand Watering with Paul Latshaw" and "Sun Safety" are now available in English and Spanish. The company now has 12 Spanish titles in its 26-program series, which are supplied on both VHS tape and CD-ROM.

Editorial Focus: Putting Green Management

Technology permits lower, leaner and faster greens

By KEVINI BOSS CGCS

There is no debating the fact that managing golf greens today has changed over the last 25 years. Today, greens management uses technology and years of experience to produce the finest conditioned greens surfaces ever. It wasn't too many years ago, the 1970s, that we were cutting greens at 3/16 inch and producing speeds of seven feet on the Stimpmeter. Times have changed.

CONSTRUCTION

The greens that superintendents produce today are, in large part, a result of greens construction techniques that have been refined through the years to offer the ultimate in soil physics. The USGA has done an excellent job in continually reviewing and improving their specifications for greens construction. Present specifications are based on scientific laboratory testing, which will ensure that, with proper construction, a green will

Anthracnose

proliferation

By ANDREW OVERBECK

As new chemicals to fight

anthracnose proliferate, so

does the disease. The com-

bination of warm winters,

hot summers, lower cut-

ting heights and leaner

greens has led to increased

outbreaks of anthracnose

"It used to be a hot-

weather phenomenon, but it has become a disease that

starts up in the spring," said

Dr. Gail Schumann from the

University of Massachusetts.

"I need to put a thing on my

phone that says, 'If you are

calling about anthracnose,

According to Schumann

and other turfgrass pa-

thologists, the disease that

attacks Poa annua and has

even been seen on

bentgrass, is becoming

more prevalent and more

Continued on page 28

press 2."

over the last few years.

. continues perform for many years.

With technology, we have also improved the ability to match the proper sand particle sizes of a USGA spec green. Golf course material suppliers now have very sophisticated sand screening and mixing machines. These machines ensure the proper material will be produced and mixed for greens rootzones.

TURFGRASSES

Since the late 1950s, Penncross creeping bentgrass has dominated the bentgrass market.

Even with the newer bentgrasses on the market, Penncross is still the world's top-selling bentgrass, with some 750,000 pounds sold



Quad-tine-type aerification units allow courses to aerify more often without interrupting play

annually. While Penncross still dominates the market, the grass we now play on is one of the biggest changes in greens surfaces. The new "superbents" (As, Gs, L-93, SR1119, etc.) offer finer texture, greater density, upright

Continued on page 12

UMass study determines pesticide exposure figures

By ANDREW OVERBECK

PROVIDENCE, R.I. — A University of Massachusetts researcher has completed the first phase of a golf course pesticide study that provides, for the first time, accurate exposure estimates for golfers. The research is significant because it will give the U.S. Environmental Protection Agency realistic human exposure data to use when reregistering pesticides under the Food Quality and Protection Act (FQPA).

At a presentation delivered during the New England Regional Turfgrass Conference and Show here March 19, Dr. John Clark outlined the results of the three-year, \$250,000 study. The work was sponsored by the USGA, the New England Regional Turfgrass Foundation, the United States Department of Agriculture, Dow AgroSciences and Bayer.

"The EPA didn't ask us to do it [the study]," said Clark. "The driving issue is they are in the



Researchers had volunteer golfers wear special suits to absorb pesticide residues.

process of reregistering through FQPA and as the industry looks Continued on page 13

SUPERideas

System refills divot mix bottles with ease

At many clubs it is common practice to have divot mix bottles on golf cars and located on par-3 teeing areas. One of the biggest problems is efficiently filling these bottles. Some methods, such as the ice scoop, are more of a means of frustration than efficiency.

One way to ease the pain of filling divot bottles is to construct your own divot sand tube filler. There are many ways to make a filling device. The unit I made holds slightly more than three 150-pound bags of mix and can be mounted in



Ross' tube filler refills divot mix bottles efficiently many ways. In the photo, the tube sits in a welded square of two-inch angle iron that is

Continued on page 10

8 MAY 2003 GOLF COURSE NEWS

MAINTENANCE

Study: chlorpyrifos exposure within allowable limits

Continued from page 8

at this, if you don't have numbers to show what a chemical's input is into the EPA's risk cup, then they just make the numbers up. Once the risk cup is full, they have to drop uses and the first ones to get dropped would be turf and other home uses."

However, the research did more than just quantify critical risk values for the EPA. Clark's study also demonstrated ways superintendents can minimize exposure risks. Further research will develop data that covers the physical chemistry of compounds allowing exposure rates and allowable daily intake (ADI) figures to be calculated for an individual active ingredient without any additional study.

In this first phase, Clark studied chlorpyrifos (Dursban Pro), carbaryl (Sevin) and cyfluthrin (Tempo). The three compounds were chosen because of their differing levels of toxicity, volatility and water solubility.

At this point, full results are only available for chlorpyrifos, but the results are encouraging. Under the previously allowed four pound per acre rate of chlorpyrifos, the ADI was right at the one microgram per kilogram a day limit. However, under the new EPA allowable rate of one pound per acre, the ADI falls to .25, well below the limit. While ADI for the other compounds is not currently available, Clark said the initial figures are favorable.

CALCULATING RISK

In order to calculate pesticide exposure to golfers, Clark constructed a 110-meter by 20-meter "golf course" on a bentgrass field. With greens and tees on both ends of the field, Clark's two foursomes played a simulated 6,800-yard golf course, which took an average of four hours to finish.

The first foursome, the dosimetry group, had to wear special solvent extractive cotton shirts, hats, gloves and pants and air samplers. After a round of golf, these suits were analyzed to see how much pesticide matter golfers come into contact with. The

Technology and greens

Continued from previous page

method for greens establishment and sodding was labeled taboo. However, in recent years sodding greens has made major gains over seeding. These gains have been made primarily because of the ability of the sod producers to grow excellent sod quality and address the layering phenomena. In the past, failures from sodded greens have been mostly related to an incompatible match of the rootzone mix with the sod medium. Presently, sod is even being grown on plastic. When harvested, the roots stay completely intact, suffer less shock, and have very fast rooting potential.

LOOKING TO THE FUTURE

No one can predict the future, but we certainly can guess what it holds. Are we at the ultimate in greens management? Maybe. Can the height of cut be dropped much lower? Probably not. However, years ago, Penncross was considered the ultimate, as was 5/32 of an inch and 10 feet on the Stimpmeter. So who knows, anything could be possible 10 years from now.

results found that the greatest exposure occurred in this order: lower legs, hands, lower arms and face.

The second foursome, the biomonitoring group, wore shorts and golf shirts instead of white suits, but they were subjected to urinary metabolite tests. These tests use existing toxicokentic data to measure the amount of the compound that is excreted in urine and calculate the amount of pesticide absorbed by each individual.

The third part of the study involved

environmental sampling that collected residue data from areas on the treated plots and in areas surrounding the treated plots to determine the spread of the compounds.

REDUCING EXPOSURE RISKS

While the research has shown the current rate for chlorpyrifos to be below the ADI, Clark also confirmed the usefulness of several cultural practices that further reduce exposure risks.

Clark obtained the ADI figures by irrigating with a quarter- to a half-inch of water following an application and waiting one full hour before re-entry into the treated area. Irrigating with this amount reduced resi-

dues by 90 percent, and the exposure risk was reduced by 50 percent by waiting an hourbefore re-entry. By applying chlorpyrifos to just tees and greens, Clark lowered the ADI from .25 to .2.

"You can further reduce risks by only applying pesticides to six holes at a time or by following the last group off the course at night, giving the materials overnight to dissipate," said Clark.

Going forward, Clark will be completing the extensive testing on carbaryl and cyfluthrin in addition to several other compounds that cover other physical chemistries.



A/W Independent Suspension Constant Tension Drive Select-A-Trac



Introducing Ground Tamer Everything a utility vehicle was meant to be.

This next-generation technology combines performance and comfort features that make it stand head and shoulders above the competition.

A/W Independent Suspension – our coil-over-shock design, with its maximum spring and damping rates, gives you unparalleled vehicle handling and driver comfort over any terrain.

Constant Tension Drive – provides smooth transfer of power in every gear and optimum acceleration and maneuverability.

Select-A-Trac – go from 2WD to rugged 4WD without a second thought. **Care** tackles off-road travel as easily as level pavement.

Add in ergonomic, high-backed bucket seats, extended legroom and outstanding cargo and towing capacity, and you can see what makes Ground Tamer the ultimate utility vehicle.

To see the for yourself, call **1-800-321-5325** for the LESCO Service Center® near you. Or visit us on the web at **www.lesco.com**.



LESCO is a registered trademark, LESCO Service Center is a registered service mark and Ground Tamer and GT642 are trademarks of LESCO Technologies, LLC.

GOLF COURSE NEWS MAY 2003 13