

Table 6. Bentgrass cultivar evaluation. Hancock Turf Center.

Date Begun: 7-16-81 Date Evaluated: 8-31-81 Age of Study: 46 Da

Values are early establishment ratings. MSU selections were thinly stolonized and Toronto yet to be planted.

Relative Rank	Treatment Name	Highest Rating Indicates Best Turf Density
1	B853WWK	7.0 A
2	Penneagle	6.7 A
3	Penncross	6.0 A
4	V851WWK	6.0 A
5	V858WWK	6.0 A
6	Emerald	5.7 AB
7	Prominent	5.7 AB
8	Carmen	5.3 AB
9	Seaside	5.3 AB
10	V852WWK	5.3 AB
11	Kingstown	3.7 BC
12	MSU #1	2.7 CD
13	MSU #2	2.3 CD
14	MSU #3	1.7 D
15	Toronto	1.0 D

Treatments having the same letter are not significantly different. Mean separation by Duncan's MRT (5%). Standard Error = .6.

Table 7. Fairway Bentgrass Cultivar Evaluation. Hancock Turf Center.

Date Begun: 7-14-81 Date Evaluation: 8-31-81 Age of Study: 48 Da

Values are ratings of seedling vigor.

Relative Rank	Treatment Name	Highest Rating Indicates Most Uniform Density
1	Penneagle AP	6.0 A
2	Emerald AP	5.0 AB
3	Exeter AT	4.0 BC
4	Astoria AT	3.7 BC
5	Highland AT	2.7 C
6	Tracenta AT	1.0 D

Treatments having the same letter are not significantly different. Mean separation by Duncan's MRT (5%). Standard Error = .4.