

TANKS FOR THE MEMORY!




Lawn and ornamental spraying



The complete unit with its accessories



Complete portability



Termite control

For the first time in pesticide history, "The Silver Skunk" gives you the convenience and precision required for urban and industrial spray operations. It is a revolutionary new portable high-pressure pesticide sprayer. Utilizing the exclusive Micro-Injection System, "The Silver Skunk" accurately meters small amounts of pesticide concentrate directly into the high-pressure water flow. You may eliminate bulky mixing tanks, for "The Silver Skunk" allows you to couple

directly to a garden hose for a water source. "The Silver Skunk" features portability, simple calibration, allows the operator to easily switch from one concentrate to another, records total gallons used on each job and is designed for extended service life. The unit comes complete with 100 feet of high-pressure spray hose, a wand, three nozzles and adapters. You're ready to go to work the moment "The Silver Skunk" walks through the door.

See me at your nearest dealer!



Power Spray Technology, Inc.

Suite 8, Township Square Building
Hook and Calcon Hook Roads
Sharon Hill, PA 19079

Phone: (215) 461-6331

TOWER SIMULATES RAINFALL PROVIDES FACTS ABOUT MULCHES

By Burgess L. Kay, Specialist in Wildland Planting, University of California

How effective are the many erosion-control products being developed or offered for sale? Do these glues and mulches protect the soil surface, holding seed and moisture in place as the salesmen claim? Are they compatible with commercial fertilizers? These questions prompted the construction of a raintower for study of the effect of raindrops on soil surfaces given various treatments.

Selected for tests are problem soils from highway cuts as determined by the California Department of Transportation. These soils are placed in greenhouse flats of 11 x 19 inches, and mulch, glue, seed, etc., are sprayed over the surface with a hydromulcher. Tests have been run on these surfaces with the flats tilted at 1:1 to 2:1 (horizontal to vertical measurement) under both natural rainfall and rainbird-type sprinklers. The need soon became apparent for a more uniform artificial rainfall that would expose each tested surface to exactly the same size and number of "raindrops."

The raintower developed to fill the need is adapted in design from a mobile drip-type infiltrometer reported by W. H. Blackburn et al. (1974). They used the portable model to measure infiltration rates and sediment production on Nevada rangelands. Dr. Blackburn donated two 4-by-4-ft modules containing hollow needles on a 1-by-1-inch grid. The needles form drops of 2 mm diameter. The modules consist of two plexiglass sheets spaced 1/2 inch apart and sealed. The needles project 1/4 inch above and below the lower plexiglass sheet. The needles are 3/4 inch long with an outside diameter of 0.025 inch. Needles are held in





Figure 1 (above): Raintower produces artificial rain which strikes the surface of erosion-control treatments on inclined surfaces.

Figure 2 (left): Water drops 3mm in diameter are formed by water dropping from hollow steel tubes mounted in a plastic chamber.

Figure 3 (above right): Rainfall rate is controlled by flowmeters on left, which control flow to modules on the right.



place with epoxy cement. Water pressure is supplied from a reservoir mounted 4 ft. above the flow regulators. Rainfall intensities are possible of 0.2 inch to 3.3 inches per hour controlled by a Manostat (Cat. No. 36-541-30) flowmeter.

The above plates were mounted in an enclosed tower (Fig. 1) which allows the drops to fall 14 ft. 10

in. to the surfaces to be observed. Twelve of these surfaces (greenhouse flats) are mounted in a cart which can be adjusted for slope angle.

Initial testing was with the above plates making 2 mm drops at an intensity of 2 inches per hour. The results were uniform but not as erosive as natural rainfall. An additional 4 inches per hour was applied by a mist system. These very small drops had no effect on erosion, even though they tripled the amount of water applied. Erosion was initiated by the energy of the large raindrops striking the soil, with the smaller drops merely helping to flush away the soil particles.

Reports of rainfall intensities and drop sizes (Laws and Parsons, 1943) indicate that natural rainfall commonly has rates that are briefly much higher than 2 inches per hour and with drop sizes larger than 2 mm. Because maximum effect seems desirable with the short slopes being tested (19 inches), we decided to make some changes.

New modules (Fig. 2) constructed at 2-by-2-ft reduced the center sag of the 4-by-4-ft modules and allowed for more precise metering. Eight flowmeters (Fig. 3) (Dwyer RMB-83) are fed from a common manifold located 4 ft. below a 55-gallon drum which serves as a common reservoir. A float valve

Harvest quality ...with quality!



- **Performance**—Harvest up to 2,500 sq. yds. (22,500 sq. ft.) of sod per hour.
- **Construction**—Strong, one-piece welded tubular steel frame.
- **Compact Design**—Provides tight turning radius.
- **Hydrostatic Drive**—Allows infinite speed control.
- **Center Cut**—Eliminates side draft . . . continuous strip of sod means less waste, more profit.
- **Floating Cutterhead**—Provides excellent cutting (wet or dry) in mineral or peat soils, under rolling or rocky conditions.
- **Unique Lowering System**—Keeps sod at a convenient height . . . less fatiguing for stackers.
- **Dual Rear Wheels**—Gives superior weight distribution.
- **Flotation Tires**—If you can walk on your field you can harvest it.

For more information write or call collect:
Rodger Osborne—Princeton Mfg. Co.
955 W. Walnut St., Canal Winchester, Ohio 43110
(614) 837-9096

“The New Concept People”

princeton
mfg.
company

Raintower

maintains the drum at capacity. Needle size was increased to 0.028 inch O.D. (Drop size is determined by the outside diameter and surface characteristics of the needle, since drops are formed via the sides and lower surface of the needle rather than the inside diameter.) Drop size is now about 3 mm, compared with the 2mm used earlier, and weigh over 3 times as much as before. Falling 14 ft. 10 in., they reach a velocity of 22.5 ft./sec., or 85% of the terminal velocity achieved by raindrops in an unlimited fall (Laws, 1941).

We have found that using the above modules at a rate of 6 inches of "rain" per hour is a practical compromise between the maxima found in nature and the amount of time available to make observations. The extremely short slope makes it impossible to compare the results with what might happen with similar amounts of rainfall on a field slope.

The value of the raintower is that twelve different soil surface treatments can be compared in a single test under identical testing conditions. We can determine whether a treatment is better than no treatment, or better than a standard treatment such as wood hydromulch fiber at 1,500 lb/acre. It is fascinating to watch the raindrops strike the surface and see how destructive this energy can be if not absorbed by a mulch.

What have we learned about the erosion-control products? Some of the highlights are that straw is extremely effective in absorbing the energy of raindrops and holding soil. Hydromulch fibers, although not nearly as effective as straw, will, if applied at a high enough rate, provide considerable protection. Virgin wood fibers or fibers from corrugated paper are superior to mulches made from newsprint, seed screenings, etc. An organic gum or glue added to a virgin wood fiber has very little effect.

Some of the plastic or synthetic rubber products are the most effective in cementing soil particles together. Optimum dilution rates of these products were determined. Wood fiber was shown to increase the effectiveness of these products. Some glues are not compatible with fertilizer.

References

- Blackburn, W. H., R. O. Meeuwig, and C. M. Skau. 1974. A mobile infiltrometer for use on rangeland. *J. of Range Manage.* 27:322-323.
- Laws, J. Otis. 1941. Measurements of the fall-velocity of waterdrops and raindrops. *Trans. Amer. Geophysical union.* 20:709-721.
- Laws, J. Otis, and Donald A. Parsons. 1943. The relation of raindrop size to intensity. *Trans. Amer. Geophysical Union.* 22: 452-460.

The SPYDER[®]

THE SPYDER — A material handler that offers unequalled performance, low maintenance and operating costs. Over 400 are currently being used by SOD producers across the U.S.A., Canada and England.

COMPARE this user proven material handler with other methods of job site unloading and the bottom line will show you that **THERE IS NO BETTER WAY!!**

Ask your friends. If they say they don't like the Spyder, they've probably never tried one.

IT ARRIVES WITH THE LOAD, UNLOADS ITSELF . . . THEN UNLOADS THE LOAD!



For more information on the Spyder, call or write:

MIKE WHITT — SALES MANAGER
Foxcroft Development
5402 Edgewood Road
Crystal Lake, Illinois 60014
(815) 459-3351

GREENBUG DAMAGE FOUND
ON KENTUCKY BLUEGRASS

LAKESHORE SELLS LESCOSAN!



... And Lescosan is outselling other pre-emergence crabgrass controls.

But we can't take all the credit. Lescosan sells itself.

Other companies claim to have the answer to pre-emergence crabgrass control. At Lakeshore, the undeniable proof exists in every application of Lescosan, whether it's Lescosan 4E emulsion or Lescosan 12.5 granules.

Lescosan (Betasan*) provides full-season effectiveness on all grasses, as well as a number of ornamentals and ground covers. And when you buy Lescosan from Lakeshore, you buy from the formulator. And that means quality and savings!

"Call me today on one of my toll-free numbers," — Barb East of the Mississippi 1-800-321-5951
In Ohio, Dial 1-800-362-7413
Or, Call Collect 216-323-7544

If Lescosan is selling itself to you, call Barb and take advantage of our toll-free information service.

Those east of the Mississippi can reach her by dialing 1-800-321-5951. (In Ohio, dial 1-800-362-7413.) If you're west of the Mississippi, call Barb collect at 216-323-7544.

She'll have our representative contact you so you'll know what Lescosan can mean to you and how our other fine LESCO Products (including LESCO 36 Sulfur Coated Urea) are selling themselves every day!

Our LESCO Quality Products and Friendly Service are always as close as your phone.

LESCO PRODUCTS

Div. Lakeshore Equipment & Supply Co
300 S. Abbe Road
Elyria, Ohio 44035

A Family of Fine Products:

Lescosan 12.5G — Lescorene — Lescos 4 — Lescobor — Lescopar — Lescopex — Lescos Non-Selective Herbicide
Lescos MSMA — Lescos Thiram 75W — Lescoszyme — Lakeshore Chinch Bug & Sod Webworm Control

GREENBUG DAMAGE FOUND ON KENTUCKY BLUEGRASS


By J. R. Street, R. Randell, and G. Clayton

J. R. Street is Assistant Professor of Turfgrass, and R. Randell is Associate Professor of Agricultural Entomology, University of Illinois, Urbana, Illinois, and G. Clayton is Turfgrass Specialist, Professional Turf Specialties, Bloomington, Illinois.

The greenbug, *Shizaphis graminum*, is a widely distributed aphid in North and South America, Europe, Africa, and Asia. It is a well-known and serious pest of grain crops including oats, wheat, and barley, particularly in the central states from Texas to North Dakota and Minnesota. It also feeds on other small grains, corn, rice, sorghum, and forage grasses. Heavy infestations of greenbugs have caused total destruction of both winter and spring grain crops.

In 1970 and 1971, Dr. Roscoe Randell, of University of Illinois reported noticeable damage to Kentucky bluegrass by the greenbug in central and eastern Illinois during the late summer months. This was the first time that the aphid was observed as an epidemic on turf. Prior to this, aphids were considered as incipient turf pests that contribute slightly to the total stress on turfgrass, but not sufficiently to cause economic damage and justify separate control. Greenbugs and their damage have been observed occasionally on turfgrass areas from 1971 through 1977 in Illinois.

Lawns damaged — In June 1978, large circular to slightly irregular patches of dead grass were observed under trees, as well as in open, sunny areas on lawns and other turfgrass areas. These patches usually ranged in diameter from 3 to 15 feet or more. Initial observation suggested dormant or drought-stressed grass, especially since much of the damage occurred underneath the tree canopy. The outside perimeter of brown, dead turf was surrounded by a narrow band of yellow to reddish-orange (rusty) grass. Immediately outside the narrow band the grass was green. Upon closer



A common site of greenbug damage is turf underneath a host tree.

observation, individual plants taken from the chlorotic turf were found to be hosting large numbers (100 or more) of aphids. Aphid feeding continued during the July and August months.

Greenbug description — The adult greenbug is approximately 2-3 mm long, soft-bodied, somewhat pear-shaped, and pale yellow to bright green with a dark green stripe running down the back. It has one pair of antennae and 3 pairs of legs, characteristic of members of the order Insecta. The predominant form of the greenbug is winged and wingless females and their young. The young are produced parthenogenetically (without fertilization) and viviparously (bear living young). Young develop via simple metamorphosis with the young passing through several nymphal instars in about a week. As a rule, existing parthenogenetic biotypes live about one month and produce 50 to 100 young. As many as 20 generations of the viviparous females may develop during one season.

The specific biotype and migration habits of the greenbug feeding on turfgrass have not been clarified. Outbreaks of other greenbug biotypes in the north are considered to arise from the migration of winged aphids originating in southern grain fields. The aphids leave wintering places in the south during March and April with strong southerly winds. These migrants feed on grain crops in the central states. When grain in these areas mature in May, aphids are again produced in large numbers and carried by southerly winds to more northerly states. Present greenbug biotypes are not believed to survive in any of their stages in the north due to the extreme cold winter temperatures. Future research needs to be conducted to define the specific biotype feeding on turfgrass and its overwintering habits.

Feeding and damage — Like other aphids, the greenbug has specialized mouth parts called stylets that are well adapted for sucking juices from the plant. There is also a duct for the ejection of salivary secretions. The salivary fluids contain enzymes that break down the cell and their contents and kill the living tissue. Turfgrass blades resulting from greenbug feeding first show yellow spots with necrotic centers, then turn a rusty color, and eventually turn brown. The greenbug appears to be primarily a feeder on Kentucky bluegrass, causing no damage to fine fescues and other turfgrasses in adjacent areas.

Control — Although most commonly used turfgrass insecticides are effective for greenbug control, malathion is the only insecticide presently carrying a label for use on grasses. The recommended rate of malathion, 57% liquid concentrate, is one tablespoon in 3 gallons of water per 1000 square feet applied to the area infested by the aphid. Under most situations, it is felt that spot treatment would be sufficient to keep the problem to a minimum.

WTT

For Sod Growers Only...

Egon Herrmann
Midwest area
(414) 276-0373



Ray Bentley
New York State area
(518) 677-8808



Bill Richey
New England area
(617) 648-7550

Larry Humphreys
Eastern Midwest area
(614) 889-2944



Bill Young
West Coast area
(503) 926-5892



Kent Reierson
Western area
(402) 435-7744



John Morrissey
Mid Atlantic area
(201) 356-8700

A Team of Professionals from Lofts.



Strick Newsom
Delmarva area
(301) 322-8111



Rich Hurley
Director of Research
(201) 356-8700
(201) 356-1247

Lofts thinks so much of the sod business, we've created a whole new division to serve it. A special, personalized service to sod growers never before available.

Lofts Proprietary Turf Division will handle every proprietary seed available, regardless of the variety. Anything and everything you'll need for professional sod production from one man. . . your Lofts sod specialist.

Each of these hand-picked professionals, including Rich Hurley, Lofts Director of Research, has years of experience in solving your kind of problems. Put us to the test. Call the Lofts sod specialist nearest you and arrange for a personal "field visit" today.

Circle 128 on free information card



Lofts Pedigreed Seed, Inc.

Bound Brook, N.J. 08805 / (201) 356-8700

Lofts/New England
Arlington, Mass. 02174
617-648-7550

Great Western Seed Co.
Albany, Ore. 97321
503-926-2636

Lofts Kellogg Seed Co.
Milwaukee, Wis. 53201
414-276-0373

Lofts/New York
Cambridge, N.Y. 12816
518-677-8808

Lofts/Maryland
Landover, Md. 20785
301-322-8111


Technical and Instructional Books



TREE SURGERY

Tree Surgery, A Complete Guide, gives an up-to-date account of modern tree surgery operations. The theory behind acquiring the skills and knowledge necessary to perform competent tree surgery is outlined clearly and precisely.

\$14.00



DISEASES OF TURFGRASSES

Couch's Diseases of Turfgrasses is one of the best references on that subject to date. No turf library is complete without it. It provides an in-depth analysis of turfgrass disease causal organisms and control of them. From diseases caused by pathogenic plants to viral turf diseases, Couch presents information necessary for any plantsman to achieve fine turf.

\$24.50



WOODY LANDSCAPE PLANTS

Manual of Woody Landscape Plants is a valuable reference for anyone interested in woody plants. The book provides concise, factual information on common and not-so-common woody ornamentals, ground covers and vines as well as the narrowleaf and broadleaf evergreens which are adapted to Midwestern and Eastern climates.

\$18.00



TREE MAINTENANCE

Tree Maintenance is an indispensable guide to anyone involved with the care and treatment of trees. All phases of tree care are described in non-technical language. The book includes a comprehensive list of effective and safe pesticides for trees.

\$25.00



GUIDE TO TREES

Simon & Schuster's Guide to Trees provides beginner and expert with a reference to 300 trees. Black and white line drawings and 350 color photographs accompany descriptive text on each tree, including etymology, habitat, description, propagation, and conditions for growth.

\$16.95



TREE FARM BUSINESS MANAGEMENT

Tree Farm Business Management covers all phases of a tree farming operation, from obtaining an accurate timber inventory to timing sales for profitable results. Budgeting, preparing scientific financial forecasts, special tax problems, and other financial matters are given thorough coverage.

\$15.00



DISEASES OF SHADE TREES

Diseases of Shade Trees is an excellent introduction to tree diseases, including infectious and noninfectious. Part III, Special Topics, covers nonpathogenic conditions, disease diagnosis and living hazard-trees. The book describes the theory and practice behind maintaining a healthy tree that serves a positive purpose.


\$22.00



SOIL MICROBIOLOGY

The second edition of Soil Microbiology integrates microbiology, soil science, and biochemistry to characterize soil microflora. The revised edition adds a closer scrutiny of environmental problems, information on soil toxicants formed by microorganisms, and a chapter on microbial metabolism of pesticides.

\$19.50



DISEASES & PESTS OF ORNAMENTAL PLANTS

Diseases & Pests of Ornamental Plants, fifth edition, includes new ornamental disease hosts, identifies new diseases, and describes the spread of known diseases to a wider range of host plants. The book keynotes environmental factors adverse to the health of 500 ornamentals.

\$18.50

**Weeds Trees & Turf
Books Dept./Fran Franzak
9800 Detroit Ave.
Cleveland, OH 44102**

Name _____
Company _____
Address _____
City _____ State _____ Zip _____

Quantity	Title	Unit Price	Total
_____	Guide to Trees	\$16.95	_____
_____	Soil Microbiology	\$19.50	_____
_____	Diseases & Pests of Ornamental Plants	\$18.50	_____
_____	Tree Surgery	\$14.00	_____
_____	Tree Farm Business Management	\$15.00	_____
_____	Tree Maintenance	\$25.00	_____
_____	Diseases of Shade Trees	\$22.00	_____
_____	Manual of Woody Landscape Plants	\$18.00	_____
_____	Diseases of Turfgrasses	\$24.50	_____

Total _____
Shipping & Handling Chg. (.75 per book) _____
Total Payment Enclosed _____

**WT&T
PROFILE**

Public Park Management




11 REASONS FOR CALLING THE MOST QUALIFIED TREE SPECIALIST-DAVEY TREE-THIS FALL.

Fall and winter are good times to perform certain kinds of tree work. With grounds less crowded, crews can work faster with greater efficiency and less cost to you. Here are 11 good reasons for calling Davey Tree this fall and winter.

1. DAVEY-TRAINED PERSONNEL.

Davey recognized the need for specialized training and originated the unique Davey Institute of Tree Sciences 69 years ago. This is your assurance of thorough training for Davey foremen and supervisors.



7. SCIENTIFIC SOLUTIONS.

Davey (and *only* Davey) backs its tree care personnel with services of the Davey Tree Horticultural Center. The center is staffed with scientists trained in plant pathology, entomology and agronomy, with advanced degrees in horticulture and plant physiology.



2. SURVEYS FOR PREVENTIVE MAINTENANCE.

We'll make surveys of deadwood, hazardous trees, proper clearance for streets, lights, pedestrian paths, and all other pruning needs. And, we'll provide cost estimates to help you plan your grounds maintenance budget. This can help you schedule catch-up work during off-season months, reduce the need for overtime, avoid emergency work, and provide for safety and security.

4. ENVIRONMENTAL SERVICES.

This new service offers you complete horticultural appraisal, consultation, environmental impact studies and street tree plans and inventories.

5. PATENTED TREE FOOD.

Davey's ARBOR-GREEN® tree fertilizer is available for direct purchase or it can be applied by Davey crews. This fine, dry powder remains in suspension when agitated in water and can be applied by economical hydraulic soil injection. Since the nitrogen source is 100% organic, ARBOR-GREEN combines all the advantages of dry, organic fertilization with the economical distribution of liquid injection.




8. A COMPLETE NURSERY.

The Davey Tree Nursery has more than 150 varieties of shade and ornamental trees. From thousands of smaller trees all the way up to ten inches in trunk diameter.

9. SPECIALIZED EQUIPMENT.

Davey crews have the equipment to make the work safe, clean and fast. Included are aerial basket units, cranes, stump grinders and custom-fitted trucks to save you time and money.



3. SKILLFUL PRUNING, CABLING AND BRACING.

Besides pruning deadwood and hazardous limbs to ensure public safety, Davey can cable and brace trees vulnerable to damage from high winds, snow or ice storms. We'll handle the clean-up or you can use your own crews.

6. INSURANCE FOR PROPERTY DAMAGE.

Any tree service can tell you they have insurance. Workmen's compensation insurance is required by most states to protect employees. But, what about accidental damage to public or private property? Davey is fully insured for your protection, too.

10. REPUTATION.

It's one of Davey's most valuable assets. Our reputation has made us the largest and best-known tree care service in the nation. And, after 69 years, we aren't about to diminish our reputation in any way.

11. PROMPT RESPONSE.

In addition to all our other qualifications is our responsiveness. You'll find your nearby Davey Tree Expert in the Yellow Pages under "Tree Service." Call now for immediate service!

DAVEY TREE

Kent, Ohio • Coast to Coast and Canada

The world's oldest and largest tree care specialist.

