Merit, which belongs to a new class of insecticides called chloronicotinyls, selectively disrupts insects' nerves. MACH2 mimics the activity of the insect molting hormone, causing a premature, lethal molt. Both products are target-selective, which means they have low inherent toxicity, except to insects. Registration of Meridian (thiamethoxam), a new thianicotinyl with a control spectrum similar to Merit's, is expected within the next year.

Applied before egg hatch, Merit and MACH2 usually provide excellent (>90%) control. Throughout most of the cool-season and transition turfgrass zones, the optimal treatment window for controlling annual grub species (e.g. Japanese beetles, masked chafers) with either product is June 10 to July 21. That timing ensures that fresh residues are in the soil at egg hatch.

> Applied before egg hatch, Merit and MACH2 usually provide excellent (>90%) control.

Preventive grub insecticides do have limitations. Neither Merit nor MACH2 works well against large grubs. MACH2 will control small- to mid-sized grubs (up to the second instar) for several weeks after egg hatch, but as a "rescue" treatment it works too slowly to discourage skunks and other predators from digging. Both insecticides work well against masked chafers, Japanese beetles and black turf ataenius grubs. MACH2 is less effective than Merit against European chafers and Asiatic garden beetles, but it's



Most of the newer insecticides are target-selective, providing reduced hazards and low environmental risk. Here, grubs were induced to undergo an abnormal, lethal molt following ingestion of MACH2, a molt-accelerating compound.

more active than Merit against cutworms and other caterpillars.

The downside of preventive grub control is that the decision to treat must be made before the extent of infestation is known. Turf managers who practice IPM, reserving preventive treatments for highrisk areas, often find they must spot-treat some areas in late summer. Fast-acting soil insecticides provide the safety net in such situations.

With last year's cancellation of Turcam (bendiocarb), Dylox (trichlorfon) and Sevin (carbaryl) are the only fast-acting products left for curative grub control. Carbaryl has the drawback of being toxic to earthworms, bees and beneficial parasitic wasps. Losing these products would leave few options other than blanket preventive control.

Good products for controlling billbugs still exist. Merit and MACH2 both have

systemic activity that will control young larvae within grass stems, as well as older ones that feed on roots in the soil. Either product applied at high label rate from mid-May to early June will preventively control billbugs, with residues persisting long enough to control white grubs later in summer. Alternatively, a pyrethroid can be applied in late April to mid-May to intercept female billbugs before they lay eggs in the stems. Consult entomologists at your state university for optimal timing in your area.

Surface-feeding pests

Cancellation or restriction of OPs and carbamates has had little impact on turf managers' ability to control surface-feeding pests. Some of the newer classes of insecticides work just as well, or better, than the old standbys.

Pyrethroids, including Talstar (bifenthrin), Tempo (cyfluthrin), DeltaGard

TABLE 1. INSECTICIDES THEN AND NOW

Note the greater diversity of today's products. Source: "Turfgrass Management for Golf Courses" by James B. Beard, 1st (1982) and 2nd (2001) editions¹

INSECTICIDES LABELED IN 1982								
Trade name	Chemical name	Chemical class						
Aspon	propyl thiopyrophosphate	OP						
Diazinon	diazinon	OP						
Dursban	chlorpyrifos	OP						
Dylox, Proxol	trichlorfon	OP						
Dasanit	fensulfothion	OP						
Malathion	malathion	OP						
Мосар	ethoprop	OP						
Oftanol	isofenphos	OP						
Orthene	acephate	OP						
Sevin	carbaryl	carbamate						
Turcam	bendiocarb	carbamate						

Trade name	Chemical name	Chemical class				
Amdro/Maxforce	hydramethylnon	bait				
Award/Logic	fenoxycarb	bait				
Choice/TopChoice	fipronil	phenyl pyrazole				
Conserve	spinosad	spinosyns				
Deltagard	deltamethrin	pyrethroid				
Dursban	chlorpyrifos	OP				
Dylox	trichlorfon	OP				
MACH2	halofenozide	molt accelerator				
Merit	imidacloprid	chloronicotinyl				
Orthene	acephate	OP				
Sevin	carbaryl	carbamate				
Talstar	bifenthrin	pyrethroid				
Tempo	cyfluthrin	pyrethroid				

INCECTICIDES LADELED IN 2004

¹Note that not every product is labeled against all pests, and that some state restrictions may apply. Always read the label!

(deltamethrin), Scimitar (lambdacyhalothrin) and Astro (permethrin) work great against cutworms, armyworms and sod webworms.

Pyrethroids are synthetic versions of pyrethrum, a natural botanical insecticide, but with enhanced properties. They provide rapid knockdown of pests at low rates. Remember this when comparing costs because the price per gallon seems high until you factor in cost per application. Although they have low inherent toxicity to mammals and birds, most are labeled as "restricted use" because they're toxic to fish. They also work well against chinch bugs, greenbugs and other sucking pests, and for targeting adult females of billbugs or black turfgrass ataenius before they lay eggs in spring. They aren't effective against grubs because they bind in thatch and don't reach the root zone.

Conserve (spinosad), a novel insecticide derived from fermentation of a naturally

occurring bacterium, is also highly effective against cutworms, sod webworms and armyworms. It has low-use rates and low toxicity to humans and wildlife. MACH2 (halofenozide), especially liquid applications, also works well for turf-feeding caterpillars. Applied for grub control, Merit has systemic activity against chinch bugs, greenbugs and other sucking pests.

Regarding older chemistry, Dursban (chlorpyrifos), Orthene (acephate) and Sevin (chlorpyrifos) are still labeled against cutworms and other surface-feeders on golf courses. Labeled rates for some products (e.g. Dursban) have been reduced. Orthene and Dursban are no longer labeled for home lawns. Turcam was canceled in 2001. Diazinon is no longer labeled for golf courses or sod farms; all other uses will be phased out by 2003.

Mole crickets and fire ants

Registration of Chipco Choice (fipronil)

during the 1990s provided a powerful new option for residual control of mole crickets on southern golf courses. First in a new class of insecticides called phenyl pyrazoles, fipronil is the active ingredient in some of the world's most effective insecticides including Frontline on-animal flea control, Combat for household pests, and Termidor, a new termite product.

Originally limited to custom slit (subsurface) application, the label was expanded in 2001 to include other pests and sites. TopChoice, a new granular product, is registered in 13 southern states for control of fire ants, mole crickets and nuisance ants on golf courses, sports fields, commercial and home lawns, sod farms and other turf sites. A single broadcast treatment controls fire ants for up to a year, while also controlling mole crickets (four months) and mound-building nuisance ants (three months or more). Other options for mole crickets include preventive control with Merit, or curative control with Orthene or pyrethroids.

Fipronil is also available as Firestar, a new bait formulation that can be used as a mound or broadcast treatment for fire ants. Abamectin (Affirm), fenoxycarb (Logic, Award) and hydramethylnon (Amdro) are other effective fire ant baits containing reduced-risk insecticides.

Nuisance ants

Small, mound-building ants (e.g. Lasius neoniger) are largely beneficial in lawns and golf course roughs because they prey on the eggs and small larvae of other pests. Ant predation is a key reason why such sites aren't normally inundated by sod webworms, cutworms and grubs. Ants can become a problem when their mounds smother turf, dull mower blades, and disrupt the smoothness and uniformity of putting greens and tees. Ant mounds are usually less noticeable in fairways, roughs and lawns.

Problems with nuisance ants seem to be increasing nationwide. One theory why is

that residues of chlordane and other highly persistent turf insecticides used in the 1960s and early 1970s have finally declined. Replacement of diazinon (which is highly active on ants) with the new, more target-selective grub insecticides may also have allowed ants to gain a foothold on golf courses.

Controlling nuisance ants is difficult because fast-acting insecticides usually kill only a portion of the workers foraging on the surface and fail to eliminate the queen in her underground nest. Golf superintendents who have traditionally used OPs (e.g. Dursban) for ant suppression will find that pyrethroids work about as well. At best, such treatments suppress mound building for a few weeks after application. Some entomologists feel that Merit suppresses ants, but it hasn't been effective for that purpose in my trials.

TopChoice containing fipronil is highly effective against nuisance ants, but it's only labeled for use in the South. Aventis is seeking to broaden the fipronil label so that granular products for nuisance ant

Several newer classes of insecticides effectively control cutworms and other surface-feeders.

control on northern golf courses might be available soon. In the meantime, golf superintendents can spot-treat nuisance ants on putting greens with Maxforce Fine Granule Insect Bait containing hydramethylnon. My tests showed that sprinkling a small amount of bait around the mounds will knock out individual nests within a few days. Ants won't take wet bait, so withhold irrigation for 12 to 24 hours to allow time for the worker ants to collect the bait pellets.

Earthworms

Earthworms are beneficial in turf because they alleviate soil, increase air and water infiltration, and help break down thatch. Thatch is rarely a problem in lawns with healthy earthworm populations. Worms nonetheless can be a nuisance on golf courses when their castings occur on putting greens, dulling mower blades and creating a muddy mess.

Certain insecticides and fungicides restricted during the 1990s (e.g. Turcam, Mocap, Crusade, Benlate) were toxic to earthworms. Although not labeled for earthworms, some golf superintendents who used them probably were motivated by the "added value" of suppressing earthworms and castings on closely-mowed playing surfaces. Still-labeled pesticides that suppress earthworms as a side effect include Sevin and the fungicide thiophanate-methyl. Note, however, that neither product is labeled for that purpose. In fact, there are no registered pesticides for earthworm control in the United States.

— Daniel Potter is professor of turf and landscape entomology at the University of Kentucky. His book, "Destructive Turfgrass Insects: Biology, Diagnosis, and Control," is available from Ann Arbor Press (800/858-5299) or the PLCAA or GCSAA bookstores.

products

Blow away the competition

Echo says its new PB-650 backpack blower is the most powerful in the industry with 210 mph and 650 cfm at the pipe. A 68 fl. oz. capacity fuel tank provides extra long run time and easy-to-see fuel level. Flexible, sidemounted throttle assembly offers superior control and increased comfort.

For more information contact Echo at 800/673-1558 or www.echo-usa.com / circle no. 250

Fast clip

Kawasaki's KHS 1100A hedge clipper reaches hard-to-get areas with its single-sided 44-in. blade. Other features include a 17.2 oz. fuel tank, 22.5cc engine, and net weight of 13.1 lbs. For more information contact Kawasaki at 616/954-3033 / circle no. 251

Edging with bite

Oly-Ola's new Bulldog-Edg is designed for tough paver restraint and landscape edging jobs. A unique "L" shape design and innovative stake holes make it easy to use and install. Its one-piece design flexes without snipping or cutting.

For more information contact Oly-Ola at 800/334-4647 or ww.olyola.com / circle no. 252

Better blade

Grouser Products' new 1300 skid-steer dozer blade attachment comes available in widths from 6 to 9 ft. and features a 5/16-in. thick cast moldboard with a new skid shoe design that

Easy trimming

ANA CONTRACTOR Maruyama's HT2300DR hedge trimmer features a 22.5cc Maruvama "LE" commercial engine, 24-in. chrome steel double blade, and new 5position rotating blade that makes vertical and angled trimming faster and easier. It weighs just 10.9 lbs. For more information contact Maruyama at 425/885-0811 or www.maruyama-us.com / circle no. 253

permits vertical and horizontal adjustment. It angles 30 degrees left and right, tilts 10 degrees, and works with all rubber-tired and tracked loaders up to 120 hp.

For more information contact Grouser Products at 800/747-6182 / circle no. 254

Even feeding

Lebanon Turf Products' ProScape homogenous fertilizer with Confront and Team prevents crabgrass and other annual grassy weeds from germinating while controlling established broadleaf weeds. Each granule contacts the same ratio of Confront and Team for uniform distribution and even feeding.

For more information contact Lebanon at 800/233-0628 or www.lebturf.com / circle no. 255

Mega spread

Barron & Brothers' MagnaSpread truckmounted spreaders deliver fertilizer spread swaths up to 80 to 90 ft. and lime swaths of up to 50 to 60 ft. The company changed the fin design to control the directional characteristics of the spread patterns.

> For more information contact BBI at 800/282-3570 / circle no. 256

See these saws

STIHL's new MS 191T chain saw has 11% more power than its predecessor, features 1.9 bhp and weighs a mere 8.8 lbs. The 200T model weighs only 7.9 lbs. and is more narrow for use in confined conditions. Both chain saws feature an anti-vibration system, automatic chain oiling and STIHL's ElastoStart shock-absorbing starter handle.

For more information contact Stihl at 800/467-8445 or www.stihlusa.com / circle no. 257

Clean sweep

Shindaiwa introduces three new types of aggressive nylon brushes for its PB270B Power-Broom. The new choices include the mixed nylon wire, carbine-impregnated nylon and crimped wire brushes, providing ranges of aggressiveness from medium to heavy duty. For more information contact Shindaiwa at 503/692-3070 or www.shindaiwa.com / circle no. 258

How's the weather?

Meteorlogix's WeatherSentry is a subscriptionbased weather display system that allows businesses to benefit from a new generation of weather graphics with active storm tracking and weather alerting in an easy-to-use PC platform. A key function of the WeatherSentry system is the level of weather management specificity afforded by access to National Weather Service radar images updated every five minutes; plus local, regional, and national outlooks. For more information contact Meteorlogix at 952/851-7279 / circle no. 259



To the max

RedMax's BC3400DL trimmer is powered by a 33.6cc two-cycle engine that drives a 6-in. commercial tap-and-

go head. The ergonomically engineered unit weighs 15.1 lbs., and its handle can be positioned for comfort by the operator. For more information contact RedMax at 800/291-8251 or www.redmax.com / circle no. 260

Plant food

PRO SOL's Chameleon is a plant food that contains iron with a combination of eight essential macro, secondary and micro nutrients formulated especially for turf. Chameleon is sized to 120 SGN.

For more information contact PRO SOL at 800/633-7685 or www.fritinc.com / circle no. 261

Scram, you big bad goose

Bird-X, Inc.'s new GooseChase is a food-grade taste aversion agent made from a bitter, smelly constituent of concord grapes that gets rid of geese by rendering their food sources inedible. One gallon of concentrate (per acre) is diluted, sprayed onto dry grass, allowed to dry, then reapplied every 7-14 days or after mowing. For more information contact Bird-X at 800/662-5021 or www.bird-x.com / circle no. 262

On the bench

Supreme Corporation's new 3-person bench seat option to its Spartan service van enables contractors to transport crews of five to a job site in a single vehicle. Mounted on a cutaway chassis, the extended cab provides a full height bulkhead constructed of 5/8-in. FRP. The bench seat has three seatbelts and is consistent with all FMVSS regulations.

For more information contact Supreme at 219/642-4888 or <u>www.supremeind.com</u> / circle no. 263

Bed protection

Durakon Industries' CargoPro pickup bed protection with a Quick Release Kit allows removal of the drawer and complete frame assembly within minutes and requires only one person. The Quick- Release fastener system fits flush with the floor of the system and makes the CargoPro user friendly.

For more information contact Durakon Industries at 800/933-4200 or <u>www.durakon.com</u> / circle no. 264



Circle 135

products



Get blown away

The Toro Company's two new blowers, the 400 and 600, go anywhere the tow vehicle goes. They feature 1/4-in. steel frames and standard 180-degree directional blower spouts. The 600 features a 36-in. fan diameter that produces 9,324 cu. ft. per minute of airflow and 153mph air velocity.

For more information contact Toro at 952/888-8801 or <u>www.toro.com</u> / circle no. 265

Tractor pull

Cub Cadet's 7360SS compact tractor is equipped with a 36-hp, four-cylinder, liquidcooled diesel engine, fully synchronized shuttle shift transmission, hydrostatic power steering, full-floating ISO-mounted flat deck, fixed rollover protection and operator's station that features 3-position tilt steering wheel, adjustable high back seat and back-lit dash panel. It also comes with the option of ag, turf or industrial tires.

For more information contact Cub Cadet at www.cubcommercial.com / circle no. 266

Smaller swing

Caterpillar's 311C utility hydraulic excavator has a smaller tail swing radius than the 3118 excavator, making it ideal for use in space-restricted sites. It has net power of 79 hp produced by a Cat 3064 turbocharged, 4-cylinder diesel engine. The 3064T engine is designed for high torque rise at medium speeds, which helps

make the engine fuel efficient and responsive in heavy-duty use. Operating weight is 26,410 lbs.

For more information write to Caterpillar at P.O. Box 10097, Peoria, IL 61612-0097 / circle no. 267

Open the jar

Hunter Industries' PGV Jar-Top Valve is a twist-on, twist-off "jar-top" that allows access to the valve's inner mechanisms during routine maintenance. No tools are needed to remove the jar-top bonnet. The PGV Jar-Top is available as a one-in. plastic globe valve with optional flow control and features a fully-encapsulated solenoid for dependable operation. It's pressure-rated to 150 psi with a flow of 1 to 30 gpm.

For more information contact Hunter Industries at 800/733-2823 or

www.hunterindustries.com / circle no. 268

Twistin' away

Using a swivel design, the Tongue Twister trailer enables users to easily pivot the trailer without unhitching it, allowing vehicles to be safely driven directly onto and off the trailer via straightthrough front and rear ramp access. It comes in three styles of rotation actuation: electric, hydraulic and manual. All models have front and rear ramps.

For more information contact Tongue Twister at 877/925-8265 or <u>www.tonguetwister.net</u> / circle no. 269



Mow anywhere

DewEze Mfg.'s ATM-72LC all-terrain mower features a 30-hp liquid-cooled diesel engine and a hydraulic deck lift system that contains no belts for low maintenance. Hydrostatic propulsion and power steering gives it precise maneuvering.

For more information contact DewEze at 800/835-1042 or <u>www.deweze.com</u> / circle no. 270

Dig in

Kubota Tractor Corp.'s new KX91-3 compact excavator is equipped with Kubota's 3-cylinder, liquid-cooled, overhead valve, 27.9-hp E-TVCS diesel engine for high torque and power. The boom, arm and bucket function simultaneously through harmonized cylinder speeds. Bucket breakout force is 8,000 lbs., maximum digging depth 10 ft., 6 in., and maximum vertical digging depth 8 ft., 1 in.

For more information contact Kubota at 888/458-2682 / circle no. 271

Uplifting machine

Dutchman says its Tree Rex has the power and durability to lift root balls up to 50 in. in diameter and the flexibility to handle delicate pots without inflicting structural damage. The ergonomic pistol grip enables operator to load and unload trailers single-handedly.

For more information contact Dutchman at 905/683-8211 or <u>www.dutchmasternurs-</u> eries.com / circle no. 272

Big is better

Cub Cadet's Big Country is powered by a 20hp Honda V-Twin OHV engine. It also features

> 6-wheel fully-independent suspension, large payload capacity, standard 4-wheel drive, fully welded steel frame, and a 5.7-gal. fuel tank. Extra features include two cup holders, a glove box, an under-the-seat toolbox, dash mounted 12 V-power outlet, halogen headlights and turf, knobby and heavy duty tire options. For more information contact Cub Cadet at www.cubcadet.com / circle no. 273



Nice spread

Patented helical cone assures uniform, consistent spread pattern with the AccuPro 2000 from The Andersons. TurfSaver-2 pneumatic 13-in. wheels make for an easy push. Extended push handle has tuff-foam grips, front and rear lift handles. For more information contact The Andersons at 800/543-0006 or www.andersonsinc.com / circle no. 274

On the platform

Gehl Company's Personnel Work Platform (PWP) system is a standard feature on the company's "DL Series" Dynalift telescopic handlers. This system uses an electronic module and a series of electrical sensors to monitor machine attitude, automatically controlling brake, hydraulic and transmission control systems during use with a personnel work platform. The PWP system is intended for use with ANSI/ASMEcompliant work platforms.

For more information contact Gehl Company at 262/334-9461 or www.gehl.com / circle no. 275

Ants be gone

The InstAntKill Fire Ant Elimination System from BIO-TRAX, Inc. uses CO₂ injected into an ant mound to asphyxiate ants in no more than three minutes. The product eliminates red and black imported fire ants and other mound-building pests. Because it is harmless to the environment, the InstAnt KILL System can be used safely in all types of situations, including residences, schools, childcare centers, churches, golf courses, amusement parks and correctional institutions.

For more information contact BIO-TRAX, Inc. at 877/246-8729 or www.BIO-TRAX.com / circle no. 276

Small digger

Komatsu's diminutive PC03 excavator comes equipped with an 8.1 hp 2D68E diesel engine, standard 6.0 gpm auliiary hydraulic piping, a back fill dozer blade and weighs 1,984 lbs. It can operate up to 7.5 hours without refueling thanks to its 3.4-gal. fuel tank. The dig depth for the PC03 is 4 ft. 11 in. and uses a 14-in. bucket. The one-piece boom design, articulated boom swing design, miserly fuel consumption and outstanding power delivery make the PC03 the replacement to manual labor on many job sites. For more information contact Komatsu Utility Corp. at 847/573-3561 or www.komatsuutility.com / circle no. 277

With BlueBird Aerators You'll Put More Holes In Turf, Fewer In Your Wallet.

Rugged, dependable BlueBird Aerators have been proven under the heaviest use and abuse by rental and professional users for years. This remarkable reliability means you'll enjoy less downtime and lower

> maintenance 742 covers a 25 ^{1/2*} wide su

> > an extended lifetime.

And you'll cover more ground too. Both our 530 and 742 Aerators have free-wheeling outer tines for greater maneuverability, they're easy-to-use, and two of the most productive walk-behind aerators, covering up to 37,100 sq. ft./hour. For more about BlueBird Aerators and for the distributor or dealer nearest you, call **1-800-808-BIRD**.

TA10 Towable w/modular weight syste

Circle 136

UFRIRD

products

Load and unload in comfort

Coyote's C7 wheel loader features hydrostatic four-wheel drive and automatic differential locks on front and rear axles for ease of operation and serviceability. A Deutz diesel 40-hp engine with oil-over-air cooling offers dependable service. The loader also offers a hydraulic rapid changeover system and comfort cab with access from both sides. For more information contact Coyote at

888/269-6830 / circle no. 278

Jump in a pond

Aquanetics' Submersible Pond Filters have a cylindrical shape and open weave design and, upon request, the filters can be supplied with crushed rock. Some key features of the filters: I non-toxic and non-corroding plastic and nylon material, all black construction so filters are nearly invisible, and no tools are needed for installation or maintenance. The pond filters are available in six different models for ponds up to 3,000 gallons.

For more information contact Aquanetics Systems Inc. at 619/291-8444 or <u>www.aquanet-</u> ics.com / circle no. 279

Dyne-amite

NMC-Wollard's VersaDyne is a compact wheel loader/tool carrier that features tool visibility, pilot control hydraulics, ergonomic operator's station, universal tool carrier, efficient 2-speed

Reduce the pressure

Rain Bird Corp.'s new two-in. pressure reducing valve (200PRV) is designed for point-of-connection applications and offers a more economical alternative to brass pressure reducing valves. It's rated at 200 psi inlet pressure, with adjustable outlet pressure of 25 to 85 psi and a maximum flow of 120 gpm. A built-in Schrader valve allows easy adjustment and measurement of outlet pressure.

For more information contact Rain Bird at 520/741-6100 or www.rainbird.com / circle no. 280



auto shift drivetrain and more. It also has a 3,000 lb. lift capacity, hydro/mechanical drive with an 85-hp Cummins turbo diesel and an integrated rear axle/transfer case with 10 degree oscillation.

For more information contact NMC-Wollard at 800/656-6867 or <u>www.nmc-wollard.com</u> / circle no. 281

Quick change

Peco's Z trimmer can edge or trim from horizontal to vertical with one quick adjustment. This machine can be adapted to any mower deck and easily folds out of the way



for transportation.

For more information contact Peco at 800/438-5823 or www.lawnvac.com / circle no. 282

Traveling rain

Pioneer's Rain Train Traveling Sprinkler was made for maintenance departments that need to water their fields regularly. Water pressure powers the Rain Train down the field at travel lengths up to 200 ft. The Rain Train allows groundskeepers to apply light, moderate or heavy water applications in a single pass. The sprinkler turns off at the end of its run and it can cover widths between 75 and 90 ft. For more information contact Pioneer at 800/877-1500 or www.pioneer-mfg.com / circle no. 283

Blast off

ClearWater's ScaleBlaster is a product that eliminates formation of limescale deposits in water pipes, faucets, sprinkler systems, and irrigation without the need of water softening equipment, salts, chemicals or maintenance. The product is non-invasive and adds nothing to water. The descaler has been tested and approved by leading EPA laboratories and universities.

For more information contact ClearWater at 800/756-7946 / circle no. 284

Receive FREE information on products and services advertised in this issue.

	normation on produc	to the sorrivos		105401										
* *	NAME (please print)													
Landscane	TITLE													
MANAGEMENT	FIRM													
MANAGEMENIM	ADDRESS*													
April 2002	CITY		STATE	ZIP										
This card is void after June 15, 2002	*Is this your home address? O Yes	O No												
	PHONE ()	FAX ()											
I would like to receive (continue receiving)	E-MAIL ADDRESS													
LANDSCAPE MANAGEMENT free each month: Yes ono	Signature:		Date:											
O res O no	Advanstar Communications provides certain customer contact data (such as customerer names, addresses) phore numbers and e-mail addresses) to third parties who wish to promo relevant products, services and other opportunities which may be of interest to you. If you do not want Advanstar Communications to make your contact information available to third part for marketing purposes, simply call 868-527-7008 between the hours of 7:30 s.m. and 5:00 p.m. and follow the instructions to remove your name from Advanstar's lists, or indicate so bek													
1. My primary business at this location is: (fill in ONE		3. SERVICES PERFORMED (fill in ALL that apply)											
CONTRACTORS/SERVICE COMPANIES 02 255 Landscape Contractors (Installation & Maintenance)		17 O A Mowing 18 B Turf Insect Control 19 C Tree Care	23 G Turl Disease Control 24 H Ornamental Care 25 I Landscape Design	28 C L Pond/Lake Care 29 M Landscape Installation 30 N Snow Removal										
03 260 Lawn Care Service Companies & Custom Chemical A 04 285 Irrigation Contractors & Consultants	pplicators (ground & air)	20 O D Turl Aeration 21 O E Irrigation Services	26 J Turf Weed Control 27 K Paving, Deck & Patio	31 0 0 Other (please specify)										
O Other Contractors/Service Companies (please specify)		22 O F Turl Fertilization	Installation	and and all a loss of the second seco										
LANDSCAPING/GROUNDS CARE FACILITIES 05 290 Sports Complexes		4a. Do you specify, purchase or influence the selection of landscape products? 58 Ves 59 No												
06 () 295 Parks		4b. If yes, indicate which products you buy or specify: (IIII in ALL that apply) 32 \(\Loremathcal{A}\) A Aerators 39 \(\Loremathcal{O}\) Hierbicides 46 \(\Loremathcal{O}\) 0 Sweepers												
07 305 Schools, Colleges & Universities Other Grounds Care Facilities (specify)		33 O B Blowers 34 O C Chain Saws	40 O I Insecticides 41 O J Line Trimmers	47 O P Tractors 48 O Q Truck Trailers/Attachments										
SUPPLIERS AND CONSULTANTS 08 355 Extension Agents/Consultants for Horticulture		35 O D Chipper-Shredders 36 O E De-Icers	42 O K Mowers 43 O L Snow Removal Equipment	49 O R Trucks 50 O S Turfseed										
09 O 360 Sod Growers, Turf Seed Growers & Nurseries		37 O F Fertilizers	44 O M Sprayers	51 O T Utility Vehicles										
10 365 Dealers, Distributors, Formulators & Brokers 11 370 Manufacturers		38 G G Fungicides 5. Do you have Internet acce	45 O N Spreaders ss? 52 O A Yes 53 O B No											
O Other (please specify)		5a. If so, how often do you use it?												
 Which of the following best describes your title? (fill in ONE on 12 10 Executive/Administrator - President, Owner, Partner, Dire 		54 A Daily 55 B Week	A CARD SHOT OF THE REAL PROPERTY OF THE REAL PROPER											
Board, Purchasing Agent, Director of Physical Plant 13 20 Manager/Superintendent - Arborist, Architect, Landscape	Grounds Manager, Superintendent		161 173 185 197 209 221 23 162 174 186 198 210 222 23	13 245 257 269 281 293 305 14 246 258 270 282 294 306										
Foreman, Supervisor		103 115 127 139 151 1		5 247 259 271 283 295 307										
14 30 Government Official - Government Commissioner, Agent, Other Government Official 15 40 Specialist - Forester, Consultant, Agronomist, Pilot, Instructor, Researcher, Horticulturist,			164 176 188 200 212 224 23 165 177 189 201 213 225 23											
Certified Specialist 16			166 178 190 202 214 226 23											
			167 179 191 203 215 227 23 168 180 192 204 216 228 24											
Save TIME and fax it:			169 181 193 205 217 229 24											
413-637-4343	AN ADVANSTAR DUBLICATION		170 182 194 206 218 230 24 171 183 195 207 219 231 24											
	©2002 Advanstar Communications Inc. All rights reserved.	112 124 136 148 160 1	172 184 196 208 220 232 24	4 256 268 280 292 304 316 1										
				NO POSTAGE										
				NECESSARY										
				IF MAILED										
				IN THE										
				UNITED STATES										
BUS	SINESS REPI	Y MAII												
FIRST-CL4		PITTSFIELD MA												
FINGTOCA	ASS MAIL FERMIT NO 550	FITTOFIELD MA		And in case of the local division of the										
	POSTAGE WILL BE PAID BY AD	DRESSEE		No. of Concession, Name of Street, or other										
				CONTRACTOR OF TAXABLE PARTY.										
				NAME OF TAXABLE PARTY.										
				South and the second seco										
				NO. I DESCRIPTION OF THE OWNER.										
				IN THE REAL OF THE REAL OF THE REAL										
	land -	-		THE REPORT OF CASE OF CASE OF										
	Landscar	16		States of the local division in the local di										
	ANAGEMENT			STORES COMPANY OF STORES COMPANY										

ADVANSTAR COMMUNICATIONS INC PO BOX 5054 PITTSFIELD MA 01203-9697

Illoundhahlloundhhhullahdahahdhh

Receive FREE information on products and services advertised in this issue.

BUSINESS REPLY MAIL FIRST-CLASS MAIL PERMIT NO 950 PITTSFIELD MA	NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATE
POSTAGE WILL BE PAID BY ADDRESSEE	
Landscape	
ADVANSTAR COMMUNICATIONS INC PO BOX 5054 PITTSFIELD MA 01203-9697	

Illuurihiddhuudhihindhihidadadhi

Londenene	NAME (please print)					-													-	
Lanoscape	TITLE													-	-		_	_	-	_
MANAGEMENT	FIRM		-	-			-		-		-	-					-		-	-
April 2002	ADDRESS*		-						-	CT/	TE		-		710					-
	*Is this your home address? O Yes	0	Vo							_01/					LIF	-				-
This card is void after June 15, 2002	PHONE ()			-	FAX	()	-						-						_
I would like to receive (continue receiving)	E-MAIL ADDRESS	-	-	-	_	-	-		-	-	-		-	-	-	_			_	-
LANDSCAPE MANAGEMENT free each month: Yes ono	Signature:					-						Date:	-							_
O Tes O 110	Advanstar Communications provides certain customer contact data (such as customers' names, addresses, phone numbers and e-mail addresses) to third parties who wish to promoti relevant products, services and other apportunities which may be divited to you. If you do not warf. Advanstar Communications to make your contact information available to third parties for marketing purposes, simply call 886-527-7086 between the hours of 7.30 a.m. and 5000 pm. and tolow the instructors to remove your name from Advanstar's lists, or incluse so below														ties ities					
1. My primary business at this location is: (fill in ONE CONTRACTORS/SERVICE COMPANIES																				
02 () 255 Landscape Contractors (Installation & Maintenance)		18 O B Turf Insect Control 19 O C Tree Care					24 O H Ornamental Care						29 M Landscape Installation 30 N Snow Removal							
03 260 Lawn Care Service Companies & Custom Chemical A 04 285 Irrigation Contractors & Consultants		20 0	DT	rigation	ation Servi	ces		26	8K	Turf W Paving	leed Co , Deck	Introl	0					ease sp	ecity)	
Other Contractors/Service Companies (please specify LANDSCAPING/GROUNDS CARE FACILITIES		22 O F Turf Fertilization Installation 4a. Do you specify, purchase or influence the selection of landscape products?																		
05 O 290 Sports Complexes		4b. If		Yes Indica		59 O		ts you	buy	or spe	cify:	(fill in	ALL th	at appl	(y)					
06 295 Parks 07 305 Schools, Colleges & Universities		32 0	A Ae	ators			39 (HHe	rbicide	IS				46 0	0 Swe					
O Other Grounds Care Facilities (specify)		34 0	C Ch	ain Sav	VS	WS.	41 0	JLi	ninT er	mers				48 0			ers/Attr	achmen	its	
08		35 ○ D Chipper-Shredders 42 ○ K Mowers 49 ○ R Tracks 36 ○ E De-icers 43 ○ L Snow Removal Equipment 50 ○ S Turfseed 37 ○ F Fertilizers 44 ○ M Sprayers 51 ○ T Utility Vehicles																		
10 🔿 365 Dealers, Distributors, Formulators & Brokers		38 C	G Fu	ngicide	s		45 O N Spreaders									A CONTRACT				
11 () 370 Manufacturers 5. Do you have Internet acce () Other (please specify) 5a. If so, how often do you u									ATE	S	53 ()	B NO								
 Which of the following best describes your title? (fill in ONE or 12 0 10 Executive/Administrator - President, Owner, Partner, Dir 		54 A Daily 55 B Weekly 56 C Monthly 57 D Occasionally										-	-							
Board, Purchasing Agent, Director of Physical Plant 13 () 20 Manager/Superintendent - Arborist, Architect, Landscap		101	113	125	137		161	173	185	197 198	209	221 222	233 234	245	257 258	269 270	281 282	293 294	305 306	
Foreman, Supervisor				127				175			-		1000		1000		-	295		
14 30 Government Official - Government Commissioner, Agen 15 40 Specialist - Forester, Consultant, Agronomist, Pilot, Inst		104	116 117	128	140	152 153	164 165	176	188 189	-	212 213	224 225	236 237	248 249	260 261	272 273	284 285	1000	308 309	
Certified Specialist 16 50 Other Titled and Non-Titled Personnel (please specify)		106	118 119		142	1.00	166 167	178 179	190 191		214 215	-	238 239	250 251	262 263	274	286 287	298 299		
		108	120		143				191	203	215	228	239		263	275	288	300	-	
Save TIME and fax it:		109	121		145 146		169 170	181 182	193 194		217 218	229 230	241 242		265 266	277 278	289 290	301 302		
413-637-4343	AN ADVANSTAR # PUBLICATION	111	123	135	147	159	171	183	195	207	219	231	243	255	267	279	291	303	315	
	92002 Advanstar Communications Inc. All rights reserved.	112	124	136	148	160	172	184	196	208	220	232	244	256	268	280	292	304	316	1