

Size, performance requirements vary with loaders' hydraulic pump capacity ■ Blowers range from 55- to 85in, cut width Circle #259

BOBCAT 701/241-8740

WEST FARGO ND

www.bobcat.com

Spreader attachment for skidsteers, track loaders, pickups ■ 10-in. spreader wheel ■ Spreads sand, salt 4-40 ft.



BOSS SNOWPLOW 906/774-8000 **IRON MOUNTAIN, MI** www.bossplow.com New plow light package puts lights up front Increases visibility 2.5 times normal High-Intensity Discharge option gives six times output White light for night use Antiglare shields Circle #261

FISHER ENGINEERING 207/594-4446 ROCKLAND, ME www.fisherplows.com



IA-NE 402-362-7711 Scott-Hourigan Co. Distributor inquiries welcome for open areas. Rich Mfg., Inc. • P.O. Box 145 • Thorntown, Indiana 46071 www.convertiblemower.com • 765-436-2744

Southern Lawn

Southeast Equipment

800-241-4384

877-204-6873

Circle 120


www.masseyferguson. aqcocorp.com

42-in. two-stage snowthrower fits Massey 2600 lawn tractor = 42-, 46-in. single-stage snowthrower offered for 2600 ■ 36-, 42-in single-stage unit for the 2500 tractors Soft-sided snow cab available for all models. Circle #257

AGCO ALLIS 262/284-8669 PORT WASHINGTON, WI

ranga

Offered with the following attachments:




www.agcolawn.com

Snowthrower mounts to front

■ 42- or 60-in, snow blades also available Circle #258

THOMAS EQUIPMENT 866/238-6844 MARS HILL, ME www.thomasloaders.com Hydraulically driven snow



www.landscapemanagement.net / JUNE 2003 / LANDSCAPE MANAGEMENT 51

GA-SC-AL-FL

TN

LM REPORTS

 Plow attaches to truck with Minute-Mount 2
 Built-in handle disengages both connecting pins simultaneously
 Lower gear flared for easy drive-in alignment
 Circle #262

DOW CHEMICAL A 800/447-4369 LUDINGTON, MI

www.dow.com

52

 Two commercial de-icers for walks, drives, parking areas
 Peladow is 90% calcium chloride

Available in bags to bulk rail



 No dress precautions are needed during normal use
 Combotherm contains calcium and potassium, and is 70% calcium chloride
 Has colorant to mark application, speed of melting Circle #263

CURTIS PLOWS 800/343-7676 WORCESTER, MA www.curtiscab.com Snow-Pro Hitch-and-Run system is 4-ft. wide
 Hide-away hydraulics with no belts, pulleys under hood
 Pinless snap-lock system to pickup hitch
 All power, controls, lights integrated into plug harness
 Circle #264

DANIELS PULL PLOW 800/386-2932

BARRINGTON, IL www.danielsplows.com Double-wing folding snow plows in 12- to 24-ft. widths Made of 10-gauge steel

- One unit both pushes and stacks snow
- Fold-back wing design
- Quick disconnect available
 Circle #265

WIKCO INDUSTRIES 402/464-2070

LINCOLN, NB

www.wikco.biz

Full line of twin stage, rear 3pt. hitch pto snow blowers
Model 6200 is 62-in. wide requires 25-35 hp
7400 is 74-in. wide, requires
30-45 hp
Both models have 14-in. augers





Cut height is 26 in.
Number 50 auger drive chain on both models
High-efficiency 22-in., threepaddle fan with cupped blade
Circle #266

SNO-WAY INTERNATIONAL

HARTFORD, WI

www.snowway.com

- V-plows up to 110 hp
- 99- and 109-in. widths
- 28-in. blade height
- Multi-position wings scoop to V and intermediate positions Circle #267

SNOWMAN SNOWPLOW 888/766-6267

BLOOMFIELD, IA

www.snowmanplows.com

 Model RS heavy duty commercial plow
 High Lift reaches over drifts,

eliminates scooping 23-in. tall blade in 7- or 8-ft. widths Four trip springs, standard box wings Circle #268

JOHN DEERE 800/537-8233

RESEARCH TRIANGLE PK, NC www.deere.com Two-stage design features auger, high-speed blower Chute rotates 90 degrees each side Attaches to Deere 4100 4WD compacts Optional drift knives cut through snow banks with ease Circle #269

WESTERN PRODUCTS 414/354-2310

MILWAUKEE, WI

www.westernplows.com

 V-box spreaders mount on pickup, dump or platform trucks
 Available in 7-, 8- and 10-ft. body lengths
 Stainless steel or powdercoated steel

10-hp Tecumseh, 11-hp Honda or hydraulic motors Circle #270

EARTHWAY PRODUCTS 800/678-0671

BRISTOL, IN

- www.earthway.com Spreads up to 100 lbs. of salt Model 2170 or 2170T spreaders have 3350-cu. in. capacity Optional three-sided salt deflector kit 13-in. diameter tires on
- rustproof rims

Height-adjustable threeposition handles

Circle #272

ERSKINE ATTACHMENTS 218/687-4045

ERSKINE, MN Seven front-mounted, ptodriven snow blowers 54- to 108-in. wide

All have standard Qwik-A-

Tach system Trouble-free chute rotation Fit 18- to 150-hp tractors Circle #273

THE GRASSHOPPER COMPANY 620/345-8621 MOUNDRIDGE, KS

110011011000,10

www.grasshoppermower.com

 Rotary Brooms clear up to eight in. of snow
 Fixed angle 48- and 60-in. models
 60-in bidirectional has hydraulic lift PTO-driven rotary brooms for all front mount zero-turns Circle #274

HERD SEEDER A 574/753-6311 LOGANSPORT, IN

www.herdseeder.com

 GT-77 spreader mounts on four-wheel ATVs
 Stainless steel pivot plate centers spread patterm regardless of material density
 Larger models work with tractor pto or pickup trucks
 Low-draw motor
 Circle #271

ADVERTISEMENT

Free Report Reveals... How To Double Your Income In Six Months Or Less!

WICHITA, KS - Are you frustrated by the amount of money you're making? Would you like to keep more of every dollar you bring in - and increase your bottom line profits?

If so, a free report has just been released that reveals 15 key strategies any landscaper or lawn care service can use to <u>immediately</u> - and easily - rip the lid off their income!

Here is what you'll discover in this startling 32-page report:

• The simple 'trick' you can use to beat "lowest price" competition - and boost your profits on every job (p. 21).

 How to find, recruit and keep good quality help (Yes! those 'dream employees' are out thereyou just need the proper System to attract them! p. 19).

How to handle that sudden "flood" of business - without losing your mind! Discover how to put your business on "auto-pilot" and finally have a life again!
The "dirty little secret" topearning landscapers know that allows them to charge the highest prices in town with little or NO resistance! (P. 17)

• The insider's way to attract the most **loyal** customers - and why you should think about focusing your business on this ONE profitable 'niche'.

This eye-opening report is sure to "shake up" our industry it explodes many of the most common business 'myths' we've been fed for years. Here is how to get your free copy. Just call:

800-291-4501 For A 24 Hr. Free Recorded Message and Report!

Call NOW! © 2003 RPC, Inc.

LM REPORTS



MARUYAMA US 🔺 253/735-7368 AUBURN, WA www.maruyama-us.com MD155DX handles ice melt applications

- 40.2cc Kawasaki Engine
- Weighs 24.3 lbs.
- Transported by backpack



START...

FINISH.

No matter which configuration you choose, all platform bodies feature traditional Reading guality for optimum durability and protection. What makes Reading bodies so tough? It all starts with a rugged understructure. Add to that the protection of Lectro-Life® immersion priming and powder coated platform sides, and you've got a winning combination.







Contractor Rock






800-458-2226 www.readingbody.com

EXPECT MORE, CHOOSE READING.

©2003 Reading Body Works, Inc. Reading and Lectro Life are registered trademarks, and Redi-Dek is a trademark of Reading Body Works in the United States and in some foriegn countries.

Circle 122



ARIENS

800/678-5443

BRILLION, WI www.arienscorp.com 1024 Professional Sno-Thro blower Features 12-in., three-blade impeller system Serrated augers cut snow and ice to clear two-ft. path

Circle #275

HONDA 800/426-7701

ALPHARETTA, GA

www.hondapower- equipment.com HS928WAS snow blower powered by Honda 8.9 hp OHV engine

- Electric start, self-propelled wheel drive
- 28-in. width, 20-in. clearing height
- 210-degree adjustable discharge chute Circle #276

JRCO, INC. 800/966-8442 MINNEAPOLIS, MN www.jrcoinc.com Zero-turn for light snow V-Broom sweeper wings adjust with two clevis pins Clear 60-in. path or angle wings for narrower areas Three rows of 8-in. polypropylene bristles Circle #278

KASCO MANUFACTURING 317/398-7973 SHELBYVILLE, IN info@kascomfg.com Front-mounted, spring trip blades Skid shoes standard

- Reversible/replaceable cutting edges
- Mountings for most late-model tractors

LANDSCAPE MANAGEMENT / JUNE 2003 / www.landscapemanagement.net 54



available Loader and skid-steer models for 60-, 72-, 90-in. widths Circle #279

TRYNEX INTERNATIONAL 800/725-8377 WARREN, MI New VeePro-6000 V-box is designed to spread salt, sand Heavy-duty polyethylene hopper Twin 12-volt DC direct drive motor power Spreads 5-35 ft. Cab-mounted controller Circle #285

KOYKER MANUFACTURING 800/456-1107 LENNOX, SD www.koykermfg.com Snowblade for Raptor UV

Attaches to base unit to handle moderate snow
 Use with optional tire choices
 Circle #280

LAND PRIDE

888/987-7433

SALINA, KS www.landpride.com

Rear blades, 05 through 35 Series, fit compact tractors

Available in 48- to 96-in. widths

Optional skid shoes, side plates for grading, blading snow

Also available: 40, 45, 55 Series rear blades up to 120 in. wide.

Circle #281

SHINDAIWA 503/692-3070 TUALATIN, OR www.shindaiwa.com Power Broom alternative to snow blower
 PB230, PB270 have sweep width of 22 in.
 Units clear powdery snow up to 3 in. deep
 Circle #283

Need A Deck The Size Of An Aircraft Carrier?



A range of heavy-duty deck sizes – up to 72" – is just one of the many options you can choose from on your Yazoo/Kees mower. Featuring an engine with up to 34 HP, zero turning radius, built-in comfort, and much more, every Yazoo/Kees is built to last. Need a mower to help your productivity take off? No problem! Yazoo/Kees.



.

1-877-368-TURF

Circle 123

Solutions center

Scale

Tipping the

Stiles Landscape veteran shows what to do when you encounter a "new" destructive landscape pest

BY STACEY HIMES

ohn Cannon, Manager of Stiles Landscape Company's lawn and ornamental pest control division, stopped a potentially devastating pest to trees and shrubs in several areas of Broward County, FL.

But lobate lac scale, a native of South Asia, isn't likely to go away, especially in Florida.

Cannon, an ISA Certified Arborist as well as a Certified Pest Control Operator, first noticed the "unbelievable devastation" of the scale in January 2002 in Palm Beach, FL. Overnight, the pest coated the stems and small branches of several of his wax myrtles, silver and green buttonwoods, coco plums and ficus trees.

The problem: How to control it?

Cannon sent a sample to the Florida Department of Agriculture and Consumer Services. Two weeks later, lobate lac scale was confirmed.

"This scale was different than anything I had seen before, not only in terms of the sheer number covering the plants but that it was feeding on stems, not leaves," says Cannon, a 16-year industry veteran. "I was hesitant to invest in a treatment that I wasn't sure would work."

Cannon reached out to Dr. Avas Hamon, an entomologist with the Florida Department of Agriculture and Consumer Services, Division of Plant Industry, and Jorge Moreno, a field sales representative with Bayer Environmental Science. They decided to try using imidacloprid (Bayer's Merit WP 75 insecticide).

The team started with a test on eight medium-sized (12-ft. high) wax myrtles. They sprayed a Merit solution at labeled rates directly on the leaves, and allowed runoff to soak the roots. Three weeks later, the black sooty mold seemed less prominent.

The solution: soil drenching, root injections

Cannon and Moreno moved on to six 40ft. ficus trees, now almost encased in black soot, with only 50% remaining leaf cover.

The height of the trees meant they wouldn't be able to spray. They decided to test both soil drenching and deep root injections (6-in. deep in a grid pattern). On





It took a sharp eye to detect the tiny lobate lac scale (top). The difference between the treated and untreated trees (below) is dramatic.

April 11, 2002, they deep root injected three trees, soil drenched three others and left one per treatment as the control. The labeled amounts applied to each tree were based on the diameter of the trees at breast height (DBH).

The application was made two feet away from the trunk and extended out to the dripline. A pound of 20-20-20 fertilizer per tree was also added to the mix to help with solution uptake.

Cannon and Moreno checked back on the trees every 30 days. On their first return visit, they saw a reduction in scale.

Without reapplying, Cannon reports that all six of the treated trees are "clean as a whistle" 12 months later. The untreated control tree continues to be plagued with sooty mold. All treated trees have regained their lush growth. He continues to use imidacloprid on other accounts when any sign of the scale is present.

For more information on the trials explained in this story, contact John Cannon at 954/781-0247 or Brian Mac-Currach, Bayer Environmental Science, at 863/678-3100. LM

Gain The Ultimate Competitive Advantage

Productivity SYMPOSIUM

ATLANTA, GEORGIA A HYATT REGENCY AUGUST 8-10, 2003

Work smarter, not barder Perform faster, better, cheaper Grow market share Increase profits

MEDIA SPONSORS:

Landscape Design/Build EVENT SPONSORS:

GRAVELY

TRUST THE PROFESSIONALS

For more details call (800) 395-2522 or visit www.alca.org

products TECH CENTER

One wide cut

The Toro Company's Groundsmaster 4100-D out-front rotary mower offers superior operator visibility with a 10.5-ft. width of cut. Other features include a 60-hp turbo-charged Kubota diesel engine, 54-, 89- or 124-in. cutting widthes, full-time bidirectional four-wheel drive,



Mow like a pro

Swisher's zero-turn mower is available in 36-, 42- and 50-in. mowing deck widths, making it perfect for a variety of jobs. Three Briggs & Stratton OHV engines are available: 14-hp for 36-in., 17.5-hp for 42-in., and 20-hp for 50-in. Other features include infinite cutting height adjustment from 1 to 3 in., electric clutch, mid-mount mowing deck, twin comfort

adjustment from 1 to 3 in., electric clutch, mid-mount mowing deck, twin comfort grip control levers, and twin hydrostatic transmission.

For more information contact Swisher at 800/222/8183 or visit www.swisherinc.com / circle no. 251

and the ability to cut a 0-in. uncut circle without the use of wheel brakes.

For more information contact Toro at 800/803-8676 or visit <u>www.toro.com</u> / circle no. 250

Slow and steady

Lebanon Turf announces a patented slow-release fertilizer technology. The new products, marketed under the brand names MESA and





The BackSaver Tailgate Assist . . .

- Helps reduce injuries, worker's comp. claims & property damages.
- Takes 100% of the weight off most tailgates. (2-sided assist)
- Will not allow most tailgates to fall down. (2-sided assist)
- Is easy to install & will work on most utility trailers and tailgates.

Dealer Inquiries are Welcome!

877.388.8895 - www.thebacksaver.com

Circle 124

EXPO, extend the benefits of ammonium and potassium sulfates in a slowly available form without the need for coatings, says the company. "This proprietary technology delivers the turfgrass management professional all the benefits of ammonium sulfate and potassium sulfate in an affordable, long-lasting, granular form," says Paul Grosh, Professional Division Business Manager.

For more information contact Lebanon at 800/233-0628 or visit <u>www.lebanonturf.com</u> / circle no. 252

Quite a body

Land King's truck bodies look like ordinary dove-tail beds to other maintenance crews. The difference is that these truck bodies are



also powerful dump beds. The dove-tail hydraulically lifts out of the way, creating a fully functional dump body. Other fea-

tures include an attached tarp system, fold down sides, and removable gates that enclose the load area.

For more information contact Land King at 706/213-9102 / circle no. 253

Punch it

Jrco's hooker aerator attachment for zero-turn mowers can aerate 11/2 acres of turf per hour at a speed of five miles per hour. Plus, there are no messy cores to deal with, only loose plugs of soil. The aerator attachment punches six holes per sq. ft. and features an electric lift. For more information contact Jrco at 800/966-8422 or www.jrcoinc.com / circle no. 254

Stellar storage

Havener Enterprises says its Pro-Box portable storage container is the perfect solution to a landscape professional's need for extra storage space. It's water resistant, rust resistant and easy to tear down. Assembly takes less than 30 minutes. The Pro-Box is made of six 26-gauge galvanized steel panels with a 3/16-in. diamond plate floor, has 300 cu. ft. of storage space, and can hold 2,000 lbs. Built-in fork lift pockets make it easy to move on site.



For more information contact Havener at 407/380-8839 or visit www.db-group.net / circle no. 255

Font'N-Aire[®] Fountains

Air-O-Lator fountains enhance the water quality and attractiveness of ponds and lakes. Font'N-Aire fountains are ideal for golf courses, parks, playgrounds and landscaping environments.

Font N Aire Formtains include: Water-cooled submersible motor

- Choice of one nozzle spray pattern
- 100 feet of power cord (longer lengths available)

Propeller guard and float

ETL-listed ANSI/UL 508 control panel

Three-year limited warranty

Available in 1/2 horsepower through 5 horsepower models



8100-04 Paseo, Kansas City, Missouri 64131 U.S.A. **1-800-821-3177** www.airolator.com e-mail: sales@airolator.com

Circle 125

New Fall Dates

EXPO is changing dates so your suppliers can show you their entire new product lines!

You and your colleagues wanted the opportunity to bring more people. Now you can!

EXPO and Louisville in October – It's ALL New.



INTERNATIONAL LAWN, GARDEN & POWER EQUIPMENT EXPOSITION

Saturday – Monday October 18 – 20, 2003 Kentucky Exposition Center 800-558-8767 or 812-949-9200

Pre-register at www.expo.mow.org