



Michigan Corn Production

HYBRIDS COMPARED 1967

COOPERATIVE EXTENSION
MICHIGAN STATE UNIVERSITY

BY: E. C. ROSSMAN, BARY M. DARLING, AND JERRY TAYLOR

Authors are respectively Professor of Crop Science and Crop Science Aides.

HYBRID CORN TRIALS are conducted each year by the Michigan Experiment Station in cooperation with the Cooperative Extension Service, Michigan Crop Improvement Association, seed corn companies, and farmers.

Many different hybrids are offered for sale in Michigan. They differ in yield ability, maturity, lodging resistance, and other characteristics. Choosing the best corn hybrids is an important part of profitable corn production. Higher yields and other improvements from planting the best hybrids are obtained with little or no increase in production costs. Seed of the best hybrids generally costs no more than seed of hybrids with lower performance.

ENTRIES

Two groups of entries are included in the trials:

(1) **Voluntary entries.**—All seed companies are invited each year to enter their hybrids in the trials. A fee is charged to cover some of the direct expenses.

(2) **Extension entries.**—Some seed companies do not participate with voluntary fee-assessed entries and others do not include some of their hybrids that are planted in Michigan. Extension entries are included to provide performance data on some of the hybrids not entered as voluntary entries. They are hybrids suggested by County Extension personnel on the basis of extent of use in the various areas of the state.

No distinction between, or identification of, voluntary and extension entries is made in reporting the results. All hybrids were randomized and compared in the same field using the same procedure. Table 19, presents an index of all hybrids entered in the 1966 trials.

Single cross hybrids are indicated with (2X) and three-way hybrids with (3X) following the hybrid name

and number in the tables. All others are double-cross hybrids.

Michigan experimental hybrids and some experimental hybrids from seed companies are not listed since seed is not yet available for farm use.

METHODS

Scientific procedures are followed in conducting these trials to give all hybrids equal opportunity to demon-



strate their capabilities. The best way to compare a group of corn hybrids is to grow them in the same field with the same fertilizer, population, date of planting, etc., for all hybrids.

Seed for voluntary and Extension entries was submitted by the seed companies. Equal numbers of seeds were counted for each plot of all hybrids. Each hybrid was replicated several times in the field. Plots were planted with a standard two-row or four-row corn planter adapted for small plots.

From seed packaging through harvest and data processing, each hybrid was identified only by a code number to reduce chance for any personal bias by anyone working in the field or with the data. The code was deciphered after the data had been processed.

Stands and lodging were counted before harvest. Plots for grain yields were harvested with a one-row picker-sheller. Field data were processed with high speed electronic computers.

Silage yields were taken on all hybrids in the Ingham, Huron, Grand Traverse, Alpena, and Alger county trials. (Tables 8, 13, 16, 17, and 18).

All hybrids in the Monroe, Ingham, and Saginaw County trials were compared at two plant populations (Tables 1, 7, and 11).

1966 GROWING CONDITIONS

Planting of all trials was completed between May 4-28. Rainfall at most locations was, again as in 1965 and 1964, below normal and yields were seriously reduced at several locations (Saginaw, Huron, and Grand Traverse counties). Scattered frosts occurred September 16 and more widely on September 26. Harvest conditions during October were favorable at most locations.

Erratic stands (soil insects) resulted in abandonment of the Sanilac county trial. Grain yields were not taken on the Grand Traverse county trial due to the drought. Summaries from previous years (Tables 10 and 15) are presented for these two locations.

The Michigan Crop Reporting Service estimates the 1966 average yield at 67.0 bushels per acre on about 1,407,000 acres for grain compared with 1965 averages of 62.0 bushels per acre on 1,593,000 acres. Average silage yield is estimated at 10.5 tons per acre on 372,000 acres in 1966.

HOW TO USE THIS BULLETIN

One, two, and three-year averages are presented for all hybrids tested during 1966, 1965, and 1964. One-year data are less reliable than two or three-year averages and should be interpreted with more caution. Confidence in corn performance data increases with more years

and locations of testing. Two or more years' results are more desirable than one year of testing.

The tables tell you three things about the hybrids tested:

- (1) average moisture content at harvest,
- (2) average yield in bushels of shelled corn at 15.5 percent moisture or silage yields, and
- (3) average percentage of stalk lodging (plants broken below the ear at harvest).

Hybrids are recorded in the tables in order of their approximate maturity (early to late) based on moisture content at harvest. Moisture contents were determined from shelled grain samples at all locations harvested for grain and from ear corn samples in the silage trials.

Stalk breakage is caused by corn borers and/or stalk rot diseases.

Two or more plots of the same hybrid in the same field may produce somewhat different results due to uncontrolled variability in the soil and other environmental factors. Replication and randomization of the entries are two methods used to reduce these errors. Since these methods do not eliminate all of these effects, differences necessary for statistical significance have been calculated for yield and moisture content.

When comparing any two hybrids, the difference between them should not be considered significant unless it exceeds the value listed at "least significant differences" at the bottom of the tables.

Agronomic information for each trial is given at the bottom of the table. Fertilizer amounts are total pounds per acre of nitrogen, P₂O₅ and K₂O applied during the season.

HOW TO CHOOSE A CORN HYBRID

Adaptation.—The map on the cover shows location of the trials and divides Michigan into four maturity zones. A map can show maturity zones only in a general way. Local variations in weather, soil type and fertility, time of planting, and other conditions all affect adaptation. Corn hybrids are often adapted to more than one zone.

Find the zone in which you plan to grow the corn, and refer to the table which gives results for the trial conducted nearest your farm. Also, refer to the other tables listed in your zone. A hybrid which has done well at two or more locations is more likely to be a good hybrid for your farm, too.

Rate of plantings.—A population of 12,000 plants per acre is best for corn soils producing 50 bushels or less per acre. Populations of 16 to 18,000 are best for soils producing more than 50 bushels per acre. Higher populations (20,000 or more) should be considered only for soils consistently producing more than 100 bushels per acre. Rainfall deficiencies with high plant popula-

tion usually result in no increase and frequently a decrease in yield compared to 16 to 18,000. Lodging and harvest losses are often greater at high populations.

Maturity.—Hybrids are listed in the tables in order of maturity—early to late. One percent more moisture at harvest means a delay in maturity of about two days. Corn is mature when moisture is down to 35 percent in the grain or 40 percent in the ear. Ear corn is safe to crib when moisture content is below 25 percent.

For grain.—It is better to choose an early corn (below average moisture content) than a late corn for grain. The tables show that a good yield does not depend on later maturity. Advantages of early maturing hybrids are:

(1) They usually mature before killing frosts.

(2) Good yielding early hybrids generally yield as much or more corn than late hybrids in most areas in Michigan.

(3) Lower moisture content at harvest permits safer storage. You will take more clean, sound, high-quality corn out of the crib.

(4) Mature, dry corn makes better livestock feed.

(5) You can harvest earlier in the fall when weather conditions are most favorable. Early harvest may reduce corn losses resulting from broken stalks and dropped ears in the field.

(6) Early hybrids with lower moisture content at harvest reduces cost for drying and market discount for moisture is less.

(7) Fall plowing of corn stubble may be possible with early hybrids on land not subject to erosion.

For silage.—The best silage contains a high percentage of grain. Hybrids that produce high yields of grain should be used for silage. High dry weight production per acre is a better basis for choosing hybrids for silage than tons of green weight.

Corn for silage should reach the early dent stage well before frost in an average year. The early dent stage, when most of the kernels have dented, is the best time to begin harvest for silage. Dry matter production continues to increase until maturity.

Other considerations.—Choose early hybrids for late plantings, low soil fertility, sandy soils, muck soils, and for corn which is to be followed by a winter grain or cover crop.

You can get some degree of "crop insurance" by choosing two or three hybrids which differ slightly in their maturity. If one hybrid runs into unfavorable weather at a critical stage of growth, another may be affected less and come through with a good crop.

Even though you have been growing a hybrid which has given good results, you may be able to improve your corn crop by trying one or more of the hybrids with better records in these trials. Well tested new hybrids are worth trying. You may want to try a new hybrid in a strip in the same field with your present hybrid.

Table 1

SOUTHERN MICHIGAN MONROE COUNTY TRIAL One, Two, and Three Year Averages—1966, 1965, 1964

Zone 1

Hybrid	% Moisture			Bushels Per Acre						% Stalk Lodging					
	1966	2 yrs.	3 yrs.	1966		2 yrs.		3 yrs.		1966		2 yrs.		3 yrs.	
				16000	20400	15600	19800	15600	20100	16000	20400	15600	19800	15600	20100
Michigan 270	19.1	21	21	80.0	86.8	80	82	79	76	8.3	9.1	8	9	9	8
Michigan 250	20.3	23	22	86.7	88.2	86	86	81	77	3.9	5.8	3	3	4	2
Michigan 400	21.7	25	25	94.9	97.4	90	93	91	85	0.0	0.0	1	1	2	1
Michigan 300	22.3	25	23	83.8	78.9	82	82	87	75	3.2	5.2	7	5	8	7
Michigan 430	22.4	26	25	101.6	102.5	96	101	96	91	0.0	3.4	1	7	3	7
Michigan 370	22.5	25	25	83.2	91.0	86	92	89	86	3.8	5.1	4	5	6	4
Michigan 402-2X (2X) ¹	22.5	25	25	111.9	115.2	105	109	103	99	1.3	1.4	3	1	3	2
Michigan 425	23.0	26	26	104.7	107.9	105	106	101	94	4.7	4.4	4	4	5	5
DeKalb XL 306 (3X)	23.0	—	—	89.7	97.4	—	—	—	—	1.8	2.9	—	—	—	—
Haapala SX 300 A (2X)	23.2	—	—	89.3	96.6	—	—	—	—	2.1	0.0	—	—	—	—
Pioneer 3775 (2X) ^{1, 2}	23.6	—	—	112.3	135.2	—	—	—	—	3.7	5.5	—	—	—	—
Blaney B 500 (2X)	23.7	26	—	85.5	96.2	90	99	—	—	1.5	0.0	3	2	—	—
Michigan 550	23.8	27	27	107.1	109.4	104	112	109	105	1.6	0.6	2	2	2	2
DeKalb XL 325 (3X)	24.2	27	—	104.5	111.7	104	103	—	—	1.3	3.2	3	5	—	—
Michigan 500-2X (2X) ^{1, 2}	24.5	—	—	118.8	141.7	—	—	—	—	0.8	2.1	—	—	—	—
OYO 130 A	24.5	—	—	73.0	84.8	—	—	—	—	0.8	4.5	—	—	—	—
Northrup King X 5528 (2X)	24.5	—	—	82.5	92.3	—	—	—	—	5.8	8.2	—	—	—	—
Blaney B 800 E (2X) ¹	24.5	27	—	111.3	113.4	108	112	—	—	1.6	3.3	1	3	—	—

(Continued on Page 4)

Table 1—MONROE COUNTY TRIAL (Continued)

Hybrid	% Moisture			Bushels Per Acre						% Stalk Lodging								
	1966	2 yrs.	3 yrs.	1966			2 yrs.			3 yrs.			1966			2 yrs.		
				16000	20400	15600	19800	15600	20100	16000	20400	15600	19800	15600	20100	16000	20400	15600
DeKalb 409	24.5	27	—	110.2	111.3	98	103	—	—	11.5	12.7	7	11	—	—	—	—	—
Taylor-Evans Exp. 6424	24.6	27	—	101.5	99.8	97	92	—	—	3.3	2.4	3	2	—	—	—	—	—
Funk Bros. G 4350 (2X)	24.6	—	—	101.1	85.5	—	—	—	—	1.5	1.2	—	—	—	—	—	—	—
Blaney B 600 (2X)	24.8	29	—	104.4	113.0	95	101	—	—	2.1	1.3	3	3	—	—	—	—	—
Haapala SX 621 (2X)	24.8	—	—	102.5	115.4	—	—	—	—	2.3	0.6	—	—	—	—	—	—	—
United Hagie IXL-5 (2X) ^{1, 2}	25.0	—	—	118.5	124.8	—	—	—	—	3.1	0.6	—	—	—	—	—	—	—
Pioneer 371	25.0	28	28	106.5	115.9	97	109	96	100	0.7	3.7	2	3	5	4	—	—	—
P.A.G. SX 9 (2X) ¹	25.2	30	30	111.2	113.4	107	102	111	98	2.8	1.8	3	3	4	3	—	—	—
Michigan Exp. 63-981 (3X) ¹	25.5	—	—	114.8	115.3	—	—	—	—	4.3	2.7	—	—	—	—	—	—	—
P.A.G. SX 310 (2X)	25.5	—	—	101.3	104.4	—	—	—	—	3.3	2.2	—	—	—	—	—	—	—
Simons W601 (2X) ¹	25.5	—	—	116.6	111.2	—	—	—	—	2.3	4.8	—	—	—	—	—	—	—
DeKalb XL 45 (2X) ^{1, 2}	25.7	30	29	114.1	137.5	101	111	101	105	0.7	0.5	2	4	1	4	—	—	—
Funk Bros. G34	25.8	29	—	98.0	96.8	88	89	—	—	4.6	0.6	5	1	—	—	—	—	—
Garno S 95 (2X)	25.9	—	—	97.7	107.8	—	—	—	—	2.9	2.3	—	—	—	—	—	—	—
Supercrost S 30 A (2X) ¹	25.9	—	—	112.6	115.5	—	—	—	—	2.7	1.1	—	—	—	—	—	—	—
Northrup King PX 44 (2X) ^{1, 2}	25.9	27	—	115.6	121.9	99	108	—	—	1.4	2.6	1	3	—	—	—	—	—
Michigan 490	25.9	29	28	96.5	105.8	101	106	102	102	4.0	5.5	6	6	6	8	—	—	—
Supercrost 337	26.0	29	27	81.4	93.0	86	94	93	93	2.3	3.8	3	4	4	5	—	—	—
DeKalb 238	26.0	29	28	101.1	112.1	97	108	100	100	0.7	0.5	0	2	1	3	—	—	—
Northrup King PX610 (3X) ²	26.0	—	—	103.0	120.0	—	—	—	—	0.0	10.1	—	—	—	—	—	—	—
Bayless SX 415 (2X) ²	26.0	—	—	99.0	120.1	—	—	—	—	1.9	2.9	—	—	—	—	—	—	—
Blaney 6616 (3X)	26.1	—	—	109.7	108.8	—	—	—	—	2.6	0.0	—	—	—	—	—	—	—
P.A.G. SX 31 (2X)	26.2	31	—	105.1	113.4	93	107	—	—	2.1	1.6	3	3	—	—	—	—	—
Supercrost 3340	26.2	30	30	81.0	87.6	85	85	88	73	0.0	2.8	0	3	1	3	—	—	—
Northrup King PX 52 (2X) ²	26.3	31	—	110.8	118.1	100	101	—	—	1.4	0.0	2	2	—	—	—	—	—
Michigan 570	26.4	29	28	98.6	105.3	98	101	101	94	1.5	6.9	4	7	8	7	—	—	—
Blaney B 771 (3X)	26.5	—	—	99.4	105.4	—	—	—	—	1.7	0.6	—	—	—	—	—	—	—
OYO 225 (2X) ¹	26.5	—	—	112.8	115.8	—	—	—	—	2.3	0.5	—	—	—	—	—	—	—
Blaney B 661 (3X)	26.5	—	—	84.5	90.1	—	—	—	—	0.0	0.7	—	—	—	—	—	—	—
Wolverine W 175 (2X)	26.6	29	—	94.2	102.4	98	104	—	—	3.2	2.3	3	1	—	—	—	—	—
Wolverine W 370 (3X)	26.7	—	—	90.8	100.3	—	—	—	—	1.1	4.5	—	—	—	—	—	—	—
Northrup King PX 50 (2X) ¹	26.7	—	—	112.3	113.1	—	—	—	—	0.6	0.0	—	—	—	—	—	—	—
DeKalb 415 A	26.7	—	—	99.7	112.2	—	—	—	—	3.8	1.4	—	—	—	—	—	—	—
Tomco Genetic Giant 440	26.7	—	—	97.6	105.2	—	—	—	—	1.4	2.3	—	—	—	—	—	—	—
Pioneer 3466	26.7	30	—	93.9	97.6	101	98	—	—	0.0	2.4	2	2	—	—	—	—	—
Taylor-Evans Bonusmaker (2X)	27.1	31	—	87.5	94.7	91	97	—	—	1.8	4.2	4	4	—	—	—	—	—
DeKalb 427	27.1	30	29	94.3	107.7	89	105	94	100	3.6	2.5	3	3	2	3	—	—	—
United Hagie IXL 6 (2X)	27.1	—	—	94.4	113.2	—	—	—	—	1.0	0.6	—	—	—	—	—	—	—
DeKalb 400 (2X) ^{1, 2}	27.1	31	29	115.5	120.0	113	115	108	106	2.5	3.9	2	2	3	3	—	—	—
Anderson A 110 A	27.2	30	30	100.8	105.5	92	97	87	79	0.7	3.6	2	4	3	3	—	—	—
Blaney 6606 A (2X) ²	27.2	—	—	104.9	126.0	—	—	—	—	0.0	1.4	—	—	—	—	—	—	—
Northrup King KM 567	27.3	31	30	95.4	107.0	105	113	104	98	1.8	0.5	2	1	5	1	—	—	—
DeKalb XL 346 (3X)	27.4	31	—	104.8	110.1	101	98	—	—	0.0	0.0	2	1	—	—	—	—	—
Crib Filler 40 (2X) ^{1, 2}	27.4	—	—	113.9	126.5	—	—	—	—	1.9	0.5	—	—	—	—	—	—	—
P.A.G. 285	27.5	31	—	80.4	87.2	85	89	—	—	5.2	7.0	3	4	—	—	—	—	—
Taylor-Evans Moneymaker (3X)	28.0	32	—	93.9	88.7	89	89	—	—	0.9	2.6	0	3	—	—	—	—	—
Michigan 620	28.4	31	30	103.7	95.3	101	99	104	96	5.3	4.1	5	3	4	3	—	—	—
Anderson A 105	28.6	33	33	99.3	91.0	101	92	95	79	4.2	7.2	6	5	6	4	—	—	—
DeKalb XL 342 (3X) ¹	28.7	—	—	114.0	102.1	—	—	—	—	0.0	3.0	—	—	—	—	—	—	—
Supercrost 5900	29.1	32	32	110.0	91.6	100	95	103	94	1.0	1.2	2	1	3	2	—	—	—
DeKalb XL 341 (3X) ¹	29.6	31	—	113.4	98.1	106	104	—	—	1.4	1.7	3	3	—	—	—	—	—
DeKalb XL 361 (3X)	31.5	—	—	82.4	90.8	—	—	—	—	0.7	0.5	—	—	—	—	—	—	—
Averages	25.6	29	27	101.2	106.8	97	101	97	93	2.3	2.7	3	4	4	4	—	—	—
Range	19.1	21	21	73.0	78.9	80	82	78	73	0.0	0.0	0	1	1	1	1	1	1
	to 31.5	to 33	to 33	to 118.8	to 141.7	113	115	111	106	11.5	12.7	8	11	9	8	to 8	to 11	to 9
Least significant differences	1.3	1	1	9.9	11.1	4	4	4	4									

1=Significantly better than average yield at 16,000 population in 1966.

2=Significantly better than average yield at 20,400 population in 1966.

May 9-10 November 10

Brookston loam

May 6-7 October 13

Planted Harvested

Brookston loam

Brookston loam

Soil type Previous crop

Corn

Corn

Rows Population

Wheat

Wheat

Fertilizer

36"

36"

Soil test: pH

16,000 and 20,400

15,100 and 19,200

K

130-120-120

15,700 and 20,600

P

131-122-86

121-83-42

Fertilizer

7.0

6.2

Soil test: pH

20 (medium)

44 (high)

K

167 (medium)

196 (high)

Farm Cooperator: Earl Creech, Dundee.

County Agricultural Extension: R. J. Laser, Monroe.

Table 2

Zone 1

SOUTHERN MICHIGAN**HILLSDALE COUNTY TRIAL**

One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture			Bushels per acre			% Stalk lodging		
	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.
Michigan 250	23.9	26	24	119.7	99	94	3.7	3	3
Michigan 270	24.8	25	23	106.3	91	89	17.5	14	11
Michigan 300	26.4	28	26	95.4	86	90	8.9	8	6
Michigan 400	26.9	28	28	112.0	99	102	2.9	5	5
Michigan 370	27.0	28	28	108.4	95	98	11.0	8	6
Michigan 402-2X (2X)	27.9	30	29	121.0	106	110	2.4	3	5
Todd 130A (3X)	29.7	31	—	117.9	102	—	0.6	2	—
Wyckoff W5X	29.8	32	30	106.3	95	98	5.2	6	5
OYO 130A	29.8	—	—	110.8	—	—	3.5	—	—
Michigan 430	29.8	33	32	114.0	105	104	7.0	7	7
Wyckoff W9X	29.9	33	32	124.2	104	110	1.7	1	1
Supercrost 214	30.2	34	—	127.1	104	—	3.3	2	—
Taylor Evans Exp. 6424	30.2	33	—	116.2	103	—	1.9	4	—
Michigan 425	30.2	33	31	121.0	108	108	2.4	3	3
Funk Bros. G32	30.3	33	32	123.2	110	113	2.4	3	2
Funk Bros. G17A	30.3	—	—	110.7	—	—	3.1	—	—
Michigan Exp. 63-981 (3X)*	30.9	—	—	131.1	—	—	2.4	—	—
Northrup King PX 44 (2X)	30.9	35	—	120.0	103	—	2.9	2	—
Supercrost 209	31.0	36	—	115.4	103	—	4.5	3	—
Todd 303 (3X)	31.1	34	33	121.3	100	100	4.0	2	2
Michigan 550	31.2	33	33	127.5	113	115	2.6	2	2
Simons W601 (2X)	31.2	—	—	113.0	—	—	3.8	—	—
Todd 240	31.2	35	34	116.7	103	106	2.3	2	2
Cowbell 112 SX (2X)	31.3	—	—	118.8	—	—	4.3	—	—
Todd Exp. M6065 (2X)	31.4	—	—	118.3	—	—	3.3	—	—
Michigan 500-2X (2X)*	31.4	—	—	150.6	—	—	2.9	—	—
Muncy Chief SX 550 (2X)	31.4	—	—	108.6	—	—	1.3	—	—
Haapala SX 510 (2X)	31.4	—	—	110.9	—	—	3.8	—	—
Todd 420	31.5	34	—	99.1	90	—	2.7	2	—
DeKalb XL 325 (3X)	31.6	33	—	115.1	108	—	1.2	1	—
Todd M55 (2X)	31.7	37	—	123.9	97	—	0.0	0	—
Bayless SX 415 (2X)	31.8	—	—	116.3	—	—	2.1	—	—
Pioneer 371	31.8	36	34	121.3	100	103	3.0	2	2
Northrup King X5528 (2X)	31.8	—	—	114.3	—	—	1.9	—	—
Wyckoff W10A	32.1	36	34	125.4	110	114	1.9	1	2
Northrup King KM567* (2X)	32.1	36	35	139.2	118	113	2.8	2	2
Muncy Chief SX 660 (2X)	32.2	37	—	97.7	91	—	1.3	1	—
DeKalb 414	32.3	34	33	106.0	103	104	0.6	1	1
Todd 505A (3X)	32.3	—	—	108.4	—	—	2.4	—	—
Pioneer 3466	32.4	35	—	123.4	109	—	1.3	3	—
OYO 225 (2X)*	32.5	—	—	139.1	—	—	4.0	—	—
DeKalb 238	32.6	35	34	119.8	106	105	5.0	4	4
DeKalb XL45 (2X)	32.7	35	34	124.6	109	111	1.2	1	1
Haapala SX 626 (2X)*	32.7	—	—	146.3	—	—	0.6	—	—
Crib Filler 29	32.7	—	—	112.0	—	—	3.9	—	—
Funk Bros. G34	33.2	36	34	112.8	99	100	0.6	1	1
Hulting 243	33.4	36	—	123.0	109	—	7.0	5	—
Muncy Chief H 630	33.4	37	—	100.0	90	—	12.3	10	—
DeKalb 409	33.5	35	34	112.3	99	101	6.8	5	4
Wolverine W370 (3X)	33.6	—	—	123.4	—	—	0.7	—	—
DeKalb 400 (2X)*	33.9	35	33	133.9	120	118	0.6	1	1
DeKalb 427	33.9	35	33	113.5	110	113	4.0	3	3
DeKalb XL 342 (3X)	33.9	—	—	124.8	—	—	0.7	—	—
Pioneer 354A	34.0	37	—	107.2	99	—	6.6	5	—
DeKalb 441A	34.3	38	—	117.3	102	—	0.6	2	—
P.A.G. 285	34.3	36	35	109.0	97	99	0.0	0	1
Northrup King PX610 (3X)*	34.7	—	—	137.2	—	—	1.8	—	—
Northrup King PX 50 (2X)	34.7	—	—	124.2	—	—	1.8	—	—
Michigan 570	34.7	37	34	115.1	104	103	8.0	9	7
Northrup King PX 52 (2X)	35.0	39	—	119.8	99	—	1.3	1	—
Michigan 490	35.1	36	35	118.4	108	104	7.8	6	5
P.A.G. SX31 (2X)	35.1	37	—	125.5	110	—	0.6	2	—
Muncy Chief SX770 (2X)	35.1	38	—	108.7	94	—	2.1	2	—
Bayless SX 601 (2X)	35.4	—	—	120.9	—	—	9.8	—	—
DeKalb XL 341 (3X)	35.6	37	—	107.5	102	—	1.9	3	—

Hybrid	% Moisture			Bushels per acre			% Stalk lodging		
	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.
Taylor Evans Bonus-maker (2X)	35.7	38	—	113.0	102	—	4.8	3	—
Michigan 620	35.7	39	37	118.2	105	109	6.0	6	6
Hulting 260 SC	36.0	39	—	117.6	104	—	0.0	2	—
P.A.G. SX 98 (2X)	36.0	—	—	105.3	—	—	4.5	—	—
Supercrost 441	36.3	—	—	109.8	—	—	3.1	—	—
DeKalb XL 346 (3X)	37.0	39	—	106.8	101	—	1.2	1	—
Hulting 482	37.2	40	—	95.3	90	—	0.6	1	—
Hulting 480	37.2	39	—	112.6	98	—	2.4	1	—
DeKalb XL 361 (3X)	38.6	41	40	120.0	106	112	1.8	2	1
Crib Filler 40 (2X)	38.7	—	—	119.5	—	—	5.2	—	—
Taylor Evans Money-maker (3X)	38.7	40	—	99.0	91	—	2.4	4	—
P.A.G. 313 (3X)	40.0	—	—	94.2	—	—	5.7	—	—
Averages	32.8	35	32	117.4	102	105	3.5	3	3
Range	23.9	25	23	94.2	86	89	0.0	0	1
	to 40.0	to 41	to 40	to 150.6	to 120	to 118	to 17.5	to 14	to 11
Least significant difference	1.7	1	1	12.3	4	4			

*Significantly better than average yield in 1966.

	1966	1965	1964
Planted	May 28	May 8	May 15
Harvested	October 26	October 20	October 23
Soil type	Fox sandy loam	Fox sandy loam	Fox sandy loam
Previous crop	Corn	Corn	Corn
Population	17,300	16,300	15,600
Rows	36"	36"	36"
Fertilizer	Manure	Manure	125-60-60
Soil test: pH	6.7	6.5	6.8
P	120 (very high)	53 (high)	33 (medium)
K	125 (medium)	87 (low)	72 (low)
Farm Cooperator:	Keith Brown, Jonesville.		
County Agricultural Extension:	A. T. Hall, Hillsdale.		

Table 3

Zone 1

SOUTHERN MICHIGAN**BRANCH COUNTY TRIAL**

One Year Averages—1966

Hybrid	% Moisture	Bushels Per Acre	% Stalk Lodging
Michigan 270	20.7	100.8	8.7
Michigan 250	21.9	106.5	10.8
Michigan 300	22.3	95.8	8.3
Michigan 370	22.7	99.2	5.6
Michigan 400	23.3	101.0	1.8
Todd 130A (3X)	23.3	101.1	12.8
Michigan 402-2X (2X)	23.6	117.6	6.7
Funk Bros. G 17A	24.0	120.0	9.7
Wyckoff W9X	24.1	116.9	5.5
Wyckoff W5X	24.1	103.0	9.5
Taylor-Evans Exp. 6424	24.3	120.7	0.0
Michigan 425	24.3	125.4	4.9
Michigan 430	24.3	121.0	3.3
Todd 240	24.6	115.1	3.0
Supercrost 209	24.7	126.0	5.4
Michigan 500-2X (2X)*	24.9	141.9	2.5
Funk Bros. G32	25.0	114.2	7.9
Pioneer 371	25.3	119.6	2.4
Northrup King X5528 (2X)	25.3	121.8	19.2
Simons W601 (2X)	25.3	125.8	2.4

Table 3—BRANCH COUNTY (Continued)

Hybrid	% Moisture	Bushels Per Acre	% Stalk Lodging
DeKalb 409	25.4	116.2	7.5
Cowbell 112 SX (2X)*	25.4	135.6	5.9
Todd Exp. M6065 (2X)	25.4	114.0	1.2
Todd M55 (2X)*	25.5	135.6	0.6
OYO 130A	25.5	101.8	9.1
Haapala SX 510 (2X)	25.5	120.3	3.0
Pioneer 3466	25.6	130.1	6.6
Michigan 550	25.6	125.9	8.0
DeKalb XL 45 (2X)	25.6	127.9	1.8
P.A.G. SX 9 B (2X)	25.7	120.7	1.8
Supercrost 214	25.7	117.2	5.3
Northrup King PX 610 (3X)*	25.7	138.2	1.8
Muncy Chief SX 660 (2X)	25.8	100.8	10.4
DeKalb XL 325 (3X)	25.9	112.4	1.2
Todd 420	26.0	98.9	4.8
Todd 303 (3X)	26.0	105.4	3.7
Wyckoff W 10 A*	26.1	133.0	1.8
Crib Filler 29	26.2	122.4	9.7
Northrup King PX 52 (2X)	26.2	127.8	1.2
Hulting 260 SC	26.3	121.0	1.8
DeKalb 414	26.4	117.8	3.6
Michigan Exp. 63-981 (3X)	26.4	125.6	8.5
Funk Bros. G 34	26.4	109.9	4.8
Bayless SX 415 (2X)*	26.5	133.3	4.2
Pioneer 354 A*	26.5	134.8	12.4
Haapala SX 626 (2X)*	26.5	135.5	1.8
Northrup King PX 44 (2X)	26.5	111.2	3.6
P.A.G. SX 31 (2X)	26.6	123.3	2.4
Muncy Chief H 630	26.6	107.7	6.7
Todd 505A (3X)	26.8	118.5	1.9
Muncy Chief SX 550 (2X)	26.9	116.2	3.0
DeKalb 238	27.0	117.8	3.7
Northrup King PX 50 (2X)*	27.0	132.2	4.8
Michigan 490	27.1	122.7	7.1
DeKalb 400 (2X)*	27.2	138.5	3.1
Michigan 570	27.3	122.3	7.4
Wolverine 370 (3X)	27.3	119.2	3.6
DeKalb 427	27.3	104.8	1.8
OYO 225 (2X)	27.6	118.7	9.7
Northrup King KM 567*	27.6	131.9	5.9
Hulting 243	27.7	120.3	7.8
P.A.G. 285	27.7	102.4	0.0
Bayless SX 601 (2X)*	28.1	140.8	9.0
Taylor-Evans Bonustaker (2X)	28.4	115.5	3.6
Crib Filler 40 (2X)	28.5	129.3	3.7
Hulting 482	28.5	108.6	1.8
Muncy Chief SX 770 (2X)	28.7	113.3	1.2
DeKalb 441A*	28.8	136.8	2.4
DeKalb XL 342 (3X)*	28.8	145.8	1.2
DeKalb XL 346 (3X)	28.9	118.5	0.6
Hulting 480	29.0	115.3	1.2
P.A.G. 313 (3X)	29.2	109.1	0.6
Michigan 620	29.4	127.7	5.4
DeKalb XL 341 (3X)	29.4	122.5	3.6
Taylor-Evans Moneymaker (3X)	29.6	109.1	3.6
Supercrost 441	30.1	94.5	5.5
DeKalb XL 361 (3X)	31.1	129.6	1.8
Average	26.4	118.0	4.8
Range	20.7 to 31.1	94.5 to 145.8	0.0 to 19.2
Least significant difference	1.7	12.6	

*Significantly better than average yield in 1966.

Planted—May 27 Harvested—October 29
 Soil type—Gulford sandy loam Rows—36"
 Population—17,100 Previous crop—corn
 Fertilizer—116-92-90

Farm Cooperator: George Matthews, Union City.
 County Agricultural Extension: Paul Thompson, Coldwater.

Table 4

Zone 1

SOUTHERN MICHIGAN KALAMAZOO COUNTY TRIAL

One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture			Bushels per acre			% Stalk lodging		
	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.
Michigan 270	23.0	24	24	54.5	55	53	6.2	7	6
Michigan 300	24.8	27	26	61.1	55	54	9.0	5	5
Michigan 250	25.1	26	27	54.4	52	52	6.0	4	5
Michigan 400	26.0	29	30	62.1	62	63	3.3	4	3
Michigan 370	26.3	29	30	56.4	59	57	4.2	3	2
Pioneer 3675	26.4	—	—	54.7	—	—	4.5	—	—
Funk Bros. G17A*	27.0	30	30	68.0	58	61	1.4	2	1
Wyckoff W5X	27.1	31	31	50.7	52	58	2.0	2	1
Cowbell 55*	27.2	—	—	70.8	—	—	2.7	—	—
Michigan 402-2X (2X)*	27.3	30	31	71.2	69	64	4.0	2	2
DeKalb XL 325 (3X)*	27.9	31	—	66.7	63	—	1.3	1	—
Michigan 430	27.3	31	31	63.2	60	61	5.9	7	6
Funk Bros. G32	28.5	32	32	61.7	58	56	2.0	2	1
Michigan 550	28.6	32	33	65.3	68	67	1.9	2	2
Crib Filler 17	28.7	—	—	53.2	—	—	0.7	—	—
Michigan 425*	28.7	31	32	68.5	65	64	4.6	2	2
DeKalb XL45 (2X)*	29.0	34	35	70.5	72	70	0.7	1	0
Pioneer 368	29.1	33	35	62.6	66	65	2.0	5	4
DeKalb 409	29.1	32	33	61.0	59	58	9.6	7	6
Wyckoff W10X	29.2	—	—	60.4	—	—	2.0	—	—
Haapala SX410 (2X)	29.3	—	—	45.6	—	—	2.0	—	—
Pioneer 3775 (2X)	29.4	—	—	52.5	—	—	1.9	—	—
Michigan 500-2X (2X)*	29.4	—	—	77.8	—	—	0.6	—	—
Michigan Exp. 63-981 (3X)*	29.5	—	—	74.1	—	—	5.3	—	—
Northrup King PX610 (3X)	29.6	—	—	61.2	—	—	1.9	—	—
Taylor Evans Exp. 6424	29.7	32	—	54.1	55	—	2.0	2	—
Taylor Evans Bonus- maker (2X)*	29.7	33	—	68.2	63	—	2.1	2	—
Cowbell 112SX (2X)	29.8	—	—	57.9	—	—	3.3	—	—
Tomco Genetic Giant 440*	29.9	34	—	67.9	62	—	2.6	3	—
Cowbell 57	30.3	—	—	53.0	—	—	3.0	—	—
DeKalb 414	30.5	35	36	60.3	58	55	3.8	2	2
Pioneer 3466	30.6	33	—	59.1	63	—	1.3	2	—
DeKalb 400 (2X)	30.7	33	34	61.8	68	69	0.0	0	0
P.A.G. SX66 (2X)*	30.7	34	35	68.2	68	66	1.2	1	2
Pioneer 371	30.8	33	35	52.3	56	57	1.4	2	4
Northrup King X528 (2X)	30.8	—	—	51.8	—	—	2.6	—	—
Northrup King PX52 (2X)	31.0	35	—	57.8	55	—	0.7	0	—
P.A.G. SX9A (2X)	31.0	—	—	54.1	—	—	1.9	—	—
Northrup King PX44 (2X)	31.0	33	—	52.1	52	—	2.6	3	—
Taylor-Evans Money- maker (3X)	31.2	34	—	45.0	57	—	2.6	2	—
P.A.G. SX9 (2X)	31.2	34	36	64.6	62	62	1.9	2	2
Bayless SX415 (2X)*	31.2	—	—	69.4	—	—	3.3	—	—
Michigan 490	31.2	34	35	59.8	65	67	3.2	4	4
DeKalb XL346 (3X)	31.3	37	—	52.9	54	—	0.0	0	—
Cargill 240	31.3	—	—	46.8	—	—	0.6	—	—
Northrup King PX 50 (2X)	31.3	—	—	56.3	—	—	0.0	—	—
United Hagie IXL6 (2X)	31.8	—	—	48.6	—	—	1.3	—	—
DeKalb XL 342 (3X)	32.0	—	—	56.2	—	—	0.6	—	—
Northrup King KM 567	32.0	35	36	61.7	60	58	4.6	4	3
DeKalb 427	32.0	34	34	52.1	62	64	0.7	2	1
DeKalb 441A	32.2	—	—	62.3	—	—	1.4	—	—
Michigan 570	32.3	34	34	59.2	62	59	3.9	5	5
Crib Filler 40 (2X)	32.4	—	—	59.4	—	—	3.2	—	—
Michigan 620	32.6	35	36	56.1	60	61	5.0	3	3
DeKalb XL 341 (3X)	33.1	35	—	49.2	56	—	2.0	1	—
United Hagie IXL5 (2X)	33.4	—	—	57.0	—	—	0.7	—	—
Averages	29.9	32	32	59.8	61	61	2.7	3	3
Range	23.0 to 33.4	24 to 37	24 to 36	45.0 to 77.8	52 to 72	52 to 70	0.0 to 9.6	0 to 7	0 to 6

Table 4—KALAMAZOO COUNTY (Continued)

Hybrid	% Moisture		Bushels per acre		% Stalk lodging	
	1966	2 yrs.	1966	2 yrs.	1966	2 yrs.
Least significant difference	1.8	1	1	6.8	3	3

*Significantly better than average yield in 1966

	1966	1965	1964
Planted	May 23	May 15	May 12
Harvested	October 31	October 26	October 11
Soil type	Fox loam	Fox loam	Fox loam
Previous crop	Corn	Corn	Wheat
Population	16,800	16,100	13,100
Rows	36"	36"	36"
Fertilizer	113-53-53	93-72-72	Manure, 112-48-24
Soil test: pH	6.8	6.6	6.8
P	168 (very high)	88 (high)	67 (high)
K	341 (very high)	172 (medium)	324 (very high)

Farm Cooperator: Richard Van Vranken, Climax.

County Agricultural Extension: Vern Hinz, Kalamazoo.

Table 5

Zone 2

SOUTH CENTRAL MICHIGAN**OTTAWA COUNTY TRIAL**

One, Two, and Three Year Averages—1966, 1965, 1964

HYBRID	% Moisture		Bushels per acre		% Stalk Lodging	
	1966	2 yrs.	1966	2 yrs.	1966	2 yrs.
Michigan 270	21.0	21	23	80.4	78	80
Michigan 250	22.1	22	23	87.5	80	79
Michigan 300	23.7	23	25	76.1	83	86
Northrup King X4454 (2X)	25.2	—	—	86.7	—	—
Michigan 400	25.2	25	27	82.4	83	88
Michigan 370	25.8	25	28	77.4	82	86
Michigan Exp. 63-981 (3X)*	26.2	28	—	100.3	104	—
Northrup King PX480 (3X)	26.3	—	—	77.6	—	—
Northrup King PX527 (3X)*	26.4	27	—	103.8	93	—
Michigan 402-2X (2X)*	26.4	26	28	98.9	95	98
DeKalb 57	27.4	26	28	68.3	76	81
Michigan 430	27.6	27	29	88.7	88	90
Northrup King KE497	27.6	27	29	92.5	90	92
Cowbell 55	27.9	—	—	91.1	—	—
Funk Bros. G17A*	27.9	26	28	98.5	96	94
Michigan 500-2X (2X)*	28.0	—	—	106.7	—	—
Taylor Evans Exp. 6424	28.0	27	—	83.4	83	—
DeKalb XL45 (2X)*	28.1	29	32	108.0	98	101
Michigan 425	28.1	27	30	91.8	93	94
Cowbell HK58	28.2	—	—	94.5	—	—
Wolverine 66A	28.3	27	30	91.9	87	84
DeKalb XL325 (3X)*	28.5	28	31	99.0	92	90
Michigan 550	28.7	28	31	92.5	99	100
P.A.G. SX 36 (2X)	29.4	27	30	81.2	88	91
DeKalb 224	29.7	—	—	83.2	—	—
Pioneer 3773 (2X)	29.8	28	—	89.8	88	—
Taylor-Evans Profitmaker (2X)	30.0	28	—	93.2	91	—
Northrup King X5528 (2X)	30.6	—	—	94.1	—	—
Northrup King PX 50 (2X)*	31.0	—	—	108.1	—	—
Northrup King KM567	31.4	29	32	96.0	96	95
Crows 428 (2X)*	31.5	—	—	100.5	—	—
Crows 420 (2X)	32.0	—	—	83.8	—	—
DeKalb XL 342 (3X)*	32.0	—	—	102.1	—	—
Pioneer 371	32.1	29	31	80.2	92	96
DeKalb 427	32.3	32	34	76.0	84	89
DeKalb XL346 (3X)	32.3	32	—	82.2	91	—
Michigan 490	32.4	30	32	79.1	90	92
Michigan 570	32.4	31	33	84.0	86	87
DeKalb 400 (2X)*	32.7	30	32	99.6	104	106

Table 5—OTTAWA COUNTY (Continued)

HYBRID	% Moisture		Bushels per acre		% Stalk Lodging	
	1966	2 yrs.	1966	2 yrs.	1966	2 yrs.
Northrup King PX 44 (2X)	32.9	31	—	79.6	85	—
Taylor-Evans Bonus-maker (2X)	33.0	—	—	97.5	—	—
Michigan 620	33.0	32	34	83.4	99	98
DeKalb XL341 (3X)	34.1	32	—	76.6	88	—
DeKalb 441A	35.0	34	—	85.9	89	—
DeKalb 441	35.8	33	35	82.6	98	98
Averages	29.5	28	30	89.0	91	92
Range	21.0	21	23	68.3	76	79
	to	to	to	to	to	to
	35.8	34	35	108.1	104	106
Least significant difference	1.8	1	1	9.5	4	4

*Significantly better than average yield in 1966.

	1966	1965	1964
Planted	May 26	May 7	May 21
Harvested	November 3	October 30	October 14
Previous crop	Corn	Corn	Corn
Population	16,900	15,000	16,100
Rows	36"	36"	36"
Fertilizer	144-96-48	133-115-80	111-104-21
Soil test: pH	6.9	6.9	7.0
P	77 (high)	122 (very high)	86 (high)
K	352 (very high)	342 (very high)	256 (high)

Farm Cooperator: Marvin Patmos, Jamestown.

County Agricultural Extension: R. J. Van Klompenberg, Grand Haven.

Table 6

Zone 2

SOUTH CENTRAL MICHIGAN**SHIAWASSEE COUNTY TRIAL**

One Year Averages—1966

(No trials conducted in previous years)

HYBRID	% Moisture		Bushels Per Acre		% Stalk Lodging	
	1966	2 yrs.	1966	2 yrs.	1966	2 yrs.
Michigan 270	21.6	—	93.1	—	2.5	—
Northrup King X 4454 (2X)	22.2	—	97.7	—	3.7	—
Michigan 250	22.4	—	86.4	—	4.9	—
DeKalb XL 307 (3X)	23.1	—	77.1	—	0.6	—
Michigan 280	23.5	—	102.6	—	3.0	—
Michigan 370	24.4	—	102.7	—	4.8	—
Michigan 300	24.6	—	107.4	—	6.8	—
Northrup King PX 480 (3X)	24.7	—	98.6	—	10.7	—
DeKalb XL 15 (2X)	24.7	—	100.3	—	1.9	—
Pioneer 385	25.2	—	92.7	—	0.6	—
DeKalb XL 315 (3X)	25.4	—	89.7	—	1.3	—
P.A.G. 45	25.4	—	94.6	—	5.1	—
Northrup King KE 497	25.5	—	109.0	—	4.2	—
Funk Bros. G17A	25.7	—	109.3	—	2.4	—
Michigan 400	25.7	—	101.7	—	1.8	—
DeKalb 59	25.8	—	79.4	—	1.2	—
Funk Bros. G18A	25.8	—	105.7	—	1.2	—
Northrup King PX 527 (3X)	25.9	—	110.8	—	2.5	—
Tomco Genetic Giant 2600	26.0	—	87.5	—	1.2	—
Michigan 402-2X (2X)	26.6	—	111.2	—	0.6	—
Michigan 430	26.6	—	95.8	—	4.2	—
Wolverine 66A	26.7	—	94.2	—	2.5	—
Michigan 550*	26.8	—	127.7	—	2.5	—
Taylor-Evans Profitmaker (2X)	27.2	—	77.4	—	0.0	—
Taylor-Evans Exp. 6424	27.3	—	97.4	—	3.6	—

Table 6—SHIAWASSEE COUNTY (Continued)

HYBRID	% Moisture	Bushels Per Acre	% Stalk Lodging
Funk Bros. G 10A	27.3	96.6	4.9
Pioneer 3773 (2X)*	27.5	127.0	0.0
Wolverine W135 (3X)	27.5	77.8	1.8
Anderson A95	27.5	96.5	6.3
Funk Bros. G4350 (2X)	27.5	103.7	0.6
Pioneer 3775 (2X)*	27.5	123.5	1.2
Tomco Genetic Giant 211	27.9	107.5	0.6
Michigan 425	28.2	110.4	2.4
Northrup King X5528 (2X)*	28.6	112.7	5.5
DeKalb XL 325 (3X)	28.6	86.0	0.0
Pioneer 368	28.7	102.6	3.6
Michigan Exp. 63-981 (3X)*	28.8	117.1	1.9
P.A.G. SX 36 (2X)	29.9	84.3	1.9
Michigan 500-2X (2X)*	29.1	128.0	1.8
Michigan 570	29.2	105.2	4.2
DeKalb XL 45 (2X)	29.2	110.7	0.6
Northrup King PX 50 (2X)*	29.3	121.8	3.0
P.A.G. 70	29.4	94.3	4.3
P.A.G. SX49 (2X)	29.4	102.3	3.0
Haapala SX 621 (2X)	30.5	111.4	1.8
Northrup King PX 44 (2X)	30.5	96.6	3.8
Michigan 490	30.6	98.2	1.2
DeKalb 427	30.6	97.7	3.0
DeKalb XL 346	30.9	93.9	0.0
Michigan 620	31.0	99.8	3.8

Hybrid	% Moisture	Bushels Per Acre	% Stalk Lodging
Taylor-Evans Bonusmaker (2X)	31.3	97.2	1.8
DeKalb 441A	31.7	91.4	3.0
DeKalb XL 342 (3X)	31.9	97.9	1.8
Northrup King KM 567	32.0	84.8	1.8
DeKalb XL 341 (3X)	32.4	100.3	0.0
Average	27.5	101.4	2.6
		21.6	77.1
Range		to	0.0
		32.4	128.0
		to	10.7
Least significant difference	1.2	11.3	

*Significantly better than average yield in 1966.

Planted—May 23
Soil Type—Brookston
Population—17,600
Fertilizer—174-96-164
Soil test: pH=6.7, P=57 (high), K=255 (high)
Farm Cooperator—Ward Perry, Route 2, Durand.
County Agricultural Extension—W. C. Search, Corunna.

Table 7

SOUTH CENTRAL MICHIGAN
GRAIN—INGHAM COUNTY TRIAL
One, Two, and Three Year Averages—1966, 1965, 1964

Zone 2

HYBRID	% Moisture			Bushels Per Acre						% Stalk Lodging					
	1966	2 yrs.	3 yrs.	17200	21100	16300	20400	16500	20800	17200	21100	16300	20400	16500	20800
Michigan 270	25.0	28	29	89.7	87.7	63	63	67	69	6.3	8.5	4	8	5	9
Pioneer 3862	26.0	—	—	83.8	75.1	—	—	—	—	9.1	7.2	—	—	—	—
Michigan 250	27.1	30	30	94.4	89.4	69	69	72	71	2.0	6.9	1	7	3	6
United Hagie 3H11 (3X)	27.2	—	—	60.0	64.1	—	—	—	—	18.9	17.6	—	—	—	—
Michigan 280	28.2	—	—	92.1	94.5	—	—	—	—	4.5	2.2	—	—	—	—
Michigan 300	28.5	31	30	88.2	83.3	62	61	66	70	2.9	6.0	1	3	3	4
DeKalb XL 304 (3X)	28.6	—	—	95.0	83.5	—	—	—	—	2.8	12.2	—	—	—	—
Michigan 370	28.7	32	32	96.8	100.6	67	73	74	77	1.4	2.9	1	2	2	3
United Hagie SX 127A (2X)	28.7	—	—	88.0	93.0	—	—	—	—	0.0	5.3	—	—	—	—
P.A.G. SX48 (2X)	29.1	—	—	108.7	105.4	—	—	—	—	0.7	4.5	—	—	—	—
DeKalb XL 315 (3X)	30.3	—	—	97.0	92.7	—	—	—	—	1.4	2.4	—	—	—	—
Funk Bros. G 17 A	30.4	33	33	106.8	105.5	78	76	85	76	1.6	0.0	1	2	1	2
Northrup King PX 480	30.6	—	—	94.9	86.8	—	—	—	—	2.8	7.4	—	—	—	—
Michigan 400	30.7	33	33	105.8	100.3	75	73	79	75	1.3	1.6	1	1	1	2
DeKalb XL 15 (2X)	30.8	—	—	97.7	73.4	—	—	—	—	6.0	9.6	—	—	—	—
P.A.G. 62	31.1	34	34	94.0	100.9	65	68	70	65	0.7	4.3	1	2	2	2
Pioneer 385	31.2	—	—	94.2	88.6	—	—	—	—	1.9	5.9	—	—	—	—
Michigan 402-2X (2X) ^{1, 2}	31.5	34	34	119.2	123.8	89	90	88	87	0.0	1.1	0	1	0	2
Northrup King PX 527 (3X)	31.7	35	—	92.0	97.8	65	71	—	—	2.0	3.5	1	2	—	—
Blaney B 500 (2X) ²	31.8	34	—	100.5	109.7	76	77	—	—	2.1	1.8	1	1	—	—
Michigan 425	31.9	35	34	102.6	98.7	72	72	78	74	0.0	0.0	1	2	2	2
Taylor-Evans Profitmaker (2X)	32.0	35	—	93.9	85.7	72	63	—	—	0.0	1.0	0	4	—	—
Muncy Chief H 304	32.2	35	—	106.9	104.7	76	70	—	—	2.6	1.9	4	4	—	—
Muncy Chief SX440 (2X)	32.7	—	—	102.7	85.8	—	—	—	—	0.0	1.8	—	—	—	—
Northrup King KE 497 ²	32.7	35	35	101.0	114.5	73	77	73	75	3.7	6.0	2	6	2	2
Pioneer 3775 (2X) ^{1, 2}	32.9	38	—	126.9	117.9	84	83	—	—	0.0	3.5	0	2	—	—
Taylor-Evans Exp. 6424	33.0	34	—	82.2	86.7	62	63	—	—	0.0	1.9	0	2	—	—
Haapala SX 410 (2X)	33.1	—	—	99.3	102.2	—	—	—	—	2.6	0.7	—	—	—	—
Northrup King X4454 (2X)	33.3	—	—	89.3	94.0	—	—	—	—	4.4	6.6	—	—	—	—
Michigan 430	33.4	35	34	99.2	97.4	71	72	76	76	2.5	2.1	1	2	2	2

Table 7—GRAIN—INGHAM COUNTY (Continued)

HYBRID	% Moisture			Bushels Per Acre						% Stalk Lodging					
	1966	2 yrs.	3 yrs.	1966		2 yrs.		3 yrs.		1966		2 yrs.		3 yrs.	
		17200	21100	16300	20400	16500	20800	17200	21100	16300	20400	16500	20800	17200	21100
Wolverine 66A	33.6	—	—	96.5	83.3	—	—	—	—	—	—	1.4	4.2	—	—
Blaney B6606A (2X) ^{1, 2}	33.7	—	—	129.8	130.7	—	—	—	—	—	—	1.2	1.0	—	—
Blaney 6623 (3X)	33.8	—	—	106.9	100.9	—	—	—	—	—	—	0.0	0.6	—	—
Michigan 550	33.9	36	36	109.9	105.0	83	80	87	85	—	—	0.0	1.9	0	1
Muncy Chief H306	34.0	36	—	83.6	85.7	65	62	—	—	—	—	2.0	1.8	1	2
Michigan 500-2X (2X) ^{1, 2}	34.0	—	—	126.4	138.5	—	—	—	—	—	—	0.7	0.0	—	—
DeKalb XL 325 (3X)	34.0	36	36	99.2	98.8	74	76	79	80	—	—	2.0	0.5	1	1
Pioneer 368	34.1	36	36	94.8	83.3	71	67	70	64	—	—	0.7	2.7	1	2
DeKalb XL 45 (2X)	34.1	38	38	111.2	101.0	83	72	84	74	—	—	0.0	0.5	0	1
Northrup King X 5528 (2X) ²	34.1	—	—	109.0	112.4	—	—	—	—	—	—	2.4	1.6	—	—
Haapala SX626 (2X) ^{1, 2}	34.3	—	—	122.0	131.6	—	—	—	—	—	—	2.2	0.0	—	—
DeKalb XT 218 ²	34.5	—	—	100.8	108.2	—	—	—	—	—	—	0.8	0.0	—	—
Supercrost 2570	34.7	38	38	102.4	98.6	73	74	77	76	—	—	2.2	2.3	1	1
Blaney B 6616 (3X) ¹	34.7	—	—	112.6	106.2	—	—	—	—	—	—	0.0	1.0	—	—
P.A.G. SX 49 (2X)	35.0	40	—	98.0	91.5	69	67	—	—	—	—	0.0	1.0	0	1
Pioneer 3773 (2X) ^{1, 2}	35.2	36	—	127.9	114.6	89	83	—	—	—	—	0.8	0.5	1	1
Supercrost S 30 A (2X) ^{1, 2}	35.3	—	—	124.3	125.0	—	—	—	—	—	—	1.3	2.6	—	—
Cowbell 112 SX (2X)	35.5	—	—	101.2	103.4	—	—	—	—	—	—	0.7	1.0	—	—
Northrup King PX 44 (2X) ¹	35.6	37	—	116.6	102.6	78	74	—	—	—	—	2.2	0.6	1	0
Blaney B 800 E (2X)	35.7	37	—	93.8	91.2	71	71	—	—	—	—	0.0	0.6	0	1
Michigan Exp. 63-981 (3X) ^{1, 2}	35.8	—	—	123.8	115.6	—	—	—	—	—	—	2.7	1.8	—	—
DeKalb 224	36.0	—	—	84.9	91.0	—	—	—	—	—	—	2.1	2.8	—	—
Blaney B 661 (3X)	36.1	—	—	100.8	93.0	—	—	—	—	—	—	0.7	0.0	—	—
Blaney B 600 (2X)	36.2	39	—	93.8	94.2	69	73	—	—	—	—	0.7	0.6	0	3
Supercrost 337	36.3	39	38	95.6	82.8	62	57	64	57	—	—	1.7	1.1	1	2
DeKalb 427	36.4	38	38	98.9	94.3	73	70	78	68	—	—	0.8	1.6	0	1
Muncy Chief SX660 (2X)	36.4	39	—	94.1	77.6	69	56	—	—	—	—	0.0	0.0	0	1
Pioneer 371	36.4	38	38	104.4	94.6	69	65	77	69	—	—	0.7	2.3	1	1
Muncy Chief H 420	36.5	39	—	88.6	69.4	60	53	—	—	—	—	0.0	1.2	0	2
Northrup King PX 50 (2X) ^{1, 2}	37.3	—	—	118.4	108.2	—	—	—	—	—	—	0.7	0.5	—	—
Muncy Chief H 630	38.0	40	—	82.7	71.1	59	54	—	—	—	—	0.0	2.0	0	1
Blaney B 771 (3X)	38.0	—	—	107.9	98.5	—	—	—	—	—	—	0.7	2.0	—	—
Supercrost S 2581 (2X)	38.3	40	—	99.9	83.3	74	64	—	—	—	—	0.0	1.7	0	1
Muncy Chief SX550 (2X)	38.5	—	—	86.5	86.2	—	—	—	—	—	—	0.6	1.2	—	—
Wolverine W 175 (2X)	38.5	—	—	103.2	96.4	—	—	—	—	—	—	1.5	2.1	—	—
Michigan 570	38.7	39	38	102.7	94.9	72	71	75	70	—	—	0.7	3.0	0	3
Taylor-Evans Bonusmaker (2X)	39.1	—	—	101.9	88.3	—	—	—	—	—	—	0.0	3.4	—	—
Blaney B 700 (2X)	39.2	—	—	98.0	85.3	—	—	—	—	—	—	0.0	0.0	—	—
Michigan 620	39.8	41	40	104.3	92.1	74	71	79	78	—	—	0.0	3.8	0	3
DeKalb 414	39.8	—	—	89.3	69.2	—	—	—	—	—	—	0.0	3.2	—	—
Northrup King KM 567	40.0	39	38	89.2	98.6	71	79	79	82	—	—	0.7	2.4	0	1
Muncy Chief SX 770 (2X)	40.1	43	—	63.9	64.7	47	48	—	—	—	—	0.7	1.1	0	1
Michigan 490	40.2	40	39	110.8	96.7	76	70	78	65	—	—	0.0	2.5	2	1
Blaney B 801 (2X)	40.4	—	—	89.7	75.5	—	—	—	—	—	—	0.8	0.0	—	—
DeKalb 441	40.5	41	41	90.1	73.8	66	56	64	51	—	—	0.0	2.2	0	1
Average	34.3	37	35	100.1	95.6	71	70	76	72	—	—	1.5	2.7	8	2
Range	25.0 to 40.5	28 to 43	29 to 41	60.0 to 129.8	64.1 to 138.5	47 to 89	48 to 90	64 to 88	51 to 86	—	—	0.0 to 18.9	0.0 to 17.6	0 to 4	0 to 8
Least significant differences	1.8	1	1	11.7	11.3	4	4	4	4	—	—	—	—	—	—

¹ = Significantly better than average yield at 17,200 population in 1966.² = Significantly better than average yield at 21,100 population in 1966.

1966

Planted	May 21	May 5
Harvested	October 12	October 1
Soil type	Conover clay loam	Conover clay loam
Previous crop	Corn	Corn
Population	17,200 and 21,100	15,400 and 19,600
Rows	36"	36"
Fertilizer	17,200 = 150-60-210 21,100 = 245-175-325	15,400 = 140-80-190 19,600 = 410-270-360
Soil test: pH	6.3	6.7
P	63 (high)	51 (high)
K	293 (high)	205 (high)

1965

May 5	May 5
October 12	October 1
Conover clay loam	Conover clay loam
Corn	Corn
17,200 and 21,100	17,000 and 21,800
36"	36"
17,200 = 150-60-210 21,100 = 245-175-325	17,000 = 170-50-50 21,800 = 290-50-50
6.3	6.5
63 (high)	45 (high)
293 (high)	156 (high)

Farm Cooperator: Michigan State University, East Lansing

Table 8

Zone 2

SOUTH CENTRAL MICHIGAN

SILAGE—INGHAM COUNTY TRIAL

One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture In Ears			Tons Per Acre			% Ears In Dry Weight		
	1966 yrs. yrs.			1966 yrs. yrs.			1966 yrs. yrs.		
	2	3	2	3	2	3	2	3	2
United Hogie 3H11 (3X)	32.9	—	7.6	—	3.0	—	44.1	—	—
Michigan 270	34.5	34	35	11.9	9.6	10.2	4.7	4.0	4.4
Michigan 250	36.0	36	36	12.6	10.9	11.6	4.7	4.2	4.5
Pioneer 3862	36.1	—	—	9.4	—	—	4.9	—	56.4
P.A.G. SX48 (2X)	36.4	—	—	13.6	—	—	5.5	—	56.6
United Hogie SX127A (2X)	36.6	—	—	12.6	—	—	4.7	—	52.2
DeKalb XL 304 (3X)	37.2	—	—	12.4	—	—	5.1	—	55.5
Michigan 280	37.3	—	—	12.9	—	—	5.4	—	56.7
Michigan 300	37.8	37	37	14.6	11.6	11.6	5.7	4.7	4.7
Michigan 400	38.2	39	39	15.1	13.0	13.5	6.0	4.9	5.2
Michigan 370	38.5	38	39	11.8	10.7	10.8	5.6	4.7	5.0
Michigan 402-2X (2X)	39.7	39	40	15.0	12.6	13.4	6.2	5.1	5.7
P.A.G. 62	39.8	41	42	15.5	12.3	13.0	6.0	4.6	5.3
Blaney 6606A (2X)	40.4	—	—	16.1	—	—	6.6	—	60.2
Funk Bros. G 17 A	40.6	40	40	15.8	12.8	12.5	6.2	4.9	5.1
Blaney 6616 (3X)	40.6	—	—	16.9	—	—	6.5	—	53.7
Blaney B 500 (2X)	40.6	40	—	11.8	10.5	—	4.7	4.1	—
Michigan 430	40.9	40	40	16.8	14.3	13.6	6.9	5.3	5.4
Northrup King PX480 (3X)	41.0	—	—	13.8	—	—	5.7	—	55.0
Muncy Chief H 306	41.4	42	—	13.1	11.9	—	4.7	4.2	48
DeKalb XL 15 (2X)	41.4	—	—	15.2	—	—	6.1	—	58.4
Pioneer 3773 (2X)	41.6	42	—	17.6	14.1	—	7.0	5.4	59.0
Pioneer 371	41.7	44	45	15.8	13.5	13.4	6.3	5.0	5.1
DeKalb 224	41.8	—	—	14.4	—	—	5.2	—	56.8
Muncy Chief H 304	41.8	41	—	16.7	13.0	—	5.6	4.4	55.4
Michigan 425	41.9	42	42	16.7	13.1	13.2	6.6	5.1	5.0
Michigan 500-2X (2X)	42.1	—	—	16.0	—	—	6.9	—	60.5
Taylor-Evans Profit-maker (2X)	42.1	41	—	16.4	13.0	—	5.4	4.4	45
Supercrost 5 30 A	42.2	—	—	16.3	—	—	5.6	—	57.5
Northrup King KE 497	42.3	41	41	13.2	12.0	12.0	5.0	4.8	5.0
Hoopala SX 410 (2X)	42.4	—	—	15.1	—	—	5.8	—	51.1
Michigan 490	42.5	44	44	16.2	14.6	14.8	6.0	5.2	5.4
Northrup King PX527 (3X)	42.5	41	—	16.3	14.8	—	6.8	6.0	50.3
Pioneer 385	42.5	—	—	14.6	—	—	6.3	—	54.4
Cowbell 112 SX (2X)	42.8	—	—	13.8	—	—	5.0	—	55.4
Supercrost 2570	43.0	43.0	—	16.5	14.1	—	6.3	5.0	53.1
Blaney B 771 (3X)	43.2	—	—	18.3	—	—	6.7	—	51.4
Hoopala SX 626 (2X)	43.2	—	—	12.9	—	—	4.6	—	56.7
Muncy Chief W 175 (2X)	43.2	42	—	16.7	14.1	—	6.8	5.6	53.3
Northrup King PX 50 (2X)	43.2	—	—	16.8	—	—	6.3	—	52.9
Wolverine 66 A	43.2	—	—	18.0	—	—	6.3	—	54.3
Blaney B 700 (2X)	43.4	—	—	14.2	—	—	5.1	—	56.9
Hoopala SX 626 (2X)	43.4	—	—	19.5	—	—	7.4	—	55.9
Wolverine W 175 (2X)	43.5	—	—	17.2	—	—	6.2	—	56.9
Michigan Exp. 63-981 (3X)	43.5	—	—	18.5	—	—	6.9	—	62.0
Northrup King X5528 (2X)	43.5	—	—	15.5	—	—	6.2	—	54.4
Michigan 570	43.5	44	44	17.9	15.1	14.9	6.8	5.5	5.6
Blaney B 600 (2X)	43.8	43	—	15.4	14.3	—	5.5	5.1	57.8
DeKalb XL 325 (3X)	43.8	42	42	19.0	14.8	14.5	7.0	5.3	5.6
Blaney B 800E (2X)	43.9	43	—	15.9	14.2	—	5.8	5.1	51.8
Blaney 6623 (3X)	44.0	—	—	16.5	—	—	6.2	—	55.1
Muncy Chief SX550 (2X)	44.0	—	—	15.4	—	—	5.6	—	48.3
DeKalb XL 45 (2X)	44.0	45	45	16.3	15.0	14.5	6.0	5.3	5.5
Pioneer 368	44.2	45	45	16.5	13.8	13.2	5.9	4.9	5.1
Blaney B 661 (3X)	44.2	—	—	20.0	—	—	7.1	—	54.3
Northrup King PX44 (2X)	44.3	42	—	19.4	15.3	—	7.3	5.7	56.4
Michigan 550	44.3	44	44	19.5	15.9	16.3	7.5	6.1	6.2
DeKalb XT 218	44.4	—	—	18.5	—	—	6.8	—	56.0
Taylor-Evans Exp. 6424	44.5	43	—	15.8	12.8	—	5.7	4.7	50.4
Muncy Chief SX660 (2X)	44.6	45	—	13.6	13.6	—	5.2	4.8	64.7
Northrup King X4454 (2X)	44.6	—	—	13.6	—	—	5.1	—	52.2
Muncy Chief H 630	44.8	44	—	17.4	16.2	—	6.3	5.7	47.7
P.A.G. SX 49 (2X)	44.9	47	—	15.0	15.8	—	6.0	5.6	49.4
Supercrost 337	45.0	43	—	15.0	14.1	—	5.2	4.9	49.7
Northrup King KM 567	45.4	46	46	17.7	15.1	15.3	6.4	5.2	5.7
DeKalb XL 315 (3X)	45.7	—	—	13.9	—	—	4.9	—	56.4
DeKalb 414	45.7	—	—	17.7	—	—	6.3	—	50.4
Blaney B 801 (2X)	45.9	—	—	14.1	—	—	4.8	—	51.8
Taylor-Evans Bonus-maker (2X)	45.9	—	—	18.6	—	—	6.5	—	53.2
Michigan 620	46.8	46	46	22.2	18.7	17.6	6.5	5.9	6.2
DeKalb 427	47.1	45	45	16.6	15.4	14.8	5.8	5.5	5.4
DeKalb 441	48.2	49	49	22.5	16.4	17.1	6.6	5.0	5.9
Supercrost S2581 (2X)	48.7	46	—	17.8	15.6	—	5.9	5.2	49.6
Muncy Chief SX770 (2X)	49.8	47	—	22.1	19.2	—	6.9	6.0	43.9
Muncy Chief H 420	52.0	49	—	20.4	15.2	—	5.7	4.4	44.6
Average	42.8	42	42	15.9	14.0	13.9	5.9	5.1	5.3
Range	32.9	34	35	7.6	9.6	10.2	3.0	4.0	4.4
	to	to	to	to	to	to	to	to	to
	52.0	49	49	22.5	19.2	17.6	7.5	6.1	6.2
Least significant differences	2.1	1	1	1.1	.7	.5	.5	.3	.2

	1966	1965	1964
Planted	May 6	May 1	May 5
Harvested	September 17	September 17	September 12
Soil type	Covered clay loam	Covered clay loam	Covered clay loam
Previous crop	Corn	Corn	Corn
Row width	36"	36"	36"
Population	17,300	17,100	16,600
Fertilizer	150-60-180	150-60-180	170-50-50
Soil test: pH	6.2	6.6	6.5
P	61 (high)	62 (high)	45 (high)
K	288 (high)	253 (high)	156 (high)

Farm Cooperator: Michigan State University, East Lansing

Table 9

Zone 2

SOUTH CENTRAL MICHIGAN

(MUCK SOIL) CLINTON COUNTY TRIAL

One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture In Ears			Tons Per Acre			% Ears In Dry Weight		
	1966 yrs. yrs.			1966 yrs. yrs.			1966 yrs. yrs.		
	2	3	2	3	2	3	2	3	2
Michigan A.E.S. 202	22.0	28	26	62.7	49	49	1.4	7	8
Blaney 6604 (3X)	23.4	—	—	70.1	—	—	0.6	—	—
Northrup King X4454 (2X)	23.5	—	—	69.3	—	—	0.8	—	—
Michigan 270	23.6	30	28	72.4	57	53	1.4	6	7
Pioneer 388	24.5	31	31	87.6	60	53	0.6	8	8
Michigan 250	24.8	31	30	80.1	60	56	0.7	4	5
Michigan 280	25.1	—	—	92.5	—	—	2.6	—	—
Michigan 300	25.4	32	29	80.4	62	59	8.1	8	10
Blaney B 441 (3X)	25.4	—	—	81.3	—	—	5.6	—	—
Blaney B 300 (2X)	25.6	—	—	63.6	—	—	0.7	—	—
Blaney 6605	25.8	—	—	69.1	—	—	0.7	—	—
Michigan 370	26.2	32	31	95.0	69	63	1.5	3	4
Pioneer 385	26.3	35	—	79.3	56	—	3.7	8	—
P.A.G. 45*	26.4	35	32	100.4	62	55	0.6	3	5
Michigan 400	26.8	34	32	87.0	63	62	1.3	1	1
Northrup King PX480 (3X)	26.8	—	—	80.6	—	—	2.2	—	—
Funk Bros. G10A	26.8	33	32	75.6	52	52	2.3	6	7
Pioneer 383	27.0	35	34	93.7	59	57	0.0	5	5
Michigan 402-2X (2X)*	27.1	36	34	103.3	69	64	0.6	3	3
Taylor-Evans Profit-maker (2X)	27.3	36	—	63.3	41	—	0.0	3	—
Supercrost 2610*	27.3	36	33	107.5	72	67	1.4	2	2
Cowbell 90 SX (2X)	28.0	—	—	65.8	—	—	2.7	—	—
Funk Bros. G1									

Table 9—(MUCK SOIL) CLINTON COUNTY (Continued)

Hybrid	% Moisture			Bushels per acre			% Stalk lodging		
	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.	1966	2 yrs.	3 yrs.
Taylor-Evans Bonus-maker (2X)*	31.7	—	—	108.1	—	—	0.6	—	—
DeKalb 400 (2X)	32.1	—	—	88.1	—	—	3.2	—	—
Pioneer 371*	32.2	39	37	101.6	66	58	0.7	3	2
Michigan 490	32.8	39	37	94.3	65	56	7.4	7	7
DeKalb XL 341 (3X)	33.1	—	—	93.4	—	—	0.7	—	—
Supercrost S 30A (2X)*	33.3	—	—	103.5	—	—	2.3	—	—
Average	27.7	35	33	88.1	62	57	1.7	4	5
Range	22.0	28	26	62.7	41	49	0.0	1	1
	to	to	to	to	to	to	to	to	to
	33.3	39	37	114.0	75	67	8.1	8	10
Least significant difference	1.5	1	1	9.5	4	3			

1966 1965 1964
Planted May 17 May 20 May 19
Harvested October 20 October 13 October 30
Previous crop Corn Corn Corn
Population 16,800 15,700 16,300
Fertilizer 23-90-90 25-100-100 19-38-76
Cooperator: Robert Gillespie, MSU Muck Soil Experimental Farm, Laingsburg

Table 10 Zone 3

NORTH CENTRAL MICHIGAN**SANILAC COUNTY TRIAL**

Two and Three Year Averages—1963, 1964, 1965

Hybrid	% Moisture		Bushels Per Acre		% Stalk Lodging	
	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.
A.E.S. 202	26	26	72	69	8	5
Michigan 270	28	28	85	88	6	5
Michigan 250	29	29	81	82	8	6
Pioneer 388	30	31	84	86	8	6
Jacques 900 J	30	—	83	—	5	—

Table 10—SANILAC COUNTY (Continued)

Hybrid	% Moisture		Bushels Per Acre		% Stalk Lodging	
	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.
Michigan 300	30	30	88	86	5	3
Funk Bros. G 11 A	32	33	84	86	8	6
Michigan 370	32	33	90	88	7	5
DeKalb 58	33	—	81	—	13	—
Northrup King PX 487 (3X)	33	34	92	91	6	5
DeKalb 57	33	35	86	87	5	3
Northrup King KE 471	33	33	73	78	7	5
DeKalb XL 15 (2X)	34	—	95	—	3	—
Wolverine 46A	34	33	85	85	4	3
Northrup King PX 481 (3X)	34	34	81	78	6	4
P.A.G. 45	34	35	93	91	4	3
Supercrost 2610	35	—	90	—	2	—
Pioneer 383	35	—	89	—	10	—
Pioneer 3658	35	—	87	—	6	—
Michigan 402-2X (2X)	35	—	98	—	5	—
Michigan 400	35	35	92	91	4	2
P.A.G. 62	35	—	86	—	6	—
Funk Bros. G 17 A	36	—	98	—	7	—
Michigan 550	36	37	90	87	3	2
P.A.G. SX 36 (3X)	37	38	79	77	3	2
Michigan 430	37	37	80	81	8	6
Michigan 425	37	37	91	90	5	4
Northrup King KE 497	38	38	86	86	3	2
DeKalb XL 325 (3X)	39	39	83	84	2	2
Michigan 570	41	40	77	80	6	4
Michigan 490	41	40	82	81	4	3
DeKalb 400 (2X)	41	41	86	85	2	1
Average	34	34	86	84	6	4
Range	26	26	72	69	2	1
	to	to	to	to	to	to
	41	41	98	91	13	6

1963 1964 1965
Planted May 14 May 11 May 18
Harvested October 21 October 25 November 6
Soil type Brookston clay loam Brookston clay loam Brookston clay loam
Previous crop Corn Corn Corn
Population 17,000 17,000 17,500
Fertilizer 110-80-80 98-94-47 99-55-55
Soil test: pH 7.2 6.5 6.1
P 8 (low) 33 (medium) 32 (medium)
K 60 (low) 172 (high) 156 (medium)

Farm Cooperator: Orville Orchard, Applegate.
County Extension Agent, Agriculture: Keith Sowerby, Sandusky.

Table 11

Zone 3

NORTH CENTRAL MICHIGAN
SAGINAW COUNTY TRIAL
One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture			Bushels Per Acre						% Stalk Lodging					
	1966	2 yrs.	3 yrs.	1966	20800	15900	20000	15600	20100	1966	20800	15900	20000	15600	20100
Michigan 270	19.7	20	20	57.5	56.9	60	62	59	59	3.3	5.5	5	5	8	7
United Hagie 3H11 (3X)	20.4	—	—	48.4	45.3	—	—	—	—	2.2	2.9	—	—	—	—
Blaney 6604 (3X)	21.3	—	—	57.6	45.2	—	—	—	—	0.0	1.2	—	—	—	—
United Hagie SX108 (2X)	22.5	—	—	43.9	38.8	—	—	—	—	0.0	0.7	—	—	—	—
Michigan 250	22.7	22	22	56.8	53.9	63	62	60	59	1.4	8.0	2	5	5	9
Pioneer 388	23.6	23	—	53.2	46.3	58	52	—	—	0.6	1.1	0	2	0	0
DeKalb XL304 (3X)	23.6	—	—	63.8	60.2	—	—	—	—	10.0	3.9	—	—	—	—
Michigan 300	23.6	23	23	61.7	55.5	63	62	59	56	5.9	8.6	5	5	7	5
Northrup King KE 449	23.6	—	—	52.7	48.5	—	—	—	—	12.9	15.8	—	—	—	—
DeKalb XL 306 (3X)	23.7	—	—	62.6	60.7	—	—	—	—	2.5	6.0	—	—	—	—
United Hagie SX127A (2X) ^a	23.7	—	—	62.3	64.2	—	—	—	—	0.0	3.4	—	—	—	—
Michigan 280	24.1	—	—	62.9	59.5	—	—	—	—	6.3	5.0	—	—	—	—
Pioneer 381 A	24.1	25	26	58.3	49.3	60	58	59	57	1.2	4.1	1	3	5	4
Blaney B 441 ^{1,2}	24.1	—	—	72.2	65.9	—	—	—	—	0.6	2.1	—	—	—	—
Blaney B 300 (2X)	24.3	—	—	62.7	55.0	—	—	—	—	0.0	1.4	—	—	—	—

Table 11—SAGINAW COUNTY (Continued)

Hybrid	% Moisture			Bushels Per Acre						% Stalk Lodging					
	1966	2 yrs.	3 yrs.	16500	20800	15900	20000	15600	20100	1966	20800	15900	20000	15600	20100
DeKalb XL 307 (3X)	24.3	23	—	58.5	60.9	57	63	—	—	1.5	1.7	1	1	—	—
Funk Bros. G4287 (3X)	24.3	—	—	68.1	52.0	—	—	—	—	2.8	4.0	—	—	—	—
Funk Bros. G 18A	24.3	24	—	61.5	54.1	66	65	—	—	0.7	6.4	1	4	—	—
Northrup King PX481 (3X)	24.4	—	—	50.3	50.8	—	—	—	—	5.3	6.8	—	—	—	—
Blaney 6605	24.5	—	—	49.0	43.1	—	—	—	—	1.4	7.1	—	—	—	—
Northrup King KE 471	24.6	25	—	58.1	48.4	62	57	—	—	10.6	16.0	7	11	—	—
Michigan 402-2X (2X) ¹	24.8	24	25	69.9	60.1	74	73	72	67	0.0	1.3	0	1	1	0
P.A.G. SX 22 (2X)	24.8	23	—	40.5	42.8	57	57	—	—	0.7	12.1	1	7	—	—
Michigan 370 ^a	25.1	24	25	65.1	65.3	68	69	66	64	0.8	2.8	0	2	1	2
Wolverine W137 (2X)	25.1	—	—	57.6	56.2	—	—	—	—	1.1	0.8	—	—	—	—
Northrup King PX480 (3X)	25.2	—	—	41.6	40.7	—	—	—	—	2.7	20.6	—	—	—	—
Michigan 400	25.5	25	25	61.5	61.6	70	69	67	65	1.6	5.4	1	5	3	4
Funk Bros. G4350 (2X) ¹	25.5	—	—	74.7	56.0	—	—	—	—	0.7	1.2	—	—	—	—
Taylor-Evans Profitmaker (2X) ²	26.0	26	—	66.0	63.1	67	65	—	—	0.7	8.8	1	5	—	—
DeKalb XL15 (2X)	26.2	25	25	54.7	50.6	64	52	57	52	8.1	16.9	5	9	5	9
Michigan 430	26.3	25	26	68.8	57.3	69	63	63	57	2.6	6.3	3	5	7	5
Northrup King KE497	26.3	25	26	66.6	55.4	69	65	65	59	5.2	6.1	3	4	4	4
Northrup King PX487 (3X)	26.3	26	26	52.0	39.3	55	52	53	48	3.9	12.5	4	7	4	10
Michigan 550 ¹	26.3	26	26	71.0	58.6	73	66	71	61	0.8	2.2	1	3	1	2
Michigan 425 ²	26.4	25	27	67.8	70.6	69	69	69	63	3.4	4.7	3	3	5	5
Blaney B 550 (3X)	26.4	—	—	50.5	40.6	—	—	—	—	0.0	2.3	—	—	—	—
DeKalb XL 315 (3X) ²	26.4	25	—	69.0	64.1	72	62	—	—	4.8	3.4	2	2	—	—
Muncy Chief SX 440 (2X) ¹	26.5	—	—	81.3	56.3	—	—	—	—	0.8	5.6	—	—	—	—
Wolverine W 135 (2X)	26.6	26	25	53.5	58.1	58	61	59	64	0.7	1.1	3	2	4	5
Blaney B500 (2X)	26.7	—	—	67.4	60.5	—	—	—	—	1.2	4.1	—	—	—	—
DeKalb 224 ¹	26.7	—	—	72.4	55.2	—	—	—	—	4.4	5.1	—	—	—	—
Northrup King PX527 (3X) ^{1, 2}	26.8	25	—	73.8	71.2	75	68	—	—	1.9	6.9	1	5	—	—
Muncy Chief H 306	26.9	26	—	43.5	48.7	53	59	—	—	0.0	5.6	2	3	—	—
Pioneer 3658	27.1	26	—	66.3	48.5	68	62	—	—	2.8	2.7	2	2	—	—
Pioneer 3773 (2X)	27.3	—	—	50.3	45.8	—	—	—	—	0.0	0.6	—	—	—	—
Wolverine 61 ²	27.4	—	—	62.3	65.5	—	—	—	—	3.5	6.5	—	—	—	—
Pioneer 368	27.5	26	—	57.5	49.4	69	66	—	—	1.2	4.2	1	2	—	—
DeKalb XL 325 (3X) ^{1, 2}	27.8	26	27	71.0	68.0	73	73	72	66	1.8	1.6	1	2	1	2
Pioneer 3775 (2X)	27.9	—	—	67.9	48.4	—	—	—	—	0.0	2.2	—	—	—	—
Supercrost S2581 (2X)	28.1	27	—	67.3	57.4	69	66	—	—	2.0	25.4	1	15	—	—
Blaney B 600 (2X)	28.2	—	—	69.2	57.0	—	—	—	—	1.6	2.7	—	—	—	—
Northrup King KM 555	28.3	27	28	55.4	52.6	59	63	56	54	2.1	9.0	2	5	3	6
P.A.G. 70 ¹	28.6	28	28	71.2	57.2	66	62	63	60	1.5	3.9	2	3	4	4
Blaney 6606A (2X)	28.7	—	—	68.5	50.8	—	—	—	—	1.3	3.0	—	—	—	—
Pioneer 371	28.7	28	29	60.7	61.2	67	66	64	64	0.7	1.7	0	2	2	2
Michigan 500-2X (2X) ^{1, 2}	28.8	—	—	80.8	83.2	—	—	—	—	0.8	1.7	—	—	—	—
Muncy Chief SX550 (2X)	29.0	—	—	56.8	53.1	—	—	—	—	0.0	6.1	—	—	—	—
DeKalb XT 218 ¹	29.1	—	—	80.9	61.5	—	—	—	—	0.0	8.9	—	—	—	—
Michigan 570	29.2	30	29	62.3	53.6	65	64	66	58	7.7	3.3	5	3	7	6
DeKalb XL 45 (2X) ^{1, 2}	29.6	28	29	78.1	67.6	74	68	74	67	1.3	1.2	0	1	1	2
Michigan Exp. 63-981 (3X)	29.9	28	—	65.9	61.5	74	75	—	—	2.1	5.3	1	3	—	—
Muncy Chief H 630	29.9	30	—	57.6	41.5	56	46	—	—	2.5	17.2	2	10	—	—
DeKalb 409 ¹	29.9	29	29	74.9	48.5	71	54	68	57	1.9	15.5	2	10	5	11
Supercrost 2570 ^{1, 2}	30.0	28	28	70.0	64.9	77	70	71	67	3.1	10.5	2	6	5	7
DeKalb 400 (2X) ¹	30.0	28	28	70.0	51.8	75	64	73	62	0.7	0.5	0	0	1	1
Wolverine 69 ¹	30.0	30	—	75.5	49.1	64	55	—	—	0.8	4.5	1	2	—	—
Northrup King KM 567	30.3	—	—	56.7	39.5	—	—	—	—	0.0	4.9	—	—	—	—
Northrup King PX44(2X) ^{1, 2}	30.6	28	—	81.0	69.4	77	74	—	—	0.6	0.5	1	0	—	—
Michigan 490	30.6	30	30	62.4	58.4	65	64	68	63	0.0	2.9	1	1	3	2
Funk Bros. G4390 (3X)	30.7	29	—	61.4	57.9	62	64	—	—	5.6	5.9	3	4	—	—
Michigan 620	30.9	31	31	61.8	50.0	68	59	64	55	1.0	0.0	1	1	3	4
Muncy Chief SX660(2X)	31.4	30	—	49.6	55.8	62	68	—	—	2.0	0.7	1	1	—	—
Averages	26.7	26	27	62.5	55.5	67	64	65	61	2.5	6.1	2	4	4	5
Range	19.7 to 31.4	20 to 31	20 to 31	40.5 to 81.3	38.8 to 83.2	53 to 77	46 to 75	53 to 74	48 to 67	0.0 to 12.9	0.0 to 25.4	0 to 7	0 to 15	1 to 8	0 to 11
Least significant difference	1.3	1	1	7.0	6.7	3	3	3	3	—	—	—	—	—	—

1 = Significantly better than average yield at 16,500 population in 1966.

2 = Significantly better than average yield at 20,800 population in 1966.

1966 May 5 November 1

1964 October 4 Brookston clay loam

Soil type Corn Corn

Previous crop 36" 36"

Rows 15,300 and 19,100 15,000 and 20,300

Populations 21-84-42 213-262-72

Fertilizer 7.1 7.2

Soil test: pH Medium

K 71 (high) 259 (high) Medium high

Table 12

NORTH CENTRAL MICHIGAN

GRAIN—HURON COUNTY TRIAL

One Year Averages—1966

(No trials conducted in previous years)

Hybrid	% Moisture	Bushels Per Acre	% Stalk Lodging
Michigan 270	22.9	68.0	13.6
DeKalb XL 306 (3X)*	23.2	74.5	13.9
Seneca 155	23.3	48.0	11.1
P.A.G. 41*	23.7	86.9	14.6
Green Belt 31	23.9	54.6	11.8
P.A.G. SX 48 (2X)	24.3	66.1	9.0
Michigan 250	24.4	58.4	8.3
DeKalb XL 307 (3X)	24.4	34.1	3.2
Green Belt 41	24.6	53.4	14.6
Michigan 280	24.7	64.3	15.8
Michigan 300	25.2	65.9	11.4
Green Belt 34	25.3	66.8	3.7
Wolverine 39*	25.5	71.4	5.7
Wolverine 59	25.6	60.6	9.1
P.A.G. SX 22 (2X)	25.6	70.4	16.6
Northrup King KE 471	26.2	58.4	20.1
Funk Bros. G 10A	26.3	54.3	7.9
Northrup King KE 477*	26.4	75.7	15.6
P.A.G. 45	26.7	56.1	10.3
Michigan 370*	26.7	72.9	9.5
Michigan 400	26.8	67.4	3.3
Funk Bros. G 17A	26.9	70.2	10.3
Funk Bros. G 18A	27.0	68.2	13.3
DeKalb XL 304 (3X)*	27.0	71.7	11.1
Green Belt 72A*	27.0	74.5	15.9
Michigan 402-2X (2X)*	27.1	74.4	5.8
Pioneer 3675	27.2	40.1	7.7
Green Belt 40	27.2	54.2	7.2
Northrup King PX 527 (3X)	27.3	66.6	1.9
Michigan 425*	27.5	80.7	5.3
DeKalb XL 315 (3X)	27.9	59.1	5.1
DeKalb XL 15 (2X)	28.0	47.2	17.4
DeKalb 59	28.1	44.4	12.8
Michigan 430	28.1	70.9	14.1
Northrup King KE 497	28.3	70.0	24.1
Northrup King PX 480 (3X)	28.4	54.0	22.6
Pioneer 383	28.4	52.6	25.2
Northrup King KE 449	28.6	42.6	19.2
Green Belt 95*	28.7	79.1	10.4
Northrup King PX 44 (2X)*	29.1	81.0	5.2
Michigan 550*	29.0	71.9	2.0
Michigan Exp. 63-981 (3X)*	29.1	75.3	5.2
Pioneer 3658	29.4	60.5	5.2
Wolverine 46A	29.5	51.6	10.3
DeKalb XT 218	29.7	62.4	13.9
P.A.G. 70	29.7	52.9	9.8
Taylor-Evans Profitmaker (2X)	29.7	56.2	11.9
Michigan 570*	30.1	77.7	12.2
Michigan 500-2X (2X)*	30.1	87.6	1.9
Green Belt SX 44 (2X)*	30.1	76.0	6.5
DeKalb XL 45 (2X)*	30.3	72.1	2.6
Pioneer 3773 (2X)	31.4	61.9	5.2
Michigan 490	33.7	69.7	7.1
Average	27.0	64.5	10.4
Range	22.9 to 33.7	34.1 to 87.6	1.9 to 25.2
Least significant difference	1.4	6.9	

*Significantly better than average yield in 1966.

Planted — May 3
 Soil Type — Brookston
 Population — 17,500
 Fertilizer — 128-112-56
 Soil test — pH = 7.4, P = 63 (high), K = 186 (high)
 Farm Cooperator: William McCrea, Bad Axe
 County Agricultural Extension: Lee Warschefsky, Bad Axe

Zone 3

Table 13

NORTH CENTRAL MICHIGAN

SILAGE—HURON COUNTY TRIAL

One Year Averages—1966

(No trials conducted in previous years)

Hybrid	% Moisture In Ears	Tons Per Acre	% Ears In Dry Weight
Seneca 155	32.2	12.8	6.0
Michigan 270	32.4	11.5	6.0
Green Belt 31	33.6	10.7	5.5
Northrup King KE 449	35.5	10.6	5.0
Wolverine 39	35.7	11.1	5.4
Michigan 280	35.7	12.7	6.5
Green Belt 41	36.0	11.0	5.1
DeKalb XL 307 (3X)	36.1	9.7	4.6
DeKalb XL 304 (3X)	36.1	12.2	6.0
Michigan 250	36.2	12.1	5.7
P.A.G. SX 48 (2X)	36.2	12.8	6.0
Northrup King KE 471	36.4	11.3	5.5
P.A.G. 41	37.2	13.1	5.9
Michigan 300	38.2	12.8	6.0
Green Belt 40	38.1	10.3	4.8
Michigan 400	38.3	14.8	7.0
P.A.G. SX 22 (2X)	38.3	12.6	6.0
Green Belt 34	38.4	10.5	4.8
DeKalb XL 15 (2X)	38.4	12.2	5.2
Funk Bros. G 17A	38.4	15.8	7.3
Northrup King KE477	38.7	10.7	5.2
Michigan 402-2X (2X)	39.5	14.8	6.9
DeKalb 59	39.8	12.0	5.3
Michigan 370	39.8	12.9	6.0
DeKalb XL 306 (3X)	39.9	15.7	7.3
Wolverine 46A	39.9	11.2	4.8
Northrup King PX 527 (3X)	40.1	13.7	6.3
Northrup King PX 480 (3X)	40.1	14.0	6.1
Funk Bros. G 18 A	40.3	14.4	6.2
Funk Bros G 10 A	40.4	12.7	5.4
Wolverine 59	40.4	12.1	5.3
Pioneer 3675	40.5	14.7	6.4
Taylor-Evans Profitmaker (2X)	40.6	11.4	5.1
Northrup King KE 497	40.7	15.1	6.6
Pioneer 383	40.9	12.3	5.0
Michigan 500-2X (2X)	41.1	15.9	7.1
P.A.G. 45	41.2	12.0	5.1
Pioneer 3773 (2X)	41.6	15.1	6.7
Green Belt SX 44 (2X)	41.7	14.9	6.6
P.A.G. 70	41.9	14.9	6.7
Michigan 430	42.0	15.1	6.6
Michigan 425	42.1	12.1	6.0
Green Belt 72A	42.2	13.9	6.3
Michigan 550	42.3	15.8	6.7
DeKalb XL 45 (2X)	42.4	15.9	6.9
Pioneer 3658	42.5	13.7	6.3
DeKalb XT 218	42.6	16.1	6.8
DeKalb XL 315 (3X)	42.9	11.7	4.9
Michigan Exp. 63-981 (3X)	43.0	16.5	7.1
Michigan 490	44.2	17.2	7.0
Green Belt 95	44.4	13.7	5.7
Michigan 570	44.8	16.7	6.9
Northrup King PX 44 (2X)	46.5	17.5	7.0
Average	39.4	13.2	6.0
Range	32.2 to 46.5	9.7 to 17.5	4.6 to 7.3
Least significant differences	2.4	1.0	.4

Planted — May 3
 Soil type — Brookston
 Population — 17,500
 Fertilizer — 128-112-56
 Soil test — pH = 7.4, P = 63 (high), K = 186 (high)
 Farm Cooperator: William McCrea, Bad Axe
 County Agricultural Extension: Lee Warschefsky, Bad Axe

Table 14

Zone 3

NORTH CENTRAL MICHIGAN
NEWAGO COUNTY TRIAL
One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture			Bushels per acre			% Stalk Lodging				
	1966		2 yrs.	1966		2 yrs.	1966		2 yrs.	1966	
Michigan 270	23.0	25	26	97.2	92	80	11.8	17	12		
Pioneer 3862	23.7	—	—	87.6	—	—	15.7	—	—		
Michigan 250	24.2	25	26	87.4	84	71	3.8	7	6		
Northrup King KC6	24.3	—	—	81.0	—	—	21.9	—	—		
Michigan 300	24.4	26	26	93.1	85	73	6.3	11	8		
Michigan 280	24.4	—	—	102.2	—	—	3.3	—	—		
P.A.G. 41	24.7	—	—	10.8	—	—	8.2	—	—		
Northrup King 444	24.8	—	—	71.0	—	—	31.8	—	—		
DeKalb XL 304 (3X)	24.9	27	—	87.2	90	—	15.8	17	—		
Pioneer 3854	25.2	26	—	86.6	84	—	2.6	7	—		
Michigan 370	25.5	27	29	90.8	83	76	9.1	10	8		
DeKalb 58	25.9	27	28	78.5	77	69	23.6	20	15		
P.A.G. SX48 (2X)*	26.0	—	—	109.2	—	—	7.9	—	—		
Michigan 400	26.1	28	29	99.3	96	83	1.4	2	2		
DeKalb XL 307 (3X)	26.1	26	—	94.1	86	—	2.0	9	—		
Northrup King X4454 (2X)	26.2	—	—	98.7	—	—	7.0	—	—		
DeKalb XL 306 (3X)	26.3	—	—	96.8	—	—	2.0	—	—		
Michigan 402-2X (2X)*	26.4	28	30	114.8	102	85	9.6	10	9		
Northrup King KE 449	26.7	29	29	78.1	72	65	7.1	13	10		
Funk Bros. G4287*	26.8	—	—	116.3	—	—	4.5	—	—		
Pioneer 3675*	26.8	29	—	114.6	99	—	2.0	3	—		
Haapala H366A*	26.8	29	29	11.3	99	84	9.4	14	12		
Michigan 430	26.9	30	31	109.0	96	79	8.1	14	12		
Pioneer 3658*	27.0	30	—	122.3	104	—	10.7	7	—		
Northrup King PX527 (3X)*	27.0	—	—	109.3	—	—	3.0	—	—		
Pioneer 385	27.4	30	31	102.2	95	78	5.4	7	5		
Michigan 425	27.5	29	31	106.3	96	80	3.1	4	3		
Taylor-Evans Profit-maker (2X)*	27.6	31	—	114.8	101	—	1.9	17	—		
Cowbell 90SX (2X)	27.9	—	—	88.9	—	—	1.3	—	—		
Tomco Genetic Giant 144	28.1	—	—	102.4	—	—	7.3	—	—		
Tomco Genetic Giant 2600	28.5	—	—	90.2	—	—	7.2	—	—		
Michigan 550*	28.8	31	32	128.7	109	90	3.3	5	4		
DeKalb XL 325 (3X)	28.9	30	31	108.4	101	82	0.6	1	3		
DeKalb XL 15 (2X)	28.9	29	30	104.9	94	81	15.7	14	11		
Northrup King PX 480 (3X)	29.2	—	—	90.0	—	—	18.0	—	—		
Tomco Genetic Giant 208	29.3	—	—	92.3	—	—	4.1	—	—		
Funk Bros. G10A	29.3	30	30	105.6	90	74	12.5	14	12		
DeKalb XL 315 (3X)	29.4	30	—	96.5	89	—	7.9	8	—		
Funk Bros. G4350 (2X)	29.5	30	32	97.4	87	78	0.6	6	6		
Funk Bros. G17A	29.6	31	31	95.4	91	74	8.6	15	11		
Michigan 500-2X (2X)*	30.2	—	—	119.6	—	—	0.7	—	—		
Haapala H135A	31.1	32	33	89.2	85	69	1.9	5	4		
Funk Bros. G32	31.4	34	36	81.0	76	62	2.7	19	15		
Funk Bros. G4390 (3X)*	31.5	36	35	110.3	95	79	2.6	9	6		
DeKalb XT218	31.7	—	—	95.2	—	—	1.3	—	—		
DeKalb XL45 (2X)*	31.7	—	—	115.2	—	—	1.3	—	—		
Northrup King KE 497	31.7	33	34	90.5	83	69	3.9	6	5		
DeKalb 400 (2X)*	32.0	36	34	122.4	106	88	0.6	3	3		
DeKalb 224	32.9	—	—	84.8	—	—	3.1	—	—		
Michigan 570	34.8	37	37	93.2	83	65	3.9	12	8		
Michigan 490	36.5	38	37	88.5	80	70	2.5	8	8		
DeKalb 238	37.6	39	41	87.9	83	72	1.9	2	4		
Average	27.8	30	31	98.5	91	76	6.8	10	8		

Hybrid	% Moisture			Bushels per acre			% Stalk Lodging				
	1966		2 yrs.	3 yrs.	1966		2 yrs.	3 yrs.	1966		2 yrs.
Range	23.0 to 37.6	25 to 39	26 to 41	71.0 to 128.7	72 to 109	62 to 90	0.6 to 31.8	1 to 20	1 to 15		
Least significant difference	1.5			10.6							

*Significantly better than average yield in 1966.

Planted	May 21	May 19	May 20
Harvested	November 8	November 4	October 30
Soil type	Selkirk loam	Selkirk loam	Selkirk loam
Previous crop	Corn	Corn	Corn
Rows	36"	36"	36"
Population	17,500	16,700	17,100
Fertilizer	100-84-42	121-84-42	Manure and 18-70-35
Soil test: pH	7.3	7.2	6.6
P	62 (high)	23 (medium)	47 (high)
K	187 (high)	108 (low)	360 (very high)
Farm Cooperator:	Ivan Norris, Hesperia (1965, 1966); Colin Graybill, Grant (1964)		
County Agricultural Extension:	Lane Rushmore, Fremont		

Table 15 Zone 4

NORTHERN MICHIGAN
GRAIN—GRAND TRAVERSE COUNTY TRIAL
Two and Three Year Averages—1963, 1964, 1965

Hybrid	% Moisture		Bushels Per Acre		% Stalk Lodging	
	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.	2 Yrs.	3 Yrs.
A.E.S. 202	31	27	50	48	24	16
DeKalb 29	33	28	49	49	22	15
Michigan 270	36	30	58	56	14	10
Northrup King KC 3	37	32	41	42	26	19
Michigan 300	38	33	51	48	15	10
DeKalb XL 304 (3X)	38	—	57	—	16	—
Northrup King KE 435	39	32	49	44	17	12
Funk Bros. G 31 A	39	—	54	—	28	—
Northrup King KE 449	39	—	57	—	24	—
DeKalb 45	39	33	51	49	6	5
Michigan 370	40	34	55	53	16	10
Funk Bros. G 10 A	41	—	45	—	13	—
Northrup King KE 497	41	—	50	—	14	—
Northrup King KE 471	42	—	47	—	11	—
DeKalb XL 15 (2X)	42	37	58	53	16	11
Average	39	32	48	51	17	12
Range	31 to 42	27 to 37	41 to 58	42 to 56	6 to 28	5 to 19

Planted	May 18	May 22	May 14
Harvested	October 29	October 28	November 16
Soil type	Emmett sandy loam	Emmett sandy loam	Emmett sandy loam
Previous crop	Alfalfa	Alfalfa	Corn
Population	16,100	14,800	17,000
Fertilizer	10-40-40	120-37-217	120-120-120
Soil test: pH	6.0	7.1	6.8
P	30 (medium)	24 (medium)	49 (high)
K	88 (low)	68 (low)	113 (low)
Farm Cooperators:	Herb and Karl Wagner, Grawn.		
County Extension Agent, Agriculture:	A. W. Glidden, Traverse City		

Table 16

Zone 4

NORTHERN MICHIGAN
SILAGE—GRAND TRAVERSE COUNTY TRIAL
One, Two, and Three Year Averages—1966, 1965, 1964

Hybrid	% Moisture In Ears		Tons Per Acre						% Ears In Dry Weight			
			Green Weight		Dry Weight		2 3		2 3		2 3	
	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.
Michigan A.E.S. 202	35.1	44	45	6.1	8.9	8.8	2.6	3.1	3.1	52.0	50	54
Michigan 270	39.1	47	49	7.6	10.4	11.0	3.0	3.6	3.6	49.1	46	50
Pioneer 3872	39.1	49	—	6.9	9.9	—	2.8	3.5	—	46.3	46	—
DeKalb XT 138	39.1	—	—	7.3	—	—	2.8	—	—	48.7	—	—
Northrup King KE 445	40.1	47	—	9.3	10.6	—	3.7	3.6	—	52.6	49	—
Northrup King KC 3	40.4	49	49	6.3	9.9	10.1	2.6	3.3	3.3	54.8	50	54
Funk Bros. G 43	40.4	—	—	7.3	—	—	2.5	—	—	57.5	—	—
Funk Bros. G 4170	40.7	—	—	6.7	—	—	2.9	—	—	47.8	—	—
Michigan 250	41.2	49	50	9.8	12.4	12.5	3.5	4.1	3.9	48.4	45	48
Muncy Chief H 208	41.2	50	—	7.4	9.9	—	3.0	3.4	—	53.5	48	—
Northrup King PX 480 (3X)	42.5	—	—	8.3	—	—	3.0	—	—	35.0	—	—
Northrup King KC 6	43.1	51	—	5.7	8.8	—	2.2	2.8	—	34.0	40	—
Muncy Chief H 207	43.7	54	—	7.9	11.2	—	3.1	3.6	—	36.1	38	—
DeKalb XL 307 (3X)	44.3	51	—	8.5	11.4	—	3.4	3.8	—	37.0	41	—
Northrup King KE 435	44.5	50	50	5.2	8.4	9.0	2.0	2.8	2.9	37.9	42	49
Northrup King KE 449	45.5	57	56	6.8	11.1	11.1	2.5	3.2	3.2	34.9	36	42
DeKalb XL 306 (3X)	45.8	—	—	8.6	—	—	3.1	—	—	39.4	—	—
Michigan 300	46.0	53	53	10.3	13.5	13.0	3.6	4.2	4.0	41.3	40	44
Northrup King KE 471	46.7	55	57	7.4	12.0	12.5	2.7	3.8	3.8	42.4	40	44
DeKalb 56	46.8	56	—	7.0	10.0	—	2.7	3.2	—	32.6	36	—
Northrup King X4454 (2X)	47.1	—	—	9.8	—	—	3.7	—	—	43.9	—	—
Michigan 370	47.5	53	54	8.7	12.6	12.7	3.3	4.0	3.9	40.8	39	42
Michigan 400	48.0	55	—	10.6	13.2	—	4.1	4.2	—	39.4	38	—
Funk Bros. G 10 A	48.3	56	57	9.7	13.3	13.4	3.4	4.1	3.9	34.1	36	40
Muncy Chief H 304	48.3	57	—	8.7	11.7	—	3.0	3.4	—	37.6	38	—
Northrup King KE 497	49.1	57	59	9.6	12.7	13.1	3.4	3.9	3.9	39.2	37	39
DeKalb XL 304 (3X)	49.2	53	52	7.5	11.2	11.9	2.8	3.6	3.7	42.0	44	49
Michigan 402-2X (2X)	49.2	54	—	10.4	13.7	—	3.8	4.3	—	43.5	44	—
DeKalb XL 15 (2X)	50.5	59	60	9.7	12.7	13.3	3.6	3.9	3.8	30.1	33	41
DeKalb XL 315 (3X)	51.7	57	—	8.9	12.4	—	3.4	4.0	—	36.4	37	—

Table 17

Zone 4

NORTHERN MICHIGAN**SILAGE—ALPENA COUNTY TRIAL****One Year Averages—1966**

(No trials conducted in previous years)

Hybrid	% Moisture in Ears	Tons per acre		% Ears in Dry Weight
		Green Wt.	Dry Wt.	
DeKalb XL 301 (3X)	39.0	5.7	2.6	41.0
DeKalb 56	41.6	7.7	3.5	38.5
Northrup King KC 3	42.1	5.8	2.6	36.5
Jacques 851 J	42.1	6.0	2.7	34.0
Michigan 270	42.4	6.9	2.9	36.1
Michigan A.E.S. 202	42.5	5.8	2.5	37.1
DeKalb XL 304 (3X)	42.6	8.1	3.5	40.1
DeKalb 45	42.9	7.4	3.6	30.0
Northrup King KE 435	42.9	5.8	2.4	40.8
Northrup King KE 449	43.0	8.1	3.9	45.5
DeKalb XL 302 (3X)	43.1	7.1	2.9	41.0
Northrup King KE 445	43.2	6.8	3.0	34.3
Pioneer 3872	43.2	7.6	3.1	39.0
Funk Bros. G 43	43.3	7.0	3.0	20.7
DeKalb XT 138	43.8	8.0	3.1	38.4
Funk Bros. G 17 A	43.8	10.2	3.2	42.0
Michigan 250	43.8	10.1	4.1	38.7
Michigan 280	43.9	9.4	3.9	40.8
Northrup King X 4454 (2X)	43.9	9.2	4.0	36.4
P.A.G. 26	43.9	7.3	3.0	46.2
DeKalb XL 307 (3X)	44.9	5.8	2.5	27.7
Michigan 300	45.1	10.7	4.1	43.4
DeKalb XL 306 (3X)	46.2	8.4	3.7	37.6
Funk Bros. G 10 A	46.5	9.6	4.0	40.4
Northrup King KC 497	47.0	10.2	4.2	38.0
Northrup King PX 480 (3X)	47.8	10.9	4.1	40.1
DeKalb XL 15 (2X)	48.8	10.1	4.3	38.8
P.A.G. 45	49.3	9.8	3.6	41.4
DeKalb 29	49.4	4.4	1.7	32.3
DeKalb XL 315 (3X)	49.9	11.1	4.5	35.4
Funk Bros. G 44	59.5	9.3	3.9	27.8
Average	44.4	7.9	3.3	37.8
Range	39.0	4.4	1.7	20.7
Least significant differences	2.0	.8	.3	2.2

Planted — May 11
Soil type — Onaway loam
Rows — 38"
Fertilizer: 30-60-30

Farm Cooperator: Ealey Van Wagoner, Route 2, Alpena
County Agricultural Extension: A. H. Nickel, Alpena

Hybrid	% Moisture In Ears		Tons Per Acre			% Ears In Dry Weight		
			Green Weight		Dry Weight			
	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.	1966 yrs.
DeKalb XL 325 (3X)	53.0	—	11.2	—	—	3.3	—	38.5
DeKalb XT 218	54.2	—	12.5	—	—	3.7	—	32.2
Muncy Chief SX 440 (2X)	55.1	—	10.1	—	—	3.6	—	37.7
DeKalb XL 341 (3X)	56.2	—	12.4	—	—	3.6	—	24.7
Average	45.1	52	53	8.7	11.3	11.7	3.1	36
Range	35.1	44	45	5.2	8.4	8.8	2.0	2.8
to to to to to to to to to	56.2	59	60	12.5	13.7	13.4	4.1	4.3
Least significant differences	2.0	1	1	.7	.6	.5	.2	.2

Planted — May 13
Harvested — September 14
Soil type — Emmett sandy loam
Previous crop — Alfalfa
Rows — 38"
Population — 15,000

Fertilizer: 40-48-48
K 49 (very low) 113 (low)

Farm Cooperators: Herb and Karl Wagner, Grawn County Agricultural Extension: George McManus, Traverse City

Hybrid	1966		1965		1964	
	Planted		Harvested		September 14	
	May 13	September 16	May 14	September 15	May 22	September 15
DeKalb 29	38.6	53	9.5	9.0	4.2	3.3
Wisconsin 243	39.5	—	10.6	—	4.5	—
Seneca 155	40.8	—	10.8	—	4.5	—
Michigan A.E.S. 202	40.9	55	10.6	9.5	4.7	3.5
Northrup King KC 3	41.5	55	10.0	8.4	4.5	3.3
Pioneer 3872	41.8	61	11.0	9.5	4.9	3.7
Wisconsin 273	42.4	—	10.4	—	4.1	—
Pride 11	43.1	58	10.2	9.4	4.4	3.4
Michigan 270	43.2	58	11.1	9.6	4.9	3.6
Northrup King KE 445	43.2	58	10.2	9.6	4.2	3.3
Northrup King KE 435	43.9	58	8.5	8.6	3.8	3.1
Wisconsin 346	44.3	—	11.3	—	4.6	—
Michigan 250	44.4	59	11.9	10.7	5.2	3.9
Wisconsin 1709	44.6	—	9.1	—	3.6	—
Michigan 280	44.7	—	12.3	—	5.2	—
Wisconsin 335A	44.8	—	11.6	—	4.8	—
Wisconsin 263	45.1	—	8.5	—	3.5	—
Northrup King X 4454 (2X)	47.5	—	12.1	—	4.8	—
DeKalb XL 15 (2X)	48.2	66	12.0	10.2	4.7	3.2
Northrup King KE 471	50.2	66	12.7	—	4.7	—
Wolverine 39	50.2	64	11.7	10.5	4.4	3.3
Michigan 300	50.2	65	13.0	11.5	5.2	3.8
Northrup King KE 449	52.2	64	11.6	10.6	4.2	3.3
Averages	44.2	60	10.6	10.0	4.3	3.4
Range	38.6	53	8.5	8.4	3.5	3.1
to to to to to to	52.2	66	12.7	11.5	4.9	3.9
Least significant difference	2.4	2.0	1.1	.7	0.3	0.2

Planted — May 23
Harvested — October 18
Soil type — Chatham stony loam
Population — 14,000

Fertilizer: 70-78-78

Cooperators: Drs. Don Reid and Don Thurlow, Michigan State University, Chatham

Table 19. Index for 252 hybrids entered as 1043 entries in the 1966 Michigan Corn Performance Trials. Numbers within parenthesis refer to table numbers in which the hybrid appears. (2X) indicates a single cross hybrid, (3X) indicates a three-way hybrid, and all others are double-cross hybrids.

Anderson Elevator Co., Maumee, Ohio
 Anderson A95 (6)
 Anderson A105 (1)
 Anderson A110A (1)

Bayless & Sons, Route 1, Bluffton, Ind.
 Bayless SX 415 (2X) (1, 2, 3, 4)
 Bayless SX 601 (2X) (2, 3)

Blaney Farms, Inc., Route 3, Madison, Wis.
 Blaney B300 (2X) (9, 11)
 Blaney B441 (3X) (9, 11)
 Blaney B500 (2X) (1, 7, 8, 9, 11)
 Blaney B550 (3X) (9, 11)
 Blaney B600 (2X) (1, 7, 8, 11)
 Blaney B661 (3X) (1, 7, 8)
 Blaney B700 (2X) (7, 8)
 Blaney B771 (3X) (1, 7, 8)
 Blaney B800 E (2X) (1, 7, 8)
 Blaney B801 (2X) (7, 8)
 Blaney 6604 (3X) (9, 11)
 Blaney 6605 (9, 11)
 Blaney 6606A (2X) (1, 7, 8, 9, 11)
 Blaney 6616 (3X) (1, 7, 8)
 Blaney 6623 (3X) (7, 8)

Cargill, Inc., Minneapolis, Minn.
 Cargill 240 (4)

Cowbell Seeds, Inc., Wayland, Mich.
 Cowbell 55 (4, 5)
 Cowbell 57 (4)
 Cowbell HK 58 (5)
 Cowbell 90 SX (2X) (9, 14)
 Cowbell 112 SX (2X) (2, 3, 4, 7, 8)

Crow's Hybrid Corn Co., Milford, Ill.
 Crow 420 (2X) (5)
 Crow 428 (2X) (5)

DeKalb Agricultural Assoc., Inc., DeKalb, Ill.
 DeKalb XL 15 (2X) (6, 7, 8, 11, 12, 13, 14, 16, 17, 18)
 DeKalb 29 (17, 18)
 DeKalb 45 (17)
 DeKalb XL 45 (2X) (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)
 DeKalb 56 (16, 17)
 DeKalb 57 (5, 9)
 DeKalb 58 (10, 14)
 DeKalb 59 (6, 12, 13)
 DeKalb XT 138 (16, 17)
 DeKalb XT 218 (7, 8, 9, 11, 12, 13, 14, 16)
 DeKalb 224 (5, 7, 8, 11, 14)
 DeKalb 238 (1, 2, 3, 14)
 DeKalb XL 301 (3X) (17)
 DeKalb XL 302 (3X) (17)
 DeKalb XL 304 (3X) (7, 8, 11, 12, 13, 14, 16, 17)
 DeKalb XL 306 (3X) (1, 11, 12, 13, 14, 16, 17)
 DeKalb XL 307 (3X) (6, 11, 12, 13, 14, 16, 17)
 DeKalb XL 315 (3X) (6, 7, 8, 9, 11, 12, 13, 14, 16, 17)
 DeKalb XL 325 (3X) (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 14, 16)
 DeKalb XL 341 (3X) (1, 2, 3, 4, 5, 6, 9, 16)
 DeKalb XL 342 (3X) (1, 2, 3, 4, 5, 6)
 DeKalb XL 346 (3X) (1, 2, 3, 4, 5, 6)
 DeKalb XL 361 (3X) (1, 2, 3)
 DeKalb 400 (2X) (1, 2, 3, 4, 5, 6, 7, 9, 11, 14)
 DeKalb 409 (1, 2, 3, 4, 11)
 DeKalb 414 (2, 3, 4, 7, 8)
 DeKalb 415A (1)
 DeKalb 427 (1, 2, 3, 4, 5, 6, 7, 8)
 DeKalb 441 (5, 7, 8)
 DeKalb 441A (2, 3, 4, 5, 6)

Edward J. Funk & Sons, Kentland, Ind.
 Supercrost S 30 A (2X) (1, 7, 8, 9)
 Supercrost 209 (2, 3)
 Supercrost 214 (2, 3)
 Supercrost 337 (1, 7, 8)
 Supercrost 441 (2, 3)
 Supercrost 2570 (7, 8, 11)
 Supercrost S 2581 (2X) (7, 8, 11)
 Supercrost 2610 (9)
 Supercrost 3340 (1)
 Supercrost 5900 (1)

Funk Bros. Seed Co., Bloomington, Ill.
 Funk Bros. G 10A (6, 9, 12, 13, 14, 16, 17)
 Funk Bros. G 17A (2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 17)
 Funk Bros. G 18A (6, 11, 12, 13)
 Funk Bros. G 33 (2, 3, 4, 14)
 Funk Bros. G 34 (1, 2, 3)
 Funk Bros. G 43 (16, 17)
 Funk Bros. G 44 (17)
 Funk Bros. G 4170 (16)
 Funk Bros. G 4287 (3X) (11, 14)
 Funk Bros. G 4350 (1, 6, 11, 14)
 Funk Bros. G 4390 (11, 14)

Garno Seed Co., Deerfield, Mich.
 Garno S 95 (2X) (1)

Michigan Crop Improvement Association, East Lansing, Mich.
 Michigan A.E.S. 202 (9, 16, 17, 18)
 Michigan 250 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Michigan 270 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Michigan 280 (6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Michigan 300 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Michigan 370 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16)
 Michigan 400 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16)
 Michigan 402-2X (2X) (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Michigan 425 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)
 Michigan Exp. 63-981 (3X) (1, 2, 3, 4, 5, 6, 7, 11, 12, 13)
 Michigan 430 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)
 Michigan 490 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)
 Michigan 570 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)
 Michigan 620 (1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14)

Green Belt Division, Oxychem, Box 217, Bad Axe, Mich.
 Green Belt 31 (12, 13)
 Green Belt 34 (12, 13)
 Green Belt 40 (12, 13)
 Green Belt 41 (12, 13)
 Green Belt SX 44 (2X) (12, 13)
 Green Belt 72 A (12, 13)
 Green Belt 95 (12, 13)

Levi Haapala & Sons, Inc., Dassel, Minn.
 Haapala H 135 A (14)
 Haapala SX 300 (2X) (1)
 Haapala H 366 A (14)
 Haapala SX 410 (2X) (4, 7, 8)
 Haapala SX 510 (2, 3, 7, 8)
 Haapala SX 621 (1, 6, 9)
 Haapala SX 626 (2, 3)

Hoffman Seed & Grain Co., Muncy, Pa.
 Muncy Chief H 207 (16)

Muncy Chief H 208 (16)
Muncy Chief H 304 (7, 8, 16)
Muncy Chief H 306 (7, 8, 11)
Muncy Chief H 420 (7, 8)
Muncy Chief SX 440 (2X) (7, 8, 11, 16)
Muncy Chief SX 550 (2X) (2, 3, 7, 8, 11)
Muncy Chief SX 660 (2X) (2, 3, 7, 8, 11)
Muncy Chief SX 770 (2X) (2, 3, 7, 8)
Muncy Chief H 630 (2, 3, 7, 8, 11)

Hulting
 Hulting 243 (2, 3)
 Hulting 266 SC (2, 3)
 Hulting 480 (2, 3)
 Hulting 482 (2, 3)

Jacques Seed Co., Prescott, Wis.
 Jacques 851 J (17)

Michigan Hybrid Seed Co., 974 Rosewood, East Lansing, Mich.
 Wolverine 39 (12, 13, 18)
 Wolverine 46 A (12, 13)
 Wolverine 59 (12, 13)
 Wolverine 61 (11)
 Wolverine 66 A (5, 6, 7, 8)
 Wolverine 69 (11)
 Wolverine W 135 (2X) (6, 11)
 Wolverine W 137 (2X) (11)
 Wolverine W 175 (2X) (1, 7, 8)
 Wolverine W 370 (3X) (1, 2, 3)

Mitchell Farms, Windfall, Indiana
 Crib Filler 17 (4)
 Crib Filler 29 (2, 3)
 Crib Filler 40 (2X) (1, 2, 3, 4)

Northrup King & Co., 1500 Jackson N. E., Minneapolis, Minn.
 Northrup King KC 3 (16, 17, 18)
 Northrup King KC 6 (14, 16)
 Northrup King KE 435 (16, 17, 18)
 Northrup King 444 (14)
 Northrup King KE 445 (16, 17, 18)
 Northrup King KE 449 (11, 12, 13, 14, 16, 17, 18)
 Northrup King KE 471 (11, 12, 13, 16, 18)
 Northrup King KE 477 (12, 13)
 Northrup King KE 497 (5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17, 18)
 Northrup King KM 555 (11)
 Northrup King KM 567 (1, 2, 3, 4, 5, 6, 7, 8, 11)
 Northrup King PX 44 (2X) (1, 2, 3, 4, 5, 6, 7, 8)
 Northrup King PX 52 (2X) (1, 2, 3, 4)
 Northrup King PX 480 (3X) (5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 17)
 Northrup King PX 481 (3X) (11)
 Northrup King PX 487 (3X) (11)
 Northrup King PX 527 (3X) (5, 6, 7, 8, 9, 11, 12, 13, 14)
 Northrup King PX 610 (3X) (1, 2, 3, 4)
 Northrup King PX 50 (2X) (1, 2, 3, 4, 5, 6, 7, 8)
 Northrup King X 4454 (2X) (5, 6, 7, 8, 9, 14, 16, 17, 18)
 Northrup King X 5528 (2X) (1, 2, 3, 4, 5, 6, 7, 8, 9)

OYO Seed Associates, Inc., Marysville, Ohio
 OYO 130 A (1, 2, 3)
 OYO 225 (2X) (1, 2, 3)

Pfister Associated Growers, Inc., Box 470, Aurora, Ill.
 P.A.G. SX 9 (2X) (1, 4)
 P.A.G. SX 9A (2X) (4)
 P.A.G. SX 9B (2X) (2, 3)
 P.A.G. SX 22 (2X) (11, 12, 13)
 P.A.G. 26 (17)
 P.A.G. SX 31 (2X) (1, 2, 3)
 P.A.G. SX 36 (2X) (5, 6)

P.A.G. 41 (12, 13, 14)
P.A.G. 45 (6, 9, 12, 13, 17)
P.A.G. SX 48 (2X) (7, 8, 12, 13, 14)
P.A.G. SX 49 (2X) (6, 7, 8)
P.A.G. 62 (7, 8)
P.A.G. SX 66 (2X) (4)
P.A.G. 70 (6, 11, 12, 13)
P.A.G. 285 (1, 2, 3)
P.A.G. SX 310 (2X) (1)
P.A.G. 313 (3X) (2, 3)

Pioneer Corn Co., Tipton, Ind.
 Pioneer 354 A (2, 3)
 Pioneer 368 (4, 6, 7, 8, 11)
 Pioneer 371 (1, 2, 3, 4, 5, 7, 8, 9, 11)
 Pioneer 381 A (11)
 Pioneer 383 (9 12, 13)
 Pioneer 385 (6, 7, 8, 9, 14)
 Pioneer 388 (9, 11)
 Pioneer 3466 (1, 2, 3, 4)
 Pioneer 3658 (11, 12, 13, 14)
 Pioneer 3675 (4, 12, 13, 14)
 Pioneer 3773 (2X) (5, 6, 7, 8, 9, 11, 12, 13)
 Pioneer 3775 (2X) (1, 4, 8, 7, 8, 11)
 Pioneer 3854 (14)
 Pioneer 3862 (7, 8, 14)
 Pioneer 3872 (16, 17, 18)

Pride Seed Co.
 Pride 11 (18)

Robson Seed Co., Hall, New York
 Seneca 155 (12, 13, 18)

Simons Seed Farms, Elkhorn, Wis.
 W 601 (2X) (1, 2, 3)

Taylor-Evans Seed Co., Box 480, Tulia, Texas
 Taylor-Evans Bonusmaker (2X) (1, 2, 3, 4, 5, 6, 7, 8, 9)
 Taylor-Evans Moneymaker (3X) (1, 2, 3, 4)
 Taylor-Evans Profitmaker (2X) (5, 6, 7, 8, 9, 11, 12, 13, 14)
 Taylor-Evans Exp. 6424 (1, 2, 3, 4, 5, 6, 7, 8, 9)

Tomco Genetic Giant Seed Co., Belmond, Iowa
 Tomco Genetic Giant 144 (14)
 Tomco Genetic Giant 208 (14)
 Tomco Genetic Giant 440 (1, 4)
 Tomco Genetic Giant 2600 (14)

Todd Hybrid Corn Co., Burlington, Ind.
 Todd M55 (2X) (2, 3)
 Todd 130A (3X) (2, 3)
 Todd 240 (2, 3)
 Todd 303 (3X) (2, 3)
 Todd 420 (2, 3)
 Todd 505 A (3X) (2, 3)
 Todd Exp. M 6065 (2X) (2, 3)

United Hagie Hybrids, Inc., 4244 Clinton Ave., Box 2007, Des Moines, Iowa
 United Hagie IXL 5 (2X) (1, 4)
 United Hagie IXL 6 (2X) (1, 4)
 United Hagie 3H11 (3X) (7, 8, 11)
 United Hagie SX 108 (2X) (11)
 United Hagie SX 127 A (2X) (7, 8, 11)

University of Wisconsin, Madison, Wis.
 Wisconsin 273 (18)
 Wisconsin 335A (18)
 Wisconsin 346 (18)
 Wisconsin 1709 (18)

Wyckoff Hybrids, Inc., Route 3, Valparaiso, Ind.
 Wyckoff W 5 X (2, 3, 4)
 Wyckoff W 9 X (2, 3)
 Wyckoff W 10 A (2, 3)
 Wyckoff W 10 X (4)

Issued in furtherance of cooperative extension work in agriculture and home economics, acts of May 8, and June 30, 1914, in cooperation with the U. S. Department of Agriculture. N. P. Ralston, Director, Cooperative Extension Service, Michigan State University, E. Lansing, Mich.

