

MSU Extension Publication Archive

Archive copy of publication, do not use for current recommendations. Up-to-date information about many topics can be obtained from your local Extension office.

How Kids Develop – 4 to 6 months

Michigan State University

Cooperative Extension Service

Building Strong Families

Doris Brickman, Assistant Director for Home Economics; Pam Boyce, Project Coordinator; Inge Bommarito, Program Assistant; Jeanne Brown, Beverly Schroeder, Extension Specialists, Human Development

March 1991


3 pages

The PDF file was provided courtesy of the Michigan State University Library

Scroll down to view the publication.

Building Strong Families:

PARENTING YOUNG CHILDREN



How Kids Develop 4 to 6 Months



Developed and produced by
Extension Home Economics
Cooperative Extension Service
Michigan State University



MSU is an Affirmative-Action, Equal-Opportunity Institution. Cooperative Extension Service Programs are open to all without regard to race, color, national origin, sex or handicap.


Issued in furtherance of Cooperative Extension work in agriculture and home economics, acts of May 8, and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Michael J. Tate, interim director, Cooperative Extension Service. Michigan State University, E. Lansing, MI 48824.

This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by the Cooperative Extension Service or bias against those not mentioned. This bulletin becomes public property upon publication and may be reprinted verbatim as a separate or within another publication with credit to MSU. Reprinting cannot be used to endorse or advertise a commercial product or company.

4 to 6 Months



Babies start holding and putting things in their mouths at about four months. Give them objects that are big, smooth, clean and unbreakable.



Your baby may be ready to have solid foods. Start with small amounts. Add one new food at a time.



Hold your baby during bottle feeding. She will feel secure and loved.



Most babies begin rolling over at about four months. They cannot be left alone on a bed, couch or table.