

## **MSU Extension Publication Archive**

Archive copy of publication, do not use for current recommendations. Up-to-date information about many topics can be obtained from your local Extension office.

A Guide for Feeding Your Baby Birth to Eight Months  
Michigan State University Extension Service  
August 1996  
2 pages

The PDF file was provided courtesy of the Michigan State University Library

**Scroll down to view the publication.**

## Some Important Things to Remember



### Relax and hold your baby close during feeding.

Love is important for your baby's health. Do not prop bottles or put baby to bed with a bottle.

### Bottles are for breast milk and formula only.

- Feed your baby cereal in a dish using a small spoon.
- Give your baby small amounts of water or juice in a cup. Many families find a cup with a spout or sipper top works well.
- Do not put KoolAid® or other sweet drinks in your baby's bottle or cup.




S	M	T	W	TH	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28


### Add one new food at a time.

Wait five days before giving your baby another new food. This gives your baby time to adjust to the new food. It is easier to tell which food might have caused an allergic reaction.

### Do not heat bottles in the microwave.



## Some Important Things to Remember



### Feed your baby from a bowl, not the jar.

Put a small amount of your baby's food in a small bowl. After your baby is done eating, throw away any food left in the bowl.

### Do not give honey to your baby.

It can cause infant botulism, a deadly disease.



### Never force baby to finish a bottle or food.

Your baby is the best judge of how much to eat.



Issued in furtherance of Cooperative Extension work in agriculture and home economics, acts of May 8, and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Arlen Leholm, Interim Director, Michigan State University Extension, E. Lansing, MI 48824.

Michigan Department of Community Health and Michigan State University are Affirmative Action/Equal Opportunity employers. They will not discriminate against any individual or group on the basis of race, color, religion, national origin or ancestry, age, sex (or marital status), or disability.

This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by the MSU Extension or bias against those not mentioned. This bulletin becomes public property upon publication and may be reprinted verbatim as a separate or within another publication with credit to MSU. Reprinting cannot be used to endorse or advertise a commercial product or company.

MSU Extension Bulletin E-2597

H-1198 Michigan Department of Community Health, Authority: P.A. 368 of 1978  
Produced by MSU Outreach Communications New 8-96 - 60M - LJ - LP

# A Guide for Feeding Your Baby

## Birth to Eight Months





# Suggested Ages and Growth Clues for Adding New Foods

## Food for Baby (birth to 8 months)

Continue to feed baby breast milk or iron-fortified infant formula throughout the first year.

Infant cereal is the first solid food babies should get.



Age	Growth Clues for Adding Foods	Foods to Introduce
birth to 4 months	Baby can: <ul style="list-style-type: none"> <li>• Suck and swallow liquid.</li> <li>• Push tongue out.</li> </ul>	Breast milk or Iron-fortified infant formula
4 to 6 months	Baby can: <ul style="list-style-type: none"> <li>• Sit with support.</li> <li>• Hold head steady.</li> <li>• Take food off spoon with mouth and swallow it easily.</li> </ul>	Baby cereal <b>First:</b> <ul style="list-style-type: none"> <li>• Rice, then oatmeal or barley.</li> <li>• Feed cereal from a spoon.</li> </ul> <b>Later:</b> <ul style="list-style-type: none"> <li>• Fruit juice with vitamin C.</li> <li>• Use a small cup to give your baby juice.</li> </ul> 
6 to 8 months	Baby can: <ul style="list-style-type: none"> <li>• Grab and hold onto things.</li> <li>• Sit without support.</li> <li>• Begin to chew.</li> </ul>	<b>First:</b> <ul style="list-style-type: none"> <li>• Strained, pureed or mashed, cooked vegetables.</li> <li>• Strained or mashed soft fruits. Soft fruits do not have to be cooked.</li> </ul> <b>Later:</b> <ul style="list-style-type: none"> <li>• Strained meat; cooked, mashed dry beans; cooked, finely chopped chicken; cooked, boned fish.</li> </ul> 

Talk with your baby's health care provider for more information.

Notes:

