Warren's A-34 may be examined at the Harlow Car Botanical Gardens, Harrogate, Yorkshire. Planted May 1971.



Let them tear it up...

Warren's A-34 Kentucky Bluegrass Comes Back Faster!

Warren's A-34 Kentucky Bluegrass (Poa pratensis), grows vigorously in shade and sun alike. It is proving to be the best all round grass for use on sports-grounds, parks and recreational areas. Its ability to recover quickly from injury makes it ideal for sowing down golf tees and all those areas receiving wear and tear.

Warren's A-34 Kentucky Bluegrass will tolerate up to 65% shade when maintained at a two inch cutting height. On open sites it can be mown down to 3/8ths of an inch, still grow vigorously and retain its power to recover quickly. It is the one pure strain of bluegrass seed that will thrive in shade and sun and tolerate a wide range of soil and climatic conditions. It is not necessary to blend A-34 with seed of other species or strains and the best results have been obtained from using it neat at a low seeding rate.

Warren's A-34 Kentucky Bluegrass has been under observation by turf grass research departments of leading Universities and other research organizations in the United States and they have all given it a high rating for disease resistance and shade tolerance.

For more particulars on Warren's A-34 Seed phone your inquiry to:

HURST GUNSON COOPER TABER, LTD. WITHAM, ESSEX-PHONE WITHAM 3451

Exclusive Importer for the U.K.

PETER ADAMS (GARDEN LANDSCAPERS) LTD., Granley Gardens, Muswell Hill, London N10 3AR. Telephone No.: 01-883 5880 and 0821.

A product of Warren's Turf Nursery, Palos Park, III. U.S.A.



THE BRITISH GOLF

REENKEEPER

HON. EDITOR: F. W. HAWTREE

FOUNDED 1912

PUBLISHED MONTHLY FOR BENEFIT OF GREENKEEPERS. GREENKEEPING AND THE GAME OF GOLF BY MEDIA PROMOTION LTD ON BEHALF OF THE BRITISH GOLF GREENKEEPERS ASSOCIATION

> President: CARL BRETHERTON

Vice-Presidents: SIR WILLIAM CARR GORDON WRIGHT F. W. HAWTREE S. NORGATE I. G. NICHOLLS F. V. SOUTHGATE P. HAZELL W. KINSEY P. MARSHALL W. PAYNE W. MOUNTAIN

Chairman: J. CARRICK Golf Cottage Church Brampton Northampton

Vice-Chairman: H. M. WALSH

Hon. Secretary & Treasurer: C. H. Dix Addington Court G.C. Featherbed Lane Addington, Croydon, Surrey CRO 9AA

Executive Committee: Carl Bretherton (President) E. W. Folkes P. McCarron G. Herrington V. Smith W. Heeles J. Simpson H. M. Walsh A. A. Cockfield H. Fry (Jun.) T. Graham

Hon. Auditors: Messrs Smallfield Rawlins and Co., Candlewick House, 116/126 Cannon Street, London, E.C.4.

> Hon. Solicitors: HENRY DOWDING, LL.B. 203-205 High Street Orpington

The Association is affiliated to the English and Welsh Golf Unions.

No. 328 New Series

SEPTEMBER 1972

CONTENTS

TEE SHOTS	PAGE	3
THE TREATMENT OF FUNGAL DISEASES		5
ITINERARY		11
LETTERS TO THE EDITOR		13
CLASSIFIED ADVERTISEMENT	TS	14
SITUATIONS VACANT		15
NEWS FROM THE SECTIONS		17
BUYERS' GUIDE		24

Front Cover Picture:

The Howard Bolene 1477 is one of a range of mini tractors designed primarily for garden operation, but with a 14 hp petrol engine and hydrostatic transmission it can be used in many industrial applications; in this picture it is towing a barge.


Since last December, a 1477 has been working on the Grand Union Canal for British Waterways under the control of Mr. Terry Barnett, Mechanical Inspector at the Authority's Bulls Bridge Plant Unit, Southall, Middlesex.

EDITORIAL AND SUBSCRIPTION OFFICES: Addington Court Golf Club, Featherbed Lane, Addington, Croydon, Surrey. Telephone: 01–657 0281. SUBSCRIPTION RATE: £1.25 for 12 issues post paid. Published during the first week of each month. All rights reserved. Reproduction of original articles and photographs in whole or in part is prohibited. This Magazine shall not, without the written consent of the publishers first given, be re-sold, lent, hired out, or otherwise disposed of.

hired out, or otherwise disposed of.
Contributions and photographs of interest are invited.

ADVERTISEMENT OFFICE: Media Promotion Ltd, 1 Chester Close, Chester Street, London, S.W.1.
Telephone: 01–235 1146. LATEST COPY DATE: 8th of month prior to insertion.
TO INSERT A CLASSIFIED ADVERTISEMENT, write to the Advertisement Manager at the above address.
The rate is £2·50 per single column inch. Remittance must be sent with order. Please state number of insertions required and write advertisement in block letters. Advertisements will be inserted in the first available issue.

Printed by Dolphin Press® Brighton Williams Lea Group



The exhibition will be open from 10 a.m. to 6 p.m. on the 12th and 13th of September and from 10 a.m. to 5 p.m. on the 14th.

Admission by catalogue at entrance gate, Price 20p. At Motspur Park by kind permission of the University of London. Further details from:

The Institute of Groundsmanship, 108a Chessington Road, West Ewell, Surrey Tel. 01-393 8027





See us on Stand H8 at the Groundsmen's Exhibition
—Motspur Park, 12-14 September

FERTILISERS - GRASS SEEDS - DRESSINGS

SPORTS GROUND PARK & HORTICULTURAL SUPPLIES

Tee Shots

Golf, in France, after ten years or more of disappointment, after it had seemed set for expansion, now seems to have taken a forward turn again. A new President of the French Federation is keen on developing the game and several new courses are under discussion, though several, for the moment, will be restricted to 9-holes.

The City of Birmingham is planning to add a further 27 holes to its unique collection of municipal courses. The land is at Manwoods Farm which lies alongside the Handsworth Golf Course, our President's home club. Mr. Bretherton is, of course, also President of the Handsworth Golf Club where there have also been recent changes providing three new holes on land closer to the clubhouse.

The new 9-holes at Berwick-upon-Tweed, an addition to the existing 9-holes, are beginning to take shape. The site is an interesting one with possibly the best preserved earthworks anywhere in the British Isles and the whole thing only two minutes walk from the town centre.

Work should start in a month or so on the new municipal golf course at Tamworth. This will be on rather different soil and country from our Midland Secretary's home course at nearby Whittington Barracks but will fulfil a great need in this developing town.

Best wishes to all greenkeepers at this Tournament time in the 60th year of the Association. Long may it prosper!

The Editor.

In Memorium

As we were going to press, we received the following from the Secretary of NORTH WEST SECTION:


It is with deep regret I have to inform members of the death of Jim Bridges Head Green-keeper at Malone Golf Club Belfast, Northern Ireland. I have just learned of his passing on, and on behalf of all members of the Section I extend our deepest sympathy to Mrs. Bridges and family in their sad loss.

Jim died on the 24th May after a heart

operation, he had been Head Greenkeeper at Malone Golf Club for twenty six years and was made an honorary life member after making the new Malone Course. He was the brother of W. Bridges our friend at Wallasey Golf Club and had been a member of the Association for over thirty years.



September 1972 3



Are your greens up to par?

Or is your handicap weeds, worm casts, moss and grass fungi.

Synchemicals have the products to help you maintain your course effectively, safely and economically.

SPECIALIST SELECTIVE WEED KILLERS FOR TURF.

ESTERMONE, SYPROP, CLOVERCIDE, SYFORD, FORESTER, SYNOX, SYDEX, SYNCHEMICALS WEED AND BRUSHWOOD KILLER.

For the control of worms, leatherjackets, ants—SYDANE
For the control of moss and grass fungi—M.C. MOSS KILLER
For instant feeding through the leaves and roots—
50/50 LIQUID GRASS FEED

To hold the growth of grass in abeyance—MAZIDE, MAZIDE 36

To inhibit grass growth and kill grass weeds—MAZIDE SELECTIVE Let the MAZIDE range take over where the mower stops

Why not ask Synchemicals to come and talk about your problems.

SYNCHEMICALS LIMITED.



LONDON, S.E.1

Tel: (01)-237 1958/9

The treatment of Fungal Diseases

The CHIPMAN CHEMICAL COMPANY condenses much useful advice on avoiding and treating fungal disease.

Late Summer and Autumn marks the opening of the season for univited and unwanted guests of British golf greens. These are the fungal diseases and the reluctant hosts are our very hardworking turf grasses. Fungi are parasitic and being unable to synthesize organic food, attack the plant material of their host, penetrating the cell wall or entering wounds or natural openings and leaving the characteristic symptoms of disease in the grass plant when the infected cells die.

Some common turf fungi depend solely upon living grasses for support, whereas others are able to continue to survive after the host has died, living on the dead plant material. Both can produce thousands of spores capable of infecting a fresh host. In addition some fungi can form a 'resting body' which is able to persist for many years, even in unsuitable conditions and carry over disease from one year to the next. There are therefore many sources of infection, and if allowed to develop and spread these fungi can cause severe damage.

By knowing the conditions which fungi find most desirable it is possible to produce a non-conducive environment by good cultural turf management practices. It is significant that the conditions which discourage fungi and also those which most favour the healthy growth of fine grasses. Worthwhile measures can be summarised as follows:—

Aim to reduce surface moisture

Improve drainage where necessary.

Carry out spiking, slitting, raking, mowing regularly and at the optimum time.

Switch dew from grass.

Remove any barriers to the flow of air across the turf.

Reduce shade.

Avoid leaving grass long in winter.

Avoid smothering turf with top dressings.

Maintain fertility and acidity

Use balanced fertilisers at the correct time.

Avoid the late use of fertilisers high in nitrogen as compared with other elements.

Avoid mechanical damage

Remember that spores enter through the wounds.

Utilize preferred seed mixtures

A mixture of different species is less susceptible than a pure sward.

Fungicides

Even when all the necessary cultural precautions are taken disease still frequently develops, making the use of fungicides essential. The ideal fungicide should be able both to kill the disease organisms and to protect from further infection, without of course injuring the grass or building up toxic residues in the soil which may become detrimental to plant growth.

It should be economical in use and easy to apply. 'Verdasan' is a fungicide which answers these requirements, containing 2.5% mercury, organically combined. To control

September 1972 5

Fusarium Patch 1 oz. is applied to 40 sq. yd., either in 2-8 gallons of water or in 14 lb. of sand or finely sifted soil. Treatment should be made at monthly intervals in September, October and November, or in March and April. The same quantity is adequate for Dollar Spot which should be treated as soon as the disease appears, usually in May or June, repeating treatments at monthly intervals until late August. Ophiobolus Patch requires 2 oz. 'Verdasan' per 40 sq. yd., mixed as before, applied at the end of August and again at the end of October.

The use of seed treated with a fungicide such as SAIsan (containing drazoxolon) will give protection against seed and soil borne diseases such as seed rot and pre and post emergence 'damping off' to which small seeded grasses are susceptible.

Many new fungicides are arousing a great deal of interest. One such is based on chlorthalonil, which is a broad spectrum fungicide providing excellent control.

NON-TOXIC CONTROL HOECHST U.K. LTD.

Intensive methods of turf maintenance are often predisposing factors to fungal attack. High fertiliser usage, liming, irrigation, rolling and frequent mowing can all lead to the rapid spread of fungal diseases.

The commonest and most widespread disease of turf in this country is Fusarium Patch (Fusarium nivale). The first symptoms are the appearance of small brown or yellow patches about two inches in diameter which may extend up to one foot across and eventually join together to form large irregular patterns. Under mild moist conditions the fungus can be seen on the surface as a fine pink or white cotton-like growth.

Fusarium can occur at any time throughout the year but is most common in Spring and Autumn or during mild periods in Winter. Severe infection of Fusarium can occur under snow cover.

Corticium Disease or Red Thread (*Corticium fuciforme*) is common in all parts of the country and is characterised by the appearance of pink or red threads on the grass leaves. Ugly brown patches are formed from three to five inches in diameter and the fungus spreads between the grass blades binding them together in a gelatinous matt.

Dollar Spot (*Sclerotinia homoeocarpa*) is confined to greens laid with sea marsh turf. The sward deteriorates rapidly as red fescue is killed out by the fungus in one to two inch diameter spots which enlarge and coalesce to form irregular patches.

Recognition of these diseases in quality turf in the early stages is difficult and delay in identification of the problem can lead to unsightly turf over a long period. It is therefore a wise precaution to treat all top quality turf with a fungicide as a routine precaution.

Quintozene, available as Hoechst 'Bras-sicol Super Wettable Powder', has the great advantage that, unlike mercurial fungicides, it is non toxic.

The recommended rates of use are 25 lb. per acre or for smaller areas 8 oz. in 10-14 pints of water per 100 sq. yards. The first application should be made as soon as symptoms appear and repeated at monthly intervals. Cutting should always take place before spraying and over-rolling should be avoided.

SYNCHEMICALS M-C AS A TURF FUNGICIDE

The value of Mercurial Compounds such as Mercurous Chloride as turf fungicides has long been appreciated but *not* the fact that this material is also the active ingredient in Synchemicals M-C Moss Killer.

Synchemicals M-C applied annually for moss control also reduces the risk of outbreaks of turf diseases such as Fusarium and Corticium (Red Thread), thus from a single application annually, it is possible not only to control moss but have the basis for a preventive control programme for turf diseases.

Treatment should commence immediately the disease is detected. Synchemicals M-C applied to affected patches at the rate of 3 measures of M-C in 6 gallons of water to treat 20 sq. yds. of turf (3 measures = 3 oz.). Treatment should be repeated at monthly intervals. Synchemicals M-C has its own wetting agent.



YOUR HAND IS YOUR TOOL KIT.

Take a good look at the new Spartan 7. A special handadjustable gang mower that adds more cutting time, by reducing adjustment time by 75 %.

A single knob located in the center of the

Spartan 7 adjusts the bedknife to the reel, easily, without tools.


This unique gang mower can be equipped with wheels to meet varying traction, transport and cutting requirements. From less than ½" to 2" cutting heights, and a cutting width of 30".

Hook 3, 5, 7 or 9 of these versatile mowers to a

Toro gang-mower frame or special tractor, and you

are equal to any mowing job.

Toro has servicing dealers and distributors worldwide. TORO., for over 57 years, makers of quality lawn and garden care products, automatic underground sprinkler systems, snowthrower equipment.





Contact FLYMO Ltd (Distributors) Stand B1 at the Motspur Park Exhibition



Dorman spraying made easy with sprayers made to last!

AUTO SPRAYER

A superb hand propelled sprayer, with four gallon capacity plastic tank; a spray boom giving 6' 6" cover; fitted with Regu-Flo device to ensure

fitted with Regu-Flo device to ensure accurate dosage all the time regardless of forward speed.





This 10 gallon sprayer has a boom giving 7' 6" cover and an engine driven pump.

The boom tube and tank are plastic to prevent scaling and corrosion.

The ideal sprayer for larger sports grounds. 30 gallon towing model with 18' cover sprayboom also available.

Write for full details:



DORMAN SPRAYER CO. LTD.

Brays Lane, Ely, Cambs. Telephone Ely 2833/4/5

CANNOCK FERTILIZERS FUNGICIDE

Fusarium Specific is the name given to the very well known turf fungicide manufactured by Cannock Fertilizers Limited of Cannock, Staffordshire. Fusarium Specific contains mercury compounds carefully blended with a suitable carrier. Bulking with sand or compost is not necessary or recommended. One application generally proves adequate, but occasionally further treatment may be necessary.

Fusarium Patch Disease can be prevented by applying 1 oz per square yard of Fusarium

Specific in the spring and especially in the autumn.

Where the disease is established, the turf should immediately be dressed with Fusarium Specific at the rate of 2 oz. per square yard. The fungicide is best applied when the grass is moist with dew, but no watering should be undertaken.

MAY AND BAKER FUNGICIDES

'Mersil', based on mercuric chloride and mercurous chloride, is a fast-acting longlasting treatment for prevention and control of Fusarium patch, red thread (corticium) and dollar spot. Formulated for use in sprayers, the product has the added advantage of giving good control of moss.

'Maysan', an organo-mercurial preparation for use against Fusarium patch and red thread (corticium), is a more economical preparation when used at $2\frac{1}{2}$ oz per 100 sq. yd.

although heavy infections may need more frequent applications.

Full details and recommendations for these products and many others are given in a Turf Protection wallet available free of charge from May and Baker Ltd. Dagenham, Essex RM107XS.

The following are extracts from their Fungus Control chart:-

Disease	Season found	Predisposing conditions	Principal grasses	Cultural control
Fusarium patch	Autumn Winter Spring	Dull, moist weather, often under snow cover	Poa annua, Agrostis and Festuca spp.	Avoid heavy liming and late nitrogen applications. Improve drainage and reduce surface moisture.
Red thread	During growing season, but usually in late summer	High temperatures	Festuca spp. mainly, but other species may be severely attacked	Increase nitrogen applications in summer.
Dollar spot	Any season, but usually in late summer	Cool, wet periods	Festuca rubra spp.	Increase nitrogen applications during summer but avoid late applications.
Ophiobolus patch	Late summer, autumn and winter	Dry weather	Agrostis spp.	Remove patches and re-turf or re-sow with <i>Poa pratensis</i> or <i>Festuca rubra</i> . Use acid nitrogenous fertilizers.
Fairy rings (type 1)	Spring to winter	Dry environment		Increase fertilization in summer. Treat turf by pricking and watering.
Fairy rings (type 2)	Summer to early winter	Dry environment	-	Increase fertilization in summer. Irrigation will also be of benefit.
Slime moulds	Autumn and early winter Attacks may occur with less severity during other periods in the year	Wet and humid		Improve drainage. In severe cases it may help to clean turf with a stiff broom.

Dry dressing is a less common technique and is usually reserved for the application of inorganic mercury-based compounds. The active material is usually applied in a carrier, such as sand or fertilizer, to effect uniformity of spread. Dry applications should be watered into turf to avoid 'scorching' of foliage.

Fungicides in solution or suspension provide certain advantages compared with the powder forms since they make possible greater accuracy and uniformity of distribution; thus providing more precise control and guarding against severe localized damage.



PARKERGRAM



URGENT. THE TIME TO GET YOUR MOWER

REPAIRED IS NOW • SO YOU'LL HAVE IT IN PERFECT

CUTTING CONDITION FOR NEXT SEASON • DON'T

DELAY • BOOK TODAY • URGENT

Parker offers

- ★ The latest automatic grinders
- ★ The most up-to-the minute machinery
- ★ The most experienced craftsmen repairers
- ★ The nation's finest mower repair department
- ★ For Ransomes Sisis Hayter Dennis Atco Webb Flymo Allen
- ★ Large spares stockholding
- ★ Main distributors for M.A.G. and ASPERA

T PARKER & SONS (Turf Management) LTD

Worcester Park, Surrey

Tel: 01-337 7791—337 0861 (10 lines)

The independent family firm with the personal service