


# THE VERTIRAKES



**T.V.R.** (Tractor Vertirake)  
– Golf course fairways, Municipal  
Parks, Sports pitches.

**P.V.R.** (Pedestrian Vertirake)  
– for Golf greens, Bowling greens,  
Cricket pitches and Tennis courts.

These two machines have been designed to remove all the thatch, thus stimulating recovery and growth of strong healthy grasses. You will find that each machine will clear the difficult dead, matted, fibrous grass that is so often so difficult to get rid of.

We have a machine for every purpose from the small golf green to the largest Municipal playing fields. One great labour saving device we have fitted on our P.V.R. model is the very large glass fibre collecting box which saves an enormous amount of time and energy that would otherwise be wasted in sweeping up afterwards.

Write for full information on Vertirakes to:

**H. PATTISSON & CO. LTD.**  
STANMORE HILL WORKS · STANMORE  
MIDDLESEX. Tel: 01-954 4171

**Pattisson**



FOUNDED 1912

Published monthly for the benefit of greenkeepers, greenkeeping and the game of golf on behalf of the British Golf Greenkeepers' Association

**President:**

Carl Bretherton

**Vice-Presidents:**

Sir William Carr	W. Payne
Gordon Wright	W. Mountain
F. W. Hawtree	C. H. Dix
S. Norgate	F. G. Catchpole
I. G. Nicholls	J. F. R. Wilson
F. V. Southgate	B. C. Jennings
D. B. Hargreaves	D. Craig
P. Marshall	

**Chairman:**

V. W. Smith  
7 Sunningdale Close  
Handsworth Wood  
Birmingham 20

**Vice-Chairman:**

**Hon. Secretary & Treasurer:**

W. Heeles  
7 Tentergate Close  
Knaresborough  
Yorks.  
Knaresborough 3851

**Executive Committee:**

Carl Bretherton (President)	
G. Herrington	P. McCarron
V. Smith	J. Simpson
A. A. Cockfield	H. M. Walsh
H. Fry (Jun.)	E. James
D. H. Major	A. Robertshaw

**Hon. Auditors:**

Messrs. Smallfield Rawlins & Co.  
Candlewick House  
116/126 Cannon Street  
London E.C.4

**Hon. Solicitors:**

Henry Dowding, LL.B.  
203-205 High Street  
Orpington

The Association is affiliated to the English and Welsh Golf Unions

# The British Golf Greenkeeper

## CONTENTS

	Page
IMPROVING YOUR TURF	5-10
THE GREENKEEPERS	12
OBITUARY	13
RETIREMENT	15
SECTION NEWS	16-19
DIARY DATES	19

### Front Cover Picture

THIS month's front cover picture, an excellent demonstration of root growth, was supplied by Geoff Taylor of Johnsons. It shows an example of *Pelo* perennial ryegrass on the left, and a variety of creeping bentgrass, often referred to as *Agrostis Stolonifera*. An article on Grasses for Golf is on Pages 5 to 10.

EDITORIAL ADVERTISEMENT AND SUBSCRIPTION OFFICES: Chilberton House, Doods Road, Reigate, Surrey. Telephone: Reigate 43521. SUBSCRIPTION RATE: £2.76 for 12 issues post paid. Published during the first week of each month. All rights reserved. Reproduction of original articles and photographs in whole or in part is prohibited. This Magazine shall not, without the written consent of the publishers first given, be re-sold, lent, hired out, or otherwise disposed of. Contributions and photographs of interest are invited.

LATEST COPY DATE: 1st of month prior to insertion.

TO INSERT A CLASSIFIED ADVERTISEMENT, write to the Advertisement Manager at the above address. The rate is £3.00 per single column inch. Remittance must be sent with order. Please state number of insertions required and write advertisement in block letters. Advertisements will be inserted in the first available issue.

Printed by Olivers Printing Works (Battle) Ltd.

# A regular thrashing has taught us all we know.

During our 160 years in the grass seed business, we've been thrashed about by a lot of different players on a lot of different courses.

For instance, we're always being cut up at Royal St. George's and Sunningdale, both of which were sown with our seeds at the turn of the century.


And we're getting hacked about all the time at Vilamoura in Portugal, Puerto di Hierro in Spain and Walton Heath.

Which isn't exactly playing the game, but it all helps with our education.

To take advantage of all that the years have taught us, write to us at Reading RG6 1AB.

We'll offer you an extensive range of grass seeds for tees, fairways, greens and the rough, plus some pretty sound advice.

Advice based on 160 years of experience learnt the hard way.



## Suttons Seeds

We've been thrashed around for 160 years.

# Improving your turf

**THERE** are four main grasses for most greenkeepers. Three that have to be paid for—perennial ryegrass, red fescue (creeping red and Chewings) and brown top bent; and one that is free—annual meadow-grass. This article reviews the ones that are paid for. The annual meadow-grass is either there or not; if one starts to write about it, it will fill the article as it fills a sward, so having been noted it can be put temporarily out of mind!

What should a green be? A firm, smooth, uniform surface for putting, all the year round. Consistent in texture, without nap or grain and without minor irregularities or deformities to make the run of the ball unpredictable. It must not be so hard that balls will not stop, nor so soft that every dropping ball or footprint leaves its mark. It must be grown and managed primarily for play and, although it should look attractive, appearance must not become an end in itself. The grass will help to give this quality, though of course much depends on the soil, the availability of labour and the ease of watering.

The seeds mixture most generally used for greens in the U.K. is the 80:20 mixture of Chewings fescue and Highland browntop bent. The proportions may vary slightly, e.g. 75:25 or 70:30, and Highland is universally used because of price and availability as much as merit. Nevertheless this is a well-proven reliable mixture, giving what every mixture does—some insurance against the accidents of disease or abnormal weather which may severely damage or even wipe out a single species grown as a monoculture. In drought or if ophiobolus patch disease develops, the fescue is there: in more favourable conditions, the bent.

What are the possible ways of improving on this standard mixture?

1. A complete change of species, for example to a monoculture of creeping bent? The availability of cultivars that can be established from seed, e.g. Penncross and Emerald, makes the use of creeping bent more

---

J. P. Shildrick, Assistant Director, Sports Turf Research Institute.

---

reasonable than when material had to be propagated by stolons. Creeping bent does not tolerate drought and in drier parts of the country can only be considered where water is laid on. Penncross gives a dense uniform turf but looks rather dull and drab in winter. Although it is generally considered—particularly in the U.S.A.—that Penncross needs more nitrogen than Highland bent, experience at Bingley has so far been that a reasonably generous rate for fine turf (e.g. 150 lb./acre pure nitrogen per year on sandy loam soil = approx. 7 cwt./acre sulphate of ammonia) gives a satisfactory sward of Penncross. Higher rates would be needed on sandy soils. Fusarium patch disease has sometimes damaged Penncross badly, although recent trials at Bingley have not been affected. High nitrogen levels might sometimes encourage fusarium, particularly if nitrogen were being used to counter poor winter appearance. Penncross may need more vertical mowing against nap-forming stoloniferous growth and scarification against fibre development than Highland bent, though again limited experience at Bingley has not shown rapid development of these faults under a regime of adequate, but not abundant, nitrogen and water.

2. Another browntop bent in place of

[Continued on Page 7]

# The 100,000 Hole Golf Course

Better aeration  
means  
better golf

Aeration, properly carried out, creates conditions which will produce a better sward and consequently a better playing surface. Proper aeration allows air to circulate more freely around the roots thus assisting respiration.

In addition it also \* ENCOURAGES BACTERIAL ACTIVITY \* PROMOTES A VIGOROUS ROOT GROWTH \* IMPROVES SURFACE DRAINAGE \* RELIEVES COMPACTION \* AIDS ARTIFICIAL WATERING \* ASSISTS FERTILISERS TO REACH THE ROOTS \* ENABLES TOP DRESSING MATERIALS TO BECOME INTEGRATED WITH TOP SOIL.

Remember, however, it must be *proper* aeration.

There are many aerating machines on the market but not all of them perform the function adequately.

There must be *maximum penetration* combined with *minimum surface disturbance*.


For FREE advice on the best machine

for your area why not consult us –

we are the acknowledged experts

on *all* types of aerators, turf

maintenance machinery and allied products.



*From sowing to mowing*  
**Parkers**

T. PARKER & SONS (Turf Management) LTD., Worcester Park, Surrey, KT4 7NF. Tel: 01-337 7791 or 0861

Highland? The bred cultivars of brown top bent from Holland (e.g. Bardot, Enate or Tracentia) are smaller-leaved than Highland and form a tighter, more compact sward. They are indeed as different from Highland as Chewings fescue is from creeping red. They only share the species name "browntop bent" because no one can find a better one for the "odd man out", Highland. The available Dutch browntops look best in summer, whereas in winter they tend to be dormant and look dull and brown. By contrast, Highland grows in autumn and in a mild winter, and gives some colour at that time though growth may look ragged between cuts. Blends of equal parts of Highland and Dutch cultivars in the 80:20 mixture (i.e. 10% of each bent) have been disappointing in a recent Bingley trial, the denser Dutch bents being dominant at these proportions, so that Highland only shows sparse untidy leaves in winter, not a satisfactory uniform winter colour. Nevertheless such blends have been used on some recently constructed courses, and further experimenting may produce a worth-while compromise between the present two alternatives—(a) winter growth and a slightly coarser sward from Highland or (b) summer colour, a denser sward and better resistance to fusarium and corticium from Bardot, Enate, Tracentia, etc.

3. Velvet bent? The cultivar Kingstown gives a remarkably fine dense sward with excellent summer colour, but has rather poor winter colour, tends to form a nap, and is so dense that problems of sponginess and disease are likely.
4. A change of fescue? Chewings fescue is the red fescue most tolerant of close mowing and low fertility and least susceptible to disease. Highlight is a good cultivar, with its

[Continued on Page 9]

# BenSun



## BLUEGRASS (*Poa Pratensis*)

Formally known as Warren's A-34

### A Smooth Stalked Meadowgrass!

- RECOVERS QUICKLY FROM INJURY
- Highly disease resistant.
- Thrives in open sunlight and varying soil conditions.
- Withstands short mowing, down to ½ inch.
- Withstands shade (up to 65%).
- Produces a dense green sward of turf.

# BenSun

## BLUEGRASS SEED costs less

### 1 Pound Sows 2,000 Sq. Ft.

(Over 1,000 seeds per sq. ft.)

HURST GUNSON  
COOPER TABER LTD.  
Witham, Essex CM8 2DX  
PHONE: Witham 516600  
(SPD Code 0376)

# If the grass seems greener on the other side ...its probably Johnsons

Suppliers of:

Dawson — the leading fine leaved  
Creeping Red Fescue.

Waldorf — an outstanding  
Chewing Fescue.

Prato &  
Parade — Smooth Stalked  
Meadow Grasses with  
all the merits of this  
vigorous specie.

Holfior — a superior bred strain  
of Agrostis.

Pelo — a prostrate, persistent  
late Perennial  
Ryegrass for minimum  
maintenance.

Specialists in:

grass for greens, tees, fairways,  
parks, estates, verges,  
sportsfields, general play areas  
and grass for the more unusual  
areas which have extreme  
problems — whatever the need  
Johnsons can help you.

Ask for our Turfgrass brochure,  
the guide for the professionals  
involved in the creation and  
maintenance of grass areas.

## Johnsons seeds

W. W. Johnson & Son Ltd.

Boston, Lincolnshire. Telephone 0205 65051  
*Growers of fine seed since the reign of George III.*

best appearance in winter, early spring and autumn. Barfalla and Koket are also good, particularly in summer. Waldorf is a very fine-leaved dense cultivar, very attractive in summer but with poor winter colour. There are several other good or satisfactory bred cultivars, but the commercial type once known as "Oregon" and now called Cascade is not suitable for use on greens.

There are some fine-leaved cultivars of creeping red fescue that are nearly as persistent under close mowing as Chewings fescue, but they are more liable to disease (corticium and dollar spot). Dawson is a good one, with vigorous establishment, good summer appearance and perhaps slightly better wear tolerance than Highlight. Such a cultivar might be partly substituted for the Chewings fescue. The majority of red fescues, however, are not to be considered for greens.

A height of cut of  $\frac{1}{4}$  in. virtually precludes anything except fescue, bent and annual meadow-grass, but the wear—treading, pivoting on the feet when driving, and cutting of divots—is very punishing.

The 80:20 fescue/bent mixture used for the greens is the simplest and in some ways the best for tees also, whether for original sowing or for renovation. For rapid establishment, however, perennial ryegrass may sometimes have to be used, although it is generally not suitable for tees. Under close mowing it neither persists as a complete sward nor disappears completely in a short time. If a ryegrass is wanted which might persist and be as neat and hard-wearing as possible on the tee, the available cultivars that give least growth and probably persist best under relatively close mowing ( $\frac{1}{2}$  in.) include Romney (woolly leaf ends when mown), Pelo, and the newer "turf types" such as Manhattan and Sprinter.

Whether or not ryegrass is used, the 80:20 fescue/bent mixture can be

strengthened in various ways:—

1. Creeping red fescue. Fine-leaved dense cultivars of creeping red such as Dawson would probably be slightly more wear-tolerant than Chewings fescues, particularly with reasonably generous fertiliser application. Aberystwyth S.59 is also moderately fine-leaved, and often green in winter. The coarser-leaved creeping red fescues have stronger leaves than Chewings, and underground rhizomes, but form a more open turf. Whereas a fine-leaved creeping red could be substituted for Chewings to the extent of 75%, a coarser creeping red should be no more than 25% of the total fescue content.
2. For bent, the rhizomes of Highland help repair divot holes, but the extra density of Dutch browntops would help to avoid the grass being worn down to bare ground. A blend of the two types, in equal parts or with Highland predominating, could be useful.
3. About 20% of a good smooth-stalked meadow-grass would toughen the tee if (a) allowed to establish well (sown in summer, rather than early autumn); (b) fed well with nitrogen (but not excessively); and (c) not mown too close ( $\frac{1}{2}$  in. is fairly punishing for any cultivar of this grass). The underground rhizomes repair divot holes well, provided the plants have grown enough to form them; but one cannot expect underground miracles from seedlings! Choose a cultivar resistant to leaf spot. Birka and Fylking are two good fine-leaved cultivars; Baron, Monopoly, Parade and Sydsport are some other hard-wearing cultivars, rather broader-leaved. The last-named has rather poor winter colour. If practicable, the best way to use smooth-stalked meadow-grass to repair tees is to grow it in separate

[Continued on Page 10]



turf nurseries, and lift and lay it in strips when a good strong turf has developed.

The main considerations for the fairway are relatively little cutting, a good lie for the ball and some ability to recover from divoting.

1. For rapid establishment on new areas perennial ryegrass is generally used and probably intended to disappear quickly under mowing. Cultivars like Pelo or S.23 seem to be

## HUXLEYS HIRE

### FOR THE PROFESSIONAL USER

Sometimes the purchase of equipment is not economic. We offer for hire specialised machinery for that seasonal job. Send for brochure and price list.

# Huxleys

GARDEN MACHINERY

22/26 CHURCH STREET, STAINES, MIDDX

Tel. Staines 51123 (3 lines)

Also at The Dean, New Alresford, Hants

Tel. Alresford 3222

## LAWN MOWER GRINDERS



A comprehensive range of superior machines designed and built to suit operators' requirements. For brochure and full details contact us now.

**ATTERTON & ELLIS LTD**

Suffolk. Tel: Haverhill 2312/3.

Dept. B.G.G. Iron Works, Haverhill.

satisfactory. The harder-wearing but more expensive cultivars such as Manhattan need only be used in areas of specially hard wear. 25-30% ryegrass in the mixture would suffice.

2. Fescue and bent are important to give a good lie. Fescue will tolerate low fertility, particularly Chewings fescue; creeping red will grow longer, and may show corticium but its rhizomes will do something to fill divot holes. Choice of red fescue cultivar is less important than in more intensively managed areas. A basic fairway mixture might therefore be 30% perennial ryegrass, 60% red fescue (Chewings and creeping red) and 10% browntop bent.
3. Smooth-stalked meadow-grass may also have value for heavily worn areas, but if fertility is low, it will not be very vigorous.
4. Small-leaved timothy such as S.50, at 10%, could improve establishment and wear tolerance where there is no ryegrass, and tolerates relatively wet or heavy soils, but is rather pale green. Larger-leaved timothy, like S.48, is stronger-growing and coarser, less likely to blend with fescue/bent.
5. Rough-stalked meadow-grass is not hard-wearing in itself, but establishes quickly and because of impurities may be a way of introducing seed of annual meadow-grass if it is needed!

The fairway mixture is generally used on the rough, possibly at a reduced rate, though special problems and requirements sometimes call for special mixtures.

# CANNOCK

Send NOW for FREE  
"GREENKEEPING" Catalogue to  
CANNOCK FERTILISERS LTD.,  
Cannock, Staffs., WST1 3LW.

*Seeds & Fertilisers*  
provide an ideal turf  
for every sport and recreational purpose