
Toro the name you can trust



The Suzuki LT range it's hard to manage without one

Farm management is a demanding business. For instance, making sure that the feedstuffs reach the livestock in all weathers takes some very special skills.

The Suzuki LT range of all-terrain vehicles has been designed to put those skills at your fingertips. Developed with the benefit of Suzuki's 30 years experience in manufacturing their world famous motorcycles and

lightweight 4-wheel drive vehicles, the LT's are



tough, versatile and extremely practical.

> Available in 2- or 4-wheel drive, the Suzuki LT's have the power to tow a trailer and specialist agricultural machinery or most types of agricultural machinery over any terrain, while the super-wide tyres will keep you on the move without leaving deep furrows in the ground.

The Suzuki LT range. The art of successful farm management.



Please send me more information on the Suzuki range of LT vehicles.

Heron Power are the Sole UK Concessionaires for the Suzuki LT Range.

Name


Address

Post Code

Send to: Heron Suzuki GB Ltd., PO Box 154, Tunbridge Wells, Kent TN1 1JR



A Heron International Company



A BOLD MOVE FOR BRITAIN'S MAJOR TURFGRASS SHOW

One of the year's premier events for those involved in turf management is undoubtably the Institute of Groundsmanship's annual exhibition in September. It is the opportunity for the industry to present its products, announce innovations and demonstrate equipment to an audience that has grown not only in numbers but knowledge of the subject, over the years.

We announced last month that the organisers, who from small beginnings, at Hurlingham in 1938, then Motspur Park followed by Windsor Race Course have taken the decision to move once more, this time to the East of England Showground at Peterborough in two years time.

This would seem to be an ideal venue, certainly from the point of view of easy access. The showground is adjacent to the A1 trunk road, already subject to considerable improvements, with a further £62 million scheduled to be spent on the northern section during the next ten

Windsor has always been a difficult site, because of the entry and exit points for both visitors and trade exhibitors. Hours

travelling long distances for one of the three days has wasted much of the time that should have been usefully spent exploring the stands.

Manufacturers have also experienced grave problems setting up exhibits and a great deal more when the show ends and heavy equipment has to be moved out on the Thursday evening. Nothing is more frustrating for those who have put every effort into a concentrated three days than to be marooned in a car park for a further three hours because the road out of the site is jammed with articulated vehicles.

The race course has also a history of being a rain soaked event. This would be tolerable if the stands were along-side well made up roads, but attendees have learned that a pair of wellington boots is a pre-requisite for any trip to Windsor. Once the show is over the ground can become a quagmire as the HGV's move in to take the thousands of tons of machinery on to the next venue.

The Windsor Show has also been governed by the dates of the September race meeting, the spent in traffic queues by visitors I reason why the event has to be held in the back half of the month.

Moving to Peterborough has allowed the organisers to bring forward the show date to the 4th September, a period of usually more settled weather.

Not only is the site more central, it is twice as big as Windsor, has parking space for 30,000 cars and can also offer 60,000 sq. metres of demonstration areas in close proximity to the stands.

Although Peterborough cannot offer the same amount of hotel accommodation as the area around Windsor, within a few miles at places like Stamford, Huntingdon, Cam-bridge or Grantham it is readily available at not only improved quality, but at a more reasonable price.

The airport at Stansted has connections to the continent and Peterborough itself is on a fast direct rail link to central London, York, Leeds and Newcastle. A glance at the road map will show only those in the West of England, could be at a disadvantage, but most will welcome the IOG's bold decision and applaud their choice of the new site.



Editor & Publisher: JOHN LELEAN

National Advertising

Executive: Mike Massey 'Fieldside', Grange Road, Bowdon, Cheshire Tel: 061-928 2997

Printing by: Walkergate Press

Graphics & Design: **Bruce McDonald**

Golf Greenkeeping is a combined subscription and controlled circulation publication for the golf course management industry. Current distribution 2,500 copies per month.

Published ten times per year. Copies are available on subscription, postage paid, £14.00 per year. Overseas surface, £16.00 per year. Air mail rates on application to the publishers.

The Editor and Publishers do not necessarily agree with the comments and views expressed in this publication and do not accept any responsibility for any personal opinions stated therein. ©Copyright 1988 Golf Greenkeeping. Permission for the reproduction of features and articles will be favourably considered for non commercial purposes on application to the publisher.

Published by: Wharfedale Publications Limited P.O. Box 12, Wetherby, West Yorkshire LS22 4SR Telephone: (0937) 63181

NEWS ROUND UP 5. 6. 7 **GOLF COURSE** TRACTOR SURVEY 8, 10, 11 REBUILDING AND CONSTRUCTING NEW TEES _14, 15 FRED HAWTREE LECTURE ___ 17, 18, 19 TURFLANDS OPEN DAY LETTERS___ 21 SITUATIONS VACANT___ 22 TRADE DIRECTORY ___ 23



ENVIRONIVENTAL PRODUCTS

First & Foremost in the fight for In the fight for Vegetation Of ASSERTING BASS GROWTH IN THE STATE OF THE ST

SERITOX

A comprehensive range with a quality of service that's difficult to beat – why settle for less?

uu

TIPIL

1 LITRE

For further information or advice on specific problems, contact your usual supplier or Environmental Products at the address below.



■ RHÔNE-POULENC GROUP ■

THILLI

MILDOTHANE TURF LIQUID

Environmental Products Regent House, Hubert Road, Brentwood, Essex CM14 4TZ. Tel: (0277) 261414.

The control of vegetation and its associated problems calls for professional management and cost effective solutions. Environmental Products supply a wide range of herbicides, fungicides and insecticides, as well as products to control moss and to restrict grass growth. In addition to the range of pesticides, ancilliary products including "Dyon" spray colourant, "Lurmark" filters and nozzles, knapsack sprayers, granule applicators and dispensing pumps are available.

The key is the provision of a service and range that is second to none. To assist in training and education, Environmental Products have also produced a wealth of information for the professional.

Information Service



Videos and Literature



A comprehensive range of literature incorporates six professional guides and three training videos. Details of videos, booklets and further information on any of the products may be obtained from your usual supplier.

SUPERTOX 30
contains 2, 4-D/mecoprop
SERITOX TURF
contains dichlorprop/MCPA
MILDOTHANE TURF LIQUID
contains thiophanate-methyl
ROVRAL GREEN
contains iprodione
ROVRAL GRANULES
contains iprodione
SUPER MOSSTOX
contains dichlorophen
CASTAWAY PLUS
contains thiophanate-methyl/lindane
CROSSFIRE
contains chlorpyrifos
MOWCHEM
contains mefluidide
CLEARWAY
contains mefluidide
CLEARWAY
contains simazine/aminotriazole/
ammonium thioc yanate
SPASOR
contains glyphosate
All other brand names are trade marks.
CROSSFIRE is a product of The Dow
Chemical Company, sold under licence.

CHOSS FIRE is a product of 1 fe bow Chemical Company, sold under licence. SPASOR is a product of Monsanto PLC., sold under licence. MOWCHEM contains mefluidide which is a product of Gordon International sold under licence. DYON is a product of The Regal Chemical Co. sold under licence.

Co., sold under licence.

LURMARK is a product of Lurmark Ltd, sold under licence.



News..News..News..News.

BSC IN HORTICULTURE LAUNCHED

Writtle Agricultural College, in association with Hatfield Polytechnic now provides a BSc in Horticulture (Amenity or Commercial) — the first such degree to be offered by a United Kingdom College.

The four year sandwich course has been specifically designed to provide a combination of knowledge, skills and expertise not otherwise readily available to the horticultural industry. This follows the 1984 Trans-Binary Report and calls from industry for a new initiative in public sector horticulture for the provision of a degree level training suited to the current needs of the market.

The BSc Horticulture bridges the gap, both in academic and practical experience between BTEC HND schemes and contemporary university degrees. Writtle already offers the only HND in Commercial Production Horticulture and one of only two HND courses in Amenity Horticulture.

The aim of the degree is to provide graduates with management skills suited for either

amenity areas such as parks, gardens, landscape features, conservation and recreational facilities or for intensive plant production in areas such as nurseries, glasshouses, vegetable units and fruit farms. Students will be more employable with less need for instruction on practical matters from employers.

Equally, the stronger science element of the commercial option will provide the basis for graduates to gain employment in analytical laboratories. Both the amenity and commercial courses also offer a route to a teaching career.

A unique feature of the programme is that the core studies include one complete skills course in each of the three in-College years. This element is absent from existing alternative degree courses.

The first and final year will be at Writtle with the second year at Hatfield Polytechnic. The sandwich period in industry covers year three.

Those opting for Amenity Horticulture will study applied ecology, landscape studies, planning, recreation and conservation management.

The Commercial Horticulture option encompasses crop science, production and labour, biotechnology, mechanisation, buildings, environmental control and crop storage and packaging.

The existing facilities for practical horticulture, science, machinery, library and management are outstanding, with the College boasting one of the largest computer centres of any agricultural college.

Commenting, Mr. Lance Sanderson, Head of Horticulture at Writtle, said: "This exciting new degree fulfils the requirement of industry for graduates with a balanced academic and practical education. As such, it will provide the Amenity and Commercial managers of the future — fully versed in the requirements of their profession".

For further information contact: Pam Wright, Student Services, Writtle Agricultural College, Chelmsford, Essex, CM1 3RR. Tel: 0245 420705.

This course has full approval.

NEW SOUTH COURSE AT WENTWORTH

GOLF LANDSCAPES LTD., of Brentwood, Essex have been awarded the contract for the construction of the new South Course at Wentworth.

Work is already underway with the latest developments and techniques in golf course construction being used. Planned completion is in October of this year.

The terrain is similar to that of the East and West courses and when complete, the new South Course will certainly be of equal stature.

Supervision of the contract will be the responsibility of Martin Gillett, one of GOLF LANDSCAPES LTD., specialist Contract Managers, with liaison with the Company's two Directors Peter and Bob Dunning.

Peter Dunning said "We are delighted to have been awarded the South Course Contract. As one of the leading golf course builders in Britain we are proud that the Wentworth Club chose GOLF LAND-SCAPES LTD., to undertake the construction of such a prestigious golf course."

GOLF COURSE DECORUM THE 'Schwepping' WAY TO GOOD GOLF

A new 16 page glossy pocket book entitled "Good Golf — Etiquette & Decorum has been published under the sponsorship of Cadbury Schweppes plc.

There are nine pages of text and seven cartoons with a front and back cover depicting the Belfry Hotel with an asking price of £1.75!

As advocates of better behaviour on the golf course (see last month's Greenside Comment) we would certainly approve of any publication calculated to improve standards, but this is hardly value for money and it is difficult to see how the sponsors

intend to obtain a wide distribution at this price.

Most of the etiquette advice is commonsense and already widely known among all golfers other than complete beginners. It is the more obscure questions of conduct that should have been included such as the practise of taking the ball out of the hole with the face of the putter and standing away from the hole when attending the flag.

Slow play merits a special page in a publication of this type, a principal aggravation creeping into the game. A mere 60 seconds lost by each player in a

fourball at each of the eighteen holes can delay a round of golf for those behind by an hour and a quarter.

Lining up putts, dropping bags yards from the ball to be played, marking cards on the green rather than the next tee, pacing out distances, stopping for refreshments and holding post mortems are but some of the delaying tactics that can spoil a game of golf for others on the course. The booklet mentions a few of these bad habits but loses the opportunity to give some sound advice in this direction.

. . . Editor

News..News..News..News.

ISEKI U.K. LAUNCHES COREMASTER NEW TURF AERATION SYSTEM COMES TO BRITAIN


Iseki U.K. are now distributing the well proven Coremaster Turf Aeration System in Great Britain. This well established machine is already a favourite with Greenkeepers and Groundstaff in America and the Antipodes, and now comes to Britain with its reputation for both productivity and all round versatility.

Coremaster in itself is a revolution in turf aeration because it not only improves coring productivity, but also has the ability to work with several different core patterns, so the greenkeeper can choose the pattern required for each individual area. From a close pattern for renovating problem areas with the cores two inches apart to spread patterns for large areas like tees and fairways, six inches apart.

Depth controls operated by a simple crankhandle at the rear of the machine, gives variable depths between zero and four inches. Coremaster also offers a full range of tine sizes.

Trials undertaken by Iseki in Great Britain indicate that all 18 greens can now be aerated in under a day.

For further details on the Coremaster range contact Colin Gregory at Coremaster Department, Iseki U.K. on 0480 218100.



The Coremaster Hollow Tining Machine, now available in Britain, brings new workrates and productivity to coring greens, tees or parkland.

RESTRICTION CHANGE FOR HERBICIDES

The Ministry of Agriculture has announced, following the recommendations of the Advisory Committee on Pesticides to Ministers, a series of restrictions on the way in which herbicides containing ioxynil and bromoxynil may be used.

The changed conditions of | approval are intended to reduce the potential of exposure to spray operators who do not wear appropriate clothing, to reduce the risk of residues in food and to warn of dangers to fish.

In the professional amenity area the key change relates to use in hand-held and knapsack sprayers. This is now prohibited, although use through powered sprayers is permitted, the minimum dilution rates stated on labels must be adhered to.

May & Baker Environmental Products are issuing labels to all their main distributors so that these can be placed on existing stocks of lotox and Actrilawn 10.

"May & Baker are fully commit-

ted to ensuring that the Minister's instructions are carsays John Arthur, ried out, " Business Manager of Environmental Products.

"We are currently carrying out trials as a result of which we hope that these restrictions may be raised".

loxynil and Bromoxynil belong to the chemical family called the hydroxybenzonitriles (HBN's).

Products containing HBN's are particularly used on newly sown turf and in re-seeded areas where their ability to control speedwells and chickweed is exceptionally good.

lotox and Actrilawn 10 are trademarks of May & Baker Ltd.

NEW FROM CHIPMAN: MASTERTEE

The artificial tee that really comes up to scratch.

A real asset for all types of Golf Courses and Driving Ranges which until now, during bad weather, have had to rely on small size unresponsive mats.

MASTERTEE is manufactured from a composite of coconut fibres and polypropylene. The pile is so tightly woven that no sand infill is required and it stands upright to a height of some 30mm.

Chipman MASTERTEE for Golf Courses, is designed to fit flush with the surrounding turf which makes it less obtrusive, more pleasant to play off and provides a new answer to the problems caused by waterlogging and heavy usage throughout the worst months of the year.

MASTERTEE is also available with a thick resin backing which adds strength to the base and in this form is ideal for Driving Ranges or for use on hard standings such as concrete bases.



For further details please contact:

David R. Knight, Managing Director, Chipman Limited. CHIPMAN LTD., Horsham, Sussex RH12 2NR. Telephone: Horsham (0403) 60341/5. Telex: 877223.

News . . News . . News . . News .

PLYMOUTH'S £6 MILLION

DEVELOPMENT

New 18 hole golf course to be financed from Hong Kong

MWT Architects - a member of The Company of Designers PLC - have submitted an outline planning application for a £6 million leisure development at Saltash, Cornwall on behalf of the China Fleet Club UK Charitable Trust. The proposed indoor and outdoor leisure and recreation centre, includes an 18 hole golf course, and will be constructed on a 160 acre greenfield site to the north-west of Plymouth.

The building costs of the new country club will be met from the assets of the China Fleet Club in Hong Kong, which has been established for more than 80

Membership of the new Country Club will be open to serving naval ratings of the Royal Navy. Ex-ratings may also use the facilities and consideration is being given to restricted use by organised local groups.

In addition to the 18 hole golf course, with separate putting and practice areas, there are plans for outdoor facilities to include footpaths, bridleways and a trim trail with exercise locations, hides for bird watching, floodlit all-weather tennis courts. coarse fishing in new lakes, children's play areas and an adventure playground, as well as picnic areas and more formal lawns, gardens and terraces.

Of the Hong Kong based club members, some 60 per cent have returned to bases in or around Plymouth. The remaining 40 per cent are stationed around the country or on overseas service and the trustees of the China Fleet Club consider it important that these members should be accommodated so that they can enjoy the facilities of the new China Fleet Country Club.

MWT Architects report that work is expected to start on site in the Autumn of 1988 with completion of all the Country Club facilities ready for opening in the Spring of 1991.

Australian Hole Cutter promises smoother greens

One of the major moans from golfers, not to mention greenkeepers, is uneven or rough putting surfaces, particularly in those areas where pin place-ments have been moved.

An Australian company, Better Methods, manufactures equipment that not only cuts a perfect hole, but, more importantly, the plug fits perfectly flush back into the hole when changing the position of the pin, resulting in a smooth putting surface.

Called the Turfmaster Golf Hole Cutter, it is marketed in Britain and other EEC countries through a subsidiary company, Better Methods Europe, based at Parkstone, Poole, Dorset.

The patented hole cutter has two semi-circular blades which make a totally clean cut in the green. The cutter also has an accurate depth control gauge.

The cutter's two blades are 1.6mm (0.06 in) thin, case-hardened and sharpened with an outside bevel to a razor's edge. Because it makes such a clean cut, there is minimal root damage to the grass.

The diameter cannot be varied and careful use of the depth gauge ensures that the plug will fit perfectly back into the old hole first time, every time. Time wasting corrections to the surface level are eliminated.

The company claims its cutter will work at 100 percent efficiency no matter what type of soil is used in the putting green.

For further details contact:-

Better Methods Europe, 11 Kimberley Road, Parkstone, Poole, Dorset. BH14 8SQ Telephone: (0202) 740142.

STANDARD GOLF NOW IN UK

Following their recent appointment as the sole UK distributor of The Standard Golf Range of Golf Course equipment and accessories, Maxwell Hart now provide a Club's requirements from tee to green, to a level of product quality not previously available in this Country.
In the USA, where Stan-

dard Golf products are manufactured, the range is market

It includes tee markers and signs, ball washer consoles, shoe cleaners, bunker rakes, flagstaffs and a whole variety of flag designs, litter baskets. hole cups, putting green equipment and many others.


INTER SEEDS RECRUIT NEW CONSULTANT

Danny Godfrey (N.D.T., F.Inst.G.) has joined Inter Seeds Ltd. as Sports and Amenity Grassland Consultant where his role will be to give advice to local authorities and landscape architects.

He formerly worked 8 years with a major UK seed company before becoming Estate Manager at Lilleshall National Sports Centre. His considerable indepth knowledge of amenity grass seeds for landscaping, sports grounds and golf courses will add greatly to the high callibre technical service offered by the company.

His appointment, will help consolidate their position in the amenity grass seed sector.

Mowers for weight-watchers. Not weight-lifters.



Huxley Hydraulic Reelmowers for compact tractors prove that you don't have to be a heavyweight to be strong.

So, if your turf could benefit from a reduction in pressure. without a reduction in performance, please ask us to demonstrate.

We could save you pounds.



HUXLEYS GRASS MACHINERY THE DEAN, NEW ALRESFORD, HANTS SO24 9BL, ENGLAND Tel: 0962 733222 Fax: 0962 734702 on top, on turf Telex: 894426



TRACTOR REVIEW

Leading models and current prices

Massey-Ferguson accounted for almost one in every five new tractors sold in the world market place in 1987

Finance facilities are available I via Massey-Ferguson Leasing Limited, including Contract Hire, which the Company pioneered to give users a method of operating tractors at costs that remain fixed from year to year. Called Powerplan, the scheme has many advantages for customers from local authorities to individual users and contractors because it releases capital from being tied-up in a depreciating machinery asset, and all the maintenance, repairs, tax and insurance are taken care of by the M-F dealer network.

The 10 models in the Company's specialist groundcare and maintenance line-up, extending from 16hp to 63hp, are claimed to offer a wider choice than any other manufacturer.

However, for big work outputs from small machines that will fit

into the tightest spaces, M-F's I compact tractors are the ideal solution. These models -, the M-F 1010 (16hp), M-F 1020 (21hp), M-F 1030 (26hp) and M-F 1035 (31hp) are all powered by 3-cylinder indirect injection diesel engines with 2-speed rear pto and category I linkage. They are available with 2 or 4 wheel drive and can be fitted with either agricultural or turf tyres. The 1010 and 1020 are also offered with a choice of manual or hydrostatic transmission, and the latter are additionally equipped with a midmounted pto. The 12-speed manual transmissions of the 1020, 1030 and 1035 include creeper gears giving speeds as low as 0.18m/hr.

As well as a comprehensive specification, these tractors are notable for their ergonomic layout and operator convenience,

which produces machines that are highly functional, despite their small size.

The 200 Series machines, the 40hp, M-F 230 and 47hp, M-F 240 will both meet specialist applications where a more powerful machine is required. The 230 offers all the advantages of a tractor without a cab, and the 240 is fitted with a quick detach cab that enables it to be used in areas of restricted height. Both these tractors are powered by 3-cylinder direct injection Perkins diesel engines, with Ferguson System hydraulics providing precise control of a wide range of implements. Other standard equipment includes an 8-forward 2reverse speed transmission and live engine speed with ground speed 540 rev/min pto.

The 52hp M-F 350 and 63hp M-F 360 are both offered in 2 or 4-

wheel drive with 8 or 12 speed synchromesh transmissions and 'big tractor' features such as dual clutch live or independent pto, category 1 and 2 three point linkage and powerful external hydraulics. Despite their extra power, dimensions remain compact for excellent manoeuvrability epitomised by the 4-wheel drive versions, which feature a 50 degree steering angle.

These 200 and 300 Series machines, the latest successors to nearly two and threequarter million tractors that have been made to date in Massey-Ferguson's Coventry plant, can be equipped with turf, industrial or agricultural tyres.

CASE IH J I Case Europe Ltd., Wheatley Hall Road, Doncaster, South Yorkshire. DN2 4PG Tel: 0302 66631


Model	Engine Power HP	Cylinders	Number of Gears	Wheelbase (m)	Price £	
385L (2 W-D)	45 (DIN)	3	8F 4R	2.02	10,010	
485L (2 x 4 W-D)	52 (DIN)	3	8F 4R	2.02-2.16	11,002-13,478	
585L (2 x 4 W-D)	59 (DIN)	4	8F 4R	2.14-2.16	12,544-15,751	
685L (2 x 4 W-D)	69 (DIN)	4	8F 4R	2.25-2.16	13,078-16,457	
1394 (2 x 4 W-D)	72 (DIN)	4	12F 4R	2.10-2.14	13,916-17,306	
1394 Hydra-Shift						
(2 x 4 W-D)	72 (DIN)	4	12F 4R	2.10-2.14	14,816-18,206	

FIATAGRI Fiatagri UK Ltd., Newmarket Road, Bury St. Edmunds, Suffolk. IP33 3YA Tel: 0284 68441

Two-Wheel-drive Model	Engine Power HP	Cylinders	Number of Gears	Wheelbase (m)	Price £
45-66Q (2x4 W-D) 55-90 Comfort	45 (DIN)	3	12F 4R	2.00	11,550-14,300
(2 x 4 W-D)	55 (DIN)	3	12F 4R	2.23	12,600-15,750
60-90 Comfort (2 x 4 W-D)	60 (DIN)	3	12F 4R	2.23	13,650-16,800
70-90 Comfort (2 x 4 W-D)	70 (DIN)	4	12F 4R	2.34	15.000-18.200

FORD Ford New Holland Ltd., Cranes Farm Road, Basildon, Essex Tel: Basildon 3000

Model	Engine Power HP	Cylinders	Number of Gears	Wheelbase (m)		Price £
LGT140 (2 W-D)	14 (DIN)	3	Hydrostatic	1.2		4,400
1210 (2 x 4 W-D)	16 (DIN)	3	10F 2R	1.40	from	5,308-5,751
1710 (2 x 4 W-D)	26 (DIN)	3	12F 4R	1.60	from	6,206-7,424
1910 (2 x 4 W-D)	32 (DIN)	3	12F 4R	1.68-1.70	from	7,136-8,354
4110 (2 x 4 W-D)	54 (DIN)	3	8F 2R/8 x 4	1.96-2.09	from	11,429-14,192
4610	61 (DIN)	3	8F 2R/8 x 4	2.15-2.13	from	12,813-15,576



We challenge you to a round with Kubota.

We challenge you to find a range of compact tractors and perfectly matched implements that are better equipped on course.

We challenge you to find a range which gives more manoeuvrability, more versatility or more economy.

We challenge you to improve on the two year warranty, and the tunnel block construction which ensures that your sacred turf remains unsullied by oil leaks.

It's the 1988 Kubota Challenge. And once again, everyone's a winner.



SEE YOUR ASSOCIATION OF THE SE

GREENS Green's, Fergus Square, Arbroath, Angus DD11 3DR Tel: 0241 73841.

Model	Engine	Cylinders	Number of	Wheelbase	Price £
	Power HP		Gears	(m)	
C172	18 (DIN)	3	9F 3R	1.29	4,950
C174 (4 W-D)	18 (DIN)	3	9F 3R	1.29	5,495
C174HST (4 W-D)	18 (DIN)	3	Hydrostatic	1.29	6,750
E2304 (4 W-D)	25 (DIN)	3	12F 4R	1.60	6,400

ISEKI Iseki Tractors, Bydand Lane, Little Paxton, Cambs. Tel: 0480 218100 All models have four-wheel-drive

Model	Engine Power HP	Cylinders	Number of Gears	Wheelbase (m)	Price £
TX 2140F	14.5 (DIN)	3	6F 2R	1.28	5,445
TX 2160F	16.5 (DIN)	3	6F 2R	1.28	5,895
TX 2160F-HST TE 3210F	16.5 (DIN)	3	Hydrostatic	1.38	6,560
Includes roll bar	21.0 (DIN)	3	12F 4R	1.50	7,050
TE 4270F}	27 (DIN)	3	18F 6R	1.65	8,875
TE 4370F}includes	36.5 (DIN)	4	18F 6R	1.80	13,495
TD 4451F}cab	45.0 (DIN)	4	12F 4R	2.01	14,834
SX 75F	70.0 (DIN)	4	24F 8R	2.16	18,500

Note: TX series require no roll bar. TE 3120 and 4270 prices include roll bar. TE 4370, 4451 and SX 75F prices include cab.

JOHN DEERE John Deere Ltd., Langar, Nottingham. NG13 9HT

Tel: 0949 60491.

Model	Engine	Cylinders	Number of	Wheelbase	Price £
	Power HP		Gears	(m)	
1550 (2 W-D)	44 (DIN)	3	8F 4R	2.05	11,045
1750 (2 W-D)	50 (DIN)	3	8F 4R	2.05	12,012
1850 (2 W-D)	56 (DIN)	3	8F 4R	2.05	12,905
1950* (2 W-D)	62 (DIN)	3T	8F 4R		13,818
New Model					
2250 (2 W-D)	62 (DIN)	4	8F 4R	2.26	from 14,098
2450 (2 W-D)	70 (DIN)	4	8F 4R	2.26	from 14,598
655 (4 W-D)	16	3	Hydrostatic	1.29	6,180
755 (4 W-D)	20	3	Hydrostatic	1.45	6,960
855 (4 W-D)	24	3	Hydrostatic	1.62	7,470

KUBOTA (UK) LTD Dormer Road, Thame, Oxfordshire. OX9 3UN

Tel: 084 4214500

Model	Engine Power HP	Cylinders	Number of Gears	Wheelbase (m)	Price £
L4150 (2 W-D)	45 (DIN)	5	8F 8R	1.94	9,880
					11,395 (with cab)
B4200 (4 W-D)	12.5 (DIN)	2	6F 2R	1.23	3,900
B6200 (4 W-D)	15 (DIN)	3	6F 2R	1.4	5,165
B6200HST (4 W-D)	15 (DIN)	3	Hydrostatic	1.5	5,990
B7200 (4 W-D)	17 (DIN)	3	6F 2R	1.4	5,750
B7200HST (4 W-D)	17 (DIN)	3	Hydrostatic	1.5	6,500

MASSEY FERGUSON Massey-Ferguson (UK) Ltd., Stareton, Near Kenilworth Warwickshire. CV8 2LJ Tel: 0203 304500.

All available with two or four-wheel-drive.

Model	Engine	Cylinders	Number of	Wheelbase	Price £
	Power HP		Gears	(m)	
MF 1010	16	3	6F 2R	1.29	4,875 - 5,300
MF 1020	21	3	12F 4R	1.44	5,700 - 6,250
MF 1030L	26	3	12F 4R	1.72	7,185 - 7,900
MF 1035	31	3	12F 4R	1.72	8,050 - 8,850
MF 350	47 (DIN)	3	8F 2R*	2.08	11,675-14,310
MF 355	53 (DIN)	3	8F 2R*	2.08	12,285-15,210