

Ford Opts For Hydrostatic Transmission, Too

The Ford 1210, the smallest model in the compact tractor range launched by Ford last September, is now available equipped with an optional hydrostatic transmission.

Available on both the 2WD and 4WD versions of the 1210, the transmission provides variable speed control, by means of a single foot pedal, from 0-8.5 mph.

Because speed control is variable in either direction, the tractor can go as fast backwards as it can forwards

and the operator is able to select either a high or low speed range, using a conventional clutch and gear lever. This sensitivity of control means that creeper speeds are also obtainable.

Once the correct forward ground speed for a particular job has been reached, the operator is able to maintain it for as long as necessary by locking the foot pedal. This is done with a simple lever, which can be overridden quickly. To ensure maximum operational safety, this speed control cannot be engaged in reverse.


Ford says the variable speed

characteristics of this transmission make it especially suitable for low torque applications requiring a high degree of manoeuvrability, such as grass cutting around trees and other obstacles, loading, planting and light haulage work. For continuous high performance work with soil engaging implements, the 10 x 2 manual transmission is still available.

Including live (540 rpm) pto, which is standard with hydrostatic transmission, the basic 2WD version of the Ford 1210 fitted with this option is priced at £4,473. When equipped with both hydrostatic transmission and 4WD, it costs £4,825.



New options for the Ford 1210...



The controls of the new hydrostatic transmission now available as a factory-fitted option on the Ford 1210 compact tractor. To the right is the foot-operated variable ground speed control pedal. Centre left is the speed control lever, used to lock the foot pedal. A light touch on the pedal disengages the speed control lever.

Made By Marler Haley

Marler Haley has introduced Boundary—a new weather post and chain fencing system. Made in durable plastic material, it requires no maintenance and combines lightweight versatility with maximum stability.

It is available in four styles—regular, de-luxe, rustic (with a wood grained finish) and free-standing. Posts come in black or white (rustic in brown or white) complete with push-in fitting for soft ground. The free-standing post—ideal for car parks, paved areas or any hard ground application—has a circular base, which can be weighted.

Full details from Marler Haley ExpoSystems, ExpoSystems House, Queens Road, Barnet, Herts EN5 4DW.



Marler Haley's method of fencing...

What A Water Container!

Progress in water containment has, in recent years, come to a standstill, with only two types of sealing systems available (clay admixes and synthetic liners). Now Rawell Marketing has launched Rawmat, a bentonite waterproofing membrane.

Rawmat is a triple layer carpet of consistent thickness, comprising a tough woven polypropylene fabric base similar to Terram, a top layer of biodegradable scrim and a fill of high swelling Wyoming sodium bentonite—a water-absorbent and expanding non-toxic, natural clay.

This format incorporates the benefits of synthetic liners and bentonite admixes, while eliminating the drawbacks.

The key to the system lies in the uniform layer of sodium bentonite contained in the centre of the sandwich. It has the capacity to swell to a volume of between ten and 15 times its dried bulk, a process that is reversible an infinite number of times, enabling it to create not only a comprehensive seal, but one with self-healing properties able to cope with settlement, expansion and contraction, as well as vent volatile gases.

These features, coupled with ease of installation (the waterproof membrane is simply rolled out, butted and stapled or nailed in position), make it suitable for reservoirs, ponds, landfill sites, foundations, basements, underpasses, cut and cover tunnels, general tanking and roof gardens.

Despite its simplicity, Rawmat waterproof membrane is an innovation that combines 25 years of geo-technical experience with high swelling sodium bentonite clay, which has existed in raw form for some 20 million years, offering a permanent waterproof membrane with the added ability to self-seal.

Full details from Rawell Marketing, Carr Lane, Hoylake, Merseyside L47 4AX. ☎ 051-632 5771-4.

Wettern Brothers (Southern) has a new leaflet detailing special sands and gravels. The company has developed a range of sands and aggregates that have proved to be ideal for the preparation and treatment of soils and artificial surfaces.

Full details from R. Baldock, Wettern Brothers (Southern), Aylesford Sand Pit, Rochester Road, Aylesford, Nr. Maidstone, Kent ME20 7DX. ☎ 0622 70431.


Mowchem In Easy-Measure Dispenser From May & Baker

Mowchem, the grass growth regulator, completes the range of products packed in May & Baker's one-litre, easy-measure dispensers, allowing users to safely and accurately measure small amounts of mefluidide when treating limited areas of amenity turf.



POPPING UP AT THE RIGHT TIME!

To keep your grass fresh and green the Rainbird sprinkler pops up on command, to provide life-giving, uniform, automatic irrigation. When not in use the sprinkler keeps a low profile, installed flush with the surface its appearance is neat and unobtrusive. Cameron provide full system advice and installation, contact the address below for full details.



Automatic control systems

RAIN BIRD

Exclusive U.K. distributor

CAMERON IRRIGATION

A division of Wright Rain Ltd.

Harwood Industrial Estate, Littlehampton West Sussex
BN17 7BA. Tel (09064) 3985.

Nice greens you've got for a new course.
Must have taken ages to establish.

Not at all. Six months actually.

Six months!! We've had our fourteenth out for nearly 2 years because of re-seeding!

Why didn't you get hold of Rolawn?

Rolawn?

Yes. Rolawn. When we were ready to prepare our greens they came to check out our soil type and had their turf down in only two days. The greens were ready for mowing within a couple of weeks.

Couple of weeks? That's amazing!

Isn't it? It also meant we could start collecting subs a lot sooner.

Rolawn is top quality turf purpose grown for a fast establishing, fine playing surface. Supplied in rolls for ease of laying, it could be the answer to your match play.

Rolawn

Rolawn (Turf Growers) Ltd. Dept. GK.
Elvington, York YO4 5AR
Telephone (0904) 85661 24 hour Ansaphone service


People, Places, Products

Gordon White, with 11 years as a demonstrator/promotions organiser for Lely Import and, most recently, Leli Iseki Tractors, is the new sales manager for the central region. Other moves within the company involve Bill Fisher, based in York, who will now only cover Iseki Tractors for the Midlands, N. Wales and the north and Bob Bevan, who is also based in York, but will handle TORO only in the Midlands and north.



Gordon White.

R.S. Bird has appointed Mike Taylor, 34, general manager of its west of England operation, Birds-Veals of Bristol. Mike joined the company in 1977 and became service manager soon after and sales manager in 1981. Now he takes charge of all activities from the new centre at Willsbridge near Keynsham.



Mike Taylor.

Over 1,000 entries are expected for two national events sponsored by Marshall Concessionaires of Romsey, Hants. The Young Groundsman of the Year competition, run by the IOG, and Marshall's golf greenkeepers' golf tournament, run jointly by the BGGGA and SIGGA. Both events carry the same top prize—an all-expenses-paid visit to the United States next February to attend the American Golf Course Superintendents' annual convention in Washington.

A film production company will attend the IOG exhibition next month to make a feature documentary.

It is intended to show the film in America and other selected overseas markets.

Next year's IOG exhibition will incorporate a series of closed pavilions.

A tournament organised by Steetley Minerals, manufacturer and distributor of the Key Range of fertilisers, took place at Clevedon GC recently. Greenkeeper teams from Devon and Cornwall, the south coast, south west and Wales competed. The Stableford competition was won by Devon and Cornwall.

Best scoring individual was Graham Cox of the Welsh section who received a prize from Brown and Sons Seeds, Key Range distributors in the south west. The competition was arranged in conjunction with Mark White, secretary, and Harry Reeves, head greenkeeper, of Clevedon GC. Steetley is now planning a national tournament open to all members of EIGGA, SIGGA and the BGGGA for next year.

Earlier this year, Alginure Products was asked to produce demonstration examples—especially in the context of establishing growth in difficult and hostile soils—for a display at the International Garden Festival.

Apart from demonstration trays of sand, clay soils and similarly difficult growing media, the company was looking for 'something completely different' and decided to try and establish grass on a pure chalk rock. Several chalk boulders were obtained, but one in particular was chosen because of its similarity to a mask.

The result—after some sculpture by Nick Simpson, a director of Alginure—was a lifelike resemblance of a face. Five weeks later, the finished result shows the powerful effects of alginure in establishing vegetative growth in the most unlikely and inhospitable conditions.



The other 'face' of Alginure.

Soilife affects the micro-nutrients—say N.W. Lepp Ph.D and D.A. Phipps M.Sc.Ph.D. following tests at Liverpool. Their report states that the micro-nutrient state of clay, loam and

Watermation

WATERMATION is the leading British Company in this specialized field of golf course irrigation. We have designed and installed automatic systems for more than 200 courses, at home and abroad, including the top championship courses. We can offer you the most advanced equipment, plus years of experience and what is more, the determination to see your job done well.

Sole distributor for **Weather**  **matic.** turf sprinkler equipment

Monument Way E., Woking
Surrey GU21 5LY

Tel: Woking (04862) 70303
and

30 Bannockburn Rd., St. Ninians,
Stirling FK7 6BP

Tel: Stirling (0786) 70252

Royer Shredder-Mixer Helps Contain Cost Of Compost

Savings on the price of top-quality potting compost attract many visitors to the two nurseries run by Vic Fairhead and his son Roger close to London Heathrow Airport.

Yet, there are few well-known brands on sale. Virtually all compost at the Bulldog Nurseries, Staines and Greenfield Nurseries, Laleham has been processed, mixed and bagged on site by the Fairhead family business. Produced to the John Innes formula since 1938, up to 30,000 sacks of compost are bagged each year.

For many years, the mixing of sterilised soil, peat and sand to the correct ratio and consistency was carried out by shovel with a team of men taking two days to process 22 cubic yards, which is the same quantity that can be produced today by two men in 2½ hours. Roger Fairhead explained that this efficiency came with the arrival of a Royer Superintendent 120 Shredder-Mixer, purchased from Huxleys of Egham, the UK distributor for Royer, five years ago.


Originally equipped with a petrol engine, the machine was fitted with a Lombardini diesel by Huxleys, proving more economical and quieter in the enclosed area where it is used.

When production starts, normally between January and July, soil is graded down with a cultivator tine and rotovated. Loads are then moved under cover ready for steam sterilisation. After sterilisation, the soil is cooled and sphagnum moss peat, horticultural lime-free sand and nutrient base are added and mixed in, again with the rotary cultivator.

Using a tractor front-end loader, the mixture is tipped into the cu yard (0.57 cu metre) hopper of the Royer 120 Shredder-Mixer, where a steel-flighted conveyor carries the soil, peat and sand up and on to the shredding belt. Consisting of variable-spaced, tempered steel cleats mounted on an endless belt, the shredding section mixes, aerates and breaks down the compost into a friable, loose and even consistency.

Rapid discharge from the front of the machine is through an adjustable sweep finger assembly that can be regulated to give coarse or fine particles. Output of around 12 cubic yards an hour (9.2 cu m/hour) is regularly achieved.

Compost is stored under cover until more bagged supplies are needed when it is moved by the tractor loader to a bagger-weigher. Two people can 'bag-up' and seal 200 sacks an hour.



Roger Fairhead inspects the consistency of compost mix produced by the Royer Shredder.

Joining Johnsons For A Jant

Over 100 visitors from all aspects of the industry attended a series of summer open days staged by W.W. Johnson & Son at its Boston, Lincolnshire headquarters.

On show were current and new turf species. The trials are based on material from Europe and the US and include competitors' cultivars.

This was followed by a look at trial procedures with small replicated plots and demonstration areas with a mowing regime at three heights of cut. A wear device has been introduced to simulate trampling.

The afternoon included a look at wild flower trials, which were introduced last year and cover all standard compositions. These are adjacent to the seed production area, which consists of some four acres and involves over 100 species of wild flower.

Johnson's amenity grass trials are designed to evaluate and demonstrate. The trial site is divided into five areas, which are used on a rotational basis.

At present, the largest single trial is the amenity grass demonstration trial, which comprises a number of cultivars in a range of species and mixtures of both cultivars and species. Various bentgrasses include Browntop; Chewings, Creeping Red and Hard Fescues; Meadowgrass;

Timothys and both dual-purpose and turf Perennial Ryegrasses.

Mixtures include the professional range of Johnson's amenity grasses, including Greensmaster and Sportsmaster. Plots are divided into three sections, each receiving cuts of one centimetre, two centimetres and the third section, which is cut only twice a year—in July and September.

The most recent area, sown last October, comprises a number of smaller trials. Experimental and new cultivars of each of three individual species trials—ie. Chewings Fescue, Slender Creeping Red Fescue and Perennial Ryegrass. The rest of this area has been sown with a wear trial, which is to be commenced in the autumn, and some experimental breeding trials.

The trials are normally mown once a week except at peak and growth periods when mowing takes place twice a week. Scarification is carried out once in spring and again in late summer. Fertiliser is applied in 'mini-granule' form as a compound 11:6:6 and at the rate of 160kg N/ha/annum in four or five applications, depending on the pattern of summer rainfall.

Special trials are conducted on an *ad hoc* basis, involving new selective herbicides, seed treatments, novel turf products and innovations in management techniques.

New From Marathon Mowers



The Marathon pedestrian controlled cylinder mower is robust and durable being constructed from heavy gauge high quality material.

The four bladed cylinder, 23cm dia (9") 90cm wide (35.4"), will produce a good, clean finish (64 cuts/yard at 2 mph) and will also cut long, rough grass if required.

The cutting cylinder is spring loaded off the bottom blade so that in the event of striking a solid object, the cylinder can move on impact thus minimising blade damage. This is just one of the many features that has been put together to combine new and well tried systems to produce a machine that offers:

- greater productivity for less operator fatigue

- less maintenance and down time

- lower fuel costs

with an added bonus of the choice of paraffin operation which is 50% cheaper than petrol, thus fuel costs could be as low as £1.50 per day!

For more information, contact:

Ian D. Goodall
Marathon Mowers
Alcester Road
Portway
Birmingham B48 7JA
Telephone: (0564) 824343

Rotary Slasher For Use With Compact Tractor

Suitable for compact tractors of up to 30hp, the new Rotoslasher from Gallagher Agricultural (Europe) of Coventry has a 44in working width.


The Rotoslasher is tractor linkage mounted and driven from the pto. It comprises an all-welded plate-steel frame with a width and length of 47in and 53in. The linkage lifting system includes springs to prevent damage during transport and allow a floating action over undulating ground.

Drive from the pto is transferred via a bevel-type gearbox to a central vertical shaft. There are four reversible cutting blades that are pivot mounted to prevent damage

from immovable objects—shear bolt drive protection is also provided. Two blades can be removed to alter mulching action.

Reversible solid bar type skids are adjustable for cutting heights from 3/4in to 3in. The nearside skid can also be adjusted up to 8in horizontally to provide windrowing of cut material. A rear hinged safety flap can be raised on to the main frame to allow for reverse direction mowing where required. Optional linkage attachment points provide for central or offset working. Total weight is 320lb.

Recommended retail price of the Gallagher Rotoslasher is £795 (plus VAT). Further information from Gallagher Agricultural (Europe), Curriers Close, Canley, Coventry CV4 8AW. ☎ Coventry (0203) 470141.



The robust Gallagher Rotoslasher offers a choice of settings.

The Latest From Lister

A trike or similar vehicle is all that is required to tow a new low ground pressure spreader from R.A. Lister Farm Equipment, Cirencester, Gloucestershire. The LGP Mk5 ground-driven machine is fitted with 22 x 11 x 8 tyres and can be used to spread a variety of materials including fertiliser, sand, grit and salt. It can be calibrated to spread between 56 and 1,120lb/acre and has a maximum spread width with granular material of 18ft.

Other features include a corrosion-proof plastic hopper with a 6.5cu ft capacity; spring-loaded feed control with shut-off operated from the seat of the towing vehicle; matched pairs of long and short spinner blades for even spread; a control ring to automatically prevent heavy discharge of material on starting; a reservoir that holds material for spreading immediately the towing vehicle starts and a guard to keep material away from the towing vehicle.

The machine can be mounted on a tractor's three-point linkage and measures 41in long by 44in wide by 54in high and has a net weight of 216lb. The price is £687 (plus VAT) ex-works.

For further information, contact Brian Hunter on Halifax (0422) 823787 or Craig Cable on Cirencester (0285) 68991.



The new low ground pressure spreader.

All From Allen

A new 38cm petrol-engined air cushion mower has been introduced by Allen Power Equipment. Based on its electric model—the E38—the Allen 215 is powered by a Tecumseh 98.5cc two-stroke engine. This, coupled with a new fan design, ensures an air flow of over 540 cu ft min, allowing for an air-cushioning effect and easy grass-cutting.

The 215 mower deck is manufactured from high-impact, Cycloc ABS Thermoplastic, offering excellent mechanical, thermal and environmental properties. As with all petrol-engined Allen air cushion mowers, fingertip throttle control and snorkel air cleaners are standard.

Retail price is £159.50 (plus VAT).

Allen now also has two new 21in air cushion mowers. Mower decks are of a similar construction to the 215.

Supplied complete with heavy-duty transport wheels, which can also be used to give exceptional performance in long-grass conditions, they are powered by a two-stroke Technamotor 125 engine or a Briggs & Stratton 187cc engine. Prices are £229.50 and £239.50 respectively.

Full details on these and other Allen machines from Allen Power Equipment, The Broadway, Didcot, Berkshire OX11 8ES.

**Greenkeeper
has a new phone number
0255 507526**

For Hire In The South



Brian Pierson of Brian D. Pierson (Contractors), golf course and landscape specialist of Verwood, Wimborne, Dorset, discusses his new Verti-Drain with the head greenkeeper of Meon Valley GC. All greens were Verti-Drained recently without disruption to play. The machine is available for hire throughout the south.



An example of Allen's style and efficiency...

farmura

The Liquid Organic Fertiliser

For information, literature
and supplies contact your
local merchant or

Farmura Ltd, Stone Hill,
Egerton, Ashford, Kent
Tel: Egerton (023376) 241



*If you want an inexpensive natural
fertiliser that will:*

- * Encourage a deep hard-wearing turf
- * Help the growth of fine grasses
- * Assist deep root development
- * Maintain the natural greens and colours of the turf
- * Mix with weedkillers for 'Feed and weed' and
- * Will not scorch
- * Is safe and non-toxic
- * Does not produce a flush of growth (and so cuts mowing costs)
- * Is low cost
- * As used by many courses including championship

sandy soils were all affected by Soilife treatment. An increase in the extractable fraction for all nutrients except 2n was noted. Not only was there an increase, particularly in Mn, Fe and Cu, but there was a noticeable improvement in the soil drainage properties, particularly with clay.

So, Soilife not only improves the drainage in clay soil and compacted ground, but releases valuable nutrients, which may be locked in. These properties should not be confused with wetting agents which, the report states, only temporarily alter soil structure by covering soil particles with a greasy film.

This report is good news for greenkeepers struggling to overcome compaction and drainage problems.

It is available in five litre and 25 litre containers—one litre is sufficient to treat 100 sq m. Full details from the manufacturers W.H. Groves or Farrant Chemicals, PO Box 26, Guildford, Surrey. ☎ Guildford (0483) 36327/574562.

Morrison has launched its new range of mowers. The lightweight electric 14in rotary mower for small lawns and the new 3ft N1 2-stroke and 4-stroke rotary mower (discharge, catcher and mulcher with a recommended retail price of £236 plus VAT) are handled by the sole concessionaire for Morrison in the UK—Precision Lawnmowers (UK), an associated company of CNS Mowers (Norfolk). "Some may feel our timing is late," Chris Smith, managing director of CNS Mowers, said. "However, we only officially took over the distributorship for Morrison in the UK on January 1. We were determined to build up stocks of machines for full distribution plus a complement of spares to provide a total back-up service before relaunching on a nationwide scale.

"In conjunction with Morrison, we have added to the range to ensure a wide selection of highly specified mowers at competitive prices. We can now offer immediate delivery nationally—within 36 hours in



Chris Smith.

extreme cases. The same applies to spares."

The complete range of Morrison machines includes the Electro 35 14in electric rotary mower, the 3ft N1 rotary mower, the Olympic series of 16in, 20in and 24in cylinder mowers, the Golfmaster 500 and Triplex Series II. There is also a new Mini Hoe cultivator.

Full details from Chris Smith, Precision Lawnmowers (UK), Main Road, Thornham, Hunstanton, Norfolk PE36 6LX. ☎ Thornham (048 526) 234.



Warley Park GC students on a product familiarisation course at the Ford Tractor and Equipment Training Centre, Boreham House, near Chelmsford, Essex. The lads are under the watchful eye of Ford instructor Tony Hellier.

Bob Andrews of the Pontiac Works, Fernbank Road, Ascot, Berks (☎ 0344 885575) recently had a surprise return on an advert placed way back in the September 1981 issue of *Greenkeeper*. "It was sent in from the Royal Golf Club of Belgium, together with a postal draft for £70. Although the price has since increased a little, we honoured the order at the price advertised," managing director Ken Salt said. "It has shown us just how much the magazine is retained."

Whether it be construction, drainage or **TORO** irrigation

GOLF LANDSCAPES LTD.



ASHWELLS ROAD
BENTLEY, BRENTWOOD
ESSEX CM15 9SR.

Coxtie Green (0277) 73720

The proven experience in the field