

ROOTING FOR SUCCESS

TESTING TIMES



Above: A scene witnessed regularly on golf courses everywhere.

Below: Testing begins with a 100mm core from three greens.



36 Greenkeeper International April 2002

We can then use this to identify a top-dressing that either matches your rootzone or improves it.

The 70:30 myth
People who just mix a sand/soil mix in the



Above: Peter Jefford, a well-known face in the industry.

Below: Particle size is of key importance.



34 Greenkeeper International April 2002

In the first of a two-part article, Peter Jefford and Mick Higgins of Rufford, talk about the benefits of top dressings and the importance of testing in order to establish compatibility with the existing rootzone

TESTING TIMES

A frustratingly unpredictable climate, economic pressures and increasing numbers of players all demanding perfect playing conditions seven days a week, 52 weeks of the year. It's all a far cry from the challenges faced by greenkeepers 30 years ago and leaves today's successors nursing some major headaches.

Establishing consistency and quality in such a fast changing industry is the key to creating successful greens - and that is all about testing.

Definition

Before we go any further, let's stop and consider exactly what we mean by the term 'topdressings' and why they play an essential role for greenkeepers today.

A farmer would interpret topdressing to mean the surface application of fertiliser (usually nitrogen) to a grow-

ing crop. However in the turfgrass industry the term topdressing is used almost exclusively to describe the surface application of sand, soil, organic material or any combination of these.

So why are topdressings necessary? We all know that long-term maintenance of high quality fine turf on golf courses is extremely difficult, especially given the factors mentioned in the opening paragraph. Greens only account for a very small percentage of the total surface area of a golf course - but every single player ultimately ends up there, resulting in a frightening rate of concentrated foot traffic.

However, frequent application of an appropriate topdressing will assist a greenkeeper greatly by providing the following benefits:

1. It helps maintain a smooth, true running surface which in turn improves mowing efficiency.
2. In conjunction with scarification, it will avoid thatch build-up.
3. Enables you to control organic matter content, water infiltration and aeration.
4. It's essential in maintaining or increasing rootzone depth.
5. Improves germination on overseeded areas.
6. Improves or sustains appropriate soil texture.

But you must remember that topdressings add to and become part of the rootzone. Over a period of years topdressings will either alter or sustain the physical (and to some extent biological) properties of rootzones. That's why it's essential to test and establish a green's existing profile before you can select and apply an appropriate topdressing.

Compatibility

You can't take a 'one-size-fits-all' approach when it comes to applying topdressings. Because they eventually become part of the rootzone they

logically need to have similar composition and properties. For the majority of golf greens this means a particle size composition dominant in medium sand. But this is only a general guide - it's still essential to use a topdressing that's compatible with your existing rootzone. If you don't then you could be in trouble.

There's no way that a topdressing supplier can claim that they have a good product for you without first of all testing your greens. That's because there's no such thing as a universally 'good' topdressing - what might be right for one course could be completely wrong for another because applying a mismatched topdressing can cause major layering problems to the rootzone profile. A major risk is the creation of layers of different pore size systems within shallow depths of the rootzone. If this happens then water retention and air/water balance will be affected and also rooting depth. The frightening fact is that this problem won't become apparent for several years, by which time it may be impossible to rectify through cultivation techniques.

Guesswork

It's so frustrating when people cut corners through either cost constraints or lack of awareness, because they end up undoing the years of work that have gone before them to create a great green. It doesn't have to be guesswork when it comes to determining the compatibility of a topdressing and a rootzone - it's not a blind date! The only answer is to test. And that's what we've built the Rufford business on.

To illustrate this in practical terms we'll take a specific example of one of our customers. By testing we were able to establish that their greens contained a lot of fine material with around 40% or more in particles smaller than 250 µm.

Part one: Featured in the April 2002 issue of Greenkeeper International

The importance of a rootzone is a subject often overlooked and frequently misunderstood. We're not sure whether this is because it is out of sight or whether its importance has not historically been communicated properly. Whatever the reason, it's a fact that the rootzone is really the starting point in the long-term success of any green. Get it wrong and you'll have an uphill struggle on your hands from the beginning. So let's start with a brief refresher.

Following on from last year's 'Testing Times' article which focused on top dressings, Mick Higgins and Peter Jefford of Rufford look beneath the surface and try to clear up the ambiguity and confusion surrounding the issue of rootzones

WHAT IS A ROOTZONE AND WHY IS IT IMPORTANT?

We all need a nice place to live. In order to thrive as human beings we need air to breathe, space in which to grow, water to drink and food through which to gain essential nutrients. And a grass root is no different - it needs an environment providing all of these elements if it is to grow and flourish. We call this environment the rootzone ie the layer under the sward in which the grass roots live and breathe.

The problems begin when this environment isn't right and this is mainly to do with the space (or pore size) between the particles of material that make up a rootzone, otherwise known as the total porosity. Porosity can be divided into two categories:

Capillary porosity refers to the smaller spaces in a material that fill with water – these are great for water retention but poor for aeration and can subsequently lead to slow drainage rates and weak, shallow root growth.

Non-capillary porosity refers to the larger spaces that are filled with air – great for aeration but poor for water retention and therefore may cause higher drainage rates and the need for frequent irrigation and fertiliser application.

The trick, therefore, is to achieve the right balance between the two.

A LITTLE BIT OF HISTORY

When golf started in Scotland during the mid 18th Century, greens were built on relatively free-draining dune sands - an ideal environment for grass roots and perfectly adequate for the needs of clubs at the time. But as the game spread south more inland courses were constructed using native soils to create what are often referred to as push-up greens. Initially, these early rootzones weren't too much of a problem given the relatively low volumes of course traffic back in those days.

But now it's a different story. Today's greenkeepers are faced with a much greater number of players, all demanding perfect playing conditions seven days per week under all conditions. These demands have been fuelled further by TV coverage via which players see the standard of championship courses throughout the year and develop similar expectations of their own club. All of which leaves the poor greenkeeper with a major headache in creating surfaces that can accommodate this demand. This is where a good rootzone plays a major role.

Banks Amenity Products Ltd. Est. 1961

Manufacturers of Fendress™ Top Dressing and Distributors of Bulk Materials for Golf Course Construction & Maintenance



Rootzones ▶
FENDRESS™ to USGA
Economy with Fensoil
MS Economy with Soil

◀ **Golf Green Top Dressings**
FENDRESS GREENTOP™ (Soil-Less)
FENDRESS™ (Original)
Sand / Loam
Sand / Sphagnum Peat

Bunker Sands ▶
Moneystone
Leighton Buzzard White & Yellow
Redhill 37 (white)
GS5 (cream)


◀ **Fairway Dressings**
Turf Humus
Fine Screened Peat

Tee Dressings ▶
Sand / Fensoil
Sand / Soil
Sand / Loam

◀ **Pathway Materials**
Cockleshells
Granite Chips
Woodchip
Red Path
Green Path

Nationwide Deliveries
20 and 29 tonne loads
Tel: 01858 464346 / 433003
Fax: 01858 434734
Email: enquiries@banksamenity.co.uk
www.banksamenity.co.uk

DRESS IT... Move it... Spread it...



Level It... FILL IT...

440

420


410

The Dakota range of Turf Tenders. 4 models to choose from with 3 hopper capacities -

- 4.2 cubic yards (3.25 cu.m.)
- 2 cubic yards (1.6 cu.m.)
- 23 cubic feet (0.65 cu.m.)

One operator and one machine to handle all your top dressing needs.

- Optional stone/gravel chute now available with all Dakota Turf Tenders.




DAKOTA™
TURF TENDERS

For a demo contact

Campey
TURF CARE SYSTEMS

Sole UK and European Distributor

Marton Hall Lane, Marton, Macclesfield, Cheshire, England SK11 9HG
Tel +44 (0)1260 224568
Fax +44 (0)1260 224791
Email: info@richardcampey.com
www.richardcampey.com



SO WHAT MAKES A GOOD ROOTZONE?

An ideal rootzone for healthy grass is natural soil and if you were building a lawn at home then this would be the first choice. But then you wouldn't anticipate hundreds of golfers walking over your turf every day of the year, even in saturated winter conditions. If they did then your new lawn would quickly turn into a mud bath!

Soil alone does not provide the drainage (or in the case of football and rugby, the stability) needed for a good commercial playing surface. This is basically because there is insufficient pore space between the particles in a compacted natural soil. Water drains through soil primarily via voids created by earthworms and particle aggregation. But excessive foot traffic and play quickly compacts these voids and subsequently slows drainage right down leading to a waterlogged profile.

Hence, to create a rootzone for commercial applications, an addition is needed and this comes in the form of sand, the physical properties of which provide the drainage and stability sometimes lacking in natural soils. This is because the space between sand particles (provided you use a correctly graded sand) remains even when compacted, hence allowing drainage.


And so a good rootzone is composed mostly of a well-graded sand together with the addition of an organic amendment (of which there are numerous forms but the most commonly used are soil, peat, compost etc).

THE NEED TO SPECIFY

This does not, however, mean that you can use a blend of any old sand and soil. And asking for a 70/30 mix isn't going to help either. This specification tells you nothing about the physical properties of the sand in terms of lime content and grading, nor anything about the soil which could range from peat-based to a heavy clay content. Unfortunately you need to adopt a slightly more technical approach that takes into account such factors as:

- **particle size distribution** (the separation of sand grains into distinct diameter sizes)
- **silt and clay content**
- **saturated hydraulic conductivity** (the constant rate at which a saturated material is able to transmit water downwards - usually measured in mm/hr)
- **organic matter content**
- **pH** (or the acidity of a substance)

Unfortunately we don't have enough space here to go into detail about the implications of these factors, but suffice to say that each can have a significant impact on the performance of a rootzone. The important thing is to work with your rootzone provider to understand and establish your precise requirements. You can also find more information on our website at www.rufford.com.



USGA construction



Mick Higgins at Chelford quarry in Cheshire, one of eight silica sand quarries owned by Rufford throughout the UK

COLOUR

A common misunderstanding we've encountered when speaking to greenkeepers is the concern some people have with the colour of sand used in a rootzone believing that it makes a difference to its performance. Believe us, it doesn't! Sand is obviously a naturally occurring mineral and colours are unique to each deposit/quarry. Technically speaking, the whiter the sand the fewer impurities it contains but this shouldn't influence how your grass grows.

USGA CONSTRUCTION

The current benchmark for putting green construction is laid out in the USGA Recommendations (1993 Revision). This utilises the suspended water table design which allows the surface to drain while still retaining essential moisture above a gravel layer. It is important to remember that USGA refers to the **whole** construction, from the particle size of the rootzone through to the grading and depth of the drainage gravel and the diameter of drainage pipes.

The individual elements of the USGA Recommendations only work to their full potential in conjunction with one another. And so there's little point having a USGA rootzone sitting on a clay bed rather than gravel. Similarly, if a green is constructed using a USGA rootzone of insufficient depth then the rootzone will not drain as designed and may even remain waterlogged.

ISSUES TO CONSIDER WHEN CONSTRUCTING A NEW GREEN

Green construction can be an expensive business and your club will need to think hard about the budget available before undertaking any construction project. But it's important to bear in mind that using inappropriate materials to cut initial construction costs could end up costing you more in the long run.

Once the green is built you obviously have to consider maintenance. Many greens are built perfectly well only to be ruined by the application of just any old top dressing. Construction is only the start of the story and, as we emphasised in our previous article, the top dressings you apply will add to and become part of the rootzone, eventually either altering or sustaining its physical (and to some extent biological) properties. This can result in the creation of 'layers' of the different materials used over time, which in turn can slow drainage considerably as the water is forced to pass through the varying particles and pore spaces of each.

Thanks to Sierrablen
I needn't feed
my turf again for
the season.



CONCLUSIONS

While it may be out of sight, the rootzone really is the starting point of a good green and therefore can't be overlooked. Before commencing construction it's worth taking the time to think about your long-term performance expectations and sourcing a rootzone material that can help deliver these.

This doesn't have to (and shouldn't) be left to chance if you are sourcing materials from a reputable provider.

While there are many technical aspects to consider when choosing a rootzone, essentially you are looking to create (in conjunction with other construction elements) an environment in which grass roots will flourish through an optimum balance of air, space, water and nutrients. Achieve this and you'll be a long way to creating greens that will perform consistently in even the most demanding conditions!

You can find more information and technical advice at www.rufford.com

No wonder Sierrablen® is the leading controlled release fertilizer. It puts you in control and keeps you there, because it feeds your turf with the specific nutrients it needs, for up to nine months. The result is hard wearing, durable turf with a consistent colour.

There's great product choice and flexibility with just one application lasting 2 to 3, 5 to 6 or 8 to 9 months – a complete growing season. This saves you both time and money and avoids potentially damaging wastage.

So, when life's as busy as yours, it's good to know you can relax and rely on Scotts, the company that brought you the original CRF and still gives you the best results, whatever your turf needs.

Why not give us a call on 01473 830492. We promise that we'll keep your turf well fed.

Sierrablen®



Bringing quality to play

Scotts UK Professional, Paper Mill Lane, Bramford, Ipswich, Suffolk IP8 4BZ
Tel: 01473 830492 Fax: 01473 830386 email: profsales@scottscsco.com
www.scottspprofessional.co.uk

© Sierrablen is a Trade Mark of The Scotts Company or its affiliates including The Scotts Company (UK) Limited.