

GREAT GRASS

In our towns and cities we use grass for golf courses, sportsfields and amenity areas.

Stephen Denton, Grass Seed Development Manager at Rigby Taylor commented: "We often take these sites for granted. We should not, as grass fulfils a highly complex role in the urban ecosystem."

It is vital for life as one hectare of grass produces enough oxygen for 150 people to breathe.

And grass contributes significantly to carbon sequestration through CO² capture in the grass species.

of clippings the savings that can be made over a year per hectare are substantial = £230.

The results from grass cutting trials undertaken by Richard Barton and his team at Torbay Council are impressive. He has reduced his cuts from seven or eight per year with a traditional MOT mix to three or four on a new low maintenance mix incorporating these new varieties. This produces savings in time, labour, wear and tear on machines and fuel costs - plus the added benefit of reducing the council's carbon footprint.

These results are more impressive, given the wetter weather conditions experienced in 2007, which resulted in a significant increase in grass growth.

When looking to cost out a maintenance regime for any given grass area on a golf course, from fairways, tees to roughs, or public playing fields, or roadside verges, knowing what grass seeds you have is all-important. By using these new variety mixtures a dramatic difference can be made to the turf manager's budget and also in a small but significant way improvements made to our environment.



Stephen Alderton at Les Alleuds trial grounds

Further benefits of grass include:

- Filters dust and particles from the air which is extremely important for golf courses and parks in urban situations.
- Grass, together with other plants, helps to regulate the temperature.
- Parks and gardens benefit as grass acts as a filter, absorbing rather than reflecting noise.
- Helps to filter water into the water table thereby helping to avoid flash flooding and runoff.
- Slower growing cultivars help to lower maintenance costs and reduce the carbon footprint.
- Reduced clippings saves on disposal costs and the impact on the environment.
- Greater drought resistance gives great looking grass without using our valuable water resources.
- Quicker establishment provides greater protection from soil erosion.
- Cultivars more able to cope with waterlogged conditions give greater stabilization and improved grass cover.
- An increased ability to withstand windchill provides greater growth throughout the seasons and a more even and harder-wearing sward.



HOW TOP GREEN CUTS ITS CARBON FOOTPRINT

A new grass seed production regime set up by the Top Green group has put in place a five-year field rotation cycle which produces little CO² emissions and optimizes production.

First year cereal is planted – second year clover – third, fourth and fifth years grass seed.

Direct drilling techniques in the second and third years means less CO² is lost from the soil through ploughing - as ploughing kills humus through burying it.

Company objectives of this grass seed breeder include reducing the carbon footprint at the seed production stage, through to field production, on to the end-user and the landscape.

For further information on grass seed selection contact:

Brian Robinson, Director of Seed Research at Rigby Taylor on: 01483 446900.

REDUCING YOUR CARBON FOOTPRINT

The developed western countries are producing more and more carbon emissions therefore it is more important than ever to start minimising your footprint. We need to lead the way. Melissa Jones reports...

Here's a list of simple things you can do immediately. These will start to reduce your contribution to global warming. The items in this list will cost you no money at all and will in fact save you money:

- Sign up to a green energy supplier, who will supply electricity from renewable sources (e.g. wind and hydroelectric power) - this will reduce your carbon footprint contribution from electricity to zero
- Turn it off when not in use (lights, television, DVD player, Hi Fi, computer etc.)
- Turn down the central heating slightly (try just 1 to 2 degrees C)
- Turn down the water heating setting (just 2 degrees will make a significant saving)
- Check the central heating timer setting - remember there is no point heating the house after you have left for work
- Fill your dish washer and washing machine with a full load - this will save you water, electricity, and washing powder
- Fill the kettle with only as much water as you need
- Unplug your mobile phone as soon as it has finished charging
- Defrost your fridge/freezer regularly
- Do your weekly shopping in a single trip
- Hang out the washing to dry rather than tumble drying it
- Go for a run rather than drive to the gym

The following is a list of items that may take an initial investment. They should pay for themselves over the course of one to four years through savings on your energy bills:

- Fit energy saving light bulbs
- Install thermostatic valves on your radiators
- Insulate your hot water tank, your loft and your walls
- 35% of heat generated in the house is lost through the walls. Installing cavity wall installation to a medium size house could reduce your heating bills by up to £100 per year
- By installing 180mm thick loft insulation you could stop about 25% of your heating escaping through the roof
- Recycle your grey water
- Replace your old fridge/freezer (if it is over 15 years old), with a new one with energy efficiency rating of "A"
- Replace your old boiler with a new energy efficient condensing boiler

Travel less and travel more carbon footprint friendly:

- Car share to work, or for the kids school run
- Use the bus or a train rather than your car
- For short journeys either walk or cycle
- Next time you replace your car - check out diesel engines. With one of these you can even make your own Biodiesel fuel.

As well as your primary carbon footprint, there is also a secondary footprint that you cause through your buying habits. If you buy foods out of season at the supermarket, then these will have either been flown or shipped in from far away - all adding to your carbon footprint.

- Reduce your consumption of meat
- Don't buy bottled water if your tap water is safe to drink (especially if it has been shipped from far away)
- Buy local fruit and vegetables, or even try growing your own
- Don't buy fresh fruit and vegetables which are out of season, they may have been flown in
- Try to buy products made closer to home (look out and avoid items that are made in the distant lands)
- Buy organic produce
- Don't buy over packaged products
- Recycle as much as possible
- Think carefully about the type of activities you do in your spare time. Do any of these cause an increase in carbon emissions? e.g. Saunas, Health clubs, restaurants and pubs, go-karting etc.

In addition there is your footprint at work. Do you leave your computer and monitor on when you are away from your desk? Do you leave the lights on when you leave the office? Do you print documents unnecessarily - and could you print two pages to a side and double sided?

A Closer Look at Bio-diesel

Using Biodiesel is a brilliant way of reducing your carbon footprint, it is biodegradable and non-toxic, and is a fuel that can be used in any diesel powered vehicle. Because biodiesel only releases the carbon dioxide that has been previously absorbed by the plants when growing, it has no negative impact on the carbon cycle.

Biodiesel can be made from processed waste vegetable oil – that has maybe come from your clubhouse kitchen - and used to run any diesel motor. The natural cleaning properties in Biodiesel mean that it is actually good for your car, it can help to clean injectors, fuels lines, pumps and tanks – plus it's extremely cheap.

Words of warning:

- Anyone can make biodiesel but you may need to pay a small amount of duty on the fuel
- If you intend to use cooking oils, make sure that they do not contain animal fat. The use of animal fats as a fuel is illegal as it falls under a specific waste legislation
- Check your car manufacturers warranty – some manufacturers will not honour the warranty should you use a fuel different to that advised

FACT: Research is currently underway into the use of algae in biofuel production. Algae has the potential to yield much higher quantities of oil and can be grown on sewerage plants and other alternative areas, taking the pressure off conventional farm land.

Useful Websites:

www.co2savings.co.uk
www.whatsmycarbonfootprint.com/reduce_transit.htm
www.environmentalgreensystems.co.uk
www.envirogreenbiofuels.com

Rainwater Harvesting

This is a low cost option that simply involves the collection of rainwater from surfaces on which rain falls. Generally, water will be collected from the roofs of buildings and stored in rainwater tanks. All you need is to capture this rainwater and direct it from roof gutters to your rainwater storage tank.

Info taken from
www.carbonfootprint.com

Grey Water: The Facts

Not only is water a scarce resource globally- it also takes a huge amounts of energy to move it around - all adding to your carbon footprint. Grey water is the solution.

Money goes down the plug-hole

Most consumers are very wasteful when it comes to water usage. In Western economies, we take water supply for granted and use huge quantities of potable water - often for non-essential purposes and - worst - sometimes we just pour it straight away. An increasing number of us now have water meters fitted to our homes - meaning that we are quite literally pouring money down the drain.

So what can you do? Clearly, we can all make efforts to cut down on our use of water by simple means - but also domestic water treatment equipment is now available to help householders and golf clubs to recycle used potable water ('Grey Water') and also to harvest rainwater. We like to think of this as Green Water.

Giving Grey Water the Green Rinse


With the right treatment, you can put Grey Water to good use in applications such as laundry, toilet flushing, and also for plant watering - for which the phosphorus and nitrogen nutrients provide a good food source. Grey water provides many benefits. You can install a home UV filtration system from a number of suppliers globally.



MASCOT[®]

GRASS SEED

The best start for a perfect finish



RT
rigby taylor

Freefone: 0800 424919
www.rigbytaylor.com

Rigby Taylor is a seed agent and a major supplier of high quality grass seed mixtures for all amenity situations

THE IMPORTANCE OF AERATION

Philip Threadgold looks at the important research work into aeration carried out by Dr Donald McGregor, at Royal Holloway College.

Most of us take for granted the quality of the air we breathe and that oxygen is critical to the maintenance of life on this planet. What fewer people realise is that oxygen and CO² are also critical to life in the soil.

Scientists have long regarded the soil as a “black box” into which it was best not to peer too closely. However, modern analytical techniques have opened up this world and enabled us to understand the processes that govern life in the soil.

The predominant life forms in soil are microbes; bacteria and fungi that break down dead plant and animal material and recycle the nutrients making them available to plants. These beneficial microbes also require oxygen to grow, and a build up of CO² is detrimental to them too. Without soil microbes, life above ground would not exist.

However, soil is a physical structure, consisting of aggregates, with air or water-filled spaces between them in which most of the microbes live. Any soil can become compacted by pressure imposed by human feet or machinery, meaning that the spaces between the aggregates become fewer, gaseous exchange with the atmosphere is reduced and oxygen content decreased. If this happens, the microbial population will suffer and, subsequently, the above ground community will too.

In sports turf, compaction is a frequent occurrence and machines, such as the Verti-Drain, have been developed to open up a compacted soil, to allow oxygen and water to enter it and CO² to leave. No previous study has ever asked about the consequences of aeration for the microbial community. Here we examined how aeration can affect soil microbes, using cutting-edge analytical techniques.

A hidden world beneath the surface

That grey zone where the worlds of turf grass cultivation and microbiology intersect is an intriguing region about which swirls a confusing amalgamation of facts, half-truths, and downright speculation.



Aeration is certainly one of the most common cultivation practices. In this area of study, the research work of Dr Donald J. McGregor, conducted at the Royal Holloway campus of the University of London, breaks new ground in establishing a greater level of understanding. According to Dr McGregor, there is much that we simply don't know about microbes and their interactions with plants and other living things in the soil. This complex set of biological processes make up what he calls “the hidden world” beneath the surface.

Just a few years ago, it was impossible for aeration equipment manufacturers – and their customers – to know how effective their products were without understanding the composition of microbial communities in the soil around the turf grass. The research work at Royal Holloway

marks a turning point in that regard.


In a very real sense, microbes are a turf manager's best friends.

“Microbes are the foundation of everything we see around us; without them we would not exist,” claims Dr McGregor.

“If anything goes wrong in the environment, the microbes are an early indicator. They will show subtle changes before anything else.”

Anyone with an interest in healthy turf grass is familiar with the basic processes that make up what we'll call the soil habitat. What biologists are discovering, however, is that this habitat is full of surprises. Did you know, for example, that the characteristic “fresh smell” we've all sniffed right after it rains is the scent of chemical secretions from mysterious microbes called actinomycetes,





A pictorial representation by Kim Luoma

organisms that seem to be halfway between bacteria and fungi? Even today, no one is sure exactly what these microbes do. One thing we are sure of, when it comes to microbes, is that some are aerobic and others are anaerobic, and that only the aerobic ones show a strong benefit to turf grass.

But microbes are only part of the picture. They exist in the soil structure right alongside earthworms, organic matter, plant roots and other living and once-living things – the so-called “biota” in the soil. Within this biota we find incredible diversity – aerobic and anaerobic, acidic and basic, wet and dry, and the list goes on. This diversity – and the interdependence of the life forms involved – is the very core of understanding this soil habitat. It is the interactions of these elements that influence all aspects of turfgrass health, and which have a strong relationship with practices like aeration.

When you stop to consider what microbes are capable of, in a biological sense, the effect is mind-boggling:

- Enhancement of plant growth
- Enhancement of drought resistance
- Disease protection
- Reduced need for fertilisers
- Control of *Poa annua* without using chemicals

And those examples are just biological. Microbes do even more when you examine their roles in the chemical and physical processes of the soil habitat:

- Breakdown of organic compounds
- Breakdown of cellulose and lignin
- Formation of humus
- Soil stabilisation
- Nutrient cycling
- Nitrogen fixation

It’s fascinating to contemplate that all this activity is going on beneath the surface but let’s not forget that the appearance of the turf plants is also affected. In fact, it is the highly visible condition of the grass, whether it appears healthy or unhealthy, that gives an indication of a healthy and productive soil habitat – or the lack of it.

The complex interdependent concept of the ‘soil habitat’ provides a scientifically useful basis for turfcare professionals seeking answers to cultivation challenges.

Aeration isn’t new. For most of this century, mankind has been poking holes in the soil based on the belief that it helped the grass grow.

Aeration is really the technique, not the machine, and there are a great many ways to aerate, each with its own advantages and disadvantages. What turf professionals have known for years is that machines like the Verti-Drain work, but no one could provide the scientific reason why.

Clearly, aeration was a popular cultivation practice, but how rooted was it in biological processes? When a Verti-Drain tine breaks the soil surface, penetrates down to a desired depth, and performs its “heaving” motion, what is happening from a biological standpoint, and how and why does that affect turf health?



Dr Alan Gange and Dr Donald J. McGregor

This dilemma recently attracted the attention of the academic community, specifically Dr Alan Gange and Dr McGregor at Royal Holloway, where the Department of Biological Sciences sees some 40 faculty members and 400 students routinely explore timely issues in biology, ecology, zoology, biochemistry, and molecular biology.

While Royal Holloway isn’t the first institution to delve into research on microbial activity, it has taken on the task with a rather unique twist. Rather than simply counting the number of microbes in the soil, their research involved analysing the composition of the soil’s microbial community – exploring in the process whether or not aeration had an effect on that community, in particular, the “good” aerobic microbes with the potential to benefit turf plant growth.

“I’ve given lots of turf talks in the past, usually on environmentally friendly products which are designed to increase microbial populations,” noted Dr Gange.

“What really caught my attention was when people told me that many of these were not all that effective. It led me to believe that one could probably get the same effect, increasing the



good microbes in the soil, by simply aerating it. So I approached Redexim Charterhouse, to see if they were interested in helping us determine if that statement were true.”

According to Dr Gange, this is the only study done that attempts to link aeration to the numbers and diversity of the microbial community in the soil.

“Ecologists couldn’t look at the diversity of the microbes before because the technologies were not really available until the last few years,” he said.

“So, we’ve had 10 years of just counting the numbers of microbes without anyone profiling the composition of that community in the soil. And no one’s made the connection to aeration before.”

While Dr Gange may have started the ball rolling, it was Dr McGregor who chose to do the research for his thesis “The Effect of Cultivation on Microbial Communities in Sports Turf Soils”. The research experiment took three years to complete and nearly six months to analyse and write up.



Verti-Drain



Beneath the surface

Anatomy of an experiment: Aeration and Microbes

With some assistance from Dr Gange, Dr McGregor conducted two trials: one on two clay-based football fields at the school, and the other at the sand based turf at Liphook Golf Club, in Hampshire.

Feeling a little like an “environmental detective”, Dr McGregor designed the experiment in a way that entailed dividing the football pitches into individual plots, some of which were aerated while others were not.

“These were pitches that were used by the college football team on a regular basis, and so were subjected to normal or above-normal real world stresses, like any other sports turf,” he said.

He added a degree of complexity by aerating

at certain times of the year.

“Some areas were aerated in spring only, others in summer only, autumn only, winter only, while other plots were aerated in all four seasons,” he said.

A control group of plots on the football pitches were not aerated at all.

Like the football pitches, the test area at Liphook was divided into individual plots, with each one coded for a schedule of aeration at different times of the year.

A comprehensive series of measurements were then taken – of pH, water content, gas content, atmosphere, compaction, and make up of the microbial population and community structure – on all the plots at regular intervals before and after aeration, the exact timing of which depended on the technique and the weather conditions.

Soil samples were taken and returned to the lab at Royal Holloway for analysis. Some tests were done in the field, including those measuring the degree of compaction with a penetrometer.

Static and dynamic changes

According to Dr Gange, a variety of soil properties were constantly exerting varying degrees of influence on the soil microbial community, and the turf grass.

Some of the properties were inherent to the soil such as: texture (clay, sand, etc.), pH level, and other things relating to the physics of the soil. Other soil properties were dynamic in nature including: gas content, water content, and the most dynamic of all, compaction.

“You get compaction, you aerate to relieve it, and then it’s played on and gets compacted again,” notes Dr McGregor.



Key findings

Among the factors that influence microbial activity in the soil are: temperature, water, and oxygen – all of which exerted transient changes on the microbial community.

The importance of water and oxygen in influencing microbial communities bears out the value of compaction relief through aeration. In this experiment, there are a number of benefits that were found to have a direct connection to the use of the Verti-Drain for turfgrass aeration -

Soil Physical Characteristics: The effects on the soil are the most significant result of the treatment, where it reduces compaction in all seasons on both clay and sand-based sports turf, and significantly improves oxygen levels.

Microbial Structure: Microbial community structure is affected by treatment, but the strength of the response is season dependent and qualitative in nature. The main effect of the aeration was to change the microbial community structure in favour of more aerobic microbial groups, a factor that is believed to have a profound influence on organic matter dynamics and nutrient supply in sports turf soils.

Aesthetic Characteristics: Changes in the soil and in the microbial structure also yield improvements in appearance. In this era of televised golf and football games, the visual appeal of the

sports turf is often the target of commentary, and viewed as a key indicator of the health and condition of the turf.

Dr Gange stresses that oxygen is a huge consideration, in that unchecked compaction will prevent root growth by causing a shortage of oxygen in the soil and preventing it from being able to filter water down to the root zone.

“Once a root zone becomes anaerobic, anaerobic bacteria will flourish, and generally they are toxic to plant life,” he says.

Dr McGregor believes that the key is the prevalence of macropores versus micropores.

“The larger the size of the pores, the more ‘connectivity’ between pores and the greater the ability of the soil to permit gas exchange and water percolation. This may be the real reason why aeration works in a beneficial way in microbial communities,” says Dr McGregor.

“These larger pores also help prevent run-off of water and make irrigation more efficient.”

Clays, which have more micropores and fewer macropores, tend to have more physical barriers set up in the soil structure that may prevent bacteria from getting to the organic matter to degrade it.

“When you Verti-Drain you’re loosening up the soil so you encourage this connectivity of pores,” he adds. Also, clay soils require a greater frequency of aeration than sand based soils.

In the experiment, oxygen concentrations varied from area to area – likely because pore size and connectivity differed from one area to another. And from season to season, oxygen varied because of differences in the biota, including roots, earthworms, bacteria, and other life forms. It is this interconnectedness that reinforces the concept of “soil habitat” to explain the dynamic aspect of such interactions.

“This experiment indicates that encouraging development of microbial communities, particularly aerobic ones, is in the best interest of the average turf plant. Aerobic microbes are more metabolically productive.

“The chemical reaction that goes on within the respiration system of an aerobic microbe creates more energy, whereas an anaerobic microbe does not use oxygen and cannot achieve the same level of efficiency. The soil habitat is literally a healthier one with such an enriched energy budget,” said Dr McGregor.

The greater the number of aerobic microbes in the community, the greater the level of biological processes: decomposition and nutrient cycling go hand in hand with remineralisation.

“Enhancement of plant growth is also going on, and it can be either direct or indirect,” Dr McGregor says.

“And the natural competition between microbes, aerobic versus anaerobic, can have a useful effect against pathogens that could harm turf plants, since some microbes in the soil produce antibiotics that are antagonistic to the pathogens.”

One of the most important findings of Dr McGregor’s work is the revelation of the transient benefits of the Verti-Drain on microbial communities.

“The benefit doesn’t last when compaction returns. Sports turf is subject to compaction on an ongoing basis, and so the benefits of aeration are only sustainable when the activity is routinely repeated. Without it, microbes can go into a kind of hibernation if they are deprived of the necessary access to oxygen and water.”

Redexim Charterhouse, funded the research and would like to thank the Royal Holloway, University of London, and in particular Dr Donald J. McGregor for preparing his thesis.

About the Author

Philip Threadgold is a director of Astute Consultancy Ltd.

BUYERS’ GUIDE

Useful contacts

Keith Driver – Tel: 01273 679994

Garfitts – Tel: 0114 2513344

Topturf Irrigation (services) Ltd

– Tel: 0870 8720081

Terraine Aeration – Tel: 01449 673783

For further information see page 68

Turf to Aerate? Easy Does It

0%
Buy Now
Pay September
2009
Conditions
apply



The Soil Reliever family of deep aerators delivers consistent results in the most demanding of conditions. The unique angled frame and hydraulic depth control delivers more punching power where you need it - right over the tines.



Our feature packed range has a model for every application, including the unique ground following 'Super' series.

With a 2-year warranty, low maintenance, simple operation and the ability to deep aerate without disrupting play - check out the best value in aeration today.

You'll be relieved you did.



Lo-Call 0845 026 0064
www.jsmd.co.uk

Close, but not quite the part!



Essex-based Madonna lookalike, Louise.

Only genuine Toro Titan tines will give the performance you've come to expect.

Many lookalike aeration tines fail to meet Toro standards for form, fit and function.

So get one that's not quite the part, and you'll be replacing it early and often. It could even damage your Toro equipment and affect machine performance.

It's how we design and make our Titan tines - with quality materials and advanced technology - that makes our Standard Titan tines last up to four times longer than previous Toro tines, and Titan Max tines the longest-lasting on the market.

Now with our competitive prices and 24-hour delivery service - straight to your door, if you wish - there's absolutely no need for imitations anymore.

Afterall, you didn't compromise when you chose your Toro. So give it the care it deserves.

And remember, no one can look after your Toro better than your local, specialist Toro dealer or service centre. So contact yours today.

**Titan tines can also be used with other manufacturers' aeration equipment.*

Call 01480 226845 for your copy of the Toro Performance Parts Catalogue.



TORO Commercial, Irrigation and Consumer Products are distributed by Lely (UK) Limited St Neots, Cambridgeshire PE19 1QH. Tel: 01480 226800 Email: toro.parts.uk@lely.com
TORO Commercial and Irrigation Products are distributed by Lely Ireland Limited, Kilboggan Nurney, Co. Kildare. Tel: 00 353 (0)45 526170 Email: turfcaresales.ie@lely.com
www.lely.com www.toro.com

partners in turfcare

A QUICK GUIDE TO...

Moving Trees

FEATURE



soon as the heat goes out of summer, until the end of March.

Trees can be moved outside these times, however a slightly smaller tree is selected and the necessary aftercare (watering) has to be increased.

While tree spades have floatation tyres, the timing of works, to utilise periods of firm ground can be prudent within a golf environment.

7. Additional Costs

The watering of the trees and the requirement to guy (to aid stability during establishment) are additional costs that should

be allowed for.

Your tree mover should guide you to the trees that do not require guying when choosing trees to transplant.

8. Ground Level

Trees and planting locations selected should ideally be on level ground, as any slopes will cause part of the rootball, if planted on level ground to be exposed and the opposite side below ground (unless the slopes at both locations match).

These areas require dressing with soil.

Guide by...

Ruskins Trees & Landscapes Ltd
- www.ruskins.co.uk
T: 01277 849990
F: 01277 849991
M: 07770 868675

Robert Wilkins, Operations Director:
robertw@ruskins.co.uk

1. A Fantastic Resource

Many golf courses have fantastic resources of young and semi mature trees that can be cost effectively transplanted using tree spades.

Trees are moved to replace lost trees, define fairways and greens, allow for tee relocation and every year to keep up with the improvements in drivers, by adding new or reinforcing old hazards and planting along boundaries to keep balls in bounds.

2. Young Plantations

Trees are typically sourced from young plantations or screens and often are selected as part of thinning of these areas.

3. Instant Maturity

The trees add instant maturity in their new locations and savings of up to 90% can be generated when purchasing new trees.

4. Tree Spades

Tree spades are generally available in three sizes, large 2.1 metre diameter, medium 1.5-1.6 and small 1-1.1 diameter.

Trees up to 20cm diameter can be moved with the larger spade.

5. Choose Carefully

It is prudent to select trees that are within the capabilities of each spade and if your course has never used a tree spade before, a visit by the operators will assist the choice of trees and confirm numbers that can be moved during a hire period.

6. Correct Timing

Typically, during a days hire, 12-15 trees can be moved.

The optimum time to transplant trees is from as