Verticillium Wilt

by James A. Fizzell Senior Ext. Adviser, U. of I.

Leaves on a large branch in your favorite maple tree wilt, turn brown & fall in mid-summer. A plant in the barberry hedge dies, followed by death of the plants on either side. Or, a tomato plant yellows and dies just as it starts to produce fruit.

This kind of problem is a common occurrance this year. The cause is often Verticillium Wilt, a soil borne fungus disease. The soil becomes infected with the disease, when diseased plants or contaminated soil is brought in. Susceptible trees, shrubs and also garden plants growing in the soil are invaded through roots.

As well as attacking the above plants, Verticillium Wilt also attacks Ash, Box Elder, Catalpa, Cherry, Dogwood, Elm, Honey Locust, Horse Chestnut, Kentucky Coffee, Lilac, Linden Locust, Magnolia, Oak, Osage Orange, Poplar, Privet, Redbud, Rose, Russian Olive, Sumac, Tulip Tree, Viburnum, and Yellow Wood. Many garden flowers and vegetables are also susceptible.

Infected plants may not show symptoms until they are damaged or stressed in some ways. Floods last fall, and drought last winter damaged plants and hence, those with Verticillium are showing the characteristic symptoms. Susceptible tomato varieites usually succumb from the stress of fruit production. You can tell if your plant has Verticillium Wilt by cutting into affected stems. If the disease is present, vascular tissue or sapwood will be streaked green, purple & brown, depending on the variety of plant. Infected garden plants usually die from the disease, but often a woody plant wilts and recovers, not showing symptoms until stressed again. By keeping the plant healthy and vigorous an affected plant can often live out its normal life span.

A spring application of nitrogen fertilizer to trees and shrubs will promote formation of thick sapwood and may wall off further infection. Remove dead limbs, but postpone pruning any newly wilted branches to see if they will produce new leaves. Water during drought periods.

If your plant dies, be sure to replace it with a resistant variety such as Apple, Beech, Birch, Ginko, Hawthorn, or Oak (White or Burr). Most evergreen trees and shrubs are resistant. Plant only resistant varieties of garden plants.

If you are fortunate enough to have avoided contaminating your soil with Verticillium Wilt, be very selective about any plants you bring in, especially from neighbors. This is one place where it may pay to look a gift horse in the mouth.

Crabapples: Their Evaluation and Selection

by Edward R. Hasselkus, Prof. of Hort. Univ. of Wisconsin-Madison

During my more than 20 years of evaluating crabapples, I have made at least five general observations:

1. Selection should be made on the basis of fruiting, not flowering qualities. Fruits add color for up to eight months, where flowers last only a few days.

(cont'd. page 16)

BROOKSIDE SOIL TESTING and IRRIGATION WATER ANALYSIS

includes a complete report, and recommendations for producing quality turf on golf courses.

ADVANTAGES:

- Improves the environment of the grasses and eliminates turf diseases
- · Decreases expenses for pesticides
- · Reduces thatch and eliminates fairway renovation
- · Decreases expenses for costly fertilizers
- · Healthy turf attracts more golfers and increases income

Contact:

Golf course specialists for over 20 years

V. J. Zolman and Son 2618 Harvey Avenue Berwyn, Illinois 60402

Phone: (312) - 788-4565 (312) - 461-3679



As the Chicago area's largest mechanical

tree-spade company, Williamson Nursery and Associates, Inc. stands ready to meet your needs in the following areas:

- On-site transplanting of existing plant material.
- Supply and installation of shade, ornamental and evergreen trees, especially in large caliper sizes.
- · Custom-digging of nursery stock.

Williamson Nursery the recognized tree-spade professionals

Route 2, Box 26 • Huntley, Illinois 60142 312-669-5353