


**PUT YOUR  
MONEY  
WHERE YOUR  
DOLLAR  
SPOT IS  
WITH  
CHIPCO®  
26GT™**



**RHONE-POULENC AG COMPANY**  
P.O. Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, NC 27709  
1-800-334-9745


## COMMERCIAL TURF & TRACTOR

**NORTH AMERICA'S  
#1 VERTI-DRAIN DISTRIBUTOR**

**BUILT ON EXPERIENCE, SERVICE  
& CUSTOMER SATISFACTION!**

## **QUALITY CONTRACTING!**


- Verti-Drain® Deep-tine Aeration
- Complete Turf Renovation
- Turf Grids® Installation
- Custom Putting Green Seeding




New "Next Generation"  
VERTI-DRAIN



MASSEY FERGUSON




VERTI-SEED



ROTADAIRON SOIL RENOVATOR



WESTENDORF LANDSCAPER



BRILLION  
LANDSCAPE SEEDER

**1-800-748-7497**

**Bryan Wood, Owner**

— Home of —

**Bryan's Blend Barbeque Sauce!**

## Bent Variety Trial and PGRs . . .

(continued from page 10)

year. These varieties have a fine leaf texture, upright growth habit and are very dense (high numbers of shoots per surface area). Most of these varieties also have very good color and perform very well in the heat of summer.

Speaking of shoot density, last fall I extracted 3/4-inch diameter plugs from each plot and counted shoot densities for each variety (last column of Table 2). As expected, the Penn varieties, L-93, Century and Imperial had the highest shoot densities. Obviously, there is a strong correlation between the shoot densities and the overall quality ratings. It is surprising to see how many distinct shoots some of these varieties can pack into a little over a half of a square inch. Penn A2 could have as many as 36,000 shoots per

---

*Penn A2 could  
have as many  
as 36,000 shoots  
per square foot;  
a 5,000 square  
foot green could  
have over  
180 million shoots  
on it—  
putt on that!!!*

---

square foot; a 5,000 square foot green could have over 180 million shoots on it—putt on that!!!

If you remember in '96, I let the dollar spot get a little out of hand on some of the susceptible varieties. There was high disease pressure on the plots again in '97, especially in mid-June. I took one dollar spot rating on the plot on June 9 (also Table 2) before controlling the disease with fungicides. The rest of the summer, we controlled the dollar spot on the variety trial with spot sprays to see if some of the susceptible varieties would rate better, which they did. The most susceptible varieties are 18th Green, Century, Imperial, Crenshaw, and SR 1020; this observation is based on last year's as well as this year's data.

(continued on page 14)

**RAIN BIRD**  
Keeping the golf world greener.™

## MAXILINK FREEDOM 100% WIRELESS OPERATION



**1-800-373-4120**

Addison • East Peoria • Rock Island

### MAXILINK (Maxi Wireless)

Upgrade your current irrigation management system without the ugly mess and hassle of open trenches

### FREEDOM

Put the power of central control in your hand.

Retrofits to  
any Maxi  
central  
control  
system



FREEDOM  
HANDHELD  
SHOWN



**AERATORS INC.**

Simply The Best Fountain Aerator For Your Golf Course.

## Improve Water Quality And Add Beauty To Your Lakes And Ponds



Fanfare



Weeping Willow



Old Faithful



Water Lily



Circulator

### Aqua-Lator® Fountain Aerator From Aerators Inc.

- **Tough stainless steel construction** - the most rugged and durable Fountain Aerator. Other fountain aerators are made with plastics and mild steel or limited stainless steel.
- **Maintenance free pump motor** - unlike other fountain aerators which have oil cooled pump motors that require frequent expensive field service.
- **A variety of spray patterns and horsepower.** Lights optional.
- **Made by Aerators Inc.**, with over three decades of experience in aeration products.

**Aqua-Lator Fountain Aerator . . . Simply the Best**

**J.W. Turf, Inc.**

14N937 U.S. Hwy. 20  
Hampshire, IL 60140  
Phone: 847-683-4653  
Fax: 847-683-3978


Aqua-Lator® is a registered trademark of Aerators, Inc. © Copyright 1997

*Burdett's, Inc.*

Distributors of:

**SOUTHERN GOLF  
MASTER of the LINKS  
FOX VALLEY SYSTEMS  
MARKERS INC.  
BAYCO**

& Course Maintenance Supplies



P.O. Box 1865 • Lombard, IL 60148-1865  
1-630-620-5558 • FAX #1-630-627-1104  
IL Toll Free 1-888-TURF-888

**CANNON TURF SUPPLY, INC.**

1227 Naperville Drive

Romeoville, IL 60446

**WE STOCK A COMPLETE  
LINE OF FERTILIZERS,  
GRASS SEEDS, AND  
PESTICIDES FOR THE  
GOLF COURSE INDUSTRY.**

**(630) 378-9200 – Office  
(630) 378-9292 – Fax  
(800) 457-7322 – Toll Free**

***Cannon Turf Supply, Inc.:***

*Where Success is based on  
a Commitment to people . . .*

**Bent Variety Trial and PGRs . . .**  
(continued from page 12)

The most resistant varieties appear to be Penn A2, L-93, Providence, Putter and Pennlinks.

**Comparison to Results of '93 NTEP National Bentgrass Test**

The most recent NTEP bentgrass data available are the results from '96, published in summer of '97. Most of the varieties at Cantigny are also in the '93 NTEP trial. The '96 data is summarized in Table 3, the varieties in this table are listed according to their overall rank in the national test (NAR). I have also included rankings from six Midwest sites, three on soil (including U. of I.) and three on sand rootzones. Also, you can compare these data to my results from Cantigny in '96. You can see how wide the ranges of rankings are for many of the better varieties, which shows the importance of individual site and environmental conditions.

(continued on page 16)

**Table 1.**  
**EARLY SEASON RATINGS—1996-1997**

ESR*	ENTRY NAME	SPRING GREEN UP RATING		SPRING QUALITY RATING**	
		4/96	4/97	6/6/96	6/5/97
1	Penn G2	7.0	6.8	6.8	7.2
2	Loft's L-93	7.0	6.7	6.7	7.0
3	Penn A2	7.0	6.3	6.5	7.2
4	Penn G6	6.3	6.8	6.5	7.2
5	Century	7.0	6.2	6.3	6.9
6	Penn A4	6.3	6.3	6.2	7.0
6	Imperial	7.0	6.0	6.3	6.5
8	Providence	6.7	6.0	6.2	6.6
8	Pennlinks	7.0	6.3	5.8	6.4
10	Cato	7.0	5.8	6.0	6.4
11	SR 1020	6.7	5.5	6.2	6.4
12	Southshore	6.7	5.5	6.0	6.4
12	Crenshaw	7.0	5.7	5.5	6.4
14	ProCup	6.0	6.3	5.7	6.5
15	Regent	6.3	6.2	5.5	6.1
16	Cobra	6.0	5.8	5.8	6.2
17	Putter	6.3	5.7	5.5	6.1
18	Viper	5.3	6.0	5.5	6.5
19	Lopez	5.3	6.2	5.3	6.4
20	18th Green	6.0	4.8	5.7	6.5
	(LSD)	(0.8)	(0.8)	(0.9)	(0.5)

\* ESR = Early Season Ranking based on '96 to '97 green-up and spring quality only.

\*\* Color and quality ratings were made on a 1-9 scale, 9 = best.

**PETROLEUM  
TECHNOLOGIES  
EQUIPMENT, INC.**

ONE TOWER LANE • SUITE 1700  
OAKBROOK TERRACE, ILLINOIS 60181  
PHONE 630-573-2910 • FAX 630-579-9087

## **“Don't Be Caught Off Guard By The 1998 Underground Storage Tank Regulations Act”**

### **SERVICES OFFERED**

- *Underground Tank Removal, Installation & Upgrades*
  - *Above Ground Tank Installation*
  - *Petroleum Equipment Distributors*
    - *Distribution & Installation of Compressed Natural Gas Equipment*
    - *Pump Sales & Service*
    - *General Contracting*
    - *Key and Card Fuel Management Systems*

**“FULL SERVICE PETROLEUM EQUIPMENT INSTALLATION SPECIALISTS”**

## A New Division.



## Same Quality Products.

### A Rededication to the Golf Course Superintendent.

In addition to our topdressing and construction mixes we also offer the following services:

**Hydro Mulcher/Seeder • Sand Placer Truck • Bunker Cleaner**  
• Complimentary Lab Analysis of all products

**GREENSMIX™**  
CONSTRUCTION MIXES

**NORTHWOODS  
ORGANICS™**  
SPREADER & SEED SERVICE PRATY

715-258-8566

Remember to mark your calendars for the  
2nd Annual 1998 Tri-State Superintendents Championship  
August 17th & 18th

# Go wild.

Surround yourself with the brilliant colors of Lofts Pinto® brand Wild Flower Seed. Lofts' wild flowers add natural beauty to golf courses, roadsides, parks, industrial sites, reclamation areas, estates and in your own back yard. We can even custom mix your flowers with our native grasses according to your geographical area, soil conditions or specific needs. So splash a little color on your landscape with Lofts Wild Flower Seed.

- 100% wild flower seed mixture (no fillers)
- Beautifies natural areas, borders and banks
- Excellent color with low maintenance
- Grows in a wide range of climates

Call Lofts Seed toll-free at 1-888-LOFTS CO



Where Great Grass Begins

## BEST TURF MOWERS FOR A QUALITY CUT.

The Bush Hog TD Series Tri-Deck Finishing Mowers are available in 15 or 17-foot cutting widths and are ideal for sod growers, golf courses, land owners, municipalities and recreational sites.

These mowers are designed for precise cutting on even or uneven terrain . . .

they feature a 30° up and 10° down wing flex and are rated for 40 and 45 minimum tractor horsepower. Gearbox rpm is 540, and deck construction is rugged, 7-gauge steel. Blade tip speeds are over 15,500 fpm, to give you finer, cleaner cutting on each pass.

Wing decks flex side to side and front to rear, for closer mowing.

Come in today and see why Bush Hog Tri-Deck Finishing Mowers are clearly your best choice for quality.



## BUSH HOG®

DIVISION OF  ALLIED PRODUCTS CORPORATION

## Building the Legend.

Roseman Tractor Equipment Co. Inc  
2620 Crawford Avenue  
Evanston, IL 60201  
847-864-1842 Fax 847-864-1938

## Plant Growth Retardant, Greenspeed Interactions

In past years, superintendents applied giberellin-inhibitor plant growth regulators (primarily Cutless and Scotts TGR) to greens in spring and fall to slow the growth of *Poa annua* and (try) to increase bentgrass populations. However, these twice-a-year treatments were at fairly high application rates and caused turf discoloration and unevenness in putting quality. More recently, many superintendents have switched to a less aggressive approach of applying PGRs at lighter rates through the season, often on a two- to three-week schedule.

Although there is less of an effect on *Poa*/bent populations, there are several potential benefits of light rate PGR applications. These include increased stress tolerance, lower water use rates, better rooting, and other positive effects on plant health. Also, there are much less noticeable negative effects on the color and quality of treated greens. Finally, there is some evidence that mild growth inhibition can improve greenspeed (as measured by the stimpmeter), especially in the afternoon hours when greens begin to slow from leaf regrowth.

To test this theory, I began a study in late summer of '96 and continued it through '97 to examine the effects of three PGRs on greenspeed: Cutless (flurprimidol), Enhancer (paclobutrazole, TGR), and Primo (trinexapac-ethyl). Three different bentgrass cultivars on the Cantigny test green received five applications of PGRs in '97 on three-week intervals at the rates listed below (Table 4). The first treatment was applied on 21 June, after the weather finally warmed up.

(continued on page 18)

**Table 2.**  
**SUMMER/EARLY FALL RATINGS—1997**

SQR*	ENTRY NAME	QUALITY RATINGS**			DOLLAR SPOT***	SHOOT DENSITY***
		6/24	8/13	9/9	6/9	9/11
1	Penn A2	8.5	8.2	9.0	2.0	140.7
2	Penn A4	8.0	7.8	8.7	21.7	130.3
2	Penn G2	8.0	7.8	8.7	13.0	135.3
2	Penn G6	8.2	8.0	8.3	18.7	131.7
5	Loft's L-93	8.2	7.7	8.5	3.0	118.0
6	Century	7.5	7.8	8.3	54.7	126.0
7	Providence	7.3	7.5	8.3	1.7	102.0
8	Crenshaw	7.2	7.5	8.3	23.3	110.0
9	Southshore	7.5	7.3	8.0	3.3	105.7
10	Imperial	7.3	7.2	8.0	37.0	116.0
11	Cato	7.0	7.2	8.0	0.7	101.3
12	Sr 1020	7.0	7.2	7.8	9.3	95.7
12	ProCup	7.0	7.0	8.0	7.3	97.3
14	Cobra	7.2	7.0	7.7	2.0	85.7
15	Pennlinks	7.0	6.8	8.0	1.3	95.3
15	18th Green	6.8	6.8	8.2	40.3	106.0
15	Regent	7.0	6.8	8.0	3.0	92.0
18	Lopez	7.2	6.7	7.7	10.7	90.7
19	Viper	7.2	6.7	7.5	1.7	84.7
20	Putter	6.8	6.7	7.5	0.3	83.7
	(LSD)	(0.5)	(0.7)	(0.6)	(19.7)	(10.7)

\* SQR = Summer Quality Rankings based on summer quality only; average of three reps.

\*\* Quality ratings were made on a 1-9 scale, 9=best. Ratings were based on color, leaf texture and shoot density.

\*\*\* Dollar spot data is presented as average number of spots observed per plot. Shoot density is based on the average number of shoots counted from 3/4" diameter plug samples.

**Table 3.**  
**1993 NTEP National Bentgrass Test;**  
**1996 Regional Rankings vs. 1996 Cantigny Rankings**

NAR*	VARIETY NAME	SAND ROOTZONES			SOIL ROOTZONES			1996 CANTIGNY
		KY 1	MI 1	WI 2	IA 1	IL 1	WI 1	
1	Lofts L-93	T3	1	2	T7	T10	T5	3
2	Penn A-1	1	9	10	3	19	8	N/A
3	Penn A-4	T3	T3	1	T19	T16	T1	T5
4	Penn G-2	5	2	3	T14	T2	3	2
5	Cato	2	5	7	17	T2	13	9
6	Providence	6	T3	T20	T1	1	T16	8
7	Penn G-6	T8	7	4	25	T22	T1	4
8	Southshore	T8	11	T16	T4	T8	19	12
9	Century	T21	13	15	10	T22	15	T5
10	Imperial	T15	16	13	T7	T10	10	7

\*NAR = North American Ranking for entire season over all sites.

NOTE: Several varieties in the '93 NTEP trial are not at Cantigny: only Penn A1 is included here. Penn A2, the numero uno at Cantigny, was not included in the '93 NTEP Trial.



ACME MATERIALS CO.  
1-800-397-1105

## GREEN DIVOT MIX

TOP DRESSING

BUNKER SAND

# TURF Rx

**FINALE®**  
HERBICIDE

**BANOL®**  
FUNGICIDE

**PROSTAR®**  
FUNGICIDE

**ACCLAIM® EXTRA**  
HERBICIDE

**TURCAM®**  
INSECTICIDE

**PROSTAR® PLUS**  
FUNGICIDE

**PROGRASS®**  
HERBICIDE

**ILLOXAN®**  
HERBICIDE



**AgrEvo®**

Steve Davis  
800-441-6138 x1102

Contact your  
AgrEvo sales  
Professional

Read and follow label directions carefully.  
AgrEvo USA Company, Wilmington, DE 19808. © 1997

# We are growing...



...growing in sales

...growing in  
personalized  
service to you

...growing in  
product selection:

Agrevo • Bayer • W.A. Cleary's

Dow • FMC • Green-Release®

Monsanto • Novartis • PBI Gordon

Rhone-Poulenc • Rohm & Haas

Roots • Tee-2-Green • Zeneca

*Nationwide products  
for the green industry*

It's in stock, and  
we're ready to ship!  
Call now to order:  
**800-411-5115**  
or call your sales  
representative



**United**

Horticultural Supply...

*Working to Enhance Our World*

## Bent Variety Trial and PGRs . . .

(continued from page 16)

Stimpmeter readings (primarily in the late afternoon) were taken intermittently beginning after the second application (12 July) and continued into September. Other PGR application dates were 4 August, 23 August and 12 September. The varieties receiving treatments were Pennlinks, Providence and Putter.

## Results

There were no visible growth effects of PGR treatments on plots until after the third and fourth applications (4 August, 23 August). Visible effects noted included yellowing at first, then a blueish or gray-green color of Cutless and Enhancer treated plots. Primo plots displayed minor symptoms that were hard to notice.

(continued on page 20)

**Table 4.**  
**PGR Greenspeed Test Plot Setup in 1997.**

TREATMENT	FORMULATION	PRODUCT APPLICATION/ACRE
Check	—	—
Flurprimidol	Cutless 50 SP	0.5 lb.
Paclobutrazole	Enhancer 2SC	6.0 fl. oz.
Trinexapac-ethyl	Primo 1EC	5.4 fl. oz.



# OLD DUTCH SAND COMPANY, INC.

- TOP DRESSING SAND
- BUNKER SAND
- PEA GRAVEL
- BOULDERS & RIP RAP
- ALL GOLF COURSE AGGREGATES

Call  
Richard E. Mika

(773) 374-2303  
(847) 228-9607  
(219) 938-7020

# Palatine Oil Company, Inc.

## "One call does it all"

*We specialize in full service.*

Over  
**25 years**  
of caring service  
and  
delivery of quality  
products.

- Gasoline
- Diesel fuel
- Motor oil
- Grease
- Anti-freeze
- Batteries
- 24 hour delivery
- Tank installation
- Leak detection systems
- Design and layout consulting
- E.P.A. required tank upgrades
- Card lock pump control systems
- Tank removal and disposal
- Above ground tank specialists
- Contaminated soil remediation
- Bio-Remediation Products
- Cleaner & degreaser
- Parts washer
- Absorbent for spills

Recipient  
of the I.L.C.A.  
**1995**  
**DISTINGUISHED**  
**SERVICE**  
**AWARD**

◆ **State registered and certified tank contractor** ◆  
◆ **Toll free 888-358-POC1** ◆

# 847-358-3600



Palatine Oil Co., Inc. ◆ P.O. Box 985 ◆ Palatine, IL 60078

# mb a Division of Laporte Water Technologies & Biochem, Inc. marine biochemists

Professional Aquatic Management

- **Aquatic Plant and Algae Control**
  - Treatment Programs
  - Biological Control Programs
- **Water Quality Assessment**
  - Dissolved Oxygen
  - Nutrient Levels
- **Aeration Systems**
  - Custom Designs, Sales and Service
- **Surface Floating Fountains**
  - Aqua Master ® & Aqua Control ®
- **Fisheries Management**
  - Surveys and Stocking
- **Wetlands Mitigation**
  - Herbicide Management
- **Professional Consultants**

604 E. North St. Suite B, Elburn, IL 60119  
Phone: (630) 365-1720 Fax (630) 365-1721  
800-558-5106 ext. 106

visit us at our web site: [www.marinebiochemists.com](http://www.marinebiochemists.com)



## Washed Sod That Fits Your Course To A Tee!

- PENNCROSS™  
BENT SOD
- PENNEAGLE™  
BENT SOD
- PENNLINK™  
BENT SOD
- XL-100 BLEND  
SOD™

Available as H & E Hydro-cut™ Washed Sod  
or traditionally cut sod with soil.

"Single Source Convenience"



GENERAL OFFICES:  
3900 West 167th Street  
Markham, IL 60426

Fax: 708-596-2481  
Phone: 708-596-7200



"The Water Quality Company"

Testing • Evaluation • Treatment

**PHAIRWAY®**

WATER TREATMENT AMENDMENT

Exclusive Distributor of the  
Prime Turf Series 800 Injection Station

For All Your Water Quality Needs Call:

14200 S. Parker Road • Lockport, IL 60441  
(800) 677-8097 • Fax: (708) 301-3351



**BOJO TURF SUPPLY INC.**

- |                          |  |
|--------------------------|--|
| <b>AQUATROLS Corp.</b>   | Wetting Agents - Primer, Infiltrix, Aqueduct             |
| <b>Bio Trek</b>          | Biological Fungicide                                     |
| <b>Bio Turf Gro</b>      | Liquid Probiotic Fertilizers                             |
| <b>Emerald Isle Ltd.</b> | Biostimulants, Soil Amendments, Biologicals, Nutrients   |
| <b>Lebanon</b>           | Country Club, Country Club II, & NX Pro                  |
| <b>PSA</b>               | Soil Amendments  |
| <b>Regal Chemical</b>    | ConSyst, Systec, RegalStar, RegalKade, Plant Protectants |
| <b>Rhone Poulenc</b>     | 26019, Aliette, Mocap, Plant Protectants                 |
| <b>Seed Research</b>     | Turfgrass seeds  |
| <b>Tingley</b>           | Rain Suits, Boots  |
| <b>Turflite</b>          | True Surface Vibratory Rollers                           |

*Excellent Service at Reasonable Prices*

24356 HARVEST HILLS ROAD • FRANKFORT, IL 60423  
800-732-9401 • 815-469-6841 • Fax: 815-469-8248

Throughout the duration of this study in '97, there were very few measurable effects on green speed due to the multiple applications of PGRs, positive or negative (see Tables 5 and 6). Regardless of whether speeds were examined only a couple of days after a treatment or up to twenty days after a treatment, very little differences in stimpmeter readings were noted between treatments and check plots. On some days, it appeared that PGR applications reduced greenspeeds in the afternoon instead of increasing them. This phenomenon is more likely to occur seven to ten days or more after a treatment.

Retreating plots at low rates on a three-week interval did not appear to enhance afternoon greenspeeds on these bentgrass varieties in '97. A similar study on a mixed bent/*Poa annua* green may provide very different results, since *Poa annua* appears to be much more sensitive to these types of PGRs than creeping bentgrass. Also, perhaps I am not able to get enough pure speed out of this green to detect minor differences in treatments. This study will be repeated in '98 with cutting heights at .125 inch or lower to try to bring out treatment differences.

Again, I would like to invite everyone to come out to Cantigny to see these new bent variety trials and look at other research project there. We hope to have another "Fall Field Day" sometime in September. Hope to see you there!



**Table 5.**  
**"Typical" Morning and Evening Stimpmeter Readings**  
**From August 29, 1997 (cutting height = .140)**

AM POST-MOW DISTANCES (6 DAYS AFTER LAST TREATED)				
	PROVIDENCE	PUTTER	PENNLINKS	MEAN
Primo	7.5	7.7	8.0	7.73
Cutless	7.6	7.7	7.7	7.67
Enhancer	7.5	7.5	8.1	7.70
Check	7.8	7.8	7.5	7.70
(variety means)	7.6	7.7	7.8	NSD

PM REGROWTH DISTANCES (6 DAYS AFTER LAST TREATED)				
	PROVIDENCE	PUTTER	PENNLINKS	MEAN
Primo	7.5	7.5	8.0	7.67
Cutless	7.7	7.9	7.7	7.76
Enhancer	7.8	8.2	8.0	8.00
Check	7.5	7.8	8.2	7.83
(variety means)	7.6	7.9	8.0	NSD

**Table 6.**  
**Summary of Evening Stimpmeter**  
**Readings to Show Effects of PGRs on**  
**Leaf Regrowth and Greenspeed.**

3-5 Days ALT* (average of three varieties)				
	7/15	8/26	8/27	9/15
Primo	7.9	7.7	8.0	8.4
Cutless	7.6	7.5	8.1	8.4
Enhancer	7.9	7.9	8.1	8.7
Check	7.6	7.9	8.2	8.3
LSD	NS	NS	NS	NS
(cut height)	(.150)	(.150)	(.140)	(.140)

12-18 Days ALT* (average of three varieties)				
	7/31	8/18	9/3	9/9
Primo	7.5	8.1	8.6	8.0
Cutless	7.5	8.2	8.6	8.1
Enhancer	7.7	8.2	8.7	8.2
Check	7.9	8.2	8.7	8.3
LSD	NS	NS	NS	NS
(cut height)	(.150)	(.140)	(.140)	(.140)

\* ALT (After Last Treatment), Stimpmeter readings are in feet and tenths of a foot; readings are average of three ball rolls in opposite directions which were averaged using the formula  $d = 2UD / (U + D)$  where U is the upslope distance and D is the downslope distance.