Hollembeak Construction, Inc. Golf Course Construction and Remodeling

"We believe in a quality job and take pride in our finished product."

- New Construction
- Feature Shaping
- Bunker Sand Replacement
- Pond Dredging

- Pond Construction
- Boulder Features
- Cart Paths
- Drainage

Mike Hollembeak

P,O, Box 103 Big Rock, Illinois 60511 Phone (630) 556-3891

Jeff Hollembeak

PRECISION BLENDED TOP DRESSING

Custom blended to your specifications by our modern equipment.

Buy when you need — Eliminate costly storage

We sell an air-dried, uniform and free flowing top dressing.

ASK THE MAN WHO HAS USED IT.



Area Code 847 658-5303 620 Webster St. Algonquin, IL 60102



The GreensGroomer[™] moves topdressings three ways for every three feet of forward motion.

User Friendly
No Lifting to Operate





Leading the Industry in Turf and Ornamental Management

Brian Baker Tim Keating John Meyer

630-514-8744 630-514-8997 630-514-8748

Eric Foerster John Lebedevs Harry O'Brien

630-514-8750

630-514-8745 630-514-8754

525 N Enterprise Street, Aurora, IL 60504

Office Fax:


630-499-1971

630-499-1966 or or

800-383-3230 800-457-7322

Where Success is based on a commitment to people...

We've Teamed up for Better, Faster Service



Now get Scotts' turf products, technical assistance and convenient delivery service all in one.

Scotts and Arthur Clesen, Inc. have teamed up to provide you with faster and more efficient delivery of Scotts professional turf products.

Arthur Clesen, Inc. offers localized service with trusted Scotts products including Contec[®], Poly-S[®], Premier Fairway[™], Turf Enhancer, FF II,

Arthur Clesen, Inc.

Wheeling, IL 543 Diens Dr., Wheeling, IL 60090 Phone: (847) 537-2177 • Fax (847) 537-2210 **Tinley Park, IL** 8050 W. 186th St., Tinley Park, IL 60477

Phone: (708) 444-2177 • Fax: (708) 444-2199 www.aclesen.com

ProPendi[™], Fertilizer + Merit[®], Scotts spreaders, and Scotts seed blends and varieties.

Scotts and Arthur Clesen, Inc. will provide you with faster response to your needs with unmatched technical assistance. Call us for all of your turf care needs.

> The Scotts Company Territory Manager **Dave Louttit** Phone: (219) 662-1014 Fax: (219) 662-2477

Arthur Clesen, Inc. is also pleased to announce that we will have a second spreader truck available for bulk fertilizer application this spring.

"Don't Be Caught Off Guard By The 1998 Underground Storage Tank Regulations Act"

SERVICES OFFERED

• Underground Tank Removal, Installation & Upgrades

- Above Ground Tank Installation
 - Petroleum Equipment Distributors
 - Distribution & Installation of Compressed Natural Gas Equipment
 - Pump Sales & Service
 - General Contracting
 - Key and Card Fuel Management Systems

"FULL SERVICE PETROLEUM EQUIPMENT INSTALLATION SPECIALISTS"



COMPOST

Compost provides essential micronutrients to make turf and ornaments grow faster and healthier. Composts ability to retain moisture reduces drought shock. Its microbial content improves soil texture for better • Backfilling when transplanting air and water circulation and reduced compaction. After fertilizer applications, compost retains added nutrients and makes them plant-available as needed — allowing reduced application rates.

- Divot repair mixes
- Top dressing high traffic areas fairways, rough, practice areas
- Preparing beds for ornamental plants
- Preparing soil for new seed or sod

Call

GreenCycle Incorporated 400 Central Avenue, Suite 200 Northfield, Illinois 60093 847-441-6606



The Measurement of Perfect Turf.

For over 20 years, IBDU slow release nitrogen has been the university benchmark on all types of turf. And it's available through Par Ex blended fertilizer. So you get a premium fertilizer while your turf gets the highest available WIN. Par Ex is available in four size grades and multiple formulations. Call Arthur Clesen Inc. for more information at 847-537-2177 or 708-444-2177.



TURF

By Dr. Henry T. "Hank" Wilkinson of the University of Illinois at Urbana-Champaign

Copyright © 1998 by Dr. Henry T. "Hank" Will and the University of Illinois



vailable Now: The newest source of information developed by Professor Hank Wilkinson for turf managers of cool season grasses-a CD specifically designed to provide diagnosis information and management information with hundreds of pictures and over 500 pages of information to build your knowledge and improve your ability to manage turf diseases. In addition, Hank has personally recorded explanations of all of the pictures and figures so you can see and read the materials while listening to him explain how to manage disease. You can also use the CD to contact Hank directly via e-mail with your specific problems.

There is no better or more modern informational source for diseases of cool season grasses than Interactive Turf. All sales of Interactive Turf support the University of Illinois **Turfgrass Pathology Program!**

Cost: \$75 plus \$5 S/H; check payable to the University of Illinois Mail to: Hank Wilkinson University of Illinois 1102 S. Goodwin Ave. Urbana, IL 61801

Questions? Call 800-345-6084.

INTERACTIVE

Cool Season Turt Disease and Their Management

On Course With the President (continued from page 4)

jobs. Likewise, we should include those around us in the not-sodesirable results of our efforts. This will keep you in a team environment when it is needed most. I really don't think one unfortunate event in our jobs is ever enough reason for change. We need to build a strong foundation through good communication.

I have always communicated well with my staff in the past. But I am going to change my approach. Instead of my existing open-door policy, I am going to actively seek out thoughts and ideas from staff. Some of the most productive ideas at Seven Bridges Golf Club come from seasonal staff-not easily, though. In the past, I have made staff reiterate their good ideas somewhere around 50 times before I was open-minded enough to put some sound logic behind it. This has afforded me aggravation I might

otherwise never have known. Another change I intend to make might prove to be a mistake; time will tell. I plan to listen to the consumer this year. I generally put off their compliments as well as their complaints. I always thought I could dismiss one complaint out of 200 golfers . . . or one member out of 700. Thinking about this I shudder, but I feel it could possibly give me fuel to grow.


So, as I've noted, change is all around us and it is up to each of us to decide how we will deal with it. For example, we have played golf into December the past two years. This has never happened before in my career, but I was open-minded to this change and left the flagsticks out (a wise decision according to my boss). Our green fees continue to escalate so I feel the presentation of our golf courses needs to be enhanced as well. This will no doubt involve change. I hope you all feel as invigorated as I do this year with the prospect of a great season. It is as simple as I say to my ten-year-old soccer players: it all starts with a PMA (positive mental attitude). Time is our most precious commodity, use it wisely. When was the last time you took a break to fly a kite?

I thank you for your time in reading a message that may not seem particularly earth-shattering. But I guarantee I feel better for having written it and I hope you will find it beneficial as well. If you remember towards the end of the year, check back with me and see how well I have adapted to change. I hope I can give you a favorable response. Meanwhile, I wish for all of you to have a joyful and meaningful Easter holiday. God bless.



FEATURE ARTICLE Fernando Fernandez, Sr., CGCS

Sand-Based Greens . The Good. The Bad and The Ugly



What is good about sand-based greens?

Sand-based greens were supposed to provide many benefits. The list of supposed benefits is extensive:

- Non-compacting.
- Moisture
- retaining.
- Firm putting surface.
- Consistent green speed.
- Golf ball holding capability.

And the list goes on and on . . .

Of all the things reported to be beneficial, the only one that is truly a plus, is that sand-based greens drain well after a big storm . . . they do have a good percolation rate. They can absorb tremendous amounts of precipitation and be playable within a very short period. Other benefits are harder to find.

What is bad about sand-based greens?

The bad things about sand-based greens comprise a list as extensive, if not more so, than the list claiming benefits. Among the unfavorable traits:

- No nutrient retention.
- Wetness
 - (excess moisture retention).
- Footprints (unstable putting surface).
- Accumulation of thatch.
- Problem with ball marks.
- Unhealthy turf.
- Increased need for plant protectants.
- Lack of plant density.

- Good percolation rate.
- Healthy turf.
- Plant density.
- Consistency.
- Decreased need for plant protectants.
- Uniformity.

- Leaching (potential contamination of surrounding bodies of water).
- Dynamic (ever-changing).
- Green speed problems.
- Ball-holding capability (either too bouncy or too soft).
- Inconsistency (play differently from day to day, week to week).
- Localized dry spots (fast drying).

Dry putting surface.

Introducing Bears Products As We Enter The Next Millennium

• White Gold Fertilizer • 100% Water Soluble, Total Conversion • Bio-Flora Fertilizers • **Organic Composted Teas** System One Compost Processed From 12 To 16 Months • HHI Fertilizers • Inoculated With Bio-Activator Lebanon NX-Pro Fertilizers Now With State Of The Art Composite Blending Organica
 • P.E.M. Matting Products • **B&G** Consultants, Inc. 240 Annapolis Dr. Vernon Hills, IL 60061 (office) 847/367-7728 (fax) 847/680-6237

Migratory Bird Management Have Dogs Will Travel



Border Collies

GOOSE CONTROL Harold Frederickson If we don't answer our phone we're on another wild goose chase 708-361-6772 fertilizers so good, we put our name on them.

Performance and quality is one thing, genuine value for our customers is another.


Genuine value comes only when you're able to gather the best components on the market, combine them in a way for the best possible performance, then deliver that combination in the best possible manner.

That's United Horticultural Supply and UHS Signature Brand Fertilizers.™ We've done all the work so you get the results you're after. You have our name on it.

Contact your local UHS representative for more information.

(800) 411-5115 www.uhsonline.com

UHS Signature Brand Fertilizers are a product of United Horticultural Supply



Sand-Based Greens . . . (continued from page 16)

- Black layer.
- Algae and moss growth.
- Subsoil competition.
- Temperature-sensitive.
- · Short, shallow roots.
- Soil microorganism imbalance.
- Loss of plants' natural immunity and defense system.

What is ugly about sand-based greens?

The ugly thing about sandbased greens is they start out in excellent shape; for the first two to three years, when the greens are new, they perform very well. After that period, depending on how hard they were pushed during their grow-in period, the challenges begin. They start having all kinds of problems, some or most of the ones mentioned in what's bad about sand-based greens above.

It is a very peculiar situation because, given enough time, USGA sand-based greens, California-style sand-based greens, and even push-up greens that have been intensely modified by core removal and the addition of sand, all start acting the same way. They perform very well during the spring and fall—when the weather is cooler—but have problems during the hot periods of the year.

It took 13 years to find out why this situation occurs.

The harder the grow-in period is pushed, the sooner the problems will manifest themselves. USGA, California-style, and push-up greens intensely modified by core removal and addition of sand, when they are four years and older, all start having the same general problems.

When superintendents are asked what challenges they are experiencing, or what concerns they are presented with when managing sand-based greens, most reply, "No problems at all." However, when superintendents are asked what kind of improvements they would like to see for managing their sand-based greens, most reply that they would like to see improvement on some or most of the above-mentioned issues.

The secret!

After 13 years of investigation, the secret was finally revealed: Sand-based greens, and soils of all types, go through change processes throughout the year—changes that are temperature- and biologically-related.

The secret was found, you could say, by accident . . . I was intrigued by the concept of green covers, and began investigating for differences in soil temperature between a green with a green cover on it, and one without it. As a result, I became hooked on taking soil temperatures. During the following year, and for many years thereafter, I took soil temperatures throughout the season. After metering soil temperature for over a decade, a pattern started to materialize. The secret became apparent. It was something so simple, and at the same time as old as nature itself-something never before written or researched. It was something that should have been obvious. The secret is . . . soil temperature inversion.

Problems associated with soil temperature inversion

- Multiple layers of grayish-blue and orange-looking bands, iron sulfide . . . black layer and iron oxide respectively. See figure 1.
- Gases, such as hydrogen sulfide ("rotten egg" odor) and methane, throughout the sand mix profile. See figures 2-A and 2-B.
- An orange-colored mineral deposit, about one-quarter of an inch thick. See figures 3-A and 3-B.

• Mat and thatch rapidly and disproportionately accumulating. See figures 4-A and 4-B.

Figure 1




The green you see in these pictures is 10 years old. This is a USGA green with a choker layer in it. It was cut in half and carved down to the gravel blanket.

Figures 2A-2B



Grayish-blue and orange-looking layers throughout the sand mix's profile.

Figures 3A-3B



The layers were accented in the lower parts of the green.

Hydrogen sulfide gases ("rotten egg" odor) and methane throughout the sand mix profile, and an orangecolored mineral deposit, iron oxide, about one-quarter of an inch thick, mixed in the immediate top part of the choker sand layer, at the interface between the sand mix and the choker sand layer.

Figures 4A-4B





The mineral deposit, as you can see, is strong enough to hold itself together.

Black layer mat and thatch, rapidly and disproportionately accumulating.

Black layer, anaerobic gases and mat and thatch rapidly accumulating have always been a constant challenge for sand-based greens. One thing that represented a particularly shocking discovery is the accumulation of orange-colored mineral an deposit, iron oxide, about 1/4" thick immediately on top of the choker sand layer. This layer creates a sandwich affect, separating the sand mix and the choker sand layer.

To check if your greens have layering problems, take a section of 2.5" PVC irrigation pipe about 2.5' long, cut one end at a 45degree angle creating a sharp point, and drive it into a green you suspect has layering problems. Make sure it penetrates all the way through the mix, into the clay or whatever parent material there is. Pull it out, cut the pipe in half (lengthwise) with a saw, and look at the soil profile. Make sure you do not hit the green's tile lines. Identify where they are before you drive the pipe in the ground.

Seven steps to correct the problems

Eliminate soluble inorganic products.

Salts are, without a doubt, the most damaging factor on sandbased greens, and/or for any kind of soil. Natural organic products, with very low salt indices and leaching potential, are the only ones that should be considered. Care should be taken with animal waste products as most have very high salt indices. Potash, calcium, essential microbiological enzymes, micronutrients and silica are very important constituents of sand-based greens and should always be considered.

2) Flush the root zone.

Flush the root zone at regular intervals long enough so water can be seen running out of the tile (continued on page 20)



Over 100 Chicago-Area golf courses have now chosen **FINES FREE**- **TOPDRESSING**!

Why go Fines Free? It's the only topdressing sand available that is engineered specifically for use on golf course greens.

For more details or pricing information, call Jim, Brett or Curt: **715-258-8566**

Sand-Based Greens . . . (continued from page 19)

lines. This practice helps the temperature and biological situation in the soil temporarily, and washes away salt build-up (leachates) from fertilizers, pesticides, bicarbonates from irrigation or rainwater, organic residue from biological decomposition, dust and/or air impurities. It gives short-term relief to the plants by removing toxic gases along with salts.

Caution! Flush greens only when you are sure there is a salt and/or toxic gas build-up problem.

3) Use a subair machine.

A subair machine vacuums or blows air into the tile lines of the

Having the absolute best, all-around USGA sand-based greens, California-style greens, and push-up greens modified by the removal of cores and addition of sand, requires deep-tine aeration; material injection or drilling to be administered at least twice per year, once in the fall and once in the spring.

green. It is a very effective remedy; it removes gases from the stagnant soil's profile of the green, replacing them with fresh ones, without the use of excess water. This practice also helps the temperature and biological situation in the soil temporarily, accomplishing it in a very short period. If done correctly, and all the connections are readily available, it should take only about 15 minutes per green. Six greens can easily be done every morning before the start of play, giving a ventilating rotation of about four days for 20 greens. SubAir is the trade name of SubAir[™], Inc.

4) Perform deep-tine aerating.

Having the absolute best, allaround USGA sand-based greens, California-style greens, and pushup greens modified by the removal of cores and addition of sand, requires deep-tine aeration; material injection or drilling to be administered at least twice per year, once in the fall and once in the spring. The aerating holes should be filled all the way up with an 80-20 mix of the same parent materials the greens were constructed from, incorporating with it a good quality soil amendment.

It is recommended that core aerification with hollow tines, removing the cores and leaving the aerating holes open, during spring or fall, be administered for thatch and/or sand build-up control.

5) Use injection machines.

In the case of USGA greens, California-style and push-up greens modified to sand by the removal of cores and addition of sand, inject with water every two weeks during the summer months.

6) Get thatch under control.

The best way to control thatch is by removing inorganic soluble materials from your pro-

gram, doing topdressing at regular intervals and aerating with regular hollow tines. Many inorganic soluble materials kill microorganisms that are vital to thatch decomposition.

Note! Eliminating the use of soluble inorganic materials, and incorporating the use of natural organic materials, increases the need for oxygen in the root zone. The use of natural organic and enzymatic materials increases the microorganism activity in the soils; consequently, more oxygen is required throughout the soil profile for their survival. When oxygen is not present in the soil in adequate quantities, anaerobic microorganisms will be predominant, which is not a desirable situation. An aerating program as described above is absolutely necessary.

Using natural organic products requires good aeration in the soil. Good aeration in the soil is a prerequisite regardless of materials used.

Sand greens need to be topdressed once every two weeks. This should be done very lightly so as not to interfere with playing conditions. Use a walk-behind drop or cyclone spreader to reduce weight on the playing surface. Using walk-behind spreaders implies the use of kiln-dry sand.

If not practical to topdress with walk-behind spreaders because of manpower restrictions or the availability of dry sand, consider the use of a pull-behind spreader, which can either be used with dry or wet sand.

It is imperative that thatch be managed and controlled. That in itself will help the green tremendously.

7) Administer soil, water and tissue samples.