

An Eye for Quality: A New Methodology for Quality Control During USGA Putting Green Construction



Preparing a representative sample from a large stockpile of sand requires hand-mixing a minimum of eight subsamples. After thorough mixing, a one-gallon sample is sent to a certified physical soil-testing laboratory.

Building a new, sand-based putting green can be one of the most gratifying experiences of a golf course superintendent's career. Conversely, a superintendent's entire career can be held in question if a new green fails to live up to golfers' expectations after opening. To help superintendents stay on the right career path, the USGA published new information for monitoring the quality of putting green construction materials in 2002.

Prior to 2002, the methods for monitoring the quality of putting green construction materials were, in a word, lacking.

Prior to 2002, the methods for monitoring the quality of putting green construction materials were, in a word, lacking. In essence, while the booklet for building a USGA putting green was clear as to what the physical characteristics of the construction materials should be, it did not offer a well-defined procedure for monitoring consistency during root-zone blending. As a consequence, superintendents who originally selected good materials for their root-zone mix, discovered after their new green was built that it did not meet USGA specifications because the physical properties of the sand and/or the amendment had changed during the blending process.

To address this issue, Jim Moore, director of construction education for the USGA Green Section, worked with university and laboratory scientists to establish a stockpile sampling procedure. (Copies of this new procedure can be obtained by contacting one of the Green Section regional offices or by visiting the USGA's Web site at http://www.usga.org/green/coned/quality_control/.) This protocol gives superintendents a tool to 1) accurately prequalify sand and gravel from local suppliers and 2) monitor the blending of the root-zone mix from beginning to end.

The first superintendent to make use of the new information was Tom Lively, CGCS, Medinah Country Club. In the fall of 2001, the club's members approved a major renovation project for the top rated No. 3 course. The main objective of the renovation project developed by Rees Jones, golf course architect, was to give the No. 3 course a fresh architectural theme. To meet this objective, greens nos. 1, 2, 13, 15, 16, 17 and 18 had to be rebuilt from the drain lines up. Furthermore, every bunker on

(continued on page 22)

the course had to be reshaped, and fairway nos. 1, 3, 8 and 18 had to be recontoured to improve the view of each respective green.

Before the groundbreaking ceremony for the new greens could begin, however, serious attention was focused on a couple of agronomic problems that had haunted Course No. 3 over the past decade. The first problem was the fact that the irrigation supply had an electrical conductivity reading of 1.35 mmhos/cm, resulting in a toxic accumulation of soluble salts in the soil during extended periods of dry weather. This problem was effectively resolved by boring a new well with an electrical conductivity reading of 0.58 mmhos/cm or, more precisely, 43% less soluble salt.

The second problem was the fact that many of the greens were covered with heavy shade throughout much of the day. For example, a large portion of green no. 14 received less than one hour of morning sunlight during the months of May and July due to the close proximity of sur-

rounding trees. As the renovation plan called for the establishment of a blend of A-4/A-1 creeping bentgrasses on all 18 greens, tree removal was imperative to the long-term success of the project.

To guide the necessary removal of trees, ArborCom, a high-tech surveying company utilizing proprietary software, was hired to pinpoint

sources of detrimental shade. As a general rule, creeping bentgrass greens require full sunlight exposure for at least 60% of the daylight hours on any given day of the year. Furthermore, 60% to 70% of this full sunlight exposure period is required before solar noon. To meet these sunlight requirements, approximately 275 trees were removed from the course.



Inspecting the blending site for a hard surface during prequalifying visits to local sand suppliers is necessary to prevent contamination of the root-zone stockpiles once produced.

Table 1

Particle Size Analysis for Sand Samples

Parameter	Particle Size (mm)	USGA Specification(s)		Percent Retained	
				Supplier A	Supplier B
Fine Gravel	2.0 - 3.4	Not more than 10% of the total particles in this range, including a maximum of 3% fine gravel (preferably none).		0.4%	0.7%
Very Coarse Sand	1.0 - 2.0			5.0%	5.2%
Coarse Sand	0.50 - 1.0	Minimum of 60% of the particles must fall in this range.		25.2%	18.0%
Medium Sand	0.25 - 0.50			55.3%	47.9%
Fine Sand	0.15 - 0.25	Not more than 20% of the particles may fall within this range.		9.9%	21.9%
Very Fine Sand	0.05 - 0.15	Not more than 5%.	Total particles in this range should not exceed 10%.	2.1%	5.2%
Silt	0.002 - 0.05	Not more than 5%.		1.4%	< 1.0%
Clay	< 0.002	Not more than 3%.		< 1.0%	< 1.0%

Table 2

Particle Size Analysis for Gravel Samples

Parameter	USGA Specifications (No Intermediate Layer Used)	Percent Passing	
		Supplier A	Supplier B
0.5"	No particles greater than 0.5 inch.	100%	100%
2 mm	Not more than 10% of the particles less than 2 mm.	2.2%	0.3%
1 mm	Not more than 5% of the particles less than 1 mm.	4.8%	1.0%

With the water and shade problems resolved, the first step in the quality-control program was taken by establishing a clear chain of command between all parties involved with the renovation project. These parties included the maintenance department, Rees Jones' office and the golf course builder. In a nutshell, Tom became the official clerk of the works given his long-term interests in the success of the project, his understanding of the project's detailed specifications and his ready access to the site at all times. As clerk of the works, Tom had direct responsibility for making future judgments regarding the delivery of construction materials based on the results of stockpile sampling.

In early June of 2002, the next step in the program was to visit two prominent sand and gravel suppliers in the Chicago area to prequalify construction materials. During each visit, Tom, his assistant in charge of the No. 1 course and I collected sand and pea gravel samples using the new sampling protocol written by Jim Moore. These samples were then labeled and sent to Turf Diagnostics & Design, one of several accredited laboratories, for analysis. The initial results of this analysis are summarized in Tables 1 and 2.

Upon reviewing the initial results, both the sand and pea gravel

from Supplier A were selected for the renovation project. The best choice for the sand was straightforward in that the sample collected from Supplier B fell just outside USGA specifications in the fine sand and



To monitor the consistency of root-zone production using confidence intervals published by the USGA, a standard set of data was obtained by first testing a small 100-yd³ stockpile consisting of 88% sand and 12% Canadian peat moss.

very fine sand categories. On the contrary, the sample taken from Supplier A had readings that were all well within USGA limits for every category. This latter fact was especially encouraging because the particle size

distribution for any sand supply tends to fluctuate over time. As such, choosing the sand from Supplier A increased the likelihood that the construction materials would still meet USGA specifications two months later when the construction phase of the renovation project was scheduled to begin.

As a final prequalifying check, Turf Diagnostics & Design combined the sand from Supplier A with Sun Gro Canadian peat moss to determine if the root-zone mix would meet USGA specifications for infiltration and porosity. Here again, the sand from Supplier A passed with flying colors as all readings were well within the USGA limits.

In August of 2002, several return visits were made to Supplier A to monitor the actual production of the root-zone mix. During the first return visit, Tom, his assistant and I met with Greensmix (the root-zone blender for the project) while they were calibrating their equipment. This calibration entailed mixing three 75-yd³ stockpiles of sand and peat in 88/12, 90/10 and 92/8 ratios. From these small stockpiles, samples were collected using the new USGA sampling procedure and submitted for laboratory analysis. The results of this analysis showed that the 88/12 sand-to-peat mixture had the best

(continued on page 25)



Syngenta never stops working
to keep your course green.

Creating the best turf demands the best products. We're constantly refining
formulations and developing new ones. To ensure you always have what
you need to keep turf healthy and beautiful.

Contact Jim Shone at 1-708-217-8509 to learn more about Syngenta products.

Important: Always read and follow label instructions before buying or using these products. ©2003 Syngenta. Syngenta Professional Products, Greensboro, NC 27419.
Banner®, Barricade®, Daconil®, Heritage®, MAXX®, Medallion®, Primo®, Subdue®, and the Syngenta logo are trademarks of a Syngenta Group Company.

www.syngentaprofessionalproducts.com

CUSTOM FERTILIZER APPLICATIONS

Andersons Golf Products — ParEx
Sanctuary — Gypsum — Maxical



Spreader Trucks!

Three state-of-the-art
application trucks for all
your fertilizer needs.



543 Diens Dr.
Wheeling, IL 60090
ph: 847-537-2177
fax: 847-537-2210



ARTHUR CLESEN INC.

8050 W. 186th St.
Tinley Park, IL 60477
ph: 708-444-2177
fax: 708-444-2199



Table 3**Quality Control Summary for Stockpile No. 1 (0 – 1,000 yd³)**

Parameter	88/12 Stockpile Standard	Confidence Interval	Confidence Interval Limits		Stockpile No. 1 Results	Confidence Interval Evaluation	USGA Guideline
			Lower (LL)	Upper (UL)			
Fine Gravel	0.4%	+/- 50%	0.2%	0.6%	0.5%	Within Limits	Pass
Very Coarse Sand	3.4%	+/- 50%	1.7%	5.1%	4.1%	Within Limits	Pass
Coarse Sand	21.2%	+/- 10%	19.1%	23.3%	22.6%	Within Limits	Pass
Medium Sand	52.6%	+/- 10%	47.3%	57.9%	52.0%	Within Limits	Pass
Fine Sand	15.3%	+/- 15%	13.0%	17.6%	14.2%	Within Limits	Pass
Very Fine Sand	4.5%	+/- 30%	3.2%	5.9%	3.7%	Within Limits	Pass
Silt	1.7%	+/- 25%	1.3%	2.1%	2.5%	Exceeds UL	Pass
Clay	0.9%	+/- 25%	0.7%	1.1%	0.3%	Exceeds LL	Pass
Total Porosity	39.5%	+/- 10%	35.6%	43.5%	43.6%	Exceeds UL	Pass
Air-filled Porosity	19.3%	+/- 10%	17.4%	21.2%	21.1%	Within Limits	Pass
Water-filled Porosity	20.2%	+/- 10%	18.2%	22.2%	22.5%	Exceeds UL	Pass
Hydraulic Conductivity	14.9%	+/- 20%	11.9%	17.9%	13.3%	Within Limits	Pass
Percent Organic Matter	0.56%	0.2*	0.76%	0.36%	0.69%	Within Limits	

infiltration and porosity measurements and, thus, was selected for the project.

After determining the optimal sand-to-peat ratio, Tom authorized Greensmix to start blending the three 1,000-yd³ stockpiles needed for the construction of the club's seven new greens. After each stockpile had been blended, his assistant once again returned to Supplier A to collect samples for additional testing. The purpose for testing each stockpile was to determine 1) if the blending ratio of sand to peat remained stable and 2) if the physical characteristics of the sand and peat remained consistent. If not, the production of root-zone material would have been halted until the problem could be resolved.

To judge the consistency of the large, 1,000-yd³ stockpiles, the sample results were compared against the

results from the 88/12 calibration stockpile using confidence intervals developed by the USGA. Confidence intervals are simply a reflection of the



Using the new stockpile-sampling procedure written by Jim Moore, USGA Green Section, Tom Lively and his Course No. 1 assistant collect a sand sample during a visit to a local sand supplier.

typical variance expected in the physical characteristics of a root-zone material when produced in large

quantities. For example, the 88/12 calibration stockpile had 3.4% very coarse sand. Using a confidence interval of plus or minus 50% meant that the amount of very coarse sand in each of the 1,000-yd³ stockpiles was expected to vary between a lower limit of 1.7% and an upper limit of 5.1%. (The confidence intervals used for the Medinah project can be obtained by contacting one of the Green Section regional offices or by visiting the USGA's Web site at http://www.usga.org/green/coned/green/confidence_intervals.html.)

The test results for stockpile #1, consisting of the first 1,000 yd³ of root-zone material, are shown in Table 3 along with the results for the 88/12 calibration stockpile and the confidence intervals. Note that when reviewing the information in

(continued on page 27)

Martin Design Partnership, Ltd.
Golf Course Architecture
 630.482.2532 www.mdpltd.com

Rich Harvest Links

Managing resistance starts here.



The Syngenta portfolio of products offers a highly comprehensive strategy for managing disease resistance. We are continually refining our products and technologies and working to develop new ones. All to prepare for the next generations of resistant strains, before they arise. So you will have what you need to keep your turf healthy and green.

Contact Jim Shone at
1-708-217-8509 to learn more
about Syngenta products.

Important: Always read and follow label instructions before buying or using these products.
©2003 Syngenta. Syngenta Professional Products, Greensboro, NC 27419. Banner®, Daconil®, Heritage®, MAXX®, Medallion®, Subdue®, and the Syngenta logo are trademarks of a Syngenta Group Company.

www.syngentaprofessionalproducts.com



Improve Your Fertilizer's Performance with BioPro® and Reinders

Superior liquid nutrients for tank mixing or fertigation.

Consult your Reinders sales representative to learn more about BioPro® products.

Reinders

Bruce Schweiger
608-206-3500

Solutions & Supplies for the Green Industry
www.reinders.com

Scott Adams
630-632-8468

Table 3, it becomes apparent that the confidence interval limits were exceeded in four categories: silt, clay, total porosity and water-filled porosity. However, delivery of the stockpile was nonetheless accepted given the minute nature of the violations and the fact that all of the measurements continued to meet USGA specifications. Stockpiles #2 and #3 also had similar results.

Having confirmed that all three stockpiles of root-zone material were consistent and met USGA specifications prior to delivery, the only remaining step in the quality-control program was to ensure the proper assembly of each green in the field. This was done by randomly probing the depth of the gravel and root-zone layers and by inspecting the main drain lines with a fiber-optic video camera. It is interesting to note that the latter effort identified a collapse in the drain line underneath green no. 18 that was subsequently dug up and repaired before seeding.

By keeping an eye on quality control during the construction of the seven new greens and confronting longstanding issues plaguing the No. 3 course at Medinah Country Club, Tom Lively has done everything possible to ensure the future success of

the turf and the continuation of a successful career. If your course is considering green construction in the future and would like additional information on quality control, you can contact any of the USGA Green Section regional offices.



The new quality-control protocol developed by the USGA gives superintendents a tool to
1) accurately pre-qualify sand and gravel from local suppliers and
2) monitor the blending of the root-zone mix from beginning to end.



Proper calibration of the blending equipment is a key component of producing a high-quality, consistent root-zone blend.

**You take
care of
the course...**

**...we'll take
care of the
mosquitoes.**

That's what we do. That's all we do.

Clarke's integrated pest management approach keeps nuisance mosquitoes off your course, and happy golfers coming back.

Call us today.

e-mail: georgebalis@clarkemosquito.com

1 800 942 2555

website: www.clarkemosquito.com

"Serving communities for over 50 years."



**Clarke Environmental
Mosquito Management, Inc.**

159 Garden Avenue • Roselle, IL 60172

the Bull Sheet

John Gurke, CGCS
Contributing Editor

DATES TO REMEMBER

April 21 — MAGCS monthly meeting at Fox Bend Golf Course, **Bob Kohlstedt** host.

May 4 — J. W. Turf's Golf and Turf Equipment Auction in Hampshire, Illinois.

May 10 — Sixth Annual North American Birdwatching Open on International Migratory Bird Day.

On Saturday, May 10, Audubon International will conduct its Sixth Annual Birdwatching Open. This event is open to all, and its purpose is to gather data on specific bird species that use managed lands, while also demonstrating publicly that many land managers are committed to responsible environmental stewardship. Over the course of 24 hours, participants identify as many different birds as they can on their property, which provides AI with useful information about bird species commonly found on different types of properties. To participate, visit www.audubonintl.org to register and download rules, as well as a bird checklist.

This from Amazing But True Golf Facts: The blooming of the azaleas is so important to the festive atmosphere at the Masters that the Augusta National grounds crew have been known to use ice or blow dryers to either delay the blossoms or goose them into a faster arrival. Only **Eddie Braunsky** could have dug that one up.

Speaking of plants, the *Sun-Times* recently ran an encouraging article on the 'Accolade' elm, a hybrid believed to be the replacement for the American elms that have suc-

cumbed to Dutch Elm disease dating back to the 1930s. The tree has all the characteristics of the American elm (glossy green foliage, vase-shaped canopy), but with the added benefit of showing great resistance to DED. Start chopping down those Chinese and Siberian elms! (And remember—*On Course* had the scoop on this back in January with the publication of **Greg Oltman's** "Shady Characters.")

Congratulations to **Dan Charlton**, formerly of Indian Lakes Resort, on being named superintendent of Evanston Golf Club.

MAGCS bids a fond farewell to **Dave Armentrout** of TPEC (and former MAGCS commercial advisory representative) as he heads to Colorado to enjoy his retirement. All of us who have had the pleasure to know Dave will miss his presence in the Chicago area.

A few words about the Wizard of MAGCS. **George Minnis**, for those of you who don't know, is our executive secretary. George is the person who makes the Association work—handling the day-to-day operations, fielding inquiries, posting job referrals, and umpteen thousand other tasks. That green binder filled with our members' information that you refer to practically every day? George. That e-mail you get whenever there's an announcement regarding employment or meeting information? George. That dues notice you get (most of us twice)? Yeah—George. He does it all for precious little, and does it efficiently and effectively. In recognition of George's invaluable service to MAGCS, it was decided at the March 4th Board of Directors meeting that one of the \$1,000 MAGCS Scholarships will from this day on become the George Minnis MAGCS Scholarship. It's a very small token of appreciation to a very BIG part of our great Association. Thank

you from all of us, George, and congratulations!



The Wizard of MAGCS,
George Minnis.

Welcome to our two newest MAGCS Board members—**Sylvia Lima** of TPEC (whose first Director's Column appears in this issue) is officially the new commercial advisory representative, while **Erwin McKone** of River Forest Country Club takes on the newly-created Class C advisory representative (assistant superintendent class). This latter position's purpose is to provide representation at the Board level for assistant superintendents and to provide assistance to the Board in arranging and staffing monthly meetings. Good luck to both of these dedicated individuals.



Erwin McKone and Sylvia Lima.

A very impressive write-up on the newly-coined **Fred D. Opperman** Editorial Award appeared in *Golf Course Management* (page 22 of the March 2003 issue). It's comforting to know that even though GCSAA proves year after year that they are not particularly fond of our magazine (as evidenced once again by our snubbing in the chapter newsletter contest), they DO in fact recognize that we exist. Oops—there goes our chances for next year. Congratulations again, Fred, and if you know anyone in Lawrence (or wherever they are located) with some pull, couldja put in a good word for us?

For those of you who are not members of the Chicagoland Association of Golf Course Superintendents (CAGCS), I thought I should share a couple of thoughts penned by *Verdure* editor **Chuck Anfield, CGCS** of Heritage Bluffs Golf Club in his February issue. Chuck did an "Atlanta Highlights" wrap-up that had some dead-on observations of our host city during the GCSAA International Golf Course Conference and Show. On driving through the streets of Atlanta upon his arrival Sunday night: "... many people were wearing NBA licensed and unlicensed attire. Vendor stands were set up everywhere to sell NBA-related merchandise. Men were wearing colorful baseball-style hats backwards, forward, sideways, inside out, etc. There was also a faction of people wearing matching velour suits and there also seemed to be a copious amount of booty, strutting their stuff . . . We parked the car again and this time took a little (of our) stuff with us. I had to leave my beloved golf clubs in the trunk. I was not comfortable with this

arrangement, but had little choice. I thought about taking along a 9-iron to extract myself from any difficult 'lies' I may encounter or to practice my chipping in my hotel room, but wisdom prevailed and I left it in the bag . . . The next morning we found out all of the details of what was going on. It turns out there were other conferences and events taking place in addition to the GCSAA. There was the NBA All-Star Game, a rodeo competition of some sort and the national pimp convention. Don't ask me any more details."






Chuck Anfield, editor of CAGCS newsletter Verdure.


Equipment for sale: Six 1991 Toro GM1000 walking greensmowers with aluminum and/or cast iron-grooved rollers. Very good condition. Asking \$800 each. 1989 Hahn Spray Pro 44— 160-gallon boom sprayer with Raven controller, foam marker and handgun/hose for spot-spraying. Good condition— 2,216 hours. Asking \$1,900. Call Kurt at Exmoor C.C. at 847-433-1177.

Still for sale: John Deere 220 22" walking greens mower—used VERY little. Asking \$2,400. Call Jim Kopija at 630-879-1731.




Classic Style. Modern Appeal.






Marengo, IL 815.923.3400  www.lohmann.com


**Your Professional Partners
in Chicagoland
for over 40 Years.**



ARTHUR CLESEN INC.

N


543 Diens Dr.
Wheeling, IL 60090
ph: 847-537-2177
fax: 847-537-2210


S

8050 W. 186th St.
Tinley Park, IL 60477
ph: 708-444-2177
fax: 708-444-2199

flexible enough...

...to gather the best quality and technology available.

...to respond to future market opportunities.

...to deliver genuine value to the turf manager.

United Horticultural Supply has earned a leadership role in discovering and delivering the best quality and technology available on the market.

Competitors tied to limited resources or technologies cannot make that statement.

That's why you can trust the performance and quality of **UHS Signature Brand Fertilizers™**.

Contact your local UHS representative for more information.

(800) 411-5115
www.uhsonline.com

UHS Signature Brand Fertilizers are a product of
United Horticultural Supply



"you have our name on it"



28322 Ballard Road
Lake Forest, IL 60045

Telephone: 847-281-9400

Fax: 847-281-9780

* **Irrigation & Pump Station Design**

* **Irrigation Installation**

* **Drainage Systems**

* **Pump Station Installation**

* **Irrigation Pipe & Supplies**

* **Pond Aerators**



75 Years of Quality Service, Products & People

- **LEGEND Low Mow Blend**
(100% Elite Ky Bluegrasses)
- **LEGEND Fine Fescue Blend**
(100% Fine Fescues)
- **LEGEND Super Pro II**
(70% Elite Ky Blues/10% Fine Fescues)
- **LEGEND Super Pro III**
(100% Elite Ky Bluegrasses)
- **L-93**
- **We have all the Penn pals in stock**

27310 W Case Rd
Wauconda, IL 60084
847.526.0007

7851 W 183rd
Tinley Park, IL 60477
708.532.4723

4304 S Beaumont Ave
Kansasville, WI 53139
262.878.2048