

Perfect Partners

IBDU and Sulfur Coated Urea

A new concept in slow release fertilizers to give you high performance at an economical cost.

Now you can get all the performance of a slow release fertilizer at a cost lower than most other professional fertilizer products.

New IBDU/SCU^{™*} mixes combine three nitrogen sources—IBDU, Sulfur Coated Urea and Ammonium Sulfate—to give your turf short, intermediate and long nitrogen release. This three-stage release results in a constant, even rate of turf feeding that lasts for up to 90 days.

Yet the price of IBDU/SCU fertilizers is less than you would expect to pay.

A First for Turf

New IBCU/SCU fertilizer mixes can provide your turf a combination of features never before available in a single fertilizer. It gives your turf all




the benefits of IBDU, the highest performance slow release nitrogen available, with the proven benefits of a high quality prilled Sulfur Coated Urea. Plus, there's water soluble Ammonium Sulfate to get your turf off to a fast, green start. IBDU/SCU fertilizers are available in a variety of complete mixes, custom formulated to regional turf requirements.

See your local distributor or PAR EX representative about the new IBDU/SCU fertilizer mixes. They just might be the perfect partner for your fertilizer budget.

Estech General Chemicals Corporation
Selvitz Road, Ft. Pierce, FL 33450
305/464-3511


2121 3rd St., S.W., Winter Haven, FL 33880
813/293-3147

*Registration Pending



par ex
PROFESSIONAL PRODUCTS

President's Message



As the new President of the Florida Golf Course Superintendents' Association, I welcome the distinct pleasure of addressing my colleagues through this message. Please accept my comments constructively, not critically.

Undoubtedly the results of a whipping can be considered controversial. Many times in a horse race the jockey is accused of using the whip too much or too little. I trust you can stand one more exhortation on the need to join an organization and possibly transform the power of that whip from a device of punishment to one of attention and identification.

I am not a true believer in becoming part of an organization just to be another name on the roster, but we are playing an important numbers game. Without a doubt, the legislature, manufacturers, environmentalists, or any controlling or regulatory group will listen to 1,000 voices more intently than 10. The performance has been chosen, the stage has been set, now it is time for the cast to act — you and I individually and collectively. It is up to ALL of us to join forces — stand up and be counted. You supposedly have chosen the turf industry for good reasons. Now support it. Become an active part of your livelihood. Invest in your present and future.

Join your local Superintendents' Association and expose yourself to "grass roots" education — what is being done in your backyard. As part of the state association you contribute, through numbers, to the sting of the whip. Lend a "Big Brother" hand to the turf industry at large by joining forces through the Florida Turf Grass Association. And as a member of G.C.S.A.A. you collectively impart support to and have an impact on Federal decisions concerning matters which effect our environmentally oriented business.

I believe all of us can afford the dues even, if necessary, out of own pocket. Perhaps it is difficult to see or feel a direct "in the hand" benefit of these investments — but they are worthwhile and your future depends on your present action.

You are important. We need you even if you think you don't need us. Become an active member of the mentioned associations.

Bill Wagner

The Florida Green

The Official Bulletin of the Florida Golf Course Superintendents Association
 Florida Green Phone: Days — (305) 793-0069

Officers and External Vice Presidents for Florida G.C.S.A.

BILL WAGNER.....President

Tequesta Country Club
 22 Pine Tree Circle, Tequesta, FL 33458 • (305) 746-4408

KEVIN DOWNING, C.G.C.S.Vice President

Atlantis Golf Club
 301 Orange Tree Dr., Atlantis, FL 33426 • (305) 965-6316

DON DELANEY, C.G.C.S.Secretary-Treasurer

Isle Del Sol Country Club
 6025 Sun Blvd., St. Petersburg, FL 33175 • (813) 866-0313

PAUL TURCOTTE.....South Florida

City of Miami
 1802 N.W. 37th, Miami, FL 33125 • (305) 579-6920

BILL WAGNER.....Palm Beach

Tequesta Country Club
 22 Pine Tree Circle, Tequesta, FL 33458 • (305) 746-4408

TOM BURROWS.....Treasure Coast

Turtle Creek Club
 Club Circle Drive, Tequesta, FL 33458 • (305) 746-8911

JAMES ELLISON.....Central Florida

Bay Hill Club and Lodge
 6200 Bay Hill Blvd., Orlando, FL 32811 • (305) 876-2402

BOB SANDERSON, C.G.C.S.Everglades

Port Charlotte Golf Course
 425 Oneida, Port Charlotte, FL 33952 • (813) 625-7192

JOHN HAYDEN, C.G.C.S.North Florida

San Jose Country Club
 607 Bowles Court, Neptune Beach, FL 32233 • (904) 733-3464

CHARLES RETTEW, C.G.C.S.Gulf Coast

US NAS Recreation Department
 Route 8 Box 695, Pensacola, FL 32506 • (904) 455-2555

DAN MEYERS, C.G.C.S.West Coast

Temple Terrace Golf and C.C.
 200 Inverness Ave., Tampa, FL • (813) 985-2812

ROYCE STEWART.....Suncoast

Conquistador Bay C.C.
 4400 Conquistador Pkwy., Bradenton, FL 33507 • (813) 756-9555

TABLE OF CONTENTS

President's Message.....	3
Superbugs: A New Biblical Plague?.....	6
USGA Regional Meeting.....	9
Mr. Superintendent — Are You	
An "Endangered Species"?.....	12
Palm Beach Pesticide Report.....	15
Electric Charge Boosts Pesticide	
Application Effectiveness.....	18
The Gator Grows.....	20
FTGA Golf Results.....	21
Turfgrass Field Day.....	21
Treasure Coast Chapter Formed.....	21
South Florida Pesticide Report.....	22
Long Term Pesticide Effects Under Study.....	24
Dr. Batterson Named to Ag. Center Faculty.....	24
West Coast Pesticide Report.....	25
Central Florida Journal.....	26
Tips on Tank-Mixing Pesticides.....	26
Central Florida Pesticide Report.....	28
All About Sprayers.....	30
Factors Affecting a Spray Application.....	31
Alarmed About Armadillos?.....	32
Scientist Defends Use of 2,4-D.....	33
Pot Vs. Pesticides.....	35
Asulam in St. Augustinegrass.....	36
Questions & Answers About Asulox®.....	37
Guest Editorial.....	38

Dan Jones, C.G.C.S., Editor

Banyan Golf Club



Dave Baily

Atlantis Country Club

Associate Editor



Contributing Editors:

Hubert E. (Al) Frenette

Peachtree G.C., Atlanta, Ga.

Fred V. Grau, Ph.D.

President, The Musser Foundation

Paul R. MacDonald

Johns-Manville Corp.

ABOUT OUR COVER

Severe infestation of sodweb worms on a green.
 Picture was taken after application of primidol at two quarts per acre.

NOTICE: All correspondence concerning business matters, circulation, editorial and advertising should be addressed to the Editor, P.O. Box 5958, Lakewood, Fla. 33461. Opinions expressed by writers in by-lined editorials are not necessarily those of this publication. "The Florida Green" is published quarterly: the 1st of January, April, July, October. Closing date for advertising and copy is 45 days prior to publication. Not copyrighted. Please credit the author and "The Florida Green."

OUR BIGGEST ADVANTAGE IS HOW LONG A SINGLE APPLICATION WILL CONTROL CRABGRASS, GOOSEGRASS, BULLGRASS AND SANDBUR.




ONE WHOLE SEASON.

five pints per acre in 30 to 50 gallons of water. Be sure to use the higher rate for goosegrass control. It's tough, but not as tough as Asulox.

You may get temporary discoloration following application. But your turf will quickly grow out of it, with no ill effects. Just be sure not to apply above labeled rates, as permanent turf injury may occur. And don't apply Asulox to freshly mowed turf or turf that's under stress.


This season, why not simplify and improve your turf weed control program? Spray Asulox. A single application will control crabgrass, goosegrass, bullgrass and sandbur for one whole season.

Rhône-Poulenc Chemical Co. Agrochemical
Division, Monmouth Junction, New Jersey 08852.



Please read labels carefully, and use only as directed.

Labeled for use in Florida only.



The once-a-season herbicide.

That's right. You get an entire season's control with just one application of Asulox[®]. Control of your four major problem weeds in Tifway 419 Bermuda-grass and St. Augustinegrass. Reliable, consistent control that will help produce the kind of turf that reflects most favorably on your management skill.

Asulox is easy to use without drift problems, since it is extremely selective to surrounding vegetation. You apply it postemergence to weeds with regular ground equipment. Use four to

Superbugs:

A New Biblical Plague?

By Michael Satchell

The battle erupts in Texas. After years of being under control, a generation of insects begins multiplying in fantastic numbers — suddenly unaffected by the chemical weapons that have kept them in check. Farmers get panicky, some spraying their fields as many as 50 times with powerful insecticides, but it has little effect.

After devouring much of the Texas cotton crop, the insects march into northern Mexico, gobbling up a million more acres of cotton, wiping out an entire industry, and leaving the land wasted and barren.

Newer and more exotic poisons are thrown at them but serve only to slow the insects down. After shaking off the new assault, the voracious hordes regroup and sweep into Louisiana, eating a quarter of that state's cotton crop. Temporarily sated, they head west to California, bringing terror to the lush Imperial Valley, America's vegetable bowl.

Here, the crawling, wriggling juggernaut begins by chomping its way through some 5 billion pounds of lettuce — three quarters of the nation's crop. All seems lost until a last-ditch defense with another new poison thwarts the assault. America's salad bowls are safe this year, but the victory may be only temporary. Where will the monster bugs strike next?


This may sound like the scenario of a Hollywood horror movie, but the saga of the budworm (which is equally happy eating tobacco, cotton, lettuce and tomatoes — plus DDT, toxaphene, methyl parathion and other powerful insecticides) is very real. Last winter's California lettuce crop was saved only after authorities agreed to the emergency use of a highly toxic and largely untested pyrethroid chemical. In time, scientists believe, the budworm will develop immunity to this poison too.

The budworm is just one of 364 so-called "superbugs" worldwide that have developed resistance to the witches' cauldron of poisons used to destroy them or keep them in check. They are the shock troops of a global insect army locked in constant combat with man, challenging us for our food and fiber supplies and bringing death, disease and discomfort to millions, particularly in Asia, Africa and Latin America.

Viewed in terms of war, it is the insects that are on the offensive. "They are beginning to tip the scales in their favor," warns Dr. Paul Schwartz, a U.S. Department of Agriculture (USDA) entomologist. "The potential for disaster is always present — in agriculture or in disease."


The United Nations Environment Program, in its recent

(Continued on Page 7)



U.S. Dept. of Agriculture

Fire ants eagerly feeding on unopened flower bud of okra.



U.S. Dept. of Agriculture

Nests of the eastern tent caterpillar. Note the layers of silk.



U.S. Dept. of Agriculture

Grasshoppers are shown chomping away on a half-devoured stalk.

State of the World report, noted with alarm the rapid gains made by insects, mites, ticks, rodents, weeds and fungi in becoming increasingly resistant to pesticides. This poses a grave threat to world health and food production.

Of the 364 superbugs, 223 are agricultural pests that attack crops in the fields or after the harvest. The remaining 141 spread disease to livestock or humans — flies, ticks, cockroaches, lice and mosquitoes.

In the last two years, the U.S. has been invaded by exploding populations of pests. Plagues of grasshoppers almost Biblical in size have blanketed and denuded millions of acres of crop and range lands in 14 states west of the Missouri River.

In Maine, millions — perhaps billions — of tent caterpillars have been defoliating trees and invading homes. Gypsy moths have stripped half a million acres of Pennsylvania forest and are spreading south into the Blue Ridge Mountains. Colorado is losing 2 million Ponderosa pines each year on the eastern slopes of the Rockies due to pine beetle infestation. Elsewhere, record numbers of borers, rootworms, bollworms, cutworms, webworms, hoppers, miners, loopers, beetles and weevils are decimating crops, making life miserable for farmers and homeowners, and causing millions of dollars in losses.

Overseas, the effects on food supplies and public health are even more drastic as the insect hordes gather momentum. Locusts — bigger and more voracious cousins of the grasshopper — have swarmed across Africa and parts of Asia, eating everything from crops to wooden fence posts. Increasing resistance to insecticides is being shown by major pests that attack crops on which entire agricultural economies are based — rice in Japan, coconuts in tropical Africa, cattle in Australia, cereals everywhere.

The World Health Organization (WHO) has charted an alarming rise in malaria after seeing the disease dramatically reduced in recent years by effective new insecticides. But the mosquitoes have been highly successful in blunting these attacks by developing immunity. So far, 43 species that carry malaria — plus 41 species that transmit dengue, yellow fever and a host of dread tropical diseases — have developed resistance.

This country also faces a constant threat from mosquito-borne disease. Without expensive, continuing control programs, coastal areas of Florida and some Southern states would be uninhabitable. Dr. Donald Weidhaas, director of a USDA research laboratory in Gainesville, Fla., worries about the increasing resistance trend.

“We’re lucky we can afford these expensive methods to combat the problem. The developing countries cannot,” he says. “The potential is here for malaria and encephalitis; already we’re seeing dengue and yellow fever turn up in Caribbean countries.”

Changes in climate, different methods of agriculture and the banning of certain insecticides for environmental reasons are all contributing to the burgeoning insect populations. But resistance to chemicals — our first line of attack and defense — is the major and most worrisome reason.

Compared to millions of years of gradual evolution and adaptability, the changes insects have undergone in becoming resistant to man’s chemical poisons have taken place with fearful speed.

The first case of resistance was noted in 1908 when fruit farmers in Washington State found that a tiny pest called the San Jose scale could no longer be controlled by lime sulfur. For the next 30 years, a dozen more insects developed resistance to various pesticides produced from naturally occurring organic substances.

After World War II, the chemical industry began manufacturing synthetic pesticides, and they brought amazing changes in the fields. Farmers applying these new “miracle” chemicals sometimes harvested twice as many crops as before and exulted in the “green revolution.” It appeared that man had at last found the answer to controlling his insect foes, and for a while we had the upper hand over the pests.

But it wasn’t to last. Many of the most effective pesticides were found to cause serious environmental problems. Rachel Carson’s book *Silent Spring*, detailing the disastrous effects of DDT, sounded the first major warning note. Eventually, such compounds as DDT, Chlordane, Aldrin, Dieldrin and Heptachlor were banned or their use severely restricted.

(Continued on Page 8)



The Lake Doctors, Inc.

**We Specialize in Keeping Your
Golf Course Waterways in
Excellent Condition.**

**FREE aquatic survey of your lakes
or waterways includes:
Full written report, custom water
management program proposal
and cost estimate**


**CALL JIM WILLIAMS
(305) 491-3905**

**2501 E. Commercial Blvd.
Suite 212
Ft. Lauderdale, Fla. 33308**

WOODBURY WORKS FOR YOU!

Take advantage of our technology, service,
sales personnel and competitively priced
merchandise.

We're here to serve you . . . because at
Woodbury Chemical Company,
WE WORK FOR YOU!



PRINCETON

P.O. Box 4319
Princeton, FL 33032
(305) 247-0524

FLA. WATS 800-432-3411

BOYNTON

Rt. 1, Box 278A
Boynton Beach, FL 33437
(305) 734-4441

Delray: (305) 499-4900
Deerfield: (305) 421-2393

TAMPA

P.O. Box 5016
Tampa, FL 33675
(813) 247-3621
Pinellas County
(813) 823-0017

FLA. WATS 800-282-2719

MT. DORA

P.O. Box 1075
Mt. Dora, FL 32757
(904) 383-2146

FLA. WATS 800-342-9234

The chemical onslaught also threw the biological balance out of kilter. The pesticides killed both the target bugs and the beneficial parasites and predators that helped keep them in check.

But most important of all was the growing trend to immunity. In 1957, researchers counted 76 species of bugs resistant to the new poisons. Ten years later, the number rose to 228 species. Today, the 364 resistant insects are immune to the effects of some 60 different poisons, and some insects have multiple resistance — born with the ability to withstand attack from as many as a dozen different chemicals.

As insects became more difficult to control, farmers began pouring more and more insecticides into their fields, killing increasing numbers of beneficial insects — along with birds, fish and small mammals — and pushing the poisons higher up the food chain.

When one insecticide became useless, the industry simply created a new one; and when insects developed immunity to that, still another one was introduced. This expensive and rather insidious trend has reached the point where American farmers now spread 1 billion pounds of pesticide on their crops each year at a cost of \$2 a pound. And in these times of oil shortage, costs will certainly leap, because 80 percent of synthetic pesticides are made from a petroleum base.

The heavy dependence on pesticides has locked us on a chemical treadmill, and the strategy has been a "debacle" in the view of the late Dr. Robert van den Bosch, University of California entomologist. "It is questionable," he said, "whether we have made gains against the pests since the mid-1940s. And, in fact, with insects there is evidence we have lost ground."


Agriculture, realizing the biological errors of its old ways, today is moving to switch strategy to control pests by combining methods as old as farming itself with exotic new technology and the limited, careful use of pesticides.

These include crop rotation — growing different things each year instead of the same food or fiber that allows insects to become established generation after generation by feeding on a favored crop.

There is the biological warfare approach — breeding and introducing predator insects into the fields to feed on these agricultural pests/parasites.

The most fascinating development, however, is still in the highly experimental state: the use of pheromones — chemicals produced in the laboratory that duplicate the sexual lure substances of the insects.

These sex excitants can be used to entice insects into traps or to disrupt their mating habits. In some tests, scientists have flooded fields or orchards with a pheromone, making it impossible for males to locate the females.



CALL TOLL FREE
1-800-321-5325

SULFUR COATED

From The Company That Makes It

For even-growing turf with a deep green color, you need a fertilizer that provides a long-lasting, steady release of ALL elements. All LESCO Sulfur Coated Fertilizers, including our 37-0-0, 28-3-9 and 27-0-14 formulations, are 100% Sulfur Coated to deliver this unique performance. Want more information? Contact your LESCO Representative today!

LESCO OF FLORIDA

Division of Lakeshore Equipment & Supply Co.
300 South Abbe Rd., Elyria, Ohio 44035

In others, tiny amounts of the sex lure are spread in thin plastic tubes. "The males are attracted to the tubes and spent their time trying to mate with the plastic instead of the female," chuckled one government scientist. "It must get pretty frustrating."

Similar methods are being tested for pests that bother humans, though introducing predator insects into an apartment building plagued with cockroaches is hardly feasible. Entomologists advise that the best method of combating insects and rodents around the house remains a simple one: don't leave garbage about.

Despite all the modern weapons at our disposal in the continuing conflict with insects, this country still loses 30 to 40 percent of its food and fiber supplies to pests. On a global scale, almost half of the world's crops are eaten or destroyed by rodents, bugs and weeds. Since insects outnumber use and are far more adaptable and theoretically able to breed resistance to any kind of poison that we can invent, the end result of our age-old battle with them is inevitable.

Superbugs and superpests will eventually take over the earth, just like in some Hollywood movie. A disturbing thought, but hardly something to worry about in our lifetime — unless, perhaps, the budworm eats its way out of America's farmlands and starts showing up alongside the cockroach in our cupboards and kitchens.

USGA Regional Meeting

The United States Golf Association, Green Section, Southeastern Region will hold their next regional meeting Monday, February 23, 1981 at the Holiday Inn-Lakeside, Boca Raton. The motel is immediately west of the Boca Raton exit from the Florida Turnpike. Plan to attend this all day session. South Florida Chapter and Palm Beach Chapter will not hold February meetings because of this event. Registration fee is \$15 which includes lunch.

A wide range of subjects will interest golf management people of all levels. To be discussed in the morning session are the USGA and its role in the game of golf. Other subjects are golf etiquette, trends in golf facilities, integrated pest management — weed control, performance — evaluation of Bermuda species, the manager's role with the golf course. The afternoon session subjects are: importance of course housekeeping, coping with traffic, vandalism, bermuda green mutation in the superintendent management program and conditioning the course for play. The afternoon session highlight will be a rare appearance by cytogeneticist Dr. Wayne Hanna of the Tifton Georgia Coastal Plain Experiment Station. His topic will be contamination in greens — the Pee Dee Syndrome.

Nutrient deficiencies, weeds, diseases, thin turf, insects.

For the superintendent who has everything . . . or anything . . . or who just wants to make a good thing better . . . ProTurf offers research tested, golf course proven professional turf products.

Just give me a call.



A division of
O. M. Scott & Sons

Bob Willcox
Technical Representative
1261 SW 27th Place
Boynton Beach, Fla. 33435
Telephone: 305/734-2277

Jerry Mills
Technical Representative
7810 NW 74th Avenue
Tamarac, Florida 33319
Telephone: 305/722-0306





Control boxes for turf irrigation systems

Plymouth irrigation boxes are made of a strong, tough thermoplastic material especially suitable for underground use. They're lighter in weight, easier to handle and less brittle than the cast iron or concrete boxes. And, the covers feature molded-in green color to blend-in-with rather than stick-out-of your turf. Rectangular boxes have snap locking covers; 10" round boxes have twist lock covers; and 6" round boxes have snap fitting covers. All boxes nest for simplified storage. AMETEK, Plymouth Products Division, 502 Indiana Avenue, Sheboygan, WI 53081. (414) 457-9435.

AMETEK
PLYMOUTH PRODUCTS DIVISION

REPRESENTED IN FLORIDA BY:
**RICHARD DUNN
R&D ASSOCIATES**
502 N.W. 7th Street
Delray Beach, FL 33444
(305) 278-5271



Boxes stocked in Tampa for immediate delivery throughout Florida.