chemical must be provided.

SECTION 323 requires that chemical information withheld from the public as a trade secret must be made available to health professionals for diagnostic purposes and emergency assessment activities. In these cases, the person receiving the information must be willing to sign a confidentiality agreement with the facility.

SECTION 325 provides for enforcement procedures and penalties as follows:

• Civil penalties for owner/operators not complying with emergency planning requirements.

• Civil, administrative and criminal penalties for owner/operators not complying with emergency notification requirements following the release of a listed hazardous substance.

• Civil and administrative penalties for owner/operators not complying with reporting requirements in Sections 311, 312 and 313.

• Civil and administrative penalties for trade secret claims that are ruled frivolous.

• Criminal penalties for disclosure of trade secret information.


Banner re-labeled for Florida


Banner, a fungicide manufactured by Ciba-Geigy, has now been approved for disease control on all bermudagrass in Florida except on golf greens when temperatures exceed 90° Fahrenheit.

The label amendment was one of several for Banner announced by the U.S. Environmental Protection Agency Jan. 4.

In addition, Banner's watering-in statement has been amended to address recommendations on a case-bycase basis. For example, to control soilborne diseases, the new label suggests watering Banner in shortly after application. To control foliar diseases, the sprayed area should be allowed to dry before irrigating.

"These label amendments are encouraging," said Dr. Doug Houseworth, Ciba-Geigy turf and ornamental products manager for technical support. "We will continue research on difficult-to-control diseases."







Virginia Lehman and Dr. Milton Engelke screen tissue for heat tolerance at Texas A&M University's Research and Extension Center in Dallas.

TEXAS A&M

Whence the bent?

Researchers seek heat-and-humidity-tolerant bentgrass

By Irene Jones



Many candidates end up here after going through the pathology lab.

Banyan GC in West Palm Beach is one of about two dozen golf courses in the United States taking part in a USGA/GCSAAfunded project to develop a heat-and-humidity-tolerant bentgrass.

The only other participating course in the Southeast is Augusta National GC in Georgia, site of the annual Masters golf tournament.

The project, headed by Dr. Milton C. Engelke, associate professor of turfgrass breeding and genetics at Texas A&M University's research and extension center at Dallas, was begun 10 years ago and may take another decade.

"The total process of identifying desirable plants for evaluation of heat-tolerant characteristics can take up to 10 years," Engelke said. "Plants are bred and evaluated. Then those with the most desirable genetics are intercrossed again and reevaluated.

"This process goes on for years, as we continue to develop disease-resistant and drought-resistant varieties that are most adaptable for warm-season growth."

The experimental plots at Banyan, established last fall, "are doing well," Engelke says. "Preliminary results look good; better than we had hoped."

The main goal of the project, according to Virginia Lehman, an Engelke team member who expects to earn her Ph.D. this summer, is "the production of bentgrasses that have heat resistance, which may include heat tolerance, heat

| Net Weigh | | |
|---|----------------------------|----------|
| | t 61 ^{//8} | lbs |
| CAUTION: PLEASE KEEP OUT O CONTACT WITH CONTENTS MAY CAN WATER AS SOON AS POSSIBLE. | | |
| ProTurf Fairway Fertilizer Guarantee | 32-3-10 d Analysis | 643-8408 |
| Total nitrogen (N) 0.8% ammoniacal nitrogen 24.5% urea, methylene urea | | |
| 6.7% water insoluble nitro Available phosphorio cold (Pa | gen | 3% |

 CUARANTEED ANALYSIS

 Sold Benegent (K)
 19%

 Sold Weiter Insoluble Nitrogen
 30%

 Sold Weiter Insoluble Nitrogen
 30%

 Sold Weiter Insoluble Nitrogen
 50%

 Sold Weiter Insoluble Nitrogen
 50%

 Sold Weiter Insoluble Nitrogen
 50%

 Magnesium (Mg)
 50%

 Magnesium (Mg)
 50%

 Montrief Sources: Uhea, Methylene Unea, Ammonium Prosphate, Ammonium Stuffane, Ammoriated Superprophengting, Stuffate Orbean, Okate, Ferrow

 Suffate, Suffates,
 Potential Acidity Equivalent 1900 (bs. Calcium Carbonute per Ton.



| | | ARA | | | D | A | V | ۹L | Y | S | IS | 5 | | | | | |
|-----------|----------------------|------------|----------|--------|-------|-------|-----|------|-----|----------|-----|-----|-----|-----|-----|-----|-----|
| | NITRO | | | | | | | | | | | | • • | | | 24. | 09 |
| | % Amn | | | rog | en | _ | | | | | | | | | | | |
| | 6% Un | | | | | | | | - | - | | | | | | | |
| | | | | | | | | | ١., | | | | | | | | |
| AVAIL | BLE PO | TACH | | - | CIL | 10 | 30 | 20) | • • | * | × | • • | ** | | | 4. | 97 |
| SOLUE | SLE PU | INSU (| N20) | * * * | + + 1 | • • • | • • | • • | • • | | • • | - • | | | | | |
| Magne | sium (N | lg) | | | | | | | | | Ċ, | | | | 14 | 0. | 79 |
| Sulfur | (S) | | | | | | | | | | | | | | | 5. | 09 |
| Iron (Fe | e) | | | | | | | | | <u> </u> | | 20 | 22 | 21 | | 0. | 49 |
| Derived | from am | monium | | | | | | | | | | | | | | | |
| potash, s | from an ultate of | potash-n | nagne | sia ai | nd ir | on | sui | late | . P | 00 | ent | i. | Ad | dit | y 1 | 000 | lbi |
| Calcium | Carbona | ite Equiv | alent | per | ton. | | | | | | | | | - | | | |
| Manufect | Heights, I | igoro Indi | ustries. | Inc. | | | | | | | | | | | | | |
| Fairview | Heights, I | linois 622 | | | | | | | | | | | | | | | |

Scott's ProTurf

Lebanon Country Club

Par Ex

Down in the analysis area on every fertilizer bag, you'll find the "fine print" that tells you what the big print doesn't. Read all of it. Carefully. But most importantly, look at the percentage of Water Insoluble Nitrogen.

Water Insoluble Nitrogen (WIN)... the key to superior turf.

The higher the WIN percentage, the longer your turf will remain green. And the less often you will have to fertilize. That's because WIN is

the percentage of total Nitrogen that is truly slow release. Freeing small amounts of Nitrogen each time it's touched by water (Par Ex® with IBDU®) or activated by temperature or bacterial action (competitive products).

No competitor can deliver as much usable WIN as Par Ex.

Only Par Ex contains IBDU—a unique Water Insoluble Nitrogen source that is 100% available to your turf in a single growing season. Consider that urea formaldehyde products (bacteria and temperature released) contain about one third of their WIN in the form of plastic polymers. Its long-term Nitrogen



release is so slow, it's almost useless, and will most likely occur during the hottest periods, just when you don't want it.

For Sulfur Coated Urea (SCU), research has shown that by the time it is spread, about 50% is immediately soluble, effectively doubling your cost of controlled-release Nitrogen and cutting the benefit in half!

Be sure to read your bag.

If the percentage of Water Insoluble Nitrogen isn't listed, there isn't any slow-release Nitrogen. If it *is* listed, chances are it won't be as high as the WIN percentage in Par Ex. Even if it is, we guarantee you that 100% of what we list as WIN is available to your turf every growing season. That means for every six months of growing, you'll receive an additional 46-53% more usable WIN than our competitors can deliver.

So start building your WIN percentage today. Talk to your local Par Ex Representative or call 813/294-2567. And get all the WIN you've been reading about.



Par Ex and IBDU are registered trademarks of Vigoro Industries, Inc., P.O. Box 512, Winter Haven, FL 33882. ProTurf is a registered trademark of the OM Scott & Sons Company; Country Club is a registered trademark of the Lebanon Chemical Corporation.

avoidance or heat escape."

"Those main goals are no small undertaking when one looks at the facts, says Dr. Phillip F. Colbaugh, associate professor and plant pathologist at the Dallas Center. Colbaugh's role on the research team is to identify bentgrass plants with disease-resistant qualities.

Teamwork is emphasized by Dr. James Reinert, resident director of research at the center.

"Scientists here pool their expertise and knowledge for the advancement of the total project," he says. "Our intent is to address as many factors as possible to develop the best turf system."

Computers also play an important role in the search for what ultimately will produce a better putting surface. Mountains of data taken from field plots are fed into the computers which analyze everything from the number of mites found on beetles to the types of elements found in the soil at each plot.

The problem with growing bentgrass in Florida "all has to do with heat and dehydration tolerance, which is part of heat stress resistance," says Lehman.

"You are growing in very high

humidity environments with regards to transpirational cooling. The humidity actually inhibits the evaporative cooling mechanism and the plant cannot cool itself."

"Our project to find bentgrasses that can cool themselves is very simply stated but not so simply achieved," Engelke explains. "We have to collect bentgrasses with genetic diversity and bring those plants into our nurseries where we can evaluate them under multiple stress environments.

"In fact, we have samples collected from greens in Palm Beach County that have survived many growing seasons with no special care. We use these plants to expand our germplasm pool.

"This project is an opportunity for advancement of our industry," Engelke continues. "You have a need (for a superior stress-resistant bentgrass) and we have the ability to produce the product you need.

"And that is very exciting for our researchers here. This program did not happen overnight. The breeding program was established in 1980.

"Now 10 years down the road, we are beginning to see results."

What they're looking for ... and how they go about it:

Researchers at Texas A&M have not yet found the ideal bentgrass plant, but they know what they're looking for. In order of importance, its characteristics:

- 1. Stress (dehydration, heat) resistant
- 2. Disease resistant
- 3. Good color
- 4. Fine textured, uniform, dense
- 5. Good survivor without a lot of fertilizer or water

Each candidate goes through a fivestep evaluative process:

- **1. Plant preservation:** the new plant is established in the greenhouse and then vegetatively divided for inclusion in greenhouse, laboratory and field studies.
- 2. Field assessment: growth, turf

quality, wear tolerance to a traffic machine and compaction are evaluated.

- 3. Greenhouse assessment: root growth characteristics and disease resistance.
- 4. Laboratory assessment: High humidity incubation at 100 degrees Fahrenheit for 16 hours to pre-stress plant; high temperature water bath for tissue heat-tolerance test; determination of the precise temperature at which cell breakdown occurs.
- **5. Seed production:** Strongest and best plants go on to Oregon where they are cross-pollinated with other strong, desirable plants. Resulting seed hopefully will have the best characteristics of both parents.

RESEARCH NOTES By Darcy Meeker

Bacteria kills the nematodes, but it's tough to grow

A recent report in the *Wall Street Journal* interested several golf course superintendents. The story had it that one Bert Zuckerman, a tomato researcher at the University of Massachusetts, was looking at a bacteria to control root-node nematodes in tomatoes.

At press time, Dr. Zuckerman was off in Puerto Rico doing a field test, but at the University of Florida's Institute of Food and Agricultural Sciences in Gainesville, Drs. Don Dickson and Grover Smart were proceeding with FTGA-sponsored research on bacterial controls for sting and lance nematodes, the two major nematode parasites on turf grasses.

"These two feed on the outside of grass roots,"Dickson said. "The root system becomes very abbreviated so the plant can't take up nutrients.

"This is a great big problem for Florida's golf courses. They all have to practice some sort of control, treating with nematicide once or twice a year with 15 to 20 pounds of active ingredient (organophosphate) per acre.

"Obviously we need some options. That's a heavy chemical load to put into soil. We would prefer not to have to use such high doses."

Dickson says scientists have found pseudomonad bacteria specific to the two pest nematodes. The bacteria get in roots and keep the nematodes out, perhaps by producing repellent chemicals.

There's just one problem, says Dickson.

"This bacterium cannot be mass produced. The Beltsville group (USDA researchers) has it growing and sporulating in media, but very slowly."

At IFAS, Bob Cox has been able to grow it vegetatively on *ascaris* (round worm) media, but hasn't gotten it to sporulate, which it needs to do so it can be used as a pesticide. "We're a long way from the answer," Dickson said. "This organism is very host-specific. In our preliminary work, we took soil from areas infested with nematodes. We dried it and found that the soil can kill nematodes, but after we autoclave the soil, which kills the spores of the bacteria, the soil no longer inhibits the nematode."

The fact that these anti-nematode bacteria are so host-specific may make them hard to produce, but it's still a good thing: it means the anti-mole cricket nematode is safe.

IFAS nematologist Smart says, "The nematodes we're using have an extra cuticle, so they have an extra layer of protection but the bacteria don't seem to attack them anyway."

Smart said he has been studying *Pasteuria penetrans*, a bacteria that attacks root-node nematodes such as those that afflict tomatoes.

"The trouble has been growing sufficient quantities because we shouldn't grow it in vitro," he said.

The pattern runs like this: spores of *Pasteuria* bacteria attach to a

nematode's skin and send a penetration peg into its body. In the soil, the bacteria are in spore stage. Eventually the growing bacteria fills the nematode's body — this is the vegetative phase of growth — then it goes into spore stage. The bacteria can't move around on their own. But thousands of spores emerge from one nematode host.

"If enough spores attach to a juvenile nematode, it may die outright," Smart said. "If the numbers are fewer, the nematode may go into plant roots and begin developing before it dies. If the spore load is low enough, the female will produce few, if any, eggs because the bacteria ruins its reproduction structure."

Just to put things in perspective, *Pasteuria* are about one fourth the diameter of a nematode, but the nematode is much longer, about one millimeter.

"They are barely visible, but so thin that they're hard to see," Smart said. "You can see a bunch of them; they look fuzzy. But seeing one is difficult.

IFAS tests compost as medium for sod

Dr. Albert Dudeck at IFAS in Gainesville is testing composted organic waste as soil to produce sod and turf. He thinks it could be a boon to Florida's \$1.5 billion turf industry (76 percent of that is St. Augustine grass for home lawns).

"We're looking at a lot of things," he said, listing garbage, yard trash, tree trimmings, sludge/garbage combinations, wood chips, stable litter, mushroom compost, rice hulls, and sugarcane bagasse.

"The primary need is the mandated 30 percent reduction in landfill waste in the next couple of years."

The nutritious composted waste grows a crop of turf in three to four months rather than a year and a half. That could reduce the 75,000 acres now dedicated to commercial sod production.

Dudeck says, "It means a tremendous opportunity to use the waste.



'You move the mulch-grown sod in its entirety. It's grown on plastic, and you roll it like a carpet to move it. It's light and only an inch thick..'

You can see dollar signs in their eyes right now. The production technique is commercially feasible in France, but it's never been done on warm season grass in the South.

The tricky part is more frequent, more controlled watering by misters rather than traditional irrigation. Also, the old harvesting machinery isn't appropriate.

"You move the mulch-grown sod in its entirety," Dudeck explains. "It's grown on plastic, and you roll it like a carpet to move it. It's light and only an inch thick."

The bonus for outdoors-loving Floridians: 5,000-year-old Everglades muck soil can stay there and be productive for us, rather than be shipped throughout the Southeast to sod suburbia.

...

Hoelon will kill your goosegrass without yellowing your turf. That's what Bert McCarty says.

"This is the first product since 1930 to offer this kind of control," said the weed control researcher at the University of Florida's Institute of Food and Agricultural Sciences in Gainesville. "It's pretty revolutionary."

Goosegrass is a semi-annual weed in fine turf, highly undesirable on putting greens and football fields because it clumps and because it grows horizontally.

In the past, because sprays yellowed turf, many golf courses used hand labor to pull goosegrass out.

After he read of Hoelon's antigoosegrass success in wheat, grains and row crops, McCarty did research that helped get Florida the first 24-C (state-only) registration, allowing use of Hoelon on turf.

"Florida is the only state that has it currently," McCarty said. "Our golf courses are enjoying a pretty exclusive privilege. Hoelon is far superior to any other products available, which are materials developed in the 1930s."


The older materials require multiple applications and can discolor turf.

Hoelon (chemical name "diclofop") gives 95 percent control in one application per year at half the rate of active ingredient per acre.

"It definitely gives our guys an advantage," McCarty said.

Wayne Mixson at O.M. Scott's turf research center in Apopka recommended Hoelon be used with a preemergent herbicide to fight goosegrass.

Mixson also reports: "We hope to have a product out by summer that



O.M. Scott's expects to release a product that kills bahaiagrass in bermuda

will kill bahaia in St. Augustine and bermudagrasses."


Bahaia is the grass used by the Department of Transportation on Florida roadsides. It pops up a seed head about four days after it's cut, and it inevitably creeps into golf courses.

"The new product takes care of broadleaf weeds, too. We have the fine turf rights from the company that makes the initial chemical."

The new chemical is in the family of sulfanilureas like Hoelon. It works at very low rates, an ounce or less per acre. It will be dry flowable and can be delivered through irrigation systems. ...

But new chemicals aren't all it takes to control weeds and have beautiful greens, Mixson emphasized.


"Most people — and most golfers all they look at is the top green. The



For availability in your area, contact:

Morgan Evans Morgan Marketing 5053 Ocean Blvd. Suite 137 Sarasota, FL 34242 (813) 346-0050

> SUSTANE CORPORATION 1107 Hazeltine Blvd. Chaska, MN 55318



af. U.S.A

ORTHENE® Turf, Tree & Ornamental Spray keeps pests out of your dub.

Stop pests from playing a round on your course with ORTHENE Turf, Tree & Ornamental Spray, One treatment provides a broad spectrum of protection for turf as well as a wide variety of trees and ornamentals.

ORTHENE kills quickly on contact, then by systemic action. So you'll keep hard-to-kill pests like mole crickets, armyworms and leafhoppers under


control. ORTHENE supplies longlasting residual action against other insects including tent caterpillars, aphids and thrips.

ORTHENE Turf, Tree & Ornamental Spray. It's more than enough to drive unwanted pests right off your course.

HENE® Turf, Tree & Ornamental Spray

Avoid accidents, For safety, read the entire label including precautions. Use all chemicals only as directed. Copyright © 1990 Valent U.S.A. Corporation. All rights reserved. ORTHENE is a registered trademark of Chevron Chemical Co.





DARCY MEEKER/IFAS

Teen wins Science Fair with mole cricket project

A project pitting a fungus against mole crickets won Donna Jaworsky top honors at the Science Fair at Palm Coast High School and for the region. Jaworsky varied strengths of the fungus for her entry in the state Science Fair in April. The 18-year-old senior's write-up will be included in the *Mole Cricket Annual Report* edited by Dr. Howard Frank, left, at the University of Florida's Institute of Food and Agricultural Sciences.

other half of the plant is roots and they're more important than the top green cover," he said. "Half of your weed control problem is solved by growing good turf."

...

Dan Jones at Banyan GC in Palm Beach had to put up a sign to explain the IFAS-FTGA mole cricket experiments.

"It looked like something from outer space," he said. "Now the members are 100 percent behind it, and always bring their guests to see the sign and the callers."

The callers attract mole crickets to

soil laced with one million mole-cricketeating nematodes. Jones picked his worst mole-cricket area to be the research site.

The funny thing was, it also attracted armadillos, who went crazy over such a concentration of succulent mole cricket morsels. Now Dan put up a fence around the callers to keep the armadillos out. Most other clubs opted for a set-up that traps the mole crickets in a sand-filled bucket and allows them to distribute the infected crickets.

"Biocontrol is the wave of the future," Jones said. "If we don't get into this biocontrol, we're really going to be in big trouble. We won't have anything."

MEET THE EDITOR



Darcy Meeker is assistant professor at IFAS of The University of Florida.


THE REAL THING..

Why have Westin Kauai, Westin Maunea Kea, Boca Rio Golf Club, Dunedin Golf Club, and many others chosen Granite Graphics granite tee signs?

Why are Granite Graphics' genuine granite signs often <u>less expensive</u> than any other material on the market today?



Keep crowfootgrass out of the game!



HOELON[®] keeps your turf in top form.

Hoelon is a restricted-use pesticide. Read and follow label directions carefully. Hoelon and the name and logo HOECHST are registered trademarks of Hoechst AG. The name and logo ROUSSEL are registered trademarks of Roussel Uclaf S.A. Marketed by Hoechst-Roussel AgriVet Company. Somerville, NI 08876-1258.

When it comes to renting equipment...

KNOWLEDGE Is power

'If the deal sounds too good to be true, it probably is.'

Mike Bailey

The single most important factor is the reliability of the dealer.

Mike Perham

Planning to rent equipment for your next construction project? If so, you're not alone. The equipment rental business has been one of the fastest-growing segments of the industry over the past six years, according to the London-based Corporate Intelligence Group, which analyzes world markets. In that span, gross receipts have nearly doubled.

But one of the hallmarks of any rapidly growing industry is its attraction to marginal operators who jump in with inferior equipment, inadequate training and questionable ethics to take advantage of a market in which the buyers often are not as knowledgeable as they could be.

"Price is a consideration in renting any piece of equipment," says Mike Perham, CGCS, superintendent at The Moorings Club in Vero Beach. "But the single most important factor is the reliability of the dealer."

"The cheapest deal usually isn't the most cost-effective," says Mike Bailey, superintendent of The Falls CC in Lake Worth. "If the deal sounds too good to be true, it probably is.

"You've got to ask yourself: 'How good is that machine?' If it goes down on your job, you're dead. How much is that worth?"

Be sure you completely understand the billing procedures of the vendor, says Bud Howard, vice president of sales with Hertz Equipment Rental Corp. Look for hidden charges in a contract.

Some renters are not aware of costs that

can be added to their rental fees for damage.

For instance, even if you have insurance, you will be expected to pay up front for damage and then wait for reimbursement from your insurance company.

For rental periods longer than a month, Perham suggests buying a rider to the course's own insurance policy to cover the equipment, as opposed to buying insurance through the dealer.

"There's a lot of paper work," Perham says, "so it usually isn't worth the trouble for short-term rentals.

Some companies offer very low rental rates but nickle-and-dime the customer on back charges — damaging the paint is one example. By the end of the year, those fees can add up to a sizeable amount of money.

Howard also stressed the importance of inspecting the condition of the equipment when it arrives. In order to assure that you are not charged for damage you are not responsible for, he suggests taking detailed notes of the equipment's condition.

Tom Benefield, CGCS, superintendent at BallenIsles CC of JDM in Palm Beach Gardens, goes one step further.

"I always inspect the machinery before it's delivered," he said. "And I check it again when it arrives, before I let them unload it."

Typically, you are expected to return rental equipment in good condition, less normal wear and tear.

Maintenance is another factor to consider. Some companies provide around-