# GOOSEGRASS

ake one infestation of goosegrass (1-leaf to 2-tiller stage). Apply Illoxan® 3Ec Herbicide for Turf at recommended rates. Spray well for good coverage. Yield: one goosegrass-free golf course.

• E

R

It's a simple recipe and one that's keeping many of the South's best bermudagrass courses free of goosegrass (silver crabgrass, crowfootgrass) all season long.

Superintendents like the way Illoxan works without the ugly brown spots other herbicides can cause. In fact, they swear by it.

So this year, follow

the proven recipe for great results: Illoxan for goosegrass.

IIIOXAIT IOT geotocs IIIoxan is a restricted use pesticide. Read and follow label directions carefully. IIIoxan 3EC Herbicide is for distribution and use only within the states of AL, FL, GA, NC and 3EC under Special Local Need Authorization under FIFRA Section 24 (c). IIIoxan and, the name and logo HOECHST are registered trademarks of Hoechst AG. The name and logo ROUSSEL are registered trademarks of Roussel Uclaf S.A. Marketed by Hoechst-Roussel Agri-Vet Company, Somerville, NJ 08876-1258. (C) 1992

# HE FAVORITE OKIN GRASS

E



**KEEPS YOUR TURF IN TOP FORM.** 

Hoechst 🕑 Roussel

# Superintendent for 34 years at Belleair

## Workhorse member of FGCSA, chapters BY PHILIP PETTUS

When Harvey Phillips began work as a golf course maintenance employee on Dec. 13, 1950, he thought he was taking a temporary job. Using a pick axe, shovel, rake and such, he became one of the maintenance crew at Belleair Country Club in Largo (Pinellas County).

"I grew up in the citrus business and got into golf courses by accident," he explains. "I took the job as temporary work and then fell in love with it."

Within three years he was the assistant superintendent and when drafted by the U.S. Army in 1954, he was told by his employer, Belleair owner Bernie Powell, that when he got out of the army his same job would be waiting for him.


Harvey did return two years later and has continued working at the Donald Ross-designed course ever since.

Harvey said he received a lot of encouragement from course owner Powell, superintendent Harvey Meeks and club pro Tommy Harmone in his early years. He became superintendent in 1958 after Meeks retired.

As one of the longest-tenured golf course superintendents ever in the state — about 34 years with the same golf course— Phillips has been a workhorse member of the professional organizations that served the golf and turfgrass industry through the years.

Phillips has been a hardworking member and served as president of the Florida West Coast Golf Course Superintendents Association (president two terms), the Florida Golf Course Superintendents Association and the Florida Turfgrass Association. He continues as an active member of each organization as well as the Golf Course Superintendents Association of America. He has held all offices and served on the board of directors of both the FTGA and the FWCGCSA during the years.

In addition to his recent FGCSA President's Award for Lifetime Service, Phillips was cited in 1975 for 25 years of outstanding service to the FWGCSA. And,



President's Award for Lifetime Achievement <u>1991</u> Tom Mascaro John Hayden Harvey Phillips C.R, "Bud" Pearson Carl Smith

in 1977, he received the FTGA's top award, the Wreath of Grass.

Among the people who have influenced and helped him over the years, Phillps points to Dr. Roy Bair, Dr. G.C. Horn, Harvey Meeks and Tommy Harmone.

"Dr. Bair was our consultant when I started work at Belleaire. I worked hand in hand with Dr. Bair for many years," Phillips said. "I worked with Dr. Horn on many research projects while he was at the University of Florida," Phillips said. He said that while on the FTGA board of directors he also worked on the educational video program.

One of the challenges of his career, he said, was converting two Donald Ross courses to facilitate modern equipment use. He said that was achieved without

## **Harvey Phillips**

Superintendent: Belleair Country Club, Belleair (Pinellas County)

Years on the Job: 34

Years in Profession: 41

Organizations & Awards: FGCSA Presidents Award, 1991 FTGA Wreath of Grass, 1977 FWCGCSA Award for 25 years of outstanding service (1975)

Military Service: U.S. Army

#### Family:

Married 38 years to the late Thelma Phillips; daughter Janet Wallace, teacher at Safety Harbor Middle School

Relaxation: Music and camping

destroying the Ross concept.

During his employment at Belleair, Phillips has worked for a private owner, corporate owners and now for a private membership club.

Asked what advice he would give an entry-level professional in golf course maintenance, Phillips said, "Always remember that you are paid to do a job. Do the job to the best of your ability. Do not depend on others to do it for you. And do not be too proud to seek help when needed.

Born in Madison, Phillips moved to the Clearwater area in 1934. He attended grade schools in the area and graduated from Clearwater High School. Except for the two years he was in the Army, he has lived in the same area for the balance of his life.

A family man, Phillips was married for 38 years to his dear wife, Thelma, who died April 3, 1991. They have a daughter, Janet Wallace, who is a school teacher in nearby Safety Harbor.

"The Army and U.S. Steel afforded me the opportunity to travel extensively. I have never found anywhere I like better than Florida," he said.

"Music and camping are what I like to do most for relaxation. I love to play golf but must admit, I do not play the game well." Even so, Phillips' skills as a golf course superintendent have meant many fine golf games for others at Belleair.

# The grass is always greener on the *Harrel/s* side of the fence.



### Harrell's. The Fertilizer Standard of Excellence.

For years we've been mixing, analyzing and constantly improving our fertilizers to give you the nutrients you need and the spreadability you demand. Plus we "triple screen" our green and tee mixes for true putting and smooth driving quality. You won't find a finer fertilizer!

#### **Great Service**, Too!

Relax. With Harrell's your fertilizer arrives on time. Every time. It's always in perfect condition, too. So whether you choose 50pound plastic bags (we unload 'em for you), or our ready-to-use bulk trailer, there's no mess or hassle. Great service comes in a Harrell's bag.

#### Finally, a Prescription Fertilizer Made Just For Your Greens.

Golf greens need nutrients specific to their area-that's why we custom blend every order. Our four professional formulators, (with 153 total years experience in turfbuilding), blend every pound of your Harrell's turf grass fertilizer to your exact specifications, to give you the greenest greens ever. We know fertilizer-and we know golf courses.

### Ask The 500 Florida Golf Courses Now Using Harrell's.

Go ahead. Call your associates using Harrell's fertilizer. They'll tell you about their green, lush turf. They'll talk about great spreadability. And they'll tell you how much easier life is with Harrell's custom blends.

Keep your owners, members, greens committee and everybody else on your side of the fence happy. Call for Harrell's Fertilizer today.

1-800-282-8007



# **First report from Otto Schmeisser Research Green**

#### By Monica L. Elliott, Marcus Prevatte University of Florida - IFAS

#### Fort Lauderdale Research and Education Center

During the summer of 1990, the FGCSA in cooperation with the University of Florida built a 20,000-square-foot putting green at the Fort Lauderdale Research and Education Center. The purpose was to build a field laboratory to be used by the turf researchers at the center for their research projects and to conduct independent field testing of products that superintendents wished to evaluate on bermudagrass maintained as a putting green. The following is a summary of the construction of the green and the results of the first six months of the nitrogen source study, the first project initiated for the superintendents.

#### **GREEN CONSTRUCTION**

After the field site was scraped, trenches were cut and drainage tile was installed in a herringbone pattern according to USGA guidelines. Four inches of pea gravel (<sup>3</sup>/<sub>8</sub> inch) was spread across the entire site. At this point, the green was divided into four different construction zones based on choke layer and hybrid bermudagrass cultivar: 1) USGA specifications exactly with 2 inches of coarse sand (choke layer) plus 12 inches of topsoil mix planted with Tifdwarf ; 2) Terrabond geotextile material was installed in place of the choke layer with 14 inches of topsoil mix placed on the Terrabond and planted with Tifdwarf. 3) no choke layer or geotextile material was added so the 14 inches of topsoil mix was placed directly on the gravel layer and planted with Tifdwarf. 4) no choke layer or geotextile material was added and the 14 inches of topsoil mix was planted with Tifgreen 328.

The topsoil mix was mixed offsite and was composed of 80% Ortona sand and 20% Canadian peat moss. The green was fumigated one week before planting with metam-sodium using a "ro-to-vate and roll" method which tilled the topsoil mix to a 5<sup>1</sup>/,-inch depth followed by a soilpacking step. Pre-plant fertilizers were applied the day before fumigation and were rototilled into the topsoil mix at the time of fumigation. The bermudagrass was planted Aug. 1, 1990. The slopes were planted with the appropriate cultivar for that section of the green. The slopes were composed of native soil from the site.

During the establishment period, the green was hand-weeded when necessary. Insecticide treatments were necessary on a regular basis for control of sod webworms. No diseases occurred, so no fungicides were applied.

#### NITROGEN SOURCE STUDY.

It was determined that the average amount of nitrogen applied to bermudagrass greens that are not overseeded during the winter months was 18 pounds per 1,000 square feet per year, with 1 pound per 1,000 square feet per month applied from May through October and 2 pounds per 1,000 square feet per month applied from November through April.

The FGCSA Research Committee decided that the first project to be established was an evaluation of slow-release nitrogen fertilizers. The fertilizers evaluated are listed in Table 1. There were four sources of slow-release nitrogen with all products using urea as the nitrogen base. First, let us examine what a slow-release nitrogen product is relative to ammonium sulfate, a quick-release nitrogen product.

Two primary reasons for using a slowrelease nitrogen product are 1) to provide uniform nitrogen release for plant uptake for a specific period of time; and 2) prevent nitrogen leaching as it is the nitrate form of nitrogen that is readily leachable. In warm, moist soils, ammonium sulfate is rather quickly converted to nitrate through the bacterial process of nitrification. The urea in the slow-release nitrogen products will be hydrolyzed to ammonium and then converted to nitrate via nitrification also. However, this process will not take place until the urea, which is completely water-soluble, comes into contact with water. In other words, the urea must be "released" into the soil before the other steps can take place.

Sulfur-coated urea is made by spray-

#### Table 1. Nitrogen analysis of products in nitrogen source study on the FGCSA Research Green

Company	Formulation	Total Nitrogen	Source of Slow- Release Nitrogen					
O.M Scott	40-0-0	40.2	0	0	10.9	12.1	17.2	Methylene Ureas <sup>1</sup>
Vigoro	25-0-124	25.0	3.5	1.8	0	2.0	17.7	IBDU <sup>2</sup> , SCU <sup>3</sup>
Vigoro	25-0-144	25.0	4.3	0	0	10.2	10.5	IBDU, SCU
Vigoro	30-0-0	30.0	0	0	0	15.5	14.5	IBDU, SCU
LEŠCO	29-0-0	29.0	0	0	21.75	7.25	0	SCU
Nor-Am	40-0-0	40.0	0	0	20.5	5.0	14.5	Methylene Ureas
Nor-Am	38-0-0	38.0	0	0	7.0	4.0	27.0	Methylene Ureas
Howard	40-0-0	40.0	0	0	28.0	0	12.0	Methylene Ureas
Cleary Traylor/	18-0-0(L)	18.0	Ō	0	7.2	6.3	4.5	Methylene Ureas
Arcadian	18-0-0(L)	18.0	0	0	9.0	9.0	0	Triazone
Grensmiths <sup>5</sup>	28-0-0(L)	28.0	0	0	0	28.0	0	None

#### Footnotes:

1 Urea-formaldehyde reaction products

2 Isobutylidene diurea, IBDU™

3 Sulfur-coated Urea

4 Also contains potassium nitrate as nitrogen source.

5 Dicarbamide dihydrogensulfate (Combination product of urea and sulfuric acid)

ing granular urea with molten sulfur followed by a clayfilm coating. The urea is released as microorganisms decompose the sulfur coating, water penetrates cracks in the coating or the particles break apart. Again, once the urea is released, it will be converted to ammonium and then to nitrate.

The methylene ureas are products resulting from polymerization of urea with formaldehyde. The formaldehyde derivative is basically a chain of urea molecules linked together. The number of urea molecules linked together (a maximum of five) determines the polymer product with each fertilizer having a different composition of these polymer products. The urea is released by microbial decomposition of the polymers. Common names are ureaform, methylene diurea and methylene urea. Four products in the study are dry formulations. One product is a liquid suspension of methylene urea.

Isobutylidene diurea (IBDU<sup>™</sup>) results from polymerization of urea with isobutylaldehyde. The urea is released by hydrolysis of the particles in water. Therefore, the process of putting the urea into solution is dependent on particle size (small means faster release) and amount of soil water (dry soil means slower release).

The fourth material, triazone, is produced by reacting liquid urea, formaldehyde and ammonia. The solution resulting is water soluble and is a source of slowly available nitrogen. Please note that this product is a solution and not a suspension. In other words, it is a clear liquid whereas a suspension (Cleary's 18-0-0) is more like milk of magnesia and the particles are simply suspended in the carrier.


One product evaluated is *not* a slowrelease source of nitrogen: Greensmith's N-pHURIC<sup>™</sup> liquid 28-0-0. It was included in the study because it is a new and unique product to lower the pH of irrigation water. It was used in this study simply as a nitrogen source. It combines urea and sulfuric acid in a carefully controlled process. In other words, don't try this yourself. Why? it is extremely dangerous to mix these products together and, more importantly, the correct procedure for mixing these products is patented. The

## Environmental Waterway Management...

'Preserving Your Liquid Assets"

Water, water, everywhere...it's the number one visual and recreational amenity at golf courses, apartment complexes, corporate parks, state parks, cities, and developments throughout FLORIDA and Environmental Waterway Management's "Aqua-Technicians" and Biologists are specialists in keeping your waterways clean, healthy, and attractive!

Environmental Waterway Management can provide you with ALGAE & Aquatic Weed CONTROL, Floating Fountains, Lake Aeration, Wetland Planting, Fish Stocking and Much More.



### **RESEARCH REPORT**

Company	Table 2. Soil pH values of Formulation	July 2	July 17	July 30	Aug. 14	Aug. 27	Sept. 10	Sept. 24
O.M. Scott	40-0-0	7.01	7.0	7.0	7.0	7.1	7.0	6.7
Vigoro	25-0-12	6.9	7.1	6.8	7.0	7.1	7.1	7.0
Vigoro	25-0-14	7.0	6.9	7.1	6.9	7.1	7.0	6.9
Vigoro	30-0-0	7.0	6.9	7.1	7.0	7.1	7.1	7.0
LESCO	29-0-0	6.9	7.0	6.8	6.7	7.0	7.0	6.4
Nor-Am	40-0-0	7.1	7.1	6.9	7.0	7.1	7.0	6.5
Nor-Am	38-0-0	7.2	7.1	7.0	7.0	7.0	7.1	6.7
Howard	40-0-0	7.1	7.2	7.1	7.0	7.0	7.1	7.0
Cleary	18-0-0(L)	7.0	7.0	6.8	6.8	7.1	7.1	6.7
Traylor/								
Arcadian	18-O-O(L)	7.1	6.9	6.8	6.9	7.2	7.2	6.8
Greensmiths	28-0-0(L)	7.0	7.0	7.0	6.9	7.3	7.0	6.8

product evaluated, N-pHURIC<sup>™</sup> 28/27 contains 28% urea nitrogen and 27% equivalent sulfuric acid. There is 9% sulfur from the sulfuric acid equivalent.

**Pre-experiment Management.** The section of the green containing the Terrabond layer and planted with Tifdwarf was used for this study. From Jan. 1, 1991, to March 1, 1991, the experimental area was fertilized every two weeks with 1 pound of nitrogen per 1,000 square feet using Vigoro's Par Ex 8-0-8 fertilizer with micronutrients. The nitrogen

sources in this material are sludge and IBDU<sup>TM</sup>. The area was not fertilized from March 1 through March 25 to remove as much nitrogen as possible from the system. All other maintenance practices remained the same, including a mowing height of  $\frac{3}{16}$  inch.

**Experimental Design**. Each plot was 8 feet by 10 feet with four replicate plots per treatment. The 11 treatments are listed in Table 1. The design was a randomized complete block. This means there were four rows with 11 plots per row. Each

treatment was represented once in each row to reduce any variability naturally associated with the green.

**Application Rate and Methods.** Each treatment material in the Nitrogen Source Study was applied at the rate of 1 pound of nitrogen per 1,000 square feet on March 26, April 9 and April 23. Potassium was applied at 1 pound per 1,000 square feet as potassium sulfate (0-0-50) on April 23. No quality scores or dry clipping weights were obtained during this period.

The experiment officially began on




Company	Table Formulation	3. Quality s May 14	cores for nit	rogen fertiliz July 11	ers evaluat July 23	ed on FG Aug. 6	CSA Resea Aug. 20	rch Green Sept. 5	Sept. 17	Oct. 2
O.M. Scott	40-0-0	8.0 bc1	6.8bc	6.9 ab	7.6 ab	7.2 a	7.0 a	7.5 ab	6.5 a	5.9 a
	25-0-12	8.5 ab	7.2 ab	7.1 a	7.6 ab	7.4 a	7.0 a	7.5 ab	6.6 a	6.4 a
Vigoro	25-0-12		7.2 ab	7.1 a	7.7 ab	7.4 a	7.0 a	7.5 ab	6.7 a	6.3 a
Vigoro		8.6 a			7.8 ab	7.4 a	7.1 a	7.4 ab	6.7 a	6.3 a
Vigoro	30-0-0	8.4 abc	7.0 abc	7.1 a						
LESCO	29-0-0	8.6 a	7.1 ab	7.1 a	7.7 ab	7.4 a	7.0 a	7.1 ab	6.8 a	6.1 a
Nor-Am	40-0-0	8.4 abc	7.1 ab	7.1 a	7.6 ab	7.5 a	7.0 a	7.8 a	6.6 a	6.2 a
Nor-Am	38-0-0	6.2 d	6.1 d	6.5 c	6.9 c	6.8 a	6.3 b	7.5 ab	6.4 a	6.0 a
Howard	40-0-0	8.3 abc	7.0 abc	7.1 a	7.7 ab	7.5 a	7.0 a	7.6 ab	6.7 a	6.1 a
Cleary	18-0-0(L)	7.9 c	6.7 c	6.8 b	7.3 bc	7.1 a	7.0 a	7.8 a	6.7 a	6.3 a
Traylor/	1000(1)			0.00						
Arcadian	18-0-0(L)	8.0 bc	6.8 bc	6.8 b	7.4 bc	7.1 a	7.0 a	7.6 ab	6.7 a	6.3 a
Greensmiths	28-0-0(L)	8.2 abc	6.7 c	7.0 ab	7.9 a	7.4 a	7.1 a	7.0 b	6.4 a	5.9 a
oreenannie	2000(1)									
LSD		0.5	0.3	0.2	0.5	0.7	0.3	0.7	0.5	0.7

May 7, 1991. Beginning on this date, 0.5 pounds of nitrogen per 1,000 square feet was applied every two weeks until Oct. 15. This coincides with the average summer application rate of 1 pound per 1,000 square feet per month. The dry materials were spread by hand in two directions over the plots and the area immediately irrigated with 0.12 to 0.14 inches of water. Liquid formulations were applied next.

These materials were mixed with water and applied with a fine-nozzle watering can so that the equivalent of 10 gallons of water per 1,000 square feet was applied.

Potassium was applied as potassium sulfate (0-0-50) at the same rate as the nitrogen, 0.5 pounds per 1,000 square feet, every time the nitrogen was applied. Since two of the Vigoro materials (25-0-12 and 25-0-14) had potassium nitrate as one of their nitrogen sources, the potassium sulfate applied to these plots was reduced accordingly to achieve the 0.5 pound potassium rate. General Maintenance. Phosphorous was applied as triple superphosphate (0-46-0) at 1.5 pounds phosphorous per 1,0000 square feet when the green was aerified on June 5 with  $\frac{5}{8}$ -inch hollow tines. The cores were removed and the area topdressed with an 80/20 topsoil mix. The area was lightly verticut in May, June, July and August and topdressed accordingly. Micronutrients were applied in May (Vigoro's F-169G with boron, copper, manganese and zinc) and July (manganese sulfate only) at the rate of 0.5



pound manganese per 1,000 square feet. Height was maintained at <sup>3</sup>/<sub>16</sub> inch using a Jacobsen green mower with groomer attachments. Plots were cut six days each week.

Pests and Pesticides. No herbicides were used during the six-month period. Crusade (fonofos) insecticide was sprayed once on June 15 for control of sod webworms. No other insect problems occurred. Symptoms of bermudagrass declines, a root rot disease, first appeared in early to mid-August. The disease progressed very slowly in the Tifdwarf area, as compared with the Tifgreen area, and did not thin out completely. Banner (propiconazole) was applied at the rate of 4 fluid ounces per 1,000 square feet on Sept. 20. A slight adverse color response did occur as a result of this application. All treatments were equally affected by the disease and the fungicide application as demonstrated by the decline in the quality scores.

Soil pH. Beginning in July, soil pH was obtained before each nitrogen application. Soil samples (four 1-inch cores of 6 inches depth) were obtained from all four plots (replications) of the same treatment, pooled together and the soil pH determined for each treatment. This was done to determine if any general changes in soil pH were observed. For all sampling dates, the soil pH did not vary by more than 0.5 units between any two nitrogen treatments. Since no replicate samples were obtained, no statistical analysis was performed. This was simply a general survey of pH values. The soil pH averages for all sampling dates are listed in Table 2.

Evaluation. Quality scores were de-

termined using color and density of the grass in each plot. Scores were based on a scale of 1 to 10 with 10 being a *perfect* score. Two people rated the plots each time and those scores were averaged. Plots were rated one week after each nitrogen application with two exceptions. On May 28, we simply forgot. This was our first day of clipping weights, and we forgot the quality scores. No quality scores were obtained June 13 due to the aerification on June 5 as density could not be evaluated fairly. The summary of quality scores is shown in Table 3.

Dry weight of collected clippings from each plot were determined once each month. Again, clipping weights were obtained approximately one week after a nitrogen application. A strip of turfgrass that was 22 inches wide (width of mower) and 9 feet long was cut from each plot. The clippings were collected and dried at 60°C for 96 hours at which time the weight was determined. Values are listed in Table 4.

When comparing quality and quantity scores for each date, please note that values in the column for that date that are followed by the same letter are not statistically different from each other. You will note that tat the end of each column in Tables 3 and 4, there is a value called LSD which means "Least Significant Difference." The LSD value is a value that the treatment means must equal or exceed to be considered significantly different. In the footnote for these tables, it is indicated that "P-0.05." This indicates we are 95% confident that means exceeding the LSD value for each column are in fact different and that the observed variation is not due to random chance. The best

explanation of statistical analysis and reasons for replications, test design, etc. can be found in the December 1990 issue of *Golf Course Management*. The article is titled "Developing a Test Program on the Golf Course" and was written by Nick Christians. This should be read by every superintendent. It will help you understand research reports from the university and help you to design your own experiments.

In summary, although there were significant differences early in the summer, there were few differences in quality by the end of the six-month period. To make you own decisions, compare quality scores to quantity scores. Each golf course situation is unique and you must decide what is most appropriate for your situation. The reduction in clipping weights beginning in August is probably a reflection of stress due to the bermudagrass decline root rot disease and the summer weather patterns. When disease symptoms were most severe in late September and early October, there were no significant differences in quality scores between any of the treatments which implies that none of the nitrogen sources prevented disease development. No quality scores were obtained after Oct. 2 so that an intensive cultural program could be initiated to reduce the disease symptoms.

This study will continue to be conducted until next May using the winter rates of nitrogen: 2 pounds per 1,000 square feet per month. The research green will not be overseeded so evaluation will be for bermudagrass only.

Would like to thank the following companies who contributed directly to the construction of the green: American




THE FLORIDA GREEN

Peat and Soil; Vigoro Industries; Lantana Peat and Soil; Bilberry and Associates; Florida Rock and Sand; Pifer, Inc.; Boynton Pump; Golf Ventures; South Florida Grassing; Central Florida Turf; Hector Turf; Swiftline Trucking; D&K Sprinkler; W.W. Googe Trucking; DeBra Turf; ISS Landscape Management; and Williams Pump Service.

The following companies have donated material and services for maintenance of the research green: Golf Agronomics; Vigoro Industries; Golf Course Services, Inc.; DeBra Turf; Liqua-Tech; and Woodbury Chemicals.

Company	Formulation	May 28	July 5	Aug. 6	Sept. 6	Oct. 1
O.M. Scott	40-0-0	8.6 ab1	11.1 cde	5.2 bc	3.8 a	4.5 bc
Vigoro	25-0-12	11.7 a	13.2 ab	6.2 ab	4.1 a	4.4 bc
Vigoro	25-0-14	8.2 ab	13.0 b	6.5 a	4.3 a	5.2 ab
Vigoro	30-0-0	9.4 ab	12.0 bcd	6.0 ab	4.2 a	5.2 ab
LESCO	29-0-0	9.5 ab	15.0 a	6.1 ab	4.4 a	5.7 a
Nor-Am	40-0-0	10.1 ab	12.2 bc	6.8 a	4.4 a	4.3 bcd
Nor-Am	38-0-0	8.4 ab	8.1 g	3.6 d	3.0 a	3.4 e
Howard	40-0-0	10.3 ab	10.5 def	5.7 ab	3.8 a	4.1 cde
Cleary	18-0-0(L)	7.5 b	9.6 efg	4.3 cd	3.9 a	4.0 cde
Traylor/			Ű			
Arcadian	18-0-0(L)	9.0 ab	9.2 fg	4.3 cd	3.6 a	3.8 cde
Greensmiths	A State of the State of the	9.5 ab	11.3 cd	5.0 bc	2.8 a	3.5 de
LSD		4.1	1.6	1.2	1.7	0.9

Means within a column followed by the same letter are not significantly different (P=0.05) according to Waller-Duncan k-ratio t-test.



# 1-800-258-7477 **GO AHEAD!** Take Your Best Shot.

We've been setting the standards for Commercial and Industrial sand for 47 years. **Choose from 80 different grades** including the finest: Greens Mix Sand • White Trap Sand Choker Sand

• Dry, Sterilized Top Dressing Sand USGA Peagravel

All our sands meet USGA Requirements

For the best product and customer service, call one of our three Florida locations today.



Post Office Box 35 Hwy. 17 & 92 North Davenport, FL 33837 Phone (813) 422-1171 FAX (813) 422-8610

JACKSONVILLE BRANCH 600 East 8th Street Jacksonville, FI 32206 (904) 355-0516 FAX (904) 355-2022

MIAMI BRANCH 4101 N.W. 70th Avenue Miami, FL 33166 Dade (305) 593-1430 Broward (305) 524-5322

# Turf Industry Roundup



#### Reference Library

The American Society of Golf Course Architects has published a 120-page directory featuring its 111 associate and regular members. Send \$5 to the American Society of Golf Course Architects, 221 N. LaSalle St., Chicago, IL 60601.

The Golf Course Builders Association of America's new 108page member directory is available free from the GCBAA, 920 Airport Road #230, Chapel Hill, NC 27514; phone 919-942-8922.

The 30th edition of **Lesco's catalog** lists more than 4,000 items and is available from any service center or sales rep or by calling 800-321-5325.

The Public Golf Management Association has released the first issue of its **Golf Course Management Journal**. Each issue will be devoted to a single topic and will combine to form a management manual for public golf courses. Contact the PGMA at 8030 Cedar Ave. South, #228, Minneapolis, MN 55425; phone 612-854-7272.

### Golf Course News taps Fazio, Wadsworth, Landmark for honors

Golf course architect Tom Fazio of Jupiter was named best in the nation by his peers for the third straight year in the annual poll conducted by *Golf Course News*. Pete Dye, of Delray Beach, finished third in the annual survey of 250 architects.

Wadsworth Constuction Co. of Plainfield, Ill. was named the nation's top builder by the architects, also for the third straight year. Guettler & Sons, Inc., of Fort Pierce, finished fourth.

Landmark Land Co., which operates Palm Beach Polo & CC, took the top spot as resort developer, despite last October's Chapter 11 bankruptcy filing. Marriott Corp., which operates golf resorts in Orlando and Naples, finished second in the national balloting.

"The courses I did this year are the best I've ever done," said Fazio, whose work includes three of *Golf Digest* magazine's Best New Private Courses over the past four years and eight listings among the publication's listings of America's top 100 courses. Osprey Ridge at Walt Disney World, which opened last month, is Fazio's most recent Florida work. Black Diamond Ranch near Lecanto, one of the private courses honored by *Golf Digest*, is perhaps his best known Florida work.

Wadsworth's lead over its competitors has grown each year. This year the firm pulled 36 percent of the vote.

Landmark, whose financial woes stem from the failure of its subsidiary thrift — Oak Tree Savings Bank — to meet stricter federal requirements, is best known as the operator of resorts at PGA West



Tracy Moore



Chuck Doll

at Laquinta, Calif., Kiawah Island, S.C., and Oak Tree GC in Edmond Okla.

Tracy D. Moore is the new president of Aquatrols, manufacturer of water management products, which recently moved from Pennsauken, N.J. to larger quarters in Cherry Hill, N.J. She succeeds founder Robert A. Moore, who will remain with the company as a consultant to the R&C and technical service departments. Jim Turner of Sarasota has joined the company as technical sales rep for the southeastern U.S. Chuck Doll of Pittsburgh and Ken Mauser of Bakersfield, Calif., also have become Aquatrols sales reps.

Atlanta investor **J. Rex Fuqua** has acquired 50 percent interest in Bio-Plus, Inc., a producer of granularized and pelletized peanut hulls based in Ashburn, Ga. Fuqua purchased the stock owned by Steve Ivie, who remains as president. The remaining stock is held by members of the Pennington family, which owns the parent company of Pennington Seed.

John M. Licht is the new president and CEO of Duraco Products, a manufacturer of decorative plastic planterware based in Streamwood, Ill. He succeeds Willis R. Barrett, who remains with the company as chairman.

Mike Catalano is a new technical support engineer for the golf division of Rain Bird Sales, Inc. manufacturer of irrigation products based in Glendora, Calif.

As we went to press, **Stuart F. Bloch** of Wheeling, W. Va., was expected to become the 52nd President of the United States Golf Association at USGA Annual Meeting in Palm Beach Feb. 1. He is the only nominee and, if elected, will succeed C. Grant Spaeth of Palo Alto, Calif. F. Morgan Taylor of Hobe Sound, a veteran member of the USGA Turfgrass Research Committee, was the only nominee for treasurer.

William J. McMillan, assistant general manager of the John's Island Club in Vero Beach, became the 5,000th member of the Club Managers's Association of America in November.



Ken Mauser



Jim Turner