

KNOW THE DIFFERENCE



LARGER BLUE FLAG
Iris versicolor

BOYNTON BOTANICALS

9281 87TH PLACE SOUTH • BOYNTON BEACH, FL 33437
(407) 737-1490 • (800) 642-1033 • (407) 738-9598 FAX

IPM for Audubon

Cost Effective and Smart

ROB KLOSKA, GOLF COURSE SUPERINTENDENT
THE CHAMPIONS CLUB AT SUMMERFIELD

Most golf course superintendents have some kind of integrated pest management program at work on their course, even if it isn't a specific written program. It could be their aerification program, their vertical mowing program, or their method and frequency of pesticide application.

One of the requirements to earning Signature status in the Audubon Society of New York State's Cooperative Sanctuary Program is the creation of an integrated pest management program. Our program here at Summerfield, as anywhere else, is a function of our budget. Therefore, we stress the "basics" in our program, and we practice "tolerance" when it comes to certain pests. We try to let particular problems run their course so to speak, while staying on top of others to prevent them from becoming "budget killers." Because we don't treat any area on the course on a preventive basis, we must be extremely attentive to day-to-day changes on the course.

With an annual operating budget well below the average used by private facilities in the area, the centerpiece of our program is our basic cultural practices. Aerification of greens, tees and fairways, and vertical mowing of greens and tees are the cornerstones of our cultural practices. Our greens are topdressed one or two times per week, year round. The use of slow release fertilizers is also important. The computer irrigation system, in combination with all of these programs, has allowed us to gain maximum root growth and turf density.

Our herbicide program is where we practice the most tolerance. Greens are obviously a priority, however problems in the

fairways and roughs are left to run their course unless catastrophic. When we do spray, we try to use chemicals with the least residual values. This year, we will use a nematode product to control mole crickets.

Fungicides are only used during overseeding establishment. Our choice of fungicides is one that has contact and systemic control.

Because of these programs, our chemical budget was well below \$20,000 last year. We are expecting an increase this year due to the 100 inches of rain that fell on our site in 1994. Our turf vigor has suffered drastically in the early months of 1995 and the cool temperatures have hampered our recovery efforts.

Our equipment maintenance program is another key part of our IPM program. The reels of the greens mowers are ground once per week and the tee mowers every other week. This insures the best possible mowing results and at the same time helps minimize the amount of mechanical stress exerted on the turf. Back lapping has been completely eliminated.

In 1995, we are hoping the introduction of growth regulator treatments on our tees and fairways will further help our IPM program. The objective here is to minimize mowing requirements and thatch while not compromising turf quality.

IPM programs are as different as the courses they are used on, but their goals and effects on the environment are the same. Our program has served us well and will undoubtedly be refined throughout this year. For this Signature Cooperative Sanctuary Golf Course, our IPM program is truly cost effective and smart.

Editor's Note: *The Champions Club at Summerfield is the first "public" golf course designated a Signature Audubon Sanctuary.*

ACSP Certification Tips

When applying for certification through the ACSP for your IPM category, you are asked to obtain a signed statement from the Green Committee showing the course management's commitment to IPM and proper turf management. This statement of support will help you gain the backing of the Green Committee.

Here are some examples of IPM Statements:

The Jiminy Cricket Golf Course is committed to the management of the golf course through the use of integrated

pest management (IPM) techniques. It is our intent to continually upgrade this management approach with new information, equipment, or materials which will reduce the need for pesticides.

Pesticide use has been, and remains, a last resort decision due to membership concern, environmental unknowns, and economical reasons.

Mr. Tom Bird, President
Mr. Jon Cage, General Manager
Mr. Joe Bone,
Golf Course Superintendent



The Blue Bird Country Club is committed to the principles of integrated pest management. Current practices and future plans are compatible with the concept of maintaining adequate playing surfaces while keeping our use of chemical fertilizers, pesticides and herbicides to a minimum. We will continue to educate ourselves in IPM methods and apply management strategies that promote a high degree of environmental quality on our golf course.

Mr. Jim Dandy
Green Committee Chairman



New Scimitar® GC

All the Assurance You Need from the Grounds to the Golfers

As a golf course superintendent, there's more to your job than just caring for the grounds. You also have to care about the environment and the people on the grounds. New SCIMITAR GC gives you all the assurance you need to take care of your entire job—from the grounds to the golfers.

New SCIMITAR GC delivers superior, fast-acting control of tough turf and ornamental pests on your golf course. It quickly controls a broad spectrum of pests including chinch bugs, bluegrass billbug adults, mole crickets, sod webworms, fire ants, and even suppresses certain grubs. All at extremely low use rates, an economical price, and without an annoying odor. Which means no raised eyebrows from your Greens Committee and no raised voices from your golfers.

The advantage of SCIMITAR GC is the patented microencapsulation. This encapsulation gives you the best of both worlds—fast action and controlled release for control of both surface and subsurface pests. And SCIMITAR GC is packaged in convenient 32-ounce squeeze-and-pour containers for easy use.

So rest assured—New SCIMITAR GC provides the control you need for your grounds and the confidence you demand for your golfers. For more information about SCIMITAR GC, contact your Zeneca Professional Products representative, or call 1-800-759-2500..

ZENECA
Professional Products

SCIMITAR GC is a restricted use pesticide. Always read and follow label directions carefully. SCIMITAR® is a trademark of a Zeneca Group Company. A business unit of Zeneca Inc. ©1995. Zeneca Inc.

Biologicals and organic/natural products —

Soil microbial enhancement

BY CHIP FOWKES
GOLF COURSE SUPERINTENDENT
EMERALD DUNES GOLF COURSE

Superintendents that would like to incorporate the use of biological enhancement into their management programs will find it difficult to find empirical data to guide them. There are more companies everyday claiming that various combinations of bacteria, organic amendments, bio-stimulants and other bugs in a bottle will solve most of the problems associated with the management of fine turfgrass.

The most common claims are:

1. Thatch reduction
2. Disease suppression
3. Nematode control
4. Control of black layer
5. Sodium reduction-increased percolation
6. Increased nutrient availability, especially nitrogen
7. Improvement of irrigation water quality

The chance of these benefits without the use of chemical applications or mechanical manipulation sound too good to be true... and they are. We have all been around long enough to know that there is no easy way to manage turf at the level we maintain today. When the water injection aerifiers arrived, they were never meant to replace core cultivation, and the increased effectiveness of growth regulators is not likely to put mower manufacturers out of business soon. These new developments are tools to be used in conjunction with the tried and true methods that experience and science have proven effective over the years. The use of biological agents to improve the health and

quality of our turf should be viewed the same way.

These techniques can only be effective if they are part of a truly integrated plant management system. The difference between the use of organic materials and biological agents, and the other techniques mentioned is that they have been in use for many years. Where a plant is growing in its native environment and is not subjected to artificially induced stress, this is the normal equilibrium of the rhizosphere, and the application of fertilizer and pesticide is not necessary. In turf management, we generally give the plant the opposite conditions, subjecting it to unnatural soils and demanding quality at the expense of resistance to stress. The goal that we are pursuing at Emerald Dunes is to modify the soil environment to make it the most efficient natural growth medium for the turfgrass. The practical results of these efforts are hoped to be an increased ability of the plant to resist debilitating stress factors under normal growing conditions.

While there is not a lot of available research on the use of plant growth rhizobacteria (PGPR) on turfgrass, there has been work in this area as early as 1890 in regard to agricultural crop production. Studies were done first in Russia and Eastern Europe with inoculating seeds with cultures of bacteria to improve plant growth. Work in this area progressed into the 1970s in India and the U.K. with the introduction of bacteria into the growing medium in the greenhouse and positive results were observed on growth promotion.

In Australia however, field trials using the procedures showing success in the laboratory did not produce the same results.

Practical Application I – Seminole Golf Club

HAL HICKS
SUPERINTENDENT

As with a lot of golf course superintendents, I have been experimenting with various “materials” in hope of finding a way to reduce the need of applying various chemicals and fertilizers to the turf. Humic acid is a great example. Just ten years ago, this product was probably not used very much. Today, I know many superintendents that use humic acid in combination with topdressing or through direct spray applications. The concept behind humic acid is that it allows the bermuda plant to be more receptive to taking in needed nutrients, which in turn allows for higher efficiency.

In line with this concept, I have also been experimenting with the injection of microbial bacteria and nematode suppressing materials through our irrigation system. Again, the idea behind the

use of these “materials” is that they supposedly enhance nutrient release from fertilizers, improve soil structure and water infiltration, suppress disease and nematode activity and reduce thatch.

But in reality, what does all this mean? The bottom line is that — to date — I cannot dispute or verify any of the claims these products make. I have not witnessed any great change in our turf that I can definitely state is a result of these “natural” products. But what I do know is that we have moved into a new environmental age. As a result, probably more and more “natural” products will be introduced into the market in the near future. Time will tell what does and does not benefit the turf. But, if successful, the concept of using “natural” products to reduce chemical and fertilizer use is excellent. I hope that in time these “natural” products prove successful and reduce some of the stress on the golf course superintendent.

The concept behind humic acid is that it allows the bermuda plant to be more receptive to taking in needed nutrients

Turf Formula[™]



The Natural Solution

Agri-Gro of Florida, Inc. introduces **Turf Formula**, "The Natural Solution" for quality Turfgrass maintenance. Florida golf course superintendents are experiencing the following benefits of **Turf Formula**:

1. Increased Soil Microbial Activity
2. Increased Root Mass and Root Penetration
3. Helps Eliminate Algae on Greens
4. Increased Aerobic Bacteria, a Natural Predator to Nematode Eggs
5. Increased Water Penetration and Percolation
6. Aids in the Decomposition of Thatch

Turf Formula is a non-toxic and environmentally safe product which contains stabilized micro-organisms from the following genera: *Azotobacter*, *Bacillus* and *Clostridium*.

Turf Formula is a premium soil amendment and bio-catalyst with a four year shelf life.

For information and product availability:

GOLF VENTURES
2101 East Edgewood Dr.
Lakeland, Florida 33803

1-800-330-8874
(813) 665-5800
Fax (813) 667-0888

UNITED HORTICULTURAL SUPPLY
3632 Queen Palm Dr., Suite 306
Tampa, Florida 33619

1-800-457-0415
(813) 628-0496
Fax (813) 664-0371

VAN WATERS & ROGERS, INC.
4240 L.B. McLeod Rd.
Orlando, Florida 32811

1-800-826-2611
(407) 843-2611
Fax (407) 649-8433

LIQUID AG SYSTEMS, INC.
5610 N.W. 12th Ave. Suite 211
Ft. Lauderdale, Florida 33309

1-800-884-6942
1-305-776-2288
Fax (305) 776-6942

Soil microbial enhancement

The theory developed from these experiments was that the inoculum which was not normally found in the rhizosphere could not compete with native bacteria.

The idea of a dynamic microbial equilibrium that is established in the root zone of the plant led to the belief that any introduced microorganism will not be able to establish itself in the soil.

Two important breakthroughs in recent years have brought the use of biological agents for plant management into practical use. The discovery of mutant strains of bacteria that lived off root exudates and altered the indigenous microbial populations of the root zone, to allow their colonization throughout the season, and techniques to measure their establishment. Selective breeding for host specific strains that process known plant pathogens or biodegrade organic matter has brought us the products being marketed today.

The area most likely to be successfully colonized by beneficial microbes is a newly constructed USGA style green. This is basically a sterilized soil medium where the inoculum can be more easily established. Along with the microbes, it is important to supply a food source until the root system becomes sufficient to support their growth. The supplier of the microbes should be able to recommend an available substrate.

If the supplier can't provide this information, you should reconsider using the inoculum he is selling. Some bacteria are inoculated onto fertilizer carriers that supply an adequate food source for a short time.

Another important consideration is that the inoculum must be delivered to the rhizosphere, as bacteria are not all mobile and must have moisture present to survive and move to the desired location. The incorporation of bacteria and a food source into the soil before planting may provide the best opportunity for establishing healthy colonies where they can do the most good.

Practical Application II Banyan Golf Club

DAN JONES, SUPERINTENDENT

At Banyan Golf Club we have been working on biological control agents for many years. We started with the white amur fish in our lakes to reduce the undesirable aquatic vegetation. We have not had to conduct mechanical removal or herbicide applications for 15 years and our lakes remain weed free.

We have introduced the red eye fly and the *steinernema scapterisci* nematode for mole cricket control. The results are inconclusive at this point.

A strict IPM program has reduced our pesticide usage by 40%. We spray for curative control only.

We are currently in the process of setting up a program to control diseases and parasitic nematodes with microorganisms.

The future of biological and organic control of pests is exciting, and Banyan Golf Club plans to stay on the cutting edge.

The application of products through irrigation systems is an efficient method for moving the microbes into the soil, however may not be cost efficient due to application in non target areas. If the entire course is to be treated, this is probably the best way available to move the bacteria into thatch or the root zone.

Core cultivation before inoculation should greatly improve their ability to reach the intended destination. It is important to know the part of the plant the microbes are designed to work, as applying them incorrectly or without a sufficient food source will ensure their failure to establish and compete.

Once the colonies become established, there are products available to be applied in granular form or through fertigation that will aid in their survival and efficient growth.

There are additional factors that directly affect the life processes of the microbes and their ability to perform the task they were applied for. Extended wet periods or very compacted soils can rob the bacteria of oxygen necessary to remain in an anaerobic state and some re-inoculation may be necessary after the poor conditions are alleviated. There is conflicting data on the effects of chemical pesticide on non target microorganisms, so the manufacturer of the bacteria should be consulted as to when re-inoculation can safely take place. These factors indicate that the most efficient way of en-


couraging the establishment of beneficial microbes would be a system that provides a constant source of inoculum, with the proper food source, through a well-designed irrigation system.

The ability to do this is available today, but the cost is high and the results are difficult to quantify and cannot be expected to give rewards for two or more years. There are also products that can be applied with spray equipment on specific areas like greens or trouble spots and watered in.

At Emerald Dunes, we feel that we are receiving benefits from our management program that justifies its continuance. The use of chemical pesticides and amount of fertilizer applied has decreased gradually over the past three years. There has not been a significant cost reduction in the fertilizer budget since the nutrient sources used are more expensive per pound, however less frequent applications provide for some labor saving and less disruption of play.

The course seems to recover more quickly from poor weather conditions and stand up better to heavy traffic. Overall, we feel the quality of the turf above and below the ground has continued to improve with no corresponding budget increase since our biological enhancement programs were begun. Our knowledge of the symbiotic relationship of the plant, soil and microbial populations is

Continued on Page 59



Either Protect Your Turf, Or Enlarge Your Sandtraps.

Mole crickets. Fireants. Cutworms. Sod webworms. Armyworms. Fleas. Chinch bugs. Wasps. Who knows what they could eventually do to your golf course? Exactly why you should protect all of your greenery with ORTHENE® Turf, Tree &



Ornamental Spray. It's easy. It's economical. It controls the broadest spectrum of tough turf pests. And best of all, it's a heck of a lot better than the alternative. For more information, call 1-800-89-VALENT. Professional Products Team



Now in easy-to-use Water Soluble Pouches.

Metamorphosis —

Maintenance barn to maintenance facility

BY TIM SEVER
SUPERINTENDENT
THE SANCTUARY GOLF CLUB
SANIBEL ISLAND

As golf course superintendents are trying and succeeding in improving our professional image, it's time to also improve and update the image of the old maintenance barn.

Although this article is geared more toward the design and building of a new maintenance facility, there are areas that could be useful in renovating or upgrading of an existing facility.

The first thing you need to do in planning a maintenance complex is to be as up to date as possible on all of the local, state and federal regulations pertaining to this type of facility. Most of the time, you would take your layout to an engineer or construction consultant and let them put the finishing touches on your plan, making sure it conforms to all of the pertinent regulations. They will come up with a set of working drawings and a set of specs for the proposed builders.

Remember that you don't often have a second chance to design or build the facility. Take your time and think through all the different aspects of the facility, from adequate parking, equipment and fuel storage to office space. I'm no expert in the field of design, but I have been fortunate enough to have been involved in the design and construction of three maintenance facilities. If there is a single most important thing I brought to these facilities, it was convincing the ownership that this was a very important piece of the development puzzle. This is the hub of all maintenance that is performed on the project. It has to be efficient, well designed and well run, with safe operation as the foremost aspect of the facility.

With that said, I would like to touch on certain design criteria that should be considered.

Office, lounge and restrooms

It is important that each person on your office staff has a place to do his or her paperwork and reports.

The lounge should be sized so that it will allow the entire crew to sit and eat, or attend staff/safety meetings. It should have a minimum of a refrigerator, microwave and sink. We sized ours so that we could include lockers for employees. This keeps the jackets, rainsuits, etc., from laying around. We also have a TV and VCR in this area to help us in training and safety meetings. This is also the area where we keep our haz-com plan and other important information.

Restrooms should be designed to accommodate maximum staff size.

Equipment, small tools storage

The equipment storage area should be well thought out. Every piece of equipment should have its own place. Nothing is worse than having to move 2 or 3 pieces of equipment to get to the one you need. Also, the more equipment you can keep

under cover, the longer it will last.

Small tool storage is also in this building. We have a 15 x 15 caged area that can be locked and is adequately sized to store hand tools.

Mechanics office, shop and parts

These areas should be adequately sized according to your equipment inventory. The mechanic needs to do his paperwork, parts inventory, parts ordering, preventive maintenance reports and fuel reconciliation and monitoring reports. Most important, it should be an area that can be secured, or at least out of the main flow of traffic. Employee accessibility to this area should be restricted to eliminate potential liability and insurance risks.

Chemical, fertilizer storage

There are a couple of options pertaining to these areas:

Continued on Page 60

Practical Application III Fiddlesticks Country Club

LOU CONZELMANN, SUPERINTENDENT

Currently there are two beneficial nematodes available for the control of mole crickets: *Steinernema scapteriscus* (Proact) and *Steinernema riobravis* (Lesco, Vector). I have not had experience with the Vector product, therefore I cannot comment on its performance. My experience with *Steinernema scapteriscus* began several years ago when Fiddlesticks Country Club became a site where research through the University of Florida was conducted using these nematodes. Through the years I have seen this product effectively kill many mole crickets.

The nematodes carry a bacteria which is released into adult mole crickets. After entering the nematode, the bacteria kills the mole cricket within a couple of days. They are most effective against adult mole crickets, so are best used in the spring and fall when adults are present.

I have seen mixed results with Proact applications. I attribute this to application methods. Since ultra violet radiation is harmful to the nematodes, they need to be applied at dusk or later. Also, the turf should be irrigated before and after application. Fertigation systems can also be used to apply nematodes. I haven't used the fertigation system for nematode application, but I'm beginning to do some experimenting with it. I feel that it may be an excellent method of nematode application.

As with chemical insecticides, nematodes need to come into contact with the mole crickets. Timing of application and thatch now come into play. Recently, I



Fiddlesticks

From Page 58

have seen some low pressure injection systems which may be a good option for applications.

Nematodes are environmentally safe. No protective clothing is needed for applications. They do not harm humans, fish, or any other animals. Hopefully we will be using many effective products in the future that have absolutely no negative affect on the environment.

Scouting and mapping can be an effective cost saving procedure for nematode applications. Mole crickets seem to congregate in the same areas year after year. Limiting treatment to these specific areas can provide acceptable control and be cost effective.

Beneficial nematodes have proven to reduce mole cricket populations while being completely safe to the environment. As we fine tune application methods and find a way to insure contact between nematodes and mole crickets, this will become a more popular method of control.

Soil microbial enhancement

From Page 56

increasing as we continue to research this exciting aspect of our profession.

Finding reliable information to assist you can be obtained by asking sales personnel to provide you with studies that support the effectiveness of their products. If you have access to the Internet, there are papers available through the Turfgrass Information File at 20676POC@MSU.EDU. Or, use a go-pgher to find topics under agronomy, sustainable agriculture, biological research, or any other catch work you think might work.

Two additional sources are:

Turf Grass Trends 1775 T. St. NW Washington, DC 20009-7124


Many good book titles are available through:

CRC Press, Inc. 2000 Corporate Blvd. NW Boca Raton, Florida 33431

THE SOIL RELIEVER

A Soil Aerator For The 90's And Beyond.....

Patent Pending



YES – The Soil Reliever is a deep tine aerifier!

YES – The Soil Reliever can be used for any aerification task!

YES – The Soil Reliever will fit most tractors!

YES – The Soil Reliever is made in the U.S.A.!

YES – The Soil Reliever is built to last!

YES – The Soil Reliever is practically maintenance free!

YES – The Soil Reliever is proven!

YES – The Soil Reliever will give you a greater dollar value over all other types of aerifiers!

**BEFORE YOU BUY ANY AERIFIER –
LOOK AT THE SOIL RELIEVER &
COMPARE!**

Free Brochures and/or Video!

Financing and Contract Service Available


Turf Specialties, Inc.

Thomas St. Romain
1-800-752-5189
Florida Distributor

TURF
SPECIALTIES, INC.



The Sanctuary maintenance facility (left). Note the required containment around fuel tanks (background) and the fertigation tanks (right). Below, are indicated proper storage of chemicals (left) tools and equipment (right).



- 1) Prefab metal type building, or
- 2) Concrete structures

We chose the concrete structures. An article in the *Leader Board* from the GCSAA is a good guideline for this area. You need to have a dedicated storage building, not vulnerable to flooding, and accessible to fire engines and delivery vehicles. It should have an Impermeable concrete floor with bermed perimeters to catch and hold spills. Good ventilation fans and spark-proof wiring help prevent explosions and fires. Security, particularly locks and inaccessible windows, emergency supplies and first aid station with emergency shower immediately ac-

cessible should also be available. The size of this structure would depend on your operation. There should also be an impermeable surface outside the chemical storage area for your mixing and loading.

Fuel storage

There are three basic options:

- 1) Above ground storage tank (AST) with self-containment (e.g. Convault) steel tank that is encased in concrete.
- 2) Underground storage tank (UST). You gain more space with this type, but there is more monitoring and record keeping.

We chose the third option:

- 3) An AST with a containment wall around it. With this type of fuel storage, the area has to have impermeable floors and walls. Walls should be poured solid and reinforced. The containment area should be sized so to hold at least 110% of the largest tank.

All of the different types of storage areas should have overfill protection, leak detection and an impervious surface for filling of equipment and vehicles. For any of these tanks, you must meet the insurance requirements for financial responsibility.