

well, but the impact is less severe. Curative controls have been unsuccessful, but preventive measures with Fore and Compass have been a plus. Stay tuned for more information on this developing story.

Patrick O'Brien and Chris Hartwiger

Todd Lowe is agronomist, Florida Region, USGA Green Section; 941-828-2625; fax

941-828-2629; tlowe@usga.org

Pat O'Brien is director, Southeast Region, USGA Green Section; 770-229-8125; fax

770-229-5974; patobrien@usga.org

Chris Hartwiger is agronomist, Southeast Region, USGA Green Section;

205-444-5079; fax 205-444-9561;

chartwiger@usga.org

relied on for years. The following information has been provided by the manufacturers to update you on the status of some of our insecticides.

OTTO Re-registration Status

At this time the reregistration and tolerance assessment process of Orthene Turf, Tree & Ornamental (Acephate) is nearly complete. The news appears very good for the golf course industry. EPA believes that worker exposure to acephate is within acceptable limits for most golf-course-use scenarios. In addition, EPA has determined that exposure of golfers to acephate residues is not of concern in any current use scenario. Although some labeling changes will be required, they should not significantly affect the viability of Orthene as a pest management tool for golf course superintendents.

The precise changes that EPA will require for the use of Orthene on golf courses have not been finalized. However, it appears highly likely that the following changes will occur:

1. OTTO 75 SP that is not in water-soluble packaging (WSP) will no longer be labeled for ground boom application on golf courses but will remain available as a mound treatment for fire ants. OTTO 75 SP in WSP and OTTO 97 Spray (pellet) will continue to be labeled for application by ground boom.

2. The maximum labeled rate for acephate on golf courses will drop from 5.0 lbs of active ingredient per acre to 4.0 lbs/acre. This means

the "new" labeled rate will be 5.2 lbs of formulated product/acre for OTTO 97. This rate reduction should have no significant impact on a superintendent's ability to control labeled turf pests, including mole crickets, cutworms, webworms, and armyworms.

In addition to currently required personal protective equipment (PPE), workers also have to wear a respirator and chemically resistant gloves when mixing and loading OTTO.

It is possible that EPA will require additional label changes for the use of Orthene on golf courses, but we believe any such changes will have relatively minor impact.

Joe Chamberlain

Valent Professional Products

Field Market Development Specialist

PRODUCT UPDATES

Insecticide Product Bans Take Effect, Labels Modified

Editor's Note: As a result of the Food Quality Protection Act, the organophosphate family of insecticides is being reassessed and we have seen drastic changes in the arsenal of products we have

Dursban

Old-label Dursban products (labeled for residential use) can be sold to end users until Dec. 31, 2001.

Old-label products for Dursban purchased prior to Dec. 31, 2001 can continue to be used by end users under the direction of the old label while supplies last.

New-label Dursban 50W can be used on golf courses, nursery-grown ornamentals, sod farms and non-residential outdoor areas.

Dursban Pro can be used on golf courses and non-residential areas. Golf Course usage has



Stuart R. Cohen, formerly of Almar Turf Products, Inc., is pleased to announce that he will be conducting business under the name of Tee-To-Green Turf Products, Inc. and will be providing the identical products that he previously provided with Almar.

Foliar Fertilizer & Nutrients
Bulk Liquids
Custom Liquid Blends
Wetting Agents, Stickers,
Defoamer, Indicator Dye

Beauti-Green™
K-Green™
Penetrol™
Turf Tracer-Ultra™

TEE-TO-GREEN TURF PRODUCTS, INC.

P.O. Box 2224
Palm City Florida 34991

E-mail: Tee2green2001@aol.com

Fax: 561-692-4887

Mobile & Voice mail: 561-719-3462

1 - 800-900-6444

Superior Solutions for Turf Professionals®

PLANTS OF THE YEAR FOR 2002



Common name: Compact Walter's Viburnum
Botanical name: Viburnum obovatum (compact form)
Hardiness: Zones 7 - 10
Mature height and spread: 4' - 6' tall, 3'-4' wide
Classification: Native evergreen shrub
Landscape use: Low hedge or specimen plant
Characteristics: This Florida native features white flowers in early spring. These selected shrubs have red new growth and a more compact growing habit. The red fruit turns black in the fall and in North Florida is semi-deciduous.



Common name: Perennial Peanut
Botanical name: Arachis glabrata
Hardiness: Zones 8B - 11
Mature height and spread: 6"-12" tall, 1'-3' wide
Classification: Ground cover
Landscape use: Flowering ground cover, turf replacement
Characteristics: This plant is a good ground cover for well drained soil in a sunny area that tolerates mowing. Bears yellow flowers during late spring, summer and fall.



Common name: Oak Leaf Hydrangea
Botanical name: Hydrangea quercifolia
Hardiness: Zones 5-9
Mature height and spread: 5'-8' tall, 5'-6' wide
Classification: Deciduous flowering shrub
Landscape use: Specimen or mass planting
Characteristics: This native plant needs light to medium shade and has large, fragrant creamy-white terminal bloom-clusters in spring. The large, coarse rusty-brown foliage turns red-orange in the fall.

Florida Nurserymen & Growers Association, 1533 Park Center Drive, Orlando, FL 32835; 407-295-7994; fax 407-295-1619; info@fnga.org

UHS brand fertilizers are designed to meet the demanding agronomic needs of any turf professional. These products are built to perform best according to the local needs of the geographies we serve.



good

better



Our UHS Signature Brand Fertilizer "blue line" is comprised of products with the things you'd expect, such as quality and consistency. What sets these fertilizers apart is unique technologies, added performance and unmatched value.

Our premium offering is found in the UHS Signature Brand Fertilizer "green line" bag. These products feature the best nutrient sources available and are manufactured with an uncompromising eye to consistency and performance. The green bag guarantees ultimate nutritional benefits and turf quality for your fertilizer program.



best

Check with your local UHS rep for more details on our line of outstanding fertilizers
(800) 457-0415 • fax (813) 664-0371



United Horticultural Supply.
 www.uhsonline.com



Hunter
GOLF

CREATING A GREAT GOLF EXPERIENCE

Is Just Part of Your Job

Every golf course has irrigation system challenges. That's why your local John Deere Landscapes golf representative can offer you a range of customized solutions. Whether you are planning new construction or overseeing renovation, we have water management tools to help you better control your costs and enhance the playability of your course.

With the recent acquisition of Century Rain Aid, your local John Deere Landscapes branch is now one of the most comprehensive suppliers of golf course irrigation equipment in the U.S. Our fully-staffed golf support team brings more than 25 years of experience to the game and can help you solve any site challenge.



Irrigation Systems Featuring Hunter Golf

Rotors, valves, central control systems, maintenance radios

Pump Stations Customized for your course

Fountains and Landscape Lighting

Boardtronics Controller Board Repairs Replace outdated Toro™ and Rain Bird™ controller boards: 888-855-9132.

More Than 200 Branches Nationwide



JOHN DEERE
LANDSCAPES



YOUR KEYS TO HIGH-PERFORMANCE, LOW-MAINTENANCE GREENS.

Topdress with PROFILE™

Gearing up the long-term health of your greens is as easy as making PROFILE™ Porous Ceramics part of your regular topdressing mix. University research and over 3,000 golf courses have proved that PROFILE helps reduce scheduled maintenance by:

- ▶ Improving drainage and oxygen in the root zone
- ▶ Preventing and minimizing compaction
- ▶ Solving localized dry spot
- ▶ Increasing moisture and nutrient retention

Build with PROFILE™

PROFILE™ in your original greens mix will prevent many of the problems that drive up maintenance costs later. PROFILE outperforms other soil amendments by permanently altering soil structure with a complete agronomic package:

- ▶ Exceeds USGA® stability requirements
- ▶ Meets USGA® particle size distribution
- ▶ Provides a CEC of 33 meq/100g
- ▶ Maintains water-holding capacity, infiltration rates and oxygen levels that exceed industry standards



Race to your PROFILE distributor or call 1-800-207-6457 for all the details.

www.profileproducts.com

SEED

For Successful Seeding...

*Billy Griffith
407-474-2460*

*Butch Gill
770-329-9000*

- Cool Season Turfgrass Seed •
- Wild Flowers and Native Grass Seed •
- Bentgrass Seed •
- Warm Season Turfgrass Seed •



been reduced to a 1-pound/arec rate. (This rate is not a season maximum rate but a maximum single application rate.)

The new label Dursban Pro (Caution label) and Dursban 50W (Danger label) are restricted use pesticides.

End users should apply all products for Dursban according to label directions on the container.

Remember the effectiveness or safety of Dursban has not changed. Dow AgroSciences appreciates your past and continued support of Dursban.

Dow AgroSciences Flyer

Turcam Update

The Chipco Professional Products group of Aventis E.S. will soon cease production and distribution of Turcam insecticide due to a 1999 EPA-mandated phase-out agreement. While production will cease Oct. 31, 2001, end users can apply Turcam indefinitely from stocks purchased and delivered prior to Oct. 31, 2001. For specific information on advanced purchase specials call 1-800-438-5837.

After your Turcam inventory is gone, end users may wish to consider using DeltaGard and Sevin for broad spectrum control of insect problems. DeltaGard (deltamethrin) is a low-dose insecticide with four to six weeks residual action. Sevin has been around for 35 years and comes in water-soluble packing. Sevin has a low phytotoxicity level and highly effective residual activity.

Jim Fetter, Director of Marketing, Chipco Professional Products

2001 Plants of the Year

Editor's Note: This program sponsored by the Woody Division of the FNGA introduces purchasers to under-utilized, but proven Florida plant material. Selected each year by a panel of horticulturists, nurserymen, educators, landscape architects and other professional members of the horticulture industry, these plants have attributes which attract wildlife or have minimal maintenance impact on the environment.

Dry Fertilizer
Bulk Liquid Fertilizer

Office: 954-741-4041
Fax: 954-741-4082



GREEN-WAY

Quality Turf Products
We Specialize in Keeping you GREEN

MANGA PLEX PLUS • ULTRA - GREEN • BIO-PLEX

10008 N.W. 53rd Street • Sunrise, Florida 33351

STEWARDSHIP NOTES

Water Use Replaces Pesticides as Golf's Top Environmental Issue

By Shelly Foy



We sure have been talking a lot about water in Florida lately. First, we don't have enough; now some places have too much. It's a vicious cycle that unfortunately, will more than likely repeat itself every year.

Ten years ago, I would have said that the misconception of pesticide use on golf courses was the

greatest environmental concern we faced. I have since come to realize that the real danger for golf courses lies in water use. The bottom line is that there is only so much to go around.

There is a Scottish proverb that says, "We'll never know the worth of water till the well goes dry." And perhaps Benjamin Franklin was reading Scottish proverbs when he said, "When the well's dry, we know the worth of water."

I recently had an opportunity to read through Audubon International's updated "A Guide to Environmental Stewardship on the Golf Course," and there is some great information in this publication on water conservation. Jean Mackay, director of educational services for AI, has given me the okay to share some of the information from this publication with Florida Green readers.

Consider this:

- Though water use on golf courses varies widely depending on climate and other factors, an average golf course may use 10 to 30 million gallons of water per year. (USGA Green Section)
- Superintendents continually rank securing adequate irrigation water among their top concerns. (GCSAA)
- Given recent droughts and erratic weather patterns, adopting water conservation measures is essential for addressing public concerns, securing irrigation supplies, and saving this essential natural resource.

What can you do? Audubon International has a self-assessment checklist for water conservation. Read through the following information and "assess" yourself and your management practices as they relate to water conservation.

General Knowledge:

- Train employees to conserve water and make water conservation a priority in your management approach.
- Identify the water sources used for irrigation and drinking water.
- Know how to operate and manage the irrigation system properly.

Irrigation Equipment and Plumbing Fixtures:

- Irrigation system should be properly designed, correctly installed, and performance should be tested.
- Check irrigation system for proper water distribution in all irrigated areas at least once per year.
- Eliminate all non-target watering (e.g., sidewalks, ponds, habitat areas).
- Check all irrigation equipment daily, and maintain the system on a regular schedule.
- Fix leaks in a timely manner.
- Regularly maintain the pump station so that it is working efficiently.
- Update irrigation system, or components of the system (e.g., valves, sprinkler heads, nozzles, computer software), to reduce inefficiency and malfunction and reduce water use.
- Install part-circle irrigation heads where possible to save water.

Watering Practices and Turf Care

- Incorporate evapotranspiration rates or weather data into daily irrigation decisions.
- Avoid running the irrigation system at peak evapotranspiration times.
- Water "hot spots" to target needed areas only, rather than running the entire irrigation system during the peak of the day.
- Work to maintain an effective water cycle to maximize water absorption and reduce runoff and evaporation, including: maintaining soil cover, improving soil structure, adding or maintaining natural organic matter in the soil, and improving drainage to minimize runoff and maximize water penetration through soil layers.
- Reduce or eliminate irrigation on all unused or minimally used portions of the property.
- Monitor daily water use, tally monthly usage, and set targets for yearly improvement.
- Select turfgrasses on greens, tees, and fairways

that are appropriate for local climate and growing conditions.

So, how did you do? I have no doubt that most of you are already doing most of these things to conserve water. If you aren't, then you should be.

Additional information from this book that I found pertinent:

Keep Records

Monitoring your use of water and tracking yearly trends can help you gauge the success of water conservation efforts. Track water use via municipal usage records, information from a fully automated irrigation system, or estimates of the number of gallons used per cycle and per week. Tally the number of gallons used monthly and yearly. Use these records to set realistic conservation targets, detect trends, plan for drought, and promote your success.

Preparing For Drought

The most effective drought management plan is to implement water conservation measures in advance of a drought and on a long-term basis. Planning for drought before one strikes will allow you to mitigate its effects and reduce damage. Being prepared, coordinating conservation measures among staff of various departments of the golf course (grounds, clubhouse, resort amenities, etc.), and implementing a variety of conservation measures will go a long way toward mitigating the effects of drought. In addition to the information in this book, you can also refer to these websites for more information:

According to Audubon International's Managed Lands Survey of 2001, here's what has happened on golf courses since joining the Audubon Cooperative Sanctuary System:

- 60% reduced water costs
- 89% improved their irrigation system or the way that water is applied
- 69% decreased water usage
- Golf courses saved an estimated 1.9 million gallons of water per year per course since joining
- 86% increased efforts to monitor water quality
- 55% increased emergent vegetation in golf course ponds
- 45% instituted a contained wash off area, compared with just 23% prior to joining

What better incentive than that to get involved in the ACSP for Golf Courses?

So if you want to do your part in helping the environmental image of golf courses, make

water conservation your top priority. There is a great American Indian proverb that says, "The frog does not drink up the pond in which he lives."

Shelly Foy is ACSP coordinator, Florida Region, USGA Green Section; 941-828-2625; fax 941-828-2629; sfoy@usga.org

ACSP UPDATE

New ACSP Members

Airco Golf Club, Clearwater
Burnt Store Country Club, Punta Gorda
Country Club of Orlando, Orlando
Countryside Country Club, Clearwater
IGM - Tiger Point, Gulf Breeze
Links at Boynton Beach, Boynton Beach
WCI/Pelican Sound Golf Course, Estero
Sunnybreeze Palms, Arcadia

New ACSP Fully Certified Courses

Pelican's Nest Golf Club, Bonita Springs
IGM - Maple Leaf Golf and Country Club,
Port Charlotte

FOR MORE INFORMATION

Quotes are from A Dictionary of Environmental Quotations, compiled by Barbara K. Rodes and Rice Odell and published by the John Hopkins University Press of Baltimore and London.



Sun shining through a summer shower: two good reasons not to be running the irrigation system.

The water conservation information is from Audubon International's updated version of A Guide to Environmental Stewardship on the Golf Course, and can be purchased from Audubon International

Audubon International: 46 Rarick Rd., Selkirk, NY 12158; 518-767-9051; fax 518-767-9076;

www.audubonintl.org.

EPA Office of Water: Environmental Protection Agency, 1200 Pennsylvania Avenue, N.W, Washington, DC 20460; 202-260-2090; www.epa.gov/owm/drouhome.htm

GCSAA: Golf Course Superintendents Association of America, 1421 Research Park Drive, Lawrence, KS 66049-3859; 800-472-7878; fax: 785-841-2240; infobox@gcsaa.org

www.gcsaa.org/resource/drought.html

National Drought Mitigation Center: P.O. Box 830749, Lincoln, NE 68583-0749; 402-472-6707;


fax 402-472-6614; www.enso.unl.edu/ndmc/

USGA Green Section: PO Box 708, Far Hills, NJ 07931; 908-234-2300; fax 908-234-9687;

www.usga.org/green/index.htm

Thinking about renovating your course?

One call can save you Time,
Money *and* Aggravation.



John Sanford Jr.,
Member of ASGCA



**SANFORD
GOLF DESIGN**

1851 W. Indiantown Road
Suite 100

Jupiter, Florida 33458

Fax: 561.743.1899

E-mail: mail@sanford-golf.com

www.sanford-golf.com

DESIGN • RENOVATION • CONSTRUCTION MANAGEMENT

561.743.1897

Preserving Surface Water Quality Is As Easy As 1, 2, 3...

James H. Baird, Ph.D.

Water features are an integral part of many golf courses, especially in Florida. Thus, it is important that turf managers exercise common sense and sound management practices in order to protect water quality and the health of aquatic organisms.

One of the greatest risks to water quality is surface runoff of pesticides and nutrients. Runoff occurs when the rate of precipitation exceeds that of infiltration. Loss of chemicals is influenced by several factors:

- 1) time interval between chemical application and precipitation event causing runoff;
- 2) amount and duration of the precipitation event;
- 3) soil moisture prior to chemical application and precipitation;
- 4) slope;
- 5) amount and method of chemical application;
- 6) timing of application in regard to plant uptake;
- 7) physical and chemical properties of the pesticide or fertilizer;
- 8) rate of chemical degradation/transformation to a benign form;
- 9) soil properties; and
- 10) vegetation type or density.

Given these factors, the following recommendations will help to protect one of our most vital resources and to demonstrate environmental stewardship on the golf course.

Step 1

Have your water features and irrigation water tested to determine baseline values of pH, total salt content, sodium permeability hazard, specific ion toxicity, and critical nutrient levels.

Pay particular attention to levels of nitrogen (N) and phosphorus (P). Excessive losses of these nutrients into water resources can result in eutrophication, the promotion of algal growth that causes depletion of oxygen in water to the detriment

of other organisms. In many situations, application of additional P or other nutrients can be avoided by regular soil and water testing.

For more information on interpreting water test results, please refer to the article titled, *Understanding Water Quality and Guidelines to Management* in the September/October 2000 issue of the USGA Green Section Record.

Step 2

Establish emergent and shoreline vegetation surrounding surface water features. Examples of taller emergent vegetation include arrowhead, pickerelweed, sedges, and bulrushes. In addition to slowing down, filtering, or inhibiting surface flow, shoreline vegetation is beneficial to:

- 1) reduce or eliminate erosion;
- 2) help shade and cool water near the edge, thereby helping to maintain adequate levels of dissolved oxygen in the water to reduce algal blooms;
- 3) provide habitat for wildlife;
- 4) help deter Canada geese or other unwanted wildlife since it provides a good hiding place for predators and a barrier for entrance or exit;
- 4) save labor and, more importantly, grass clippings that normally fall into water features following trimming; and
- 5) improve aesthetics of water features especially where water levels fluctuate.

Step 3

In addition to establishing shoreline vegetation, you should raise the height of cut of turf adjacent to water features. Research has demonstrated that bermudagrass turf mowed at 3 inches was more effective in reducing time to runoff, runoff depth, concentration, and losses of chemicals compared to turf mowed at 0.5 or 1.5 inches.

Step 4

Establish areas of untreated vegetation between turf that is treated with pesticides or fertilizer and water features. Buffer strips help reduce surface runoff by diluting applied chemicals, reducing surface flow velocity of runoff water, providing a physical filter of sediment or chemicals in solution, and increasing the potential for infiltration.

Reduced chemical runoff has been documented using buffer widths between 15 and 30 feet. However, the effective size of a buffer is dependent upon several factors including slope, overall size of the watershed, type of vegetation, playability, and potential pollution from maintenance practices.

Check with your state or local authorities to determine if regulations govern size of buffers surrounding water features on your golf course.

Step 5

Avoid application of chemicals immediately before or after heavy rainfall or irrigation. This is almost too commonsensical to mention if it were not one of the most critical steps for protecting surface water quality. A study conducted at Oklahoma State University demonstrated that runoff occurred as much as six times earlier and total runoff was as much as 16 times greater when chemicals were applied to turf under saturated conditions prior to simulated rainfall.

Step 6

When using pesticides and fertilizer near water features, choose rates and formulations that have lower runoff potential. Consult the Material Safety Data Sheet (MSDS) for pesticides to find active ingredients with low water solubility and a high adsorption coefficient (KOC). Likewise, natural organic or other slow release forms of nitrogen fertilizer (e.g., IBDU, methylene urea, sulfur-coated urea) applied in smaller amounts are less likely to



*The only thing worse than **goosegrass**
is where **goosegrass** used to be.*

Fix 'em both with Illoxan®. Unlike old fashioned herbicides, which killed goosegrass but left ugly brown patches in their wake, Illoxan is smarter. It gives you fast, reliable goosegrass control, from one-leaf to one-tiller stages, all throughout the season on established turf. It's also gentle on bermudagrass. Yet no matter how hot and damp conditions get, you won't get ugly brown patches. No sir. And once Illoxan has dried, it won't be affected by rainfall or irrigation: a big advantage in certain parts of the South. Got goosegrass? Get Illoxan. The only thing it leaves behind is a smile.

Illoxan®
HERBICIDE

contaminate surface water compared to readily soluble forms.

Summary

Despite recent public concerns about use and environmental fate of chemicals on golf courses, research has demonstrated that turf is an effective filter of most pesticides and fertilizers by interception and degradation in the organic or thatch layer of the upper root zone profile. Chemicals that are highly soluble or not strongly adsorbed to organic matter are more likely to leach or runoff into surface water features.

However, the potential for surface runoff can easily be reduced or even eliminated by employing simple and common sense management practices that include

- 1) incorporation of shoreline vegetation adjacent to higher cut turf both of which are designated untreated buffer strips;
- 2) use of pesticides and fertilizer that have low solubility and high adsorption to soil organic matter (high KOC); and
- 3) avoidance of chemical application when soil saturation favors runoff. It's as simple as 1, 2, 3.

James H Baird, Ph.D. is agronomist, USGA Green Section, Northeast Region; 610-515-1660; fax 610-515-1663; jbaird@usga.org

REFERENCES

Baird, J.H. 2001. Defeat runoff with BMPs and buffer strips. *Grounds Maintenance*. 36(4).

Baird, J.H., N.T. Basta, R.L. Huhnke, G.V. Johnson, M.E. Payton, D.E. Storm, C.A. Wilson, M.D. Smolen, D.L. Martin, and J.T. Cole. 2000. Best management practices to reduce pesticide and nutrient runoff from turf. p. 268-293. In J.M. Clark and M.P. Kenna (ed.) *The fate and management of turfgrass chemicals*. ACS, Washington, DC.

Baird, J.H. 1998. Reducing pesticide and nutrient runoff using buffers. *Golf Course Management*. 66(9):57-61.

Cole, J.T., J.H. Baird, N.T. Basta, R.L. Huhnke, D.E. Storm, G.V. Johnson, M.E. Payton, M.D. Smolen, D.L. Martin, and J.C. Cole. 1997. Influence of buffers on pesticide and nutrient runoff from bermudagrass turf. *J. Environ. Qual.* 26:1589-1598.




Runoff from rainfall simulators on sloped fairway height plots is stopped by 3" high rough buffer zone. Note standing water that will now infiltrate slowly. Oklahoma State research plots. Photo by Jim Baird.



Raising the height of cut to create a turfgrass buffer zone along this creek bank at the Mendham G&T Club in New Jersey could have helped to prevent the erosion. Photo by James Baird.

The Floratine Approach

"Prescription Without Diagnosis is Malpractice"



- Accumulation of comprehensive, site specific information from laboratory analysis, physical examination, and client dialogue.
- Evaluation and interpretation of information to understand and explain agronomic conditions.
- Recommendation of scientifically sound, environmentally responsible methods and materials to promote optimum soil functioning and turf quality.
- Continuing conscientious monitoring and appropriate program adjustment to achieve maximum health and aesthetics.

Floratine of Florida

Terry Brawley 727-638-3481 Jim Lawson 941-633-6398 Tom Phillips 561-719-6265 Carl Bronson 727-638-5858

