PRODUCTS

Flexibrush

- · Designed for fast, effective brushing on large turf areas
- Includes six sets of independently floating V-section brushes that are divided into three sections that float also
- Brush can follow ground contours to enable a better dispersal of topdressing materials
- Can be used for dew dispersal
- Outer sections fold for transport and storage
- Stands are supplied for storage, too

SISIS golfcourseindustry.com/readerservice # 200



Air Induction XR flat spray tip

- Produces few driftable droplets at high pressures
- Provides drip control without compromising coverage
- Nozzle uses an air induction design to produce larger air-filled drops that stay on target
- Ideal for preemergent, surface-applied herbicides; postemergent systemic herbicides and postemergent contact herbicides
- Preorifice is removed easily for cleaning
- Polymer material provides long-wear life and better acid resistance
- Operating pressure ranges from 15 to 90 psi *Tee Jet*

golfcourseindustry.com/readerservice # 201



Blade-capable trimmer

- Powered by a 26.30-cc engine
- Weighs 10.8 pounds
- Produces low noise and vibration
- Ergonomically designed
- Includes a convenient control location
- Features a 16.9-ounce fuel tank
- CARB Tier III approved
- Includes a lifetime electronic-ignition-module warranty

Kawasaki Power Products

golfcourseindustry.com/readerservice # 202



EFB-CP-R valve series

- Designed to withstand the abuse of reclaimed water systems
- Made of red brass
- Features a nylon-reinforced EPDM rubber diaphragm that resists corrosion
 - Comes with a stainless-steel, selfflushing, contamination-proof filter screen to resist debris build-up *Rain Bird*
 - golfcourseindustry.com/readerservice # 203

Web mapping software

- · Identifies localized dry spots on greens
- Statistical interpolation creates charts that provide an instant picture of spatial variability
- Data is archived at the server, so maps can be accessed from any computer with access to the Internet
- Compatible with most georeferenced meters that measure chlorophyll (nitrogen), turf color, and soil pH,
- EC, compaction and moisture

Spectrum Technologies golfcourseindustry.com/readerservice # 208

SpecMaps




Wash-water recycling system

- Includes a stainless-steel, mesh-lined cart for easy dewatering and handling of grass clippings
- HydroScreen separates and captures grass clippings and leaves, then dumps them into the cart
- Features biotechnology that's based on the use of aerobic bacteria to control odor and cause a degradation of total petroleum hydrocarbons, herbicides, insecticides and pesticides
- Time-controlled purge system automatically removes sludge and flushes the system with treated water

Lower Your Handicap.

- High-output UV ozone generator polishes water in the recycle systems
- ¾-hp circulation pump increases microbial digestion Water Maze

golfcourseindustry.com/readerservice # 205



- Inverted marking paint
- Expanded selection available
- Available in a range of vivid colors
- Ideal for marking surfaces to alert players of hazards, boundaries and parking areas *Standard Golf Co.*

golfcourseindustry.com/readerservice # 204



GCI Online helps you overcome daily challenges with business resources for maintaining your course at the highest level. Application schedules, newsletter articles, and budget and personnel forms are just a few of the tools you'll find to help you with your daily tasks.

www.golfcourseindustry.com/tools/businessforms

GOLFCOURS

Repair Plus soil amendment

- Can be blended with topdressing and seed to heal damaged roots, accelerate new growth and protect roots against stress
- Contains a natural wetting agent, kelp extract, 17 natural L-amino acids and humic acid
- Each pound contains 28 billion Bacillus subtilis GB03 colony-forming units
- · Apply when overseeding, reseeding or repairing tees and greens
- Offers quicker range rotation by giving faster and increased seed germination
- Packaged in weatherproof containers Growth Products
- golfcourseindustry.com/readerservice # 209





Crystal BlueLinks creeping bentgrass

- Received a top-rated performance in the most recent NTEP trials
- Provides a subtle color contrast between greens and fairways
- Shows disease resistance toward brown patch, dollar spot and copper spot
- Available in September 2007
 Tee-2-Green Corp.
 golfcourseindustry.com/readerservice # 211

Pellet Pro wetting applicator gun

- · Accepts professional-grade surfactant cartridges
- Features a high-flow nozzle with a vertical water curtain for uniform surfactant application
- Delivers about 35 gallons per minute
- · Pellet rotation within the chamber evenly dissolves surfactants
- Durable Cyclone nozzle is constructed with brass fittings, a stainlesssteel nozzle and precision-engineered, glass-filled materials *Underhill*

golfcourseindustry.com/readerservice # 212



na manual de la constante de la destante de la desta de la dest Internet de la constante de la desta de Internet de la desta de la d

PRODUCTS

Biological recycle/discharge systems

- Offers two models for discharge operations and four models for recycle operations
- Each unit requires little maintenance
- Equipped with a NEMA-4-rated, corrosionproof control panel for safe and reliable operation
- Mazzei venture air injection system sustains beneficial aerobic microbes while destroying odor-causing anaerobic bacteria
- Recycle systems have a bronze manifold to withstand heat and high pressure *Mi-T-M Corp.*

golfcourseindustry.com/readerservice # 213



PayClock Express time clock system

- Uses proximity technology to identify employees instantly
- Designed for small businesses with as many as 50 employees
- Automatically calculates total hours worked, including overtime
- Employees punch in and out at the terminal with a proximity badge
- · Large display and internal speaker provide instant feedback

Lathem Time

golfcourseindustry.com/readerservice # 214



ORI series filters

2:03

payclock

payclock

- · Automatic and self-cleaning
- Removes organic and inorganic suspended solids
- Features efficient flushing systems and large screen areas to handle dirty water
- Runs on a simple hydraulic system
- Complete screen cleaning takes five to 10 seconds
- Flange sizes range from 2 to 24 inches

Oriva golfcourseindustry.com/ readerservice # 210



Get MORE INDUSTRY coverage

