Real Science

BY ROB GOLEMBIEWSKI, TOD BLANKENSHIP AND BRIAN MCDONALD



Can annual bluegrass putting greens be healthy and fast?

Oregon State University research shows that daily rolling, along with higher mowing heights, provides high-quality turf and excellent green speeds.

During the past 30 years the successful management of golf course putting greens in the U.S. has generally been associated with green speeds, which can be traced back to the introduction of the Stimpmeter in the late 1970s. The USGA's goal was to give superintendents a tool to assist them in creating consistent putting conditions across the entire golf course.

With the advent of the Stimpmeter, many cultural

and chemical practices have been implemented through the years by superintendents in a quest for the "perfect" firm, fast greens. These include lowering mowing heights or increasing mowing frequency, reducing irrigation and fertilizer amounts to limit plant vigor, applying plant growth regulators to limit vertical growth or employing devices like rollers. Some or all of these practices may be implemented at any one time to optimize putting green speed, which is measured in terms of ball roll distance (BRD).

With the advances in mowing equipment, some golf course superintendents are now mowing greens as low as 0.075 inches in an effort to satisfy golfers' continuing desire for faster speeds. These low mowing heights are extremely dangerous to the overall health of the turfgrass plant. During the summer months, greens maintained at these low heights of cut often lose density, lack vigor, recover slowly from wear, and exhibit poor resistance to pest infestations. Dr. Thom Nikolai (Michigan State University) reported mowing heights on creeping bentgrass greens could be raised from 0.125 inches to 0.156 inches during the summer months, if combined with lightweight rolling, to maintain green speeds and an overall healthier turfgrass stand. Lightweight rolling is conducted to smooth and improve turf canopy uniformity on putting greens

Real Science

Treatment	Roller
Mow Daily (Check)	
Mow Daily (Check)	
Mow Daily - Roll M, W, F	Gas
Mow Daily - Roll M, W, F	Electric
Mow Daily - Roll Daily	Gas
Mow Daily - Roll Daily	Electric
Roll Daily - Mow M, W, F, Sa	Gas
Roll Daily - Mow M, W, F, Sa	Electric
Alternate Mow & Roll Daily	Gas
Alternate Mow & Roll Daily	Electric

as well as to increase BRD.

Overwhelmingly, green speed research to date has focused on creeping bentgrass. The objective of this study was to investigate the effects of various mowing and rolling regimes on annual bluegrass (*Poa annua*) green speeds.

MATERIALS AND METHODS

The research trial was conducted at the Oregon State University Lewis Brown Research Farm located in Corvallis, Oreg., on a 100 percent annual bluegrass (Poa annua cv. Northwest Poa Greens) putting green. The treatments (Table 1) were chosen to compare the effects caused by different roller technologies and mowing and rolling frequencies on annual bluegrass putting green speeds. Each treatment plot (3.33 ft. x 15 ft.) was replicated three times for a total of 30 plots.

All mowing was performed using a walk-behind greens mower (Jacobsen PGM 22) set to a cutting height of 0.150 inches. Rolling treatments were performed with a Smithco gas roller (845 lbs.) or with a Smithco electric roller (1,140 lbs.). The plots were mowed at

EDITOR'S NOTE

This article originally ran in Green Section Record Vol. 49 (5), Feb. 4, 2011 8 a.m., and immediately following mowing operations, rolling was applied as a single pass across plots. In 2009, plots were fertilized (0.15 lbs. N/1000 ft2) and topdressed weekly. In 2010, plots were fertilized every 10-14 days and topdressed biweekly. Putting green speed was evaluated daily by measuring ball roll distance with a Stimpmeter at 9 a.m. and at 2 p.m.

RESULTS AND DISCUSSION

All ball roll distance data were averaged over the two-year trial length. The effect of rolling when averaged across all treatments was significant. Both the gas roller and electric roller provided approximately a one foot increase in BRD when compared to the non-rolled plots. It is interesting to note that no BRD differences were observed between the gas and electric rollers, even though the electric roller is 300 lbs. heavier than the gas roller. This illustrates the point that heavier is not necessarily better when it comes to BRD.

Since no differences were observed between the two rollers, mowing and rolling treatments were averaged across all roller treatments. The greatest increases in BRD were observed with mowing and rolling daily (+17.5 inches), followed by rolling daily and mowing four days each week (+12 inches). Mowing daily and rolling three days a week, along with alternating mowing and rolling, also resulted in positive BRD. The afternoon measurements were comparable to the morning, with an average decrease of two inches. Dr. Doug Karcher (University of Arkansas) and his research team determined golfers cannot distinguish between green speeds of 6-inch differences or less. Based on these findings, there was no distinguishable difference in green speeds from morning to afternoon. These data would indicate that superintendents can maintain desirable annual bluegrass green speeds throughout the day, following an appropriate mowing and rolling regime in the morning.

Based on the significant annual bluegrass BRD increases obtained with various mowing and rolling regimes, we compared the differences with those previously reported on creeping bentgrass. The data, while not identical, mirror the effects of the various mowing and rolling treatments for creeping bentgrass and annual bluegrass.

Annual bluegrass exhibited slightly lower green speed increases for all treatments com-

pared to creeping bentgrass; however, in 2010, mowing at 0.150 inches and rolling daily provided an average BRD of almost 11 feet. This is significant because a survey conducted by the USGA during the summer of 2010 showed more than 90 percent of the respondents preferred putting greens with BRD ranging from 9 to 11 feet.

CONCLUSIONS

The results indicate annual bluegrass green speeds can be significantly increased by rolling in combination with higher mowing heights, and that the increases observed are not lost from morning through the afternoon. In addition, the quality and overall health of the putting green are greatly improved as a result of the higher height of cut. It is recommended that all golf courses consider raising mowing heights and implementing a rolling program, because this is a win-win situation for both the course and the golfers. GCI

Rob Golembiewski, PH.D, assistant professor, horticulture; Tod Blankenship, CGCS, M.S. candidate, horticulture; and Brian McDonald, research technician, horticulture, at Oregon State University.



Annual bluegrass green speeds can be significantly increased by rolling in combination with higher mowing heights.