

FREE FAST



Postage
Required
Post Office will
not deliver
without proper
postage.

For faster service fax to 330-629-4043
Check off the reader service numbers that
you're interested in and mail to this card.
Or visit www.golfcourseindustry.com

GOLF COURSE
INDUSTRY

Grid of small text for reader service selection

GOLF COURSE[®] INDUSTRY

PO BOX 532
RICHFIELD, OH 44286-0532



Grid of small text for reader service selection

GOLF COURSE[®] INDUSTRY

PO BOX 2191
SKOKIE, IL 60076-7891



Postage
Required
Post Office will
not deliver
without proper
postage.



FREE FAST

GOLF COURSE INDUSTRY

Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____
 Fax _____
 E-mail Address _____

For faster service fax to 330-659-4043

Check off the reader service numbers that you're interested in and mail in this card.

Or visit www.golfcourseindustry.com.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260
261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280
281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360

September 2007

GOLF COURSE INDUSTRY

Do you wish to receive/continue to receive a **FREE** subscription to Golf Course Industry?

Yes No

Signature _____
 Date _____
 Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____
 Fax _____
 E-mail _____

GIE Media Inc will only use your email address to contact you with relevant industry or subscription information. If you do not want to receive email from trusted 3rd parties, please check here.

What is the best way to contact you for future renewals?
 email fax telephone

1. How Do You Want to Receive Your Subscription?

- 1-Digital and Print
- 2-Print Only
- 3-Digital Only (No Print Copy Received)
 (a valid e-mail address is required for digital delivery)

2. What is your primary business at this location? (check one)

- 21-Public Golf Course
- 22-Private Golf Course
- 23-Semi Private Golf Course
- 24-Municipal/City/State Golf Course
- 25-Hotel/Resort
- 26-Par3/Executive Golf Course
- 27-Practice Facility
- 29-Other Golf Course
- 30-Golf Course Management Company
- 31-Golf Course Architect
- 32-Golf Course Developer
- 33-Golf Course Builder
- 39-Supplier/Sales
- 99- Others (please describe)

3. What best describes your title?

- A-Golf Course Superintendent
- B-Green Chairman
- C-Director of Golf/Head Pro
- D-Club President
- E-General Manager
- F-Golf Course Owner
- G-Builder/Developer
- H-Architect/Engineer
- I-Research Professional
- K-Assistant Superintendent
- L-Golf Course Management Company Executive
- Z-Others (please describe)

4. Number of Holes: (check one)

- A-9 Holes
- B-18 Holes
- C-27 Holes
- D-36 Holes
- E-Other

6. Total Annual Maintenance Budget: (check one)

- 1-Less than \$50,000
- 2-\$50,000-\$99,999
- 3-\$100,000-\$249,999
- 4-\$250,000-\$499,999
- 5-\$500,000-\$749,999
- 6-\$750,000-\$1,000,000
- 7-\$1,000,000+

7. Total Course Acreage _____

8. Course Renovation Plans for the Next 12 Months

- 1-Full Reconstruction
- 2-Partial Reconstruction
- 3-Greens
- 4-Tees
- 5-Fairways
- 6-Irrigation System
- 7-No Renovations Planned

9. If Only a Partial Reconstruction is Planned, Please Indicate the Number of Holes _____

10. What is the Name of the Architect Who Designed the Course? _____

11. What Year was the Course Built? _____

12. Is this course part of a

- 1. Resort Chain
- 2. Golf Course Management Company
- 3. Municipal Course System
- 4. None of the above

13. What is the name of the Resort Chain, Golf Course Management Company, or Municipal Course System? _____

Please allow 6-8 weeks for delivery of first issue. Incomplete forms will not be processed. Publisher reserves the right to reject all non-qualified subscription requests.

BY LARRY J. STOWELL, PH.D., CPAG

Greens management

Water management, aerification and topdressing are keys to desired firmness

On Jan. 23, 2006, Santa Ana Country Club and the PACE Turfgrass Research Institute embarked on a multimonth study to analyze greens firmness by characterizing the current situation and then identifying management practices that can help achieve more consistent greens firmness throughout the year.

Factors contributing to greens firmness were identified, with soil moisture a key component. Greens were characterized by golfers as performing well, with good surface firmness, on the aforementioned date. Based on data collected Jan. 23, a tentative range of 15 percent to 25 percent soil moisture was identified as the target for producing optimal levels of firmness (tentatively characterized as ranging from 70 to 125 gravities on a Clegg meter).

Maintaining this level of performance throughout the year will be difficult, especially during the hot summer months when irrigation demand is highest. However, practices including modified aeration, topdressing and irrigation strategies, along with a soil moisture and surface firmness monitoring program will assist in achieving the best firmness possible while still maintaining turf health and quality.

DESCRIBING THE PROBLEM

The golfer controversy about greens trueness and firmness has been ongoing for many years. The following quote from the U.S. Golf Association's "Timely Turf Topics" in May 1947 illustrates the persistent focus on firm and true greens:

"Putting surfaces should be firm to avoid foot printing and should be resilient so that a properly played shot will hold, but should be sufficiently solid so that a poorly played shot will roll over. The surface should be smooth and true as a billiard table. Density of the turf should be so great that individual grass blades are crowded to a true vertical position. "Graininess," "sponge,"

Figure 1. Operation of the Clegg impact soil tester. The hammer of the tester contains a sensitive decelerometer that measures the speed of deceleration on impact with the greens surface. The 2.25 kg hammer is lifted to a height of 18 inches and dropped. The measurement unit is gravities (g). In the example below, the Clegg recorded a firmness of 81 g. Values between 70g and 125g are desired for firm greens surfaces.



or “mat” destroy the accuracy and fun in golf. Governing factors include: choice of grass, soil texture, drainage and aeration, fertility level, and watering practices.”

Not much has changed in the desire of golfers for firm and true greens surfaces since 1947. Despite this, methods for addressing the problem haven’t been extensively researched and documented. This is partly because the nature of the problem varies widely from one golf course and one group of golfer’s perceptions to another. It’s also because the management practices that are required to improve firmness frequently require long-term overhauls of the greens.

FACTORS INVOLVED

At Santa Ana Country Club, the governing factors that will influence firmness are the same as those listed in the aforementioned quote. Unfortunately, major reconstruction is required to modify the factors most directly implicated in greens firmness. These are the nature of the root-zone sand (which should optimally be changed to a firmer mixture), the turfgrass variety (which should optimally be changed to bentgrass, which provides a firmer surface than *Poa annua*) and improved drainage (which, by allowing water to move more easily through the soil profile, would increase the firmness and homogeneity of the greens). Without these major changes, greens firmness can’t be fully maximized at Santa Ana Country Club.

There are, however, several less dramatic management practices that can lead to improvements. These include modifications in aeration, topdressing and watering practices.

An increased frequency of aeration will lead to firmer greens, but the compromise is that the trueness of the surface will be impacted for about 14 days following each aeration event. New, smaller diameter aeration tines might improve recovery and allow more frequent aeration to increase firmness, but increased aeration to improve firmness will have to be weighed against the negative (though temporary) impact on surface trueness. Even if increased aeration can’t be tolerated, application of sand as topdressing without aeration is a practice that might be evaluated to increase the firmness of the greens during the summer.

A second, and more controversial factor is watering practices. Is it possible to reduce summertime irrigation or hand-watering while maintaining healthy *Poa*? Irrigation water

reduction to increase firmness carries the greatest risk. Once the soil has dried to a level that exceeds the ability of the *Poa* plant to extract the water, the plants will wilt and die. If the *Poa* dies, a minimum of six weeks of conducive weather conditions will be needed before the stand of *Poa* will return to acceptable putting conditions. In the peak heat of the summer, this period of time will be longer, and if traffic is allowed on the damaged areas, the time to recovery will be extended further.

Even though soil water management to levels that provide firm greens without damage to the *Poa* plant is a risky venture, one of goals of this project will be to determine if there is a way to reduce the risk of drying out *Poa* greens. How dry is safe? Can we monitor soil moisture to better adjust irrigation practices? What levels of soil moisture are adequate for the plant yet low enough to provide the desired firmness?

Soft greens have been described as greens that don’t have sufficient ball bounce and roll after driving onto the green. Additionally, soft greens are more susceptible to severe ball marking. These subjective measures of firmness will help guide management practices and development of objective measures of firmness. The current firmness of greens was reported to be nearly ideal by golfers at Santa Ana Country Club during the day of sampling (Jan. 23, 2006). The range of firmness measured during this preliminary study will be used as a benchmark

to measure the impact of future management practices. These guidelines will need to be re-evaluated during the year to be sure they’re valid and the health of the *Poa* isn’t compromised.


Sometimes fertility is mentioned as a factor in greens firmness. Fertility has been monitored at Santa Ana Country Club for more than 10 years. Soil nutritional guidelines have been managed within the range needed for good greens performance. Attempts to reduce fertility with the goal of firming greens will compromise the integrity of the *Poa* and increase susceptibility to diseases such as anthracnose and susceptibility to wear damage.

MEASURING FIRMNESS

Firmness has been measured using a variety of tools. Baker et al. (1996) used simulated golf ball launchers that mimicked the impact of a ball hitting a green with the impact that might be typical for a 5 iron (53 degree impact angle, velocity of 22.7 m/s, backspin 750 rad/s) and a 9 iron (53 degree impact angle, velocity 18.8 m/s, backspin 880 rad/sec).

This unique research equipment isn’t available for us to use, but fortunately, Baker et al. found there was a significant correlation between firmness evaluated using the ball impact simulators and the Clegg impact soil tester. Based on their fairly extensive surveys of golf courses in Britain, a range of Clegg measurements between 70 gravities and 120 gravities

Figure 2. Average of four drops of the Clegg hammer (Impact) at each of four sites for each of four green evaluated. G represents the average number of gravities of deceleration (a measure of firmness) for each of the four greens. Greens performance was near ideal at the time of sampling indicating these values are within the target guideline for firmness at Santa Ana Country Club.



Source: PACE Turfgrass Research Institute

was considered to result in good ball bounce and roll – not too soft and not too hard.

In a similar study conducted in New Zealand, Linde found greens reporting Clegg values of less than 50 gravities were too soft and greens that reported Clegg values of more than 140 gravities were too hard. The average for high-end golf courses in New Zealand ranged between 78 and 122 gravities. Based on this information, we have identified a range of 70 gravities to 125 gravities as an initial target for the Santa Ana Country Club. This range will be modified, if necessary, as work progresses.

The Clegg values observed at the Santa Ana Country Club during this preliminary study ranged between 62 gravities and 125 gravities. Based on this initial research, the greens are currently performing almost completely within the guidelines considered ideal for golf play (only two readings were below the guideline of 70 gravities).


Golfer's positive evaluations on firmness, obtained January 2006, confirm this conclusion. It's expected that as hot weather and increased irrigation demands occur during the summer months, firmness might decline. It's during the warmer months that the greatest challenge in terms of maintaining green firmness occurs.

MEASURING SOIL MOISTURE

Soil moisture conditions also were monitored during the Jan. 23 evaluation. The correlation between low soil moisture and firm conditions were confirmed at Santa Ana Country Club (Figure 3). Soil moisture levels ranged between 14 percent and 32 percent, although the majority of readings were within the guideline of 15 percent to 25 percent moisture. For sand-based greens, we generally target a range of roughly 15 percent to 25 percent for optimal turf growth and optimal firmness. Although moisture levels below 15 percent produce good firmness, turf health might be seriously compromised. A reading of 12-percent soil moisture resulting in turfgrass stress and damage.

Targeting soil moisture from 15 percent to 25 percent, and with *Poa* plants having roots that can extract water from the top 1.5 inches of soil during the summer, the plant will have just enough water to make it through a maximum water demand (evapotranspiration) day in the summer – about 0.3 inch of water. For that reason, the surface moisture in the top 1.5 inches of soil will almost have to be replenished daily.

Figure 3. The relationship between TDR300 VWC (volumetric water content as a percentage) and Clegg deceleration (G). Higher G values indicate increased firmness. Firmness declines when soil moisture levels increase above 25 percent. The upper left graph represents the first drop of the Clegg hammer. The upper right graph represents the second drop of the Clegg hammer. The lower left represents the third drop of the Clegg hammer. The lower right represents the fourth drop of the Clegg hammer.



Source: PACE Turfgrass Research Institute

If the *Poa* plant were capable of forming longer roots, less water would need to be applied daily because the deeper roots would have access to deeper soil moisture. The ultimate problem we will encounter when trying to manage *Poa* at lower soil moisture levels is that the short roots will require almost daily irrigation or syringing. Compounding the high water demand of *Poa* is that water must be applied through the surface of the green resulting in a higher water concentration at the surface of the green.

A further challenge with regard to managing

soil moisture relates to the inherent flaws of irrigation system designs. Compounded by the irregular shape of greens, it's unfortunate that portions of the same green might be irrigated from anywhere between two to five different irrigation heads. This results in uneven application of water and, therefore, uneven soil moisture levels. To compensate, superintendents must combine a series of tactics, including targeted hand-watering (to areas that receive too little water), irrigation system adjustments (micromanagement of irrigation head run cycles) and constant adjustment and

readjustment of the system.

By monitoring soil moisture and surface firmness parameters throughout the year, this study hopes to identify irrigation practices that can combine sometimes contradictory demands of keeping the turf quality high while keeping the playing surface as firm as possible.

A final soil moisture challenge relates to the need for periodic leaching (high volume irrigation) of the greens, especially during the summer months. Because lack of rainfall in Southern California between April and November, salts from irrigation water rapidly accumulate in the soil, where they cause problems including turf stress and death, destruction of soil physical properties and instigation of turf diseases such as rapid blight and anthracnose. Without leaching, the survival of *Poa* is highly unlikely. Surface firmness following leaching events will be compromised, but this is unavoidable. Improved movement of water through the greens via the recommendations below will decrease the intensity and duration of the problem.

RECOMMENDATIONS

Based on the aforementioned research, the follow are recommendations that were to be implemented February 2006.

- Target soil moisture between 15 percent and 25 percent. You can use a Spectrum TDR300 with 4.8 inch probes. Purchasing a soil moisture meter is recommended. The TDR 300 soil moisture probe (\$1,195.00) is available from Spectrum Technologies (www.specmeters.com).

- Target Clegg impact soil tester 2.25 kg hammer deceleration between 70 gravities and 125 gravities.

- In the spring, aerify using three-eighths-inch hollow tines on a 2-inch-by-2-inch spacing and sand fill the holes using Caltega 7 USGA specification sand.

- A more aggressive aerification program than the one described above can be substituted if a club is willing to tolerate disruption of optimal golf play to achieve more dramatic results.

In the spring of the year, aerify using five-eighths-inch hollow tines and collect the plugs. Apply one-quarter-inch depth of Caltega 7 USGA specification silica sand. Vertidrain using three-quarter-inch solid tines and sweep the sand into the holes and fill all holes to the top.

This process will aid in firming the entire root zone, but it will require a repeat of the process for at least three years in the spring before the process can be terminated. This aggressive program will disrupt the trueness of the greens for an extended period of time and might result in stronger *Poa* growth in the aeration holes that will result in a slightly bumpy surface. This negative impact can be partially managed using Primo and increased fertility.

- Lightly topdress weekly using a No. 30 sand applied at about 50 pounds per green (one bag dry sand) using a Scotts or similar rotary spreader. Nighttime irrigation will move the sand into the upper thatch layer. Although thatch has been managed well, *Poa* plants are producing more thatch continually. Application of increased levels of topdressing sand will help modify the thatch and mat layer and firm them up.

- During the irrigation season, implement a monthly Aqueduct application (4 ounces per 1,000 square feet) program to improve water movement through the soil profile to drain.

With *Poa* greens, don't expect optimum


greens performance during the months of July, August and September. Prevent turf loss during these months so that fall winter and spring greens performance will be premiere. It's unlikely that optimum performance can be provided throughout the year. If summer is the target for good performance, more aggressive aeration will be needed at other times of the year to improve the root-zone composition and allow deeper rooting and improved drainage. **GCI**

Larry J. Stowell, Ph.D., CPAg is a research director of the PACE Turfgrass Research Institute (www.paceturf.org) in San Diego. He can be reached at 858-272-9897.

Citations

- Baker, S.W. Hind, P.D., Lodge, T.A., Hunt, J.A., Binns, D.J. 1996. A survey of golf greens in Great Britain IV. Playing quality. *J. Sports Turf Res. Inst.* 72:9-23.
- Linde, D. 2005. Assessing golf course conditions in New Zealand. *Golf Course Management*

Figure 4. Green 2. The steep front of this soil-based, 3,540-square-foot green wasn't evaluated. The green area illustrates the orientation of the green with north at the top of the illustration. The blue dots illustrate the location of irrigation heads. The red circles illustrate the 67-foot throw of each irrigation head. The red dots illustrate the location of each soil moisture and Clegg reading. Two of the samples receive irrigation from two heads, and the remaining two receive irrigation from three irrigation heads. The graph illustrates the mean gravity (G) recorded for each impact with the hammer. The vertical bars illustrate the standard error of each mean.




Source: PACE Turfgrass Research Institute

GOLF COURSE INDUSTRY

BULLETIN BOARD

GET THE INDUSTRY RESOURCES YOU NEED


Visit www.golfcourseindustry.com/store



Superintendent's Handbook of Financial Management, Revised Edition

\$45
Raymond S. Schmidgall
ISBN: 0-471-46319-1. Hardcover,
176 pages, October 2003


The key to any successful business is the effective management of revenue, costs and of course profitability. This book provides golf course superintendents with the necessary tools to manage their daily financial operations by explaining basic accounting principles such as pricing, budgeting, cost control, payroll and cash flow.



Applied Turfgrass Science and Physiology \$80

Jack Fry, Bingru Huang
ISBN: 0-471-47270-0, Hardcover, 320 pages, July 2004


Applied Turfgrass Science and Physiology illustrates topics with research results from peer-reviewed scientific journals to provide insight into how principles and techniques work in real-world practice. Case studies help reinforce material for students as well as professionals seeking to advance their careers.



Human Resource Management for Golf Course Superintendents

\$40
Robert A. Milligan, Thomas R. Maloney.
ISBN: 1-57504-038-7. Hardcover,
192 pages, July 2002

Every aspect of golf course management is covered. Learn how to improve your planning abilities, build leadership and communication skills, maximize employee performance, select and train new employees, and conduct employee performance evaluations. Using the principles in this book will help you effectively manage any golf facility.



The Superintendent's Guide to Controlling Putting Green Speed

\$65
Thomas Nikolai
ISBN: 0-471-47272-7, Hardcover, 160 pages,
October 2004

It is critical for golf course superintendents to know the factors that impact green speed. This book covers every aspect of green speed maintenance including playability, environmental considerations, mowing and pest management. It also provides practical decision-making advice relative to financial and budgeting issues.

Call 800-456-0707 or Visit www.golfcourseindustry.com/store

BY KATIE MORRIS

Outsourcing aquatic needs

A superintendent contracts pond maintenance because it's cost effective

Superintendents generally perform pond maintenance in house, but it's more beneficial for Todd Pippin, superintendent of the Club at Longview in Weddington, N.C., to outsource pond maintenance to Garner, N.C.-based Foster Lake & Pond Management.

"We're in a unique situation in which we have a service contract with a company that handles 95 percent of our needs," Pippin says.

Pippin's relationship with Foster Lake & Pond Management developed during his previous job as lead assistant superintendent at the Governors Club in Chapel Hill, N.C.

Longview has eight ponds that vary in size from a quarter of an acre to 7.8 acres – a total of 14 acres of surface area. Some ponds are used as the water supply for course irrigation, one is used as a sediment control pond, and others are scenic features.

"With the volume of water we use and the number of water systems we have, contracting is cheaper," Pippin says.

He spends about \$11,400 a year for Foster Lake's services.

Specific tools and products are needed for pond management, and using a service that has access to such tools is easier for Pippin. It's also more cost effective to have certified professionals apply the aquatic pesticides

rather than his crew.

"My guys are certified in turf and ornamental pesticide applications," Pippin says. "They would have to go back and take another test to become certified in aquatic pesticides."

Pippin signed a 12-month contract with Foster Lake to have one of its technicians perform the following tasks monthly:

- Pick up trash around the ponds;
- Inspect for pests such as muskrats;
- Check pH levels in the ponds;
- Apply pesticides such as diquat dibromide and copper compounds if needed;
- Add dyes if needed (dyes keep temperatures down and prevent algae from bloom-



Superintendent Todd Pippin spends about \$11,400 a year for a contractor to take care of all his pond management needs. Photo: Club at Longview

Longview has eight ponds that vary in size from a quarter of an acre to 7.8 acres – a total of 14 acres of surface area. Photo: Club at Longview



ing by limiting light penetration); and

- Sample fish population (if one is dominant over the other, it can be harmful to a pond's health).

Pippin, who views each maintenance task as “a spoke in a wheel representing a sound management system,” also has been experimenting with barley as a way to control algae. Research shows barley releases a natural toxin in the water that suppresses algae, he says.

“We put 8-inch-diameter tubes of barley into the ponds, and the results have been intermittent,” he says. “Sometimes it works, and sometimes it doesn't.”

The technician that's assigned to Longview checks each pond and picks up trash once a month. The inspection can last between four to eight hours, depending if the technician has to apply aquatic herbicides or other pond treatments.

“The same person comes out every month, so a relationship has formed between us,” Pippin says. “It also gives him the opportu-

nity to become familiar with the property and know it inside and out.”

The preventive measures are for aesthetics, the health of the ponds and the entire club because Pippin uses pond water to irrigate the property's turf. Everything from the clubhouse surrounds to landscaped areas to the golf course is irrigated with water pumped from the ponds.

“Typically, during the growing season, we pump from most of the ponds every night and replenish the water supply with well and storm runoff water,” he says.

Even through Foster Lake handles pond maintenance and treatment, Pippin purchases the aerators that run 24 hours a day. On average, one large professional-grade aerator costs between \$12,000 and \$15,000. He spends \$100,000 of the more-than-\$1-million annual maintenance budget for 13 5-hp aerators and one extra motor.

“Before purchasing, we had to calculate how much water to circulate to get the oxygen levels we needed,” he says.

Aerators are a necessary component of pond maintenance because they circulate water to maintain oxygen levels and reduce algae and odor, keeping a pond clean and healthy. With larger ponds, Pippin uses several aerators to circulate water, and depending on the size of the pond, adds or takes away aerators as needed.

Pippin purchases his aerators from a local distributor that sells Otterbine Barebo products. He's been using Otterbine since 2002, partly because of the company's service.

“It's a family-owned, service-orientated business that follows through with the process from sales to service,” Pippin says.

For those considering outsourcing their pond maintenance, Pippin suggests looking for contractors, asking for client referrals, talking to others who use them and picking their brains for ideas and information.

“You want to find someone who's on a preventive curve and wants to head-off problems, not someone with a reactive approach,” he says. **GCI**

BY KATIE MORRIS

Combining natural and purchased resources

Virginia Beach golf course coordinator depends on Mother Nature and a distributor to maintain ponds

Pond maintenance plays an important role in the overall look and feel of a golf course, but being in charge of three courses and keeping up with maintaining them can be challenging. Kevin Bennington, golf course coordinator for the city of Virginia Beach relies mainly on natural resources to maintain the health and beauty of the ponds on the city's courses.

Bennington oversees the budgets, staffs and equipment maintenance for three 18-hole municipal golf courses: Red Wing Lake, Kempsville Greens and Bow Creek. Previously, he was the golf course superintendent at Red Wing. In July, he was promoted to his current position.

Bennington is responsible for maintaining multiple ponds on each course. The ponds occupy 44 acres: two at Bow Creek, 12 at Kempsville and 30 at Red Wing. The number of ponds on the courses total 24: two at Bow Creek, eight at Kempsville and 14 at Red Wing. The ponds at Red Wing range in size from 8,000 square feet to 15 acres.

Even with this many ponds to maintain, Bennington relies mainly on nature to help keep them looking aesthetically pleasing and healthy.

"We leave a lot of it to nature," he says. "We don't use aerators

because we get decent current flow from the wind."

The three courses are located near larger bodies of water including the Atlantic Ocean and Back Bay. The wind and ocean breezes drive the ponds' tides, which circulate the oxygen in the water, Bennington says. The natural system seems to work because he says he hasn't had a problem with algae and other unwanted vegetation.

The courses are irrigated with fresh water from storm runoff or supplemental wells. Red Wing has been redesigned to collect everything on site for reuse as part of a more environmentally friendly



Kevin Bennington relies mainly on Mother Nature to maintain the 14 ponds at Red Wing Lake Golf Course. He doesn't use aerators because of current flow from the wind. The course is near the Atlantic Ocean. Photo: city of Virginia Beach

