

Fortunately,
some things do improve over the years.



**You've come a long way since high school—
and so have the turf products you rely on.**

Phoenix Environmental Care has created NexGen post-patent products, the next generation of trusted pesticides. Staying true to the spirit of the original chemistries, NexGen makes good products better.

Proprietary NexGen products come only from Phoenix Environmental Care and are sold through our network of exclusive distributors. **Please visit us at Booth #4961 at the GIS, and see why other products are just too old-school.**



888.240.8856 | www.PhoenixEnvCare.com

©2007 Phoenix Environmental Care, LLC. The Phoenix logo is a registered trademark of Phoenix Environmental Care, LLC. Always read and follow label directions.

www.golfcourseindustry.com/readerservice - #67

during dry periods. This allows them to move to locations where the soil moisture may be more appropriate for their survival. Above-ground insects might shift their location on the plant during conditions of environmental stress to help them tolerate the situation.


Many years ago in agricultural crops, it was observed that in some instances insects would move to the lower leaf surfaces of plants to avoid exposure to insecticides. Continuing to spray for insects with insecticides has the potential to select those insects that move to the lower leaf surface and avoid exposure to the spray. If the behavior was genetically controlled, then the percentage of insects that move to the lower leaf surfaces to avoid treatment would increase because the insects that stayed on the upper surfaces most likely die, and those genes would be eliminated from the population.

MOLE CRICKET BEHAVIOR

Although we've been treating insects with pesticides for a long time, it shouldn't surprise anyone if we saw behavioral traits that might help them survive. The area where this behavior has been demonstrated quite clearly and has significant implications for control is with soil insects such as white grubs and mole crickets.

Mole crickets are serious turfgrass pests in many parts of the world, especially in warmer climates. These insects dig and tunnel through the soil, creating physical damage affecting the

Mean area of new surface tunneling 24 hours after treatment (cm²)



Means with same letter don't differ significantly, LSD multiple comparisons test, P < 0.05

Measuring mole crickets' avoidance behavior away from control products indicate that biological control agents demonstrate a repellency equivalent to conventional insecticides.

appearance of turfgrass. They also can cause drought stress by loosening the soil and feeding on the turf roots. The end result is that by late summer, the turfgrass can be seriously damaged, and in some cases, the turf in localized areas might be destroyed completely. Additionally, birds often probe for and feed on mole crickets,

adding to the turfgrass damage.

Once the lifecycle of the mole cricket is understood in a particular area, we've had good results developing a management strategy. There are three key components to effective mole cricket control. They are mapping, monitoring and timely treatments. Mapping is critically important because it will guide your efforts to monitor in early to mid-summer when the turfgrass looks its best. However, the appearance of turf on the surface can be deceiving when mole cricket eggs are hatching and the small nymphs begin feeding on the roots. The nymphs are small in early to mid-summer, and the turfgrass can tolerate their feeding. Early summer is the timing for the most effective treatments. Rather than attempt to determine where on the whole golf course eggs might be hatching, good maps from the previous year's infestation tell you exactly where to begin looking.

Mole crickets are creatures of habit and usually occur over and over again in the same locations each year. Therefore, records of where



The behavioral characteristics of many soil insects make accurate monitoring a critical step in developing a management program. Photo: N.C. State University

FREE FAST

GOLF COURSE INDUSTRY

Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____
 Fax _____
 E-mail Address _____

For faster service fax to 330-659-4043

Check off the reader service numbers that you're interested in and mail in this card.

Or visit www.golfcourseindustry.com.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260
261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280
281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360

January 2008

GOLF COURSE INDUSTRY

Do you wish to receive/continue to receive a **FREE** subscription to Golf Course Industry?

Yes No

Signature _____
 Date _____
 Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____
 Fax _____
 E-mail _____

GIE Media Inc will only use your email address to contact you with relevant industry or subscription information. If you do not want to receive email from trusted 3rd parties, please check here.

What is the best way to contact you for future renewals?
 _____ email _____ fax _____ telephone

Please allow 6-8 weeks for delivery of first issue. Incomplete forms will not be processed. Publisher reserves the right to reject all non-qualified subscription requests.

1. How Do You Want to Receive Your Subscription?

- 1-Digital and Print
- 2-Print Only
- 3-Digital Only (No Print Copy Received) (a valid e-mail address is required for digital delivery)

2. What is your primary business at this location? (check one)

- 21-Public Golf Course
- 22-Private Golf Course
- 23-Semi Private Golf Course
- 24-Municipal/City/State Golf Course
- 25-Hotel/Resort
- 26-Par3/Executive Golf Course
- 27-Practice Facility
- 29-Other Golf Course
- 30-Golf Course Management Company
- 31-Golf Course Architect
- 32-Golf Course Developer
- 33-Golf Course Builder
- 39-Supplier/Sales
- 99- Others (please describe)

3. What best describes your title?

- A-Golf Course Superintendent
- B-Green Chairman
- C-Director of Golf/Head Pro
- D-Club President
- E-General Manager
- F-Golf Course Owner
- G-Builder/Developer
- H-Architect/Engineer
- I-Research Professional
- K-Assistant Superintendent
- L-Golf Course Management Company Executive
- Z-Others (please describe)

4. Number of Holes: (check one)

- A-9 Holes
- B-18 Holes
- C-27 Holes
- D-36 Holes
- E-Other

6. Total Annual Maintenance Budget: (check one)

- 1-Less than \$50,000
- 2-\$50,000-\$99,999
- 3-\$100,000-\$249,999
- 4-\$250,000-\$499,999

- 5-\$500,000-\$749,999
- 6-\$750,000-\$1,000,000
- 7-\$1,000,000+

7. Total Course Acreage _____

8. Course Renovation Plans for the Next 12 Months

- 1-Full Reconstruction
- 2-Partial Reconstruction
- 3-Greens
- 4-Tees
- 5-Fairways
- 6-Irrigation System
- 7-No Renovations Planned

9. If Only a Partial Reconstruction is Planned, Please Indicate the Number of Holes _____

10. What is the Name of the Architect Who Designed the Course? _____

11. What Year was the Course Built? _____

12. Is this course part of a

- 1-Resort Chain
- 2-Golf Course Management Company
- 3-Municipal Course System
- 4-None of the above

13. What is the name of the Resort Chain, Golf Course Management Company, or Municipal Course System? _____

14. What turf do you maintain on fairways?

- 1-Bentgrass
- 2-Poa annua
- 3-Poa/Bentgrass mix
- 4-Bermudagrass
- 5-Bluegrass
- 6-Ryegrass
- 7-Overseeded Rye/Bermuda
- 8-Other (please describe)

15. What turf do you maintain on greens?

- 1-Bentgrass
- 2-Poa annua
- 3-Poa/Bentgrass mix
- 4-Bermudagrass
- 5-Paspalum
- 6-Other (please describe)

FREE FAST



Postage
Required
Post Office will
not deliver
without proper
postage.

GOLF COURSE
INDUSTRY

PO BOX 532
RICHFIELD, OH 44286-0532



Postage
Required
Post Office will
not deliver
without proper
postage.

GOLF COURSE
INDUSTRY

PO BOX 2191
SKOKIE, IL 60076-7891



Lawn & Landscape

Technician's Handbook

SPECIAL—ORDER 5 for the PRICE of 4

This field guide to turf and ornamental insect identification and management provides lawn and landscape technicians with unequaled information on the identification and management of more than 60 commonly encountered insect pests in both turf and ornamentals.



**SPECIAL
5 Books
\$60.00**
(plus shipping)

Savings of \$14.75!

To Order Your Copy of the Lawn & Landscape Technician's Handbook:

1. Visit www.lawnandlandscape.com/store
2. Call a Lawn & Landscape Store Representative at 800-456-0707 or 330-523-5341
3. Mail this form to Golf Course Industry Bookstore
4020 Kinross Lakes Pkwy #201 Richfield, OH 44286
4. Fax this form to 330-659-4043.

Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____
 Fax _____
 Email _____

I'd like to order _____ Lawn & Landscape Technician's Handbooks
 @ \$60.00 per 5 book set. (counts as one item/set)

MERCHANDISE TOTAL	\$
Ohio residents add 6.5% sales tax	\$
SHIPPING & HANDLING Inside the United States - first set \$12.00; additional sets \$6.00 each International - first set \$17.00; additional sets \$10.00 each	\$
TOTAL AMOUNT DUE	\$

Check enclosed (Make payable to: Lawn & Landscape Media Group)

Charge my American Express Visa Mastercard Discover/Novus

Card Number _____ Exp. Date ____/____/____

they were last year can be used to help you determine which sites to monitor during the egg-hatch time. Starting about two weeks before local information indicates mole crickets eggs might be hatching, mix up a 2 percent soapy water solution and pour about one gallon of the solution on a square yard area. Observations of this area for the next three to five minutes after application of this solution to the turfgrass will reveal whether any mole crickets have begun to hatch. Determining the time at which mole crickets first begin to hatch is important for the third component, timely treatment. There are absolutely no above ground indicators of when the eggs are hatching, and there won't be any for about a month after egg hatch. By then, the best opportunity for control has been missed.

TIMELY TREATMENT

There are two factors that affect treatment timing and why their effectiveness is affected by application date. The first, and perhaps the most obvious, is that as the mole crickets grow larger, they're harder to kill. As the crickets grow larger, they become harder and require exposure to a larger dose of insecticide. This is true for many of the insect pests, including surface-feeding insects such as armyworms.



Laboratory tests with choice chambers always demonstrate a tendency for mole crickets and other turfgrass insect pests to avoid soil treated with conventional insecticides and many biological control materials. The chamber with untreated soil on the left has significant tunneling from mole cricket activity while the treated chamber on the right has very little insect activity. Photo: N.C. State University

IMPACT ON THE BUSINESS

Getting bugged down South BY PAT JONES

I was talking recently with one of those rare superintendents who had relocated from the North to the South. He'd gone from a major club in the Mid-Atlantic to a nice facility in South Carolina as his "retirement job."

I half-jokingly asked if he even had a spray rig anymore. He fired back immediately that he'd trade any disease he ever dealt with up North for the difficult mole cricket infestation he'd inherited at his new place.

As Rick Brandenburg points out in the highly-readable and sensible article above, mole crickets are among the worst of the subsurface feeders that plague golf courses. But, a little

common sense goes a long way when dealing with these nasty little critters.

Initial control is all about scouting. As Brandenburg notes, they tend to be homebodies, so mapping areas of frequent infestation over the years is critical. Scouting for early infestation, particularly in mid-summer, is also part of the plan. Find the timing of the hatch, and your work is half-done.

"Get 'em while they're young" is a phrase used in many contexts, but it's particularly true for mole crickets. As Brandenburg explains, the larger and more mature they are, the harder they are to kill.

A 2001 report from IFAS and other sources indicate the following offer control opportunities for mole crickets (check current regulations and restrictions in your area):

- Acephate
- Bifenthrin
- Chlorpyrifos
- Cyfluthrin
- Deltamethrin
- Fipronil
- Imidacloprid
- Lambda-cyhalothrin
- Permethrin
- Steinernema scapterisci
- Trichlorfon

Baits:

- Bifenthrin
- Carbaryl

- Chlorpyrifos
- Indoxacarb

Mole cricket treatments are not inexpensive. They range from \$2,000 to \$20,000 per year, depending on infestation and the number of holes treated. But, given the potential extent of damage and the difficulty of eliminating established colonies, the return on investment is considerable for treatment.

The battle against mole cricket damage is, quite simply, an ongoing battle.

Timing is everything and chances are you know that timing best. The early application will likely get the mole cricket. GCI

The other less obvious factor is the behavior the insect exhibits in the soil. Certain pests such as mole crickets are mobile in the soil, and the larger they become, the greater their ability to tunnel and move deep in the soil. If the insects are more mobile, then potentially they're moving up and down through the soil profile. This increased movement could expose them to more insecticide if the movements were random. At the same time, if the greater mobility encouraged movement away from the insecticide, then the impact on control might be significant.

Our research during the past 10 years has found that mole crickets try to avoid exposure to insecticides. This is true for virtually every insecticide, even for natural or biological control measures. From a biological or scientific perspective, it's interesting that mole crickets avoid a recently developed synthetic insecticide the same as they do a naturally occurring control agents, such as a fungal pathogen they've been exposed to for eons.

Our research has shown that the mole crickets' ability to detect and avoid a pesticide is consistent and rather dramatic. Mole crickets move deeper into the soil and stay there as long as they can without feeding on turfgrass roots. The larger the cricket (later in the summer), the greater the ability of the mole cricket to tunnel deep into the soil and stay there, avoiding the pesticide for a longer period of time. If the pesticide applied had relatively short residual activity (less than two weeks) the mole crickets might avoid it all together and little, if any, control will result. Treating earlier in the summer, when mole crickets are small, enhances mole-cricket-control performance because mole crickets aren't able to dig as deep or stay away from the insecticide treated soil (the root zone) for as long a period of time. The end result is better control when crickets are smaller.

Additional research shows mole crickets respond in a similar fashion to natural or biological control organisms. Studies using *Beauveria bassiana*, a naturally occurring fungal pathogen of a number of insects, have demonstrated the same avoidance behavior as was observed for synthetic insecticides. These results become increasingly obvious when one considers that natural, organic or biological control products usually don't last as long or have the residual activity of synthetic insecticides.

Is there any question then as to why mole crickets are harder to control once they get more



than a half-inch long? We made our job more difficult than it needs to be. Mapping, monitoring and timely applications suddenly take on a whole new meaning. It's easy to see why timely applications make all the difference as to how well an insecticide might or might not work. The importance of treating before the majority of the mole cricket population gets to be a half-inch long can't be overstated.

Turf insect pests such as mole crickets have the ability to detect and avoid naturally occurring pathogens as much as they do conventional pesticides. Photo: N.C. State University

Similar behavioral responses have been observed in other soil insects such as white grubs. The main difference is that white grubs aren't as mobile as mole crickets, but the concept of timely applications still applies. Keep this in mind as more companies publicize the ability of their products to control white grubs late in the summer. While this is true, maximum control will happen when treatments are applied to the most susceptible stage.

BIOLOGY AND LIFE CYCLES

Understanding pest biology and life cycles are important to cost effective and environmentally sound pest management. There aren't that many soil insects we have to deal with each year, so the

weedalert.com

**The Turf Professional's Free
On-line Source for Weed ID and
IPM Control Recommendations**

- Weed ID Photos • Regional Alerts
- Control Options • Turf School Links

**TEST YOUR WEED IQ!
WEEKLY CONTEST-**

**Correct ID
Can Win This
Magic Mug**
With Disappearing Ink



An Industry Service From
G pbi/gordon
CORPORATION
An Employee-Owned Company


Research

challenge of mapping, monitoring and timely applications shouldn't be too overwhelming.

Even though insects probably don't rank at the top of your list of priorities on a daily basis, the rules of engagement are pretty simple, and there's no excuse for not doing the job correctly. The time, effort and expense of managing turfgrass insects correctly are no more than to do it haphazardly or without a little forethought. The end result, however, is quite different in terms of turfgrass quality and final cost. Get current on the insect pests you have to contend with each season. The time invested will pay huge dividends. **GCI**


Rick Brandenburg, Ph.D., serves as co-director of the Center for Turfgrass Environmental Research and Education at North Carolina State University in Raleigh. He can be reached at rick_brandenburg@ncsu.edu.

Mole cricket life cycle



The life cycle of many soil insects allows the small stages of the insect to escape detection in the soil under aggressively growing turfgrass. Image: N.C. State University


Visit Us at the Golf Industry Show
Booth# 1403



Improve Water Quality

with an Otterbine Aeration System

Being the industry leader for over 50 years, Otterbine offers a variety of surface spray and sub-surface aeration systems that effectively circulate water and transfer oxygen. And with independent testing conducted by the University of Minnesota, you can rest assured that Otterbine systems will surpass all industry standards and your expectations. The result? Beautiful, healthy waterways on the surface, as well as below where it counts!



1-800-AER8TER

610-965-6018 www.otterbine.com

Product leasing available.

Otterbine Aerators Are Ideal For:

- Detering Insects
- Retention Ponds
- Irrigation Ponds
- Algae & Weed Control
- Reclaimed Water
- Plus Much More



CELEBRATING 50 YEARS OF BEAUTIFUL HEALTHY TREES

There's something about being the first to introduce a new technology — and still be at the innovative forefront after 50 years. The pioneer of micro-infusion, Mauget has been the trusted resource for proven pesticides, fertilizers and micronutrients since 1958. Mauget continues to advance the science of tree care, with new application alternatives in development today.

Serious Chemistry. Sensitive Delivery.

- University and field proven since 1958
- Minimal risk to community, environment and tree
- Can be used near waterways, parks and schools
- Easy to use with minimal tools

The Right Way To Treat A Tree

**Mauget**

ORGANIC FERTILIZER

BY JOHN WALSH

Let it grow

A New York superintendent sees better growth after applying organic fertilizer

The word “organic” conjures up images of doubt, at least when it comes to golf course maintenance. But Lyman Lambert, CGCS, isn’t a doubter when it comes to certain organic fertilizers. Lambert, who works at the private 18-hole Nassau Country Club in Glen Cove, N.Y., spends \$65,000 annually on granular and liquid fertilizers. He spends about \$17,000 on Growth Products’ Pro-Formance Ultra, Essential, Companion, Re-Store Plus (which all have organics or are all organic), in addition to Calcium Chelate and Xtra Iron. He spends about \$5,000 on I-Mol, a molasses-based product by From the Ground Up that feeds microbes and leads to the decomposition of thatch, and about \$43,000 on granular fertilizer from

Andersons Golf Products.

To put Lambert’s operation in perspective, his maintenance budget is \$1.5 million, and his staff consists of 21 people during the summer and six during the winter. The club hosts an amateur major event, annual the Nassau Invitational, and various Long Island and Metropolitan Golf Association tournaments every year or two. The turfgrass at Nassau is a *Poa annua*/bentgrass mix on the greens, tees and fairways, and the rough is a mix of bluegrass, ryegrass and *Poa*.

Unlike other areas of New York, Lambert says there are fewer regulations for pesticide use, but regulations aren’t solely the reason for his use of organic fertilizers. He uses organic fertilizers because he achieves his

desired quality of turf with the combination of granular and liquid fertilizers, as well as organic amendments. He previously used granular fertilizer more heavily because he believed organics were just snake-oil products. Now he believes there’s a place for organics in the industry but doesn’t think organics alone can produce great quality turf.

On the greens, which are triple-cut daily, Lambert uses a synthetic granular fertilizer (Anderson 13-2-26 or 18-9-18) four times a year and organic liquid fertilizers every two weeks, along with Primo plant growth regulator throughout the season. In the spring, he applies the granular fertilizer twice to kick-start greens growth. Then he switches to a liquid fertilizer plus organic amendments,

Lyman Lambert, CGCS, says his fertilizer applications help suppress anthracnose. Photo: Nassau Country Club

