Indenni

NNUAL SPAGE

 Web links get abortes of when people won't click on a fink without knowing where it leads. When posting a link or photo, be une to add a description of your own, even if it.

Win the insect battle with ALOFT[®] Insecticide. Nothing controls insects better, faster or longer. Its one of a kind formulation provides season long control of white grubs, all major turfgrass insects and surface-feeding pests with one early application. To learn more, visit totalinsectcontrol.com.

EVER REFT



Total Control. Guaranteed."



Arysta LifeScience

Always read and follow label directions, ALOFT and the ALOFT logo are registered trademarks of Arysta LifeScience North America, LLC. Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation. ©2012 Arysta LifeScience North America, LLC. ALO-148

• Web links get shortened when posted to Twitter, and most people won't click on a link without knowing where it leads. When posting a link or photo, be sure to add a description of your own, even if it's just a few words.

THE KITCHEN SINK

Of course, there's more to social media than just Twitter. Here are a few of the other networks your crew or members might use, and how useful we think they are for superintendents:

facebook.



Facebook: Chances are good you already use Facebook, but have you thought about using it for course updates and

helpful links to educational pages for your colleagues? Updating a status can include those, photos and videos, all of which can be easily uploaded from a smartphone. Facebook has been working hard to catch up to G+ in quick selection of who sees what content.

Linked in.



LinkedIn: Keeping things professional is what LinkedIn is all about. It's a solid communication tool for keeping channels open for career movement and advancement, since connections will be on a professional level.

Google+: What Google+ brings to the table is an unmatched ability to select who sees what you're posting by gathering your followers into Circles. If you're posting a weather update, it would



be a perfect fit for your "Members" Circle; posting some turf photos to try and diagnose dollar spot? That's more apt for your Colleagues and Turf Researchers Circles. Google+ also gives you the ability to do instantaneous group chats with friends through Google+ Hangouts.

Pinterest



Pinterest: The newest kid in class, Pinterest has gotten a following by creating a purely visual way to collect

interesting content on the Web. So it's not the right place to post your daily weather updates – but it's perfect for the before and after photos of the renovation, or shots of happy golfers at your most recent event.

ANNUAL 16-PAGE SPECIAL INSERT





- NEW Products for 2012
- Underhill Bestselling
 Products
- Handy 16-page Reference

GOLF MASTER STOCKING DISTRIBUTORS – NATIONAL CATALOGS









Progressive grower Spartan

Sports Turf (So. CA) sportsturfirrigation.com Sierra Pacific (No. CA) sierrapacificturf.com

Spartan (MI) 1-800-822-2216

Bisco (MA/CT/NH) gobisco.com

Atlantic Irrigation (CT/DE/NJ/NY/PA/VA) atlanticirrigation.com Smith Turf (VA/NC/SC/TN) smithturf.com Turf Equipment

(DE/MD/PA/VA) turf-equipment.com

Jerry Pate (GA/AL/TN/FL) jerrypate.com

Matrix (NY)

matrixturf.com

Progressive Grower (MA) myturfsupply.com

Products that work...smart.[™] • www.underhill.us



PROFESSIONAL WATERING PRODUCTS 2012



When a product does its job day in and day out - it works. When it saves you time, money, or water - it's smart. When it does both - it's from Underhill.

Products that work...smart.™





NEW!

Magnum[™] UltraMAX

PREMIUM HOSE-END NOZZLES & ACCESSORIES

Step up to the most professional nozzle you can buy -MAGNUM™ UltraMax. Firefighter quality for professionals in any field, these variable flow, multi-function nozzles are virtually indestructible and leak proof. The innovative TURBO SHIFT feature, available on both high-flow and low-flow models, provides two distinct GPM ranges for added versatility. And the outstanding distribution patterns of all MAGNUM UltraMAX nozzles make them excel in high demand areas like greens/tees, infield conditioning and equipment and stadium washdowns.

features / specifications

- Multi-Pattern Spray: Fog, Jet Stream, Fan
- Built for 1" and ¾" Hose Flow Rates (range: 7-43 GPM)
- Materials: Aircraft Aluminum, Stainless Steel, TPR Rubber

FULL THROTTLE

Single Variable Flow: Delivers steady, maximum volume fog, jet stream and fan patterns.

High Volume Model: 15-40 GPM (57-151 L/min) Low Volume Model: 12-19 GPM (45-72 L/min)



Made in USA

TURBO SHIFT

Dual Variable Flow: Delivers light fog and low volume jet stream patterns before shifting to high volume jet stream and fan patterns.

High Volume Model:

Opens with 12-17 GPM (45-64 L/min) Turbo Shifts to 20-43 GPM (76-163 L/min)

Low Volume Model:

Opens with 7-12 GPM (27-45 L/min) Turbo Shifts to 14-17 GPM (53-64 L/min)

Pistol Grip

Firefighter Grip

NEW!

UltraMAX Valves

Heavy duty ball valve, push-pull on/off control handle and exceptional build quality for long life under demanding use. Available in Firefighter Grip for two-handed operation or ergonomic Pistol Grip for comfortable, extended use. **Nozzles sold separately.**

ordering

Part # NG550-DFH-75 Part # NG550-DFL-75 Part # NG550-DFL-75 Part # NG500-SFH-75 Part # NG500-SFH-75 Part # NG500-SFL-75 Part # NG500-SFL-75 Part # SVPG-75 Part # SVPG-75 Part # SVPG-10 Part # SV-75 Part # SV-10

All flow rates based on 80 psi (5,5 bar)

Turbo Shift 12-43 GPM (45-163 L/min) - ¾" FHT inlet Turbo Shift 12-43 GPM (45-163 L/min) - 1" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - ¾" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - ¾" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - ¾" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - ¾" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - ¾" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Fistol Grip Valve - ¾" FHT inlet Fistol Grip Valve - ¾" FHT inlet Firefighter Grip Valve - ¾" FHT inlet Firefighter Grip Valve - 1" FHT inlet

Magnum™

SOLID METAL HOSE NOZZLE

Underhill[™] Magnum[™] contains no plastic internal parts to break, stick or wear out. Our unique ratchet mechanism easily adjusts from gentle fan to powerful jet stream and prevents over-tightening damage. Precision-machined, incredibly smooth operation and outstanding distribution patterns make it ideal for high-demand areas like greens and tees. Magnum[™] is also an excellent equipment wash-down nozzle.

features

- · Multi-pattern sprays effortless control with hydraulic assist on/off
- · Solid metal internal no plastic parts to break or wear out
- · Ratchet mechanism prevents over-tightening damage
- Ultra-durable construction withstands any abuse
- · Fire hose quality nozzle feels great in your hands
- Beautiful, consistent spray patterns for life

NEW! Bumper Design

• Built for 1" and ¾" flow rates

specifications

Materials: stainless steel,aluminum, TPR rubber Flow: 37 GPM at 80 psi Inlet: ¾" hose thread (1" brass adapter available, see Page 4) Magnum[™] nozzle pictured with 1" brass adapter (sold separately on Page 4)

solid metal internal body

Won't stick...won't break







CoolPro[™]

COOL WITHOUT OVER WATERING - NO ROOT DAMAGE

A hot summer day can be murder on your greens. Use too much water and you risk damage to the roots. CoolPro[™] is the first nozzle specifically designed for the single purpose of lightly misting the turf canopy to cool without over watering. And its 25 foot fogging pattern gets the job done quickly.

features

CoolPro

- Precision[™] nozzle fogs at 70 psi to deliver a 25 ft. pattern with only 4-6 GPM
- 3/4" inlet (1" brass adapter available, see Page 4)
- · Ergonomic handle/valve provides easy grip and variable on/off control.
- Durable solid metal design: zinc, aircraft aluminum and stainless steel.


ordering

Part # NG450 Part # HNC075 Part # HN0600 Part # CV075L MAGNUM[™] Hose Nozzle CoolPro[™] Valve and Nozzle CoolPro[™] Nozzle only CoolPro[™] Valve only

Perfect for tournament play, CoolPro[™] puts down only enough water to cool the turf canopy. It prevents wilting while maintaining good ball speed. CoolPro is a great tool for protecting grass on hot days without damaging roots.



З















Precision[™]

SOLID METAL, SPECIFIC TASK HOSE NOZZLES

Underhill Precision[™] nozzles deliver millions of soft, uniform droplets to provide rapid yet surprisingly gentle water application over a huge range of flow rates. From soft watering to powerful drenching, patented Precision nozzles are designed with ideal flow rates and droplet sizes to fully irrigate without disturbing turf, dirt, seeds, etc., providing a precise solution for every hand watering application.

precision watering for specific tasks

Rainbow[™] TASKS: Greens. tees, seed beds, transplants, delicate landscaping (15 GPM)

Rainmaker[™] TASKS: Syringe and spot watering turf and hardy landscaping (23 GPM)

Cloudburst™ TASKS: Dry spots, drenching, and wetting agent application (35+ GPM)

Cyclone[™] Pre-game skins watering, heavy watering of large areas (50+ GPM) Note: GPM will vary with pressure at nozzle.

high-flow valves



COMPOSITE / STAINLESS STEEL: 3/4" hose thread inlet/outlet, oversized handle, up to 55 GPM

SOLID BRASS: 3/4" hose thread inlet/outlet, up to 50 GPM



hose adapters / quick-connectors



ordering Part # HN1500CV

NEW! **Bumper Design**

Part # HN2300CV Part # HN4800CV Part # HN5000CV

Nozzle Kits include brass High Flow Control Valve and 34"MHT x 1"FHT Adapter. To order nozzle only: remove "CV" from part number.

Part # CV075H Part # A-BV77FM Part # A-BA107MF Part # A-BQ7M Part # A-BQ7F Part # HN075W

Precision[™] Rainbow[™] Nozzle Kit

High-Flow 3/4" Valve - Brass High-Flow 3/4" Valve - Composite/Steel Part # A-BA107FM 1" FHT x ¾" MHT Brass Hose Adapter 1" MHT x 3/4" FHT Brass Hose Adapter 3/4" Quick-Connect, male end 3/4" Quick-Connect, female end replacement washer, 3/4" hose

Precision[™] Rainmaker[™] Nozzle Kit Precision[™] Cloudburst[™] Nozzle Kit Precision[™] Cyclone[™] Nozzle Kit

PelletPro[™]

APPLICATOR GUN FOR SOLID WETTING AGENT TABLETS

Our heavy-duty surfactant applicator, high-flow valve and Precision[™] Cloudburst[™] nozzle combo comprises the finest wetting agent gun available. PelletPro[™] accepts all wetting agent tablets and provides a high volume, yet soft spray for watering or applying surfactants to tight, hydrophobic soils.

features

- 35+ GPM to get the job done faster!
- Ultra Heavy-Duty brass fittings, aircraft aluminum, stainless steel, and precision engineered glass-filled materials
- Patented Cloudburst[™] nozzle delivers large droplets in an outstanding fan pattern
- Pellet rotation (1 RPS) evenly dissolves/applies tablets



Connect directly to a water source (quick coupler, HoseTap, etc.) to get the benefits of PelletPro with less handheld weight.



Two products in 1!

PelletPro and LiquidPro's Precision™ Cloudburst[™] nozzle and high-flow valve quickly assemble to create a powerful, 35+ GPM syringe nozzle

PelletPro[™] rotates pellets at one revolution per second (RPS) to evenly dissolve/apply wetting agent



PelletPro's bowl works great as a replacement in-line filter for most spray rigs. Heavy-duty, transparent bowl shows fluid levels, and won't crack during winter storage.

LiquidPro™


APPLICATOR GUN FOR LIQUID WETTING AGENT

LiquidPro's chemical-resistant, UV-protected, lightweight siphon/mixing system can cover 1000 square feet in less than a minute! With unmatched speed and uniformity, you can virtually "paint" your turf with liquid wetting agent, fertilizers, and micronutrients. Adjustable metering dial offers 10 additive settings including "Water Only."

ordering

866-863-3744 • www.underhill.us							
Part # A-LPWAB-6	6-Pack of 32 oz. Polybottles and Carrier						
Part # A-LPWA50K	LiquidPro [™] Applicator Gun						
Part # A-PPBG	Gasket						
Part # A-PPB	In-line Filter Bowl						
Part # A-PPQ-100	PelletPro [™] In-line Applicator: 1" FHT inlet, 1" MHT outlet						
Part # A-PPQ-075	PelletPro [™] In-line Applicator: ¾" FHT inlet, ¾" MHT outle						
Part # A-PPWA50K	PelletPro [™] Applicator Gun						

With the included 1" FHT x 3/4" MHT brass adapter, PelletPro[™] and LiquidPro[™] work with both 3/4" and 1" hoses.





V ROI

Profile™

SOLID METAL GOLF SPRINKLER NOZZLES

Upgrade your Toro[®] or Rain Bird[®] sprinklers with our perfect-fit Profile[™] nozzles and you will see improved results immediately. And with ultra-uniform water distribution, you can cut back watering times to **save millions** of gallons of water **every year**. Over time, since Profile solid metal nozzles resist wear and clogging, you'll enjoy these superior results for the life of your sprinkler...never needing to change out nozzles again. Nozzles so consistent, patterns so uniform... it's like rain on demand.[™]

Use less water, energy and manpower and get better course playability.

"Profile nozzles lived up to our expectations and eliminated patchy dry spots and donuts. We retrofitted all our fairways and now run a more efficient irrigation program."

Logan Spurlock Superintendent, Sherwood Country Club

"It was like putting in a new irrigation system. I became a believer overnight."

Mike Huck Irrigation & Turfgrass Services Former USGA Staff Agronomist and Superintendent, Murrieta Hot Springs Resort

"The Profile retrofit program has also extended the life of our Toro system while improving course appearance and playability."

Dennis Eichner Assistant Superintendent, Silverado Resort - Napa, California

"The real power is knowing that retrofitting sprinklers with Profile nozzles can be phased in to work within a course's operating budget."

Kurt Thompson

K. Thompson and Associates, Irrigation Consultant and Trainer Huntersville, North Carolina and Pace, Florida



See how Superintendents are upgrading their entire golf courses! Video online now at **www.underhill.us**



a data di serie	les for T			Mary			
730 SERI Part #		cle: Front/Rear Nozzle S ozzle Color # range/spr					
T730-3313		own 33 / Gray 13	33				
T730-3413		ue 34 / Gray 13	34	AP			
T730-3515		olet 35 / Red 15	- 1	600			
T730-3515		reen 35 / Red 15* ed 36 / Red 15*	35 0				
T730-3615 T730-3617		ed 36 / Lavender 17	30		Profile noz	zles are so consistent, wit	h distribution
		vender) nozzle with the #3	35 and #36 range nozzles			o uniform it's like rain o	
		Part Circle: Midrange	e/Close-in Nozzle Set				
Part #		or: midrange/close-in		Incom	•	for Rain E	Bird®
T760-GY T860-GY	Gray / Yello Gray / Yello			-11/ 11	Profile nozzles	s for Rail L	Siru
-				11/4"	EAGLE 700	SERIES	
		S Full Circle: Midran		INLET	Full Circle: Mid	drange/Close-in Nozzles	
Part # T830-GY	Nozzle Colo Gray / Yello	or: midrange / close-in	Toro Series 830			Nozzle Color	Rain Bird
T834-GY	Gray / Yello		834S		Part #	midrange / close-in	Nozzle #s
TDT100-GY			DT 34/35		R70028-RG	Blue / Gray	28 32
0050 051			in Number Out		R70032-RG R7003640-GG	Red / Gray Blue / Gray	32 36/40 and la
835S SEF		Circle: Midrange/Close or: midrange / close-in			11700010 00	Dido / didy	
Part #		or. minurange / close-m					
Part # T835S-WP	White / Plu	Ig	August a		and and the second	100 March 100 Ma	
T835S-WP	White / Plu		ettered, se (initial)		6		
T835S-WP	White / Plu	ig R availability	tornet skilten) skilten)	1	-		0
T835S-WP	White / Plu	R AVAILABILITY	tturnd A Christia A Christia Christia A Christia Christia A Christia A Christ		2		3
T835S-WP 630 SERI 670 SERI	White / Plu ES CALL FOR ES Full Circ	R AVAILABILITY		Look far	miliar? Poor pe	rforming Eagle 700 sprin	nklers are ofte
T835S-WP 630 SERI 670 SERI Part #	White / Plu ES CALL FOR ES Full Circ Nozzle Col	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in	1/2-11	the result	of clogged and v	rforming Eagle 700 sprin worn nozzles. Profile nozz	les' solid met
T835S-WP 630 SERI 670 SERI	White / Plu ES CALL FOR ES Full Circ	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in	11/2 INLET	the result constructi	of clogged and v on and nozzle sh	worn nozzles. Profile nozz nape were scientifically d	les' solid met esigned to so
T835S-WP 630 SER 670 SER Part # T670-BY 690 SER	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle	1 1/2 ## INLET	the result constructi this exact	of clogged and v on and nozzle sh problem. They s	worn nozzles. Profile nozz	les' solid met esigned to so d they don't c
T835S-WP 630 SERI 670 SERI Part # T670-BY 690 SERI Part #	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow	1/2 INLET	the result constructi this exact	of clogged and v on and nozzle sh problem. They s	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And	les' solid met esigned to so d they don't c
T835S-WP 630 SER 670 SER Part # T670-BY 690 SER	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle	11/2 INLET	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than O	les' solid met esigned to so d they don't c
T835S-WP 630 SER 670 SER Part # T670-BY 690 SER Part # T690-G 750 SER	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray	R AVAILABILITY Sle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader sle: Front/Rear Nozzle S	Set	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES	les' solid met esigned to so d they don't c
T835S-WP 630 SER 670 SER Part # T670-BY 690 SER Part # T690-G 750 SER Part #	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray	R AVAILABILITY Sle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader Sle: Front/Rear Nozzle S or #range / spreader	Set Toro Nozzle #s	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle	les' solid met esigned to so d they don't c EM with Prof
T835S-WP 630 SER Part # T670-BY 690 SER Part # T690-G 750 SER Part # T750-5617	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L	R AVAILABILITY Sle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17	Set Toro Nozzle #s 56	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES	les' solid mel esigned to so d they don't c EM with Prof 11/2"
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 T750-5717	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / 1	R AVAILABILITY Sle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader Cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17	Set Toro Nozzle #s 56 57	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle Nozzle Color Maroon	les' solid me esigned to so d they don't o EM with Prof
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 T750-5717 780, 854	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17	Set Toro Nozzle #s 56 57 Nozzle Set	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M 91 SERIES	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS	les' solid me esigned to so d they don't o EM with Prof 11/2"
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 T750-5617 T750-5717 780, 854 Part Circle	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Circ	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 Cle (854S), Part/Full Cii	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55)	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS	les' solid me esigned to so d they don't o EM with Prof 11/2"
T835S-WP 630 SER Part # T670-BY 690 SER Part # T690-G 750 SER Part # T750-5617 T750-5617 T750-5717 780, 854 Part Circle Part #	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Circ Nozzle Col	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 Clavender 17	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M 91 SERIES Full Circle: Clo	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than 0 SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle	les' solid me esigned to so d they don't o EM with Prof 11/2"
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 T750-5617 T750-5717 780, 854 Part Circle	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Circ	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 Lavender 17 S Midrange/Close-in cle (854S), Part/Full Cii or: midrange / close-ir llow	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55)	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M 91 SERIES Full Circle: Clo Part # R91-G	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray	les' solid me esigned to so d they don't o EM with Prof 11/2"
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 T750-5717 780, 854 Part Circle Part # T780-BY	White / Plu ES CALL FOI ES Full Circ Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Cir Nozzle Col Black / Ye Black / Ye	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 CS Midrange/Close-in cle (854S), Part/Full Cii or: midrange / close-ir llow llow	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series 780	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clu Part # R900-M 91 SERIES Full Circle: Clu Part # R91-G 51 SERIES	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than 0 SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray BRASS IMPACTS	les' solid me esigned to so d they don't o EM with Prof 11/2"
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 780, 854 Part Circle Part # T780-BY T854-BY TDT150-BY	White / Plu ES CALL FOR Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Cir Nozzle Col Black / Ye Black / Ye Black / Ye	R AVAILABILITY Cle: Rear Nozzles or: midrange / close-in llow Cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 CS Midrange/Close-in cle (854S), Part/Full Cli or: midrange / close-ir llow llow llow	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series 780 854S DT 54/55	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clu Part # R900-M 91 SERIES Full Circle: Clu Part # R91-G 51 SERIES	worn nozzles. Profile nozz hape were scientifically d imply don't wear out. And rinklers to better than O SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray	les' solid me esigned to so d they don't o EM with Prof
T835S-WP 630 SER Part # T670-BY 690 SER Part # T690-G 750 SER Part # T750-5617 750,854 Part Circle Part # T780-BY T854-BY TDT150-BY 855S SE	White / Plu ES CALL FOR ES Full Circ Nozzle Col Black / Yei ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Cir Nozzle Col Black / Ye Black / Ye Black / Ye RIES Full C	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 CS Midrange/Close-in cle (854S), Part/Full Cii or: midrange / close-ir llow llow llow llow	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series 780 854S DT 54/55 in Nozzle Set	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clu Part # R900-M 91 SERIES Full Circle: Clu Part # R91-G 51 SERIES	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than 0 SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray BRASS IMPACTS ont/Rear Nozzles	les' solid me esigned to so d they don't o EM with Prof
T835S-WP 630 SERI Part # T670-BY 690 SERI Part # T690-G 750 SERI Part # T750-5617 780, 854 Part Circle Part # T780-BY T854-BY TDT150-BY	White / Plu ES CALL FOR Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Circ Nozzle Col Black / Ye Black / Ye Black / Ye Black / Ye RIES Full C Nozzle Col	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 Lavender 17 CS Midrange/Close-in cle (854S), Part/Full Cii or: midrange / close-ir llow llow llow llow ircle: Midrange/Close-io or: midrange / close-ir	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series 780 854S DT 54/55 in Nozzle Set	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M 91 SERIES Full Circle: Clo Part # R91-G 51 SERIES Full Circle: Fro Part # R51-1411.5	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than 0 SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray BRASS IMPACTS ont/Rear Nozzles Nozzle Color # range / spreader White 14 / Gray 11.5	les' solid mel esigned to so d they don't c EM with Prof 11/2" INLET INLET NULET Rain Birr Nozzle #3
T835S-WP 630 SER Part # T670-BY 690 SER Part # T690-G 750 SER Part # T750-5617 750,854 Part Circle Part # T780-BY T854-BY TDT150-BN 855S SE Part # T855S-PP	White / Plu ES CALL FOR Nozzle Col Black / Yel ES Full Circ Nozzle Col Gray ES Full Circ Nozzle Col Red 56 / L Gray 57 / I S, DT SERIE (780), Full Circ Nozzle Col Black / Ye Black / Ye Black / Ye RIES Full C Nozzle Col Plack / Ye	R AVAILABILITY cle: Rear Nozzles or: midrange / close-in llow cle: Rear Nozzle or: spreader cle: Front/Rear Nozzle S or #range / spreader avender 17 Lavender 17 Lavender 17 CS Midrange/Close-in cle (854S), Part/Full Cii or: midrange / close-ir llow llow llow llow ircle: Midrange/Close-io or: midrange / close-ir	Set Toro Nozzle #s 56 57 Nozzle Set rcle (DT 54/55) n Toro Series 780 854S DT 54/55 in Nozzle Set	the result constructi this exact	of clogged and v on and nozzle sh problem. They s your old golf spr 900 EAGLE Full Circle: Clo Part # R900-M 91 SERIES Full Circle: Clo Part # R91-G 51 SERIES Full Circle: Fro Part #	worn nozzles. Profile nozz nape were scientifically d imply don't wear out. And rinklers to better than 0 SERIES ose-in Nozzle Nozzle Color Maroon BRASS IMPACTS ose-in Nozzle Nozzle Color Gray BRASS IMPACTS ont/Rear Nozzles Nozzle Color # range / spreader	les' solid met esigned to so d they don't c EM with Prof 11/2" INLET INLET Rain Bird Nozzle #s 5 14 / 11.5 16 / 11.5

purposes only, and we are in no way implying that any of our products are original equipment manufacturers, names and products presented in this publication are used for identification purposes only, and we are in no way implying that any of our products are original equipment parts. Toro® is a registered trademark of the Toro Company, Rain Bird® is a registered trademark of the Rain Bird Sprinkler Manufacturing Corporation.



7





AuditMaster[™]

EXPERT SPRINKLER PERFORMANCE TESTING KITS

Increasing watering times to compensate for poorly performing sprinklers wastes a lot of water. Accurately measuring sprinkler application rates with Underhill[™] AuditMaster[™] helps maximize water savings.

n



4"x 5" Marking flags on 21" wire (50-pack) are available in 6 colors.

AuditMaster Combo ST/LT Kit pictured, includes large CatchCanPro cups (blue) and CatchCanPro Mini cups (30 each).

AuditMaster ST Kit excludes the large CatchCanPro cups. This kit is ideal for SMALL TURF audits. AuditMaster LT Kit excludes the CatchCanPro Mini cups, 34" Hose Bib and Gauge and the Sprav Head Tester w/Gauge. This kit is optimized for golf courses, sports fields and other LARGE TURF audits.

CatchCan Pro[™]

features

- · Self standing easily anchors into turf, even on slopes
- Measures sprinkler application in inches or centimeters
- Unique design allows for shorter duration test
- Made of durable polypropylene engineered plastic
- · Can be stacked for easy storage
- Each 10 pack kit comes with instructions

CatchCan Pro (CCPK-10) for LARGE TURF audits. Measures ml. cm, inches.

ordering

Part # AUD-ST Part # AUD-LT Part # AUD-STLT Part # A-STW Part # A-WIND Part # CCPK-10

AuditMaster ST Kit AuditMaster LT Kit AuditMaster Combo ST/LT Kit Part # SALESPR04 AuditMaster Wheeled Carry Case Stop Watch Anemometer (Wind Gauge) CatchCan Pro (Blue) - 10 Pack Part # CCPMK-10 CatchCan Pro Mini - 10 Pack

Part # MT-100 Part # A-FLAG Part # A-FLAG-B Part # A-FLAG-0 Part # A-FLAG-P Part # A-FLAG-R Part # A-FLAG-W

Fiberglass Measuring Tape: 100' Marking Flags: Yellow - 50 Pack Marking Flags: Blue - 50 Pack Marking Flags: Orange - 50 Pack Marking Flags: Pink - 50 Pack Marking Flags: Red - 50 Pack Marking Flags: White - 50 Pack

CatchCan Pro Mini (CCPMK-10) for SMALL TURF audits. Measures inches.