Inderhill®

PROFESSIONAL WATERING PRODUCTS 2012

















When a product does its job day in and day out - it works. When it saves you time, money, or water - it's smart. When it does both - it's from Underhill.





NEW!

Magnum™ UltraMAX

PREMIUM HOSE-END NOZZLES & ACCESSORIES

Step up to the most professional nozzle you can buy - MAGNUMTM UltraMax. Firefighter quality for professionals in any field, these variable flow, multi-function nozzles are virtually indestructible and leak proof. The innovative TURBO SHIFT feature, available on both high-flow and low-flow models, provides two distinct GPM ranges for added versatility. And the outstanding distribution patterns of all MAGNUM UltraMAX nozzles make them excel in high demand areas like greens/tees, infield conditioning and equipment and stadium washdowns.

features / specifications

- Multi-Pattern Spray: Fog, Jet Stream, Fan
- Built for 1" and ¾" Hose Flow Rates (range: 7-43 GPM)
- Materials: Aircraft Aluminum, Stainless Steel, TPR Rubber



FULL THROTTLE

Single Variable Flow: Delivers steady, maximum volume fog, jet stream and fan patterns.

High Volume Model: 15-40 GPM (57-151 L/min)

Low Volume Model: 12-19 GPM (45-72 L/min)



TURBO SHIFT

Dual Variable Flow: Delivers light fog and low volume jet stream patterns before shifting to high volume jet stream and fan patterns.

High Volume Model:

Opens with 12-17 GPM (45-64 L/min) Turbo Shifts to 20-43 GPM (76-163 L/min)

Low Volume Model:

Opens with 7-12 GPM (27-45 L/min) Turbo Shifts to 14-17 GPM (53-64 L/min)



UltraMAX Valves

NEW!

Heavy duty ball valve, push-pull on/off control handle and exceptional build quality for long life under demanding use. Available in Firefighter Grip for two-handed operation or ergonomic Pistol Grip for comfortable, extended use. **Nozzles sold separately.**

ordering

Part # NG550-DFH-75 Part # NG550-DFH-10 Part # NG550-DFL-75 Part # NG550-DFL-10 Part # NG500-SFH-75

Part # NG500-SFH-10 Part # NG500-SFL-75 Part # NG500-SFL-10

Part # SVPG-75

Part # SVPG-10 Part # SV-75

Part # SV-10

All flow rates based on 80 psi (5,5 bar)

Turbo Shift 12-43 GPM (45-163 L/min) - ¾" FHT inlet Turbo Shift 12-43 GPM (45-163 L/min) - 1" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - ¾" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - 1" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - ¾" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - 1" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - ¾" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Pistol Grip Valve - ¾" FHT inlet

Firefighter Grip Valve - 1" FHT inlet

Magnum™

SOLID METAL HOSE NOZZLE

Underhill™ Magnum™ contains no plastic internal parts to break, stick or wear out. Our unique ratchet mechanism easily adjusts from gentle fan to powerful jet stream and prevents over-tightening damage. Precision-machined, incredibly smooth operation and outstanding distribution patterns make it ideal for high-demand areas like greens and tees. Magnum™ is also an excellent equipment wash-down nozzle.

features

- · Multi-pattern sprays effortless control with hydraulic assist on/off
- Solid metal internal no plastic parts to break or wear out
- Ratchet mechanism prevents over-tightening damage
- · Ultra-durable construction withstands any abuse
- · Fire hose quality nozzle feels great in your hands
- · Beautiful, consistent spray patterns for life
- . Built for 1" and 34" flow rates

specifications

Materials: stainless steel, aluminum, TPR rubber

Flow: 37 GPM at 80 psi

Inlet: 34" hose thread (1" brass adapter available, see Page 4)









fan



Magnum™ nozzle pictured

with 1" brass adapter (sold separately on Page 4)





CoolPro™

COOL WITHOUT OVER WATERING - NO ROOT DAMAGE

A hot summer day can be murder on your greens. Use too much water and you risk damage to the roots. CoolPro™ is the first nozzle specifically designed for the single purpose of lightly misting the turf canopy to cool without over watering. And its 25 foot fogging pattern gets the job done quickly.

features

- Precision[™] nozzle fogs at 70 psi to deliver a 25 ft. pattern with only 4-6 GPM
- 3/4" inlet (1" brass adapter available, see Page 4)
- Ergonomic handle/valve provides easy grip and variable on/off control.
- Durable solid metal design: zinc, aircraft aluminum and stainless steel.

ordering

Part # NG450 Part # HNC075 Part # HN0600

Part # CV075L

MAGNUM™ Hose Nozzle CoolPro™ Valve and Nozzle CoolPro™ Nozzle only CoolPro™ Valve only



3 maria de la companya della companya della companya de la companya de la companya della company













SOLID METAL, SPECIFIC TASK HOSE NOZZLES

Underhill Precision™ nozzles deliver millions of soft, uniform droplets to provide rapid yet surprisingly gentle

water application over a huge range of flow rates. From soft watering to powerful drenching, patented Precision nozzles are designed with ideal flow rates and droplet sizes to fully irrigate without disturbing turf, dirt, seeds, etc., providing a precise solution for every hand watering application.



landscaping (23 GPM)

Cloudburst™ TASKS: Dry spots, drenching, and wetting agent application (35+ GPM)


Cyclone™ Pre-game skins watering, heavy watering of large areas (50+ GPM)
Note: GPM will vary with pressure at nozzle.

high-flow valves



COMPOSITE / STAINLESS STEEL: 34" hose thread inlet/outlet, oversized handle, up to 55 GPM

SOLID BRASS: 3/4" hose thread inlet/outlet, up to 50 GPM



hose adapters / quick-connectors









ordering

NEW! Bumper Design

Part # HN1500CV Precision™ Rainbow™ Nozzle Kit
Part # HN2300CV Precision™ Rainmaker™ Nozzle Kit
Part # HN4800CV Precision™ Cloudburst™ Nozzle Kit
Part # HN5000CV Precision™ Cyclone™ Nozzle Kit

Nozzle Kits include brass High Flow Control Valve and 34"MHT x 1"FHT Adapter. To order nozzle only: remove "CV" from part number.



Part # CV075H High-Flow ¾" Valve - Brass

Part # A-BV77FM High-Flow ¾" Valve - Composite/Steel

Part # A-BA107FM 1" FHT x ¾" MHT Brass Hose Adapter

Part # A-BA107MF 1" MHT x ¾" FHT Brass Hose Adapter

Part # A-BQ7M ¾" Quick-Connect, male end

Part # A-BQ7F ¾" Quick-Connect, female end

Part # HN075W replacement washer, ¾" hose

PelletPro™

APPLICATOR GUN FOR SOLID WETTING AGENT TABLETS

Our heavy-duty surfactant applicator, high-flow valve and Precision™ Cloudburst™ nozzle combo comprises the finest wetting agent gun available. PelletPro™ accepts all wetting agent tablets and provides a high volume, yet soft spray for watering or applying surfactants to tight, hydrophobic soils.

features

- 35+ GPM to get the job done faster!
- Ultra Heavy-Duty brass fittings, aircraft aluminum, stainless steel, and precision engineered glass-filled materials
- Patented Cloudburst[™] nozzle delivers large droplets in an outstanding fan pattern
- · Pellet rotation (1 RPS) evenly dissolves/applies tablets





Connect directly to a water source (quick coupler, HoseTap, etc.) to get the benefits of PelletPro with less handheld weight.

IN-LINE APPLICATOR OPTION



Two products in 1!

ERHILL US

PelletPro and LiquidPro's Precision™ Cloudburst™ nozzle and high-flow valve quickly assemble to create a powerful, 35+ GPM syringe nozzle

PelletPro's bowl works great as a replacement in-line filter for most spray rigs. Heavy-duty, transparent bowl shows fluid levels, and won't crack during winter storage.

LiquidPro™

APPLICATOR GUN FOR LIQUID WETTING AGENT

LiquidPro's chemical-resistant, UV-protected, lightweight siphon/mixing system can cover 1000 square feet in less than a minute! With unmatched speed and uniformity, you can virtually "paint" your turf with liquid wetting agent, fertilizers, and micronutrients. Adjustable metering dial offers 10 additive settings including "Water Only."

ordering

Part # A-PPWA50K PelletPro™ Applicator Gun

Part # A-PPQ-075 PelletPro™ In-line Applicator: ¾" FHT inlet, ¾" MHT outlet Part # A-PPQ-100 PelletPro™ In-line Applicator: 1" FHT inlet, 1" MHT outlet

Part # A-PPB In-line Filter Bowl

Part # A-PPBG Gasket

Part # A-LPWA50K LiquidPro™ Applicator Gun

Part # A-LPWAB-6 6-Pack of 32 oz. Polybottles and Carrier With the included 1" FHT x 34" MHT brass adapter, PelletPro™ and LiquidPro™ work with both 34" and 1" hoses.



◆ Cost

▼ ROI

Profile™

SOLID METAL GOLF SPRINKLER NOZZLES

Upgrade your Toro® or Rain Bird® sprinklers with our perfect-fit Profile™ nozzles and you will see improved results immediately. And with ultra-uniform water distribution, you can cut back watering times to **save millions** of gallons of water **every year**. Over time, since Profile solid metal nozzles resist wear and clogging, you'll enjoy these superior results for the life of your sprinkler...never needing to change out nozzles again. Nozzles so consistent, patterns so uniform... it's like rain on demand.™

Use less water, energy and manpower and get better course playability.

"Profile nozzles lived up to our expectations and eliminated patchy dry spots and donuts. We retrofitted all our fairways and now run a more efficient irrigation program."

Logan Spurlock

Superintendent, Sherwood Country Club

"It was like putting in a new irrigation system. I became a believer overnight."

Mike Huck

Irrigation & Turfgrass Services

Former USGA Staff Agronomist and Superintendent, Murrieta Hot Springs Resort

"The Profile retrofit program has also extended the life of our Toro system while improving course appearance and playability."

Dennis Eichner

Assistant Superintendent, Silverado Resort - Napa, California

"The real power is knowing that retrofitting sprinklers with Profile nozzles can be phased in to work within a course's operating budget."

Kurt Thompson

K. Thompson and Associates, Irrigation Consultant and Trainer Huntersville, North Carolina and Pace, Florida



See how Superintendents are upgrading their entire golf courses!
Video online now at www.underhill.us





Profile nozzles for Toro®

730 SERIES	Full Circle- Fro	int/Rear Nozzle Set
700 OLIVIES	Tull Olloid. Tro	HILL HOLL HOLLIG OCL

Part #	Nozzle Color # range/spreader	Toro Noz #	
T730-3313	Brown 33 / Gray 13	33	2
T730-3413	Blue 34 / Gray 13	34	110
T730-3515	Violet 35 / Red 15		9
T730-3515L (50 psi)	Green 35 / Red 15*	35	

T730-3615 Red 36 / Red 153 T730-3617 Red 36 / Lavender 17

* For square spacing, specify #17 (lavender) nozzle with the #35 and #36 range nozzles



760 and 860 SERIES Part Circle: Midrange/Close-in Nozzle Set

Part # Nozzle Color: midrange/close-in

T760-GY Gray / Yellow Gray / Yellow T860-GY



830, 834S, DT SERIES Full Circle: Midrange/Close-in Nozzle Set Nozzla Color, midranga / clasa in

rall#	Nozzie Golof: Illiufalige / Close-Ill	1010 Selles
T830-GY	Gray / Yellow	830
T834-GY	Gray / Yellow	834S
TDT100-GY	Gray / Yellow	DT 34/35



835S SERIES Full Circle: Midrange/Close-in Nozzle Set

Nozzle Color: midrange / close-in

T835S-WP White / Plug


630 SERIES CALL FOR AVAILABILITY



670 SERIES Full Circle: Rear Nozzles

Part # Nozzle Color: midrange / close-in

T670-BY Black / Yellow



T690-G



750 SERIES Full Circle: Front/Rear Nozzle Set

Part #	Nozzle Color #range / spreader	Toro Nozzle
T750-5617	Red 56 / Lavender 17	56
T750-5717	Gray 57 / Lavender 17	57



780, 854S, DT SERIES Midrange/Close-in Nozzle Set Part Circle (780), Full Circle (854S), Part/Full Circle (DT 54/55)

Part #	Nozzle Color: midrange / close-in	Toro Series
T780-BY	Black / Yellow	780
T854-BY	Black / Yellow	854S
TDT150-BY	Black / Yellow	DT 54/55




855S SERIES Full Circle: Midrange/Close-in Nozzle Set

Part # Nozzle Color: midrange / close-in

T855S-PP Pink / Plug

650 SERIES CALL FOR AVAILABILITY

All original equipment manufacturers, names and products presented in this publication are used for identification purposes only, and we are in no way implying that any of our products are original equipment parts. Toro® is a registered trademark of the Toro Company, Rain Bird® is a registered trademark of the Rain Bird Sprinkler Manufacturing Corporation





midrange / close-in Part # R70028-RG Blue / Gray

R70032-RG Red / Gray R7003640-GG Blue / Gray 36/40 and larger





Look familiar? Poor performing Eagle 700 sprinklers are often the result of clogged and worn nozzles. Profile nozzles' solid metal construction and nozzle shape were scientifically designed to solve this exact problem. They simply don't wear out. And they don't clog. Upgrade your old golf sprinklers to better than OEM with Profile!



900 EAGLE SERIES

Full Circle: Close-in Nozzle Part # Nozzle Color R900-M Maroon



91 SERIES BRASS IMPACTS

Full Circle: Close-in Nozzle Part # Nozzle Color R91-G Gray



Rain Bird

51 SERIES BRASS IMPACTS

Full Circle: Front/Rear Nozzles Nozzle Color # Part # range / spreader R51-1411.5

Nozzle #s White 14 / Gray 11.5 14 / 11.5 R51-1611.5 16 / 11.5 Blue 16 / Gray 11.5 R51-1811.5 18 / 11.5 Yellow 18 / Gray 11.5 R51-2011.5 Red 20 / Gray 11.5 20 / 11.5 R51-2213 Green 22 / Black 13 22 / 13 R51-2413 Black 24 / Black 13 24 / 13



AuditMaster™

EXPERT SPRINKLER PERFORMANCE TESTING KITS

Increasing watering times to compensate for poorly performing sprinklers wastes a lot of water. Accurately measuring sprinkler application rates with Underhill™ AuditMaster™ helps

maximize water savings.



4"x 5" Marking flags on 21" wire (50-pack) are available in 6 colors.





AuditMaster ST Kit excludes the large CatchCanPro cups. This kit is ideal for SMALL TURF audits.

AuditMaster LT Kit excludes the CatchCanPro Mini cups, 34" Hose Bib and Gauge and the Spray Head Tester w/Gauge. This kit is optimized for golf courses, sports fields and other LARGE TURF audits.

CatchCan Pro™

features

- · Self standing easily anchors into turf, even on slopes
- Measures sprinkler application in inches or centimeters
- . Unique design allows for shorter duration test
- Made of durable polypropylene engineered plastic

Part # A-FLAG-W

- · Can be stacked for easy storage
- · Each 10 pack kit comes with instructions

CatchCan Pro (CCPK-10) for LARGE TURF audits. Measures ml. cm, inches.

ordering

Part # AUD-ST AuditMaster ST Kit Part # AUD-LT AuditMaster LT Kit Part # AUD-STLT AuditMaster Combo ST/LT Kit Part # SALESPR04 AuditMaster Wheeled Carry Case Part # A-STW Stop Watch Part # A-WIND Anemometer (Wind Gauge) Part # CCPK-10 CatchCan Pro (Blue) - 10 Pack Part # CCPMK-10 CatchCan Pro Mini - 10 Pack

Part # MT-100 Fiberglass Measuring Tape: 100' Part # A-FLAG Marking Flags: Yellow - 50 Pack Part # A-FLAG-B Marking Flags: Blue - 50 Pack Part # A-FLAG-0 Marking Flags: Orange - 50 Pack Part # A-FLAG-P Part # A-FLAG-R

Marking Flags: Pink - 50 Pack Marking Flags: Red - 50 Pack Marking Flags: White - 50 Pack CatchCan Pro Mini (CCPMK-10) for **SMALL TURF** audits. Measures inches.

TurfSpy[™]

EARLY STRESS DETECTION GLASSES

Disease, drought and weed invasion are plant and turf killers. But by the time you see them it can be too late. TurfSpy™ glasses, with stress detection technology developed by NASA, lets you "see into the future" to identify problems 2-10 days before they are visible to your naked eve. Keep your turf and vegetation healthy BEFORE serious problems arise.



fusarium patch

pythium blight

yellow patch (rhizoctonia)

brown patch

anthracnose

get a jump on broken or poor-performing sprinklers

highly efficient spot watering saves time and labor costs

superior weed location and spraying saves time and money

features

- Shatterproof/polycarbonate stress detection lens (ANSI approved safety lens)
- Wrap-around lens limits ambient light for optimal detection
- Sports frame with adjustable ear piece
- · Lightweight case included

HOW IT WORKS

Dving vegetation absorbs and reflects sunlight differently then when its healthy. The earliest signals occur at the outer limits of the human visual spectrum, and are rendered invisible compared to the predominant middle wavelengths. TurfSpy™ filters the light in the center so that fringe spectra, which show early plant stress, become visible.



Part # NG655-01 TurfSpy™ Glasses and Deluxe Case

HeadChecker™

NOZZLE DISCHARGE PRESSURE GAUGE

Use this liquid-filled 160 psi gauge with 30" flex hose and solid brass Pitot tube, hose bib, or spray head adapter to measure water pressure at discharge points.

ordering

Part # A-PHG-160K HeadChecker™ gauge, 30" Flex Hose, Pitot Tube Part # A-SHG-160K HeadChecker™ gauge with Spray Head Adapter Part # A-HBG-160K HeadChecker™ with ¾" POC Hose Bib Tap Part # A-HCGPK HeadChecker™ gauge and Pitot tube HeadChecker™ 160 psi pressure gauge only Part # A-PG160L Part # A-HCP Pitot tube only

Part # A-HBT 34" Hose Thread x 1/4" Brass Hose Bib Tap

Part # A-SHA Spray Head Adapter











SpotShot™

LOW VOLUME PORTABLE SPRINKLER KIT

SpotShotTM is an expandable sprinkler system kit ideal for turf areas requiring low volume watering for extended periods. Connect the Starter Kit to a quick coupler (or golf sprinkler with the HoseTapTM on page 12) and connect Add-On Kits for larger area needs.



Starter Kit includes 20' of ½" flexible PVC tubing with connection fittings, pressure regulator, sprinkler base and low volume rotating sprinkler (20 ft, radius / 0.65 GPM - 0.16 in./hr.)



Add-On Kit includes 20' of ½" flexible PVC tubing with connection fittings, sprinkler base and low volume rotating sprinkler
(20 ft. radius / 0.65 GPM - 0.16 in./hr.)



Micro-Sprinkler Options

- 20 ft. radius / 0.65 GPM (0.16 in./hr.)
- 20 ft. radius / 1.2 GPM (0.26 in./hr.)



RollerPro™

PORTABLE SPRINKLER BASE

The 22" wide stainless steel roller of RollerPro™ provides a stable field position for supplemental watering. Designed for years of hard use, it is ideal for watering dry spots and newly seeded areas.

features

- 22" wide stainless steel roller is weighted to prevent movement during use.
- 34" inlet and outlet adapters included
- . Standard 1" FHT inlet x 1" female NPT outlet

ordering

Part # A-RP221 RollerPro[™]

Part # SS-SK SpotShot[™] Starter Kit (20 ft. rad, 0.65 GPM)

Part # SS-AOK SpotShot[™] Add-on Kit (20 ft. rad, 0.65 GPM)

Part # SS-SK26 SpotShot[™] Starter Kit (20 ft. rad, 1.2 GPM)

Part # SS-AOK26 SpotShot[™] Add-on Kit (20 ft. rad, 1.2 GPM)

Part # SS-SB SpotShot[™] Sprinkler Base

Part # R75-HFM-40 Part # TP-050-20 Part # S40-050-HFS

Part # \$40-050-HMS
Part # \$40-050-HMS

Part # SS-S16 Part # SS-S26 Sprinklers sold separately on page 12-13.

RollerPro™ works with both 1"

and ¾" hoses and sprinklers using the included adapters.

Pressure Regulator (40 psi)

20' Coil of ½" PVC, SuperFlex Pipe ¾" Hose Thread Female x Male, Slip Fitting ¾" Hose Thread Male x Female, Slip Fitting

Micro-sprinkler (20 ft. rad, 0.65 GPM - 0.16 in/hr) Micro-sprinkler (20 ft. rad, 1.2 GPM - 0.26 in/hr)