

Rain Bird® Integrated Control (IC) System™ gives you flexibility for today and tomorrow. In a class of its own and masterfully engineered with rapid two-way communication, real time diagnostics and centralized control, the fully underground IC System puts you in command of individual rotors from your central control computer, tablet, radio and smart phone. The IC System helps save costs using significantly less wire and material, making it easy to install, expand and adapt as your course grows and evolves. With the Rain Bird IC System, you're setting a course of action. Set your course at rainbird.com/ICS.



coel), the IJs release a symbiotic bacterium that causes the host to die from septicemia, McGraw says. "The bacteria also convert the host's tissues to a substrate for nematode development to the adult stage and ultimately reproduce," he says. "After [the] cadaver has been depleted (and nematodes have developed through one to three generations), potentially hundreds to hundreds of thousands of new IJs emerge to seek out new hosts."

Beneficial nematodes are found naturally, says Julie Graesch, nematode field development specialist at Becker Underwood, but not at the levels needed for effective grub control.

Describing them as "driven organisms whose sole purpose is to find a grub," Graesch says there are two types of beneficial nematodes – ambush and cruiser.

"Ambush don't move as much and wait for the organism to come to them," she says. "Cruisers seek their host..."

Because beneficial nematodes are live organisms, they're very sensitive and need to be handled in a delicate, specific manner.

According to Graesch, they are shipped "priority overnight" with cold packs and should be put immediately into a refrigerator upon receipt, but be sure not to freeze. And because energy is the only thing they have to move, if set on the counter, they'll still be moving, which will result in loss of energy and effectiveness.

When applying them, keep the nematodes agitated, not letting them settle to the bottom of the tank. Keep the water cold, as well. If applying in the heat of August/September, put the cold packs in the freezer and then place in the water when mixing, Graesch says.

Once applied, the nematodes need water to survive and move. When watering in, they'll sit on the grass blade. As soon as the blade dries, so does the nematode ... and dies. Sufficient watering will prevent that. Once in the soil, they need moisture, so irrigate abundantly for two weeks after application.

McGraw warns that the beneficial nematode's level of effectiveness can vary considerably, since they're living organisms, compared to their chemical counterparts. They may provide quite a high level of control, or provide multi-year suppression if they recycle or reproduce in great numbers, or may be ineffective if the wrong species are used. For example, if the nematodes attack strategy fails to match the grub's behavior or position in the soil or activity across the soil surface, then they won't be effective. Likewise, if the beneficial nematodes are mishandled – exposed







Top: Beneficial nematodes emerge to seek out a new host. Bottom right: In addition to root damage, grubs are a favorite snack of skunks and raccoons. Bottom left: Tiny, but deadly if you're a grub.

Beneficial nematodes: the positive and the negative

Pro

- · Biological control
- No effects on humans
- Water quality
- Can provide rapid host death (48 hours or less after infection)
- Can be applied through standard chemical sprayers and PSI requirements
- · No chance of resistance development

Cons

- Expensive
- · Variable levels of control
- Sensitivity to environmental conditions (UV, drought, heavy rainfall – moved away from host)
- · Must be handled with great care
- Nematodes are typically generalists and not specific to attack



A fungus gnat nematode.

32



Fun fact

Though initial discovery and subsequent development of Steinernema glaseri – a species of entomopathogenic nematodes (EPNs) – as a biological control agent can be traced back to the early 20th century, research and use increased dramatically in the 1980s. This was preceded by the discovery of the beneficial nematode (Heterorhabditis bacteriophora) by entomologist George Poinar, Jr. in 1975.

Inside one of these plump wax moth cadavers are thousands of wiggly nematodes, ready to serve as biocontrols against soil-dwelling pests.

to UV light, formulations or excessive heat – they can die before they have the opportunity to enter a host.

As for timing, when battling white grubs, McGraw recommends timing applications for when larvae are between their second and third instars. "In the northeast, this works out to also be the time when soils and moisture are favorable for nematode survival, infecticity and persistence," he says.

Frequency of beneficial nematode use is largely dependent on budgetary restrictions.

"Most people, given their higher costs relative to chemicals, will apply at a standard rate of 1 billion IJs per acre one time," McGraw says. "Few people have examined split rates, but for some insect pests this strategy might be preferred."

The higher cost may deter some superintendents from using beneficial nematodes, Graesch says, but she knows buyers are often drawn to the environmental upside. "If it's a progressive, green golf course that wants to get away from chemicals, nematodes work

Video

Check out these great videos from Becker Underwood about using beneficial nematodes to control turf grubs. Just enter bit.ly/Z6IEQZ and/or bit.ly/16eAhXB into your Web browser. If you're viewing this article via the iPad or iPhone app, just tap the screen pictures to activate the videos.







two healthy larvae

just as well," she says. "[They] just have to justify the extra cost."

The "industry standard" application rate of 1 billion per acre would be appropriate for most white grub species, McGraw says, though good control could be achieved at lower rates with some, possibly lessening the overall cost.

Doing Internet searches, McGraw says costs for beneficial nematodes ranged anywhere between \$500 per billion all the way up to \$2,000. Comparatively, chemicals are generally around \$30-40 per acre.

Beneficial nematodes can be used in conjunction with chemicals containing the active ingredient imidacloprid, Graesch says, pointing out that chemicals can't always get down deep enough to reach grubs, whereas nematodes have their own propulsion.

So what are the drawbacks to enlisting the help of beneficial nematodes to control grub populations? Perhaps the biggest con, McGraw says, is there are seemingly few producers. "Supply and demand is not in the nematode producers favor, or the person wanting to get into applying EPNs," he says, circling back to the high cost.

Dr. Jennifer Grant, co-director of the New York State Integrated Pest Management Program at Cornell University, acknowledged the pricey nature of beneficial nematodes, but says it could be worse. "Because they are considered predators, entomopathogenic nematodes are exempt from registration by the United States Environmental Protection Agency (US EPA)," Grant says. "This exemption from long-term safety and water-quality studies has greatly reduced the costs and risks typically associated with registering a new insecticide."

Still, paying more than 10 times what a chemical would cost to do the job needs justification. In the Northeast beneficial nematodes are often used for curative control - after the eggs have hatched and grubs are present, Grant says.

"If you find out too late (for preventative options) that you have a grub problem, it's an excellent option," she says, noting that there is at least one curative chemical on the market, though it's "fairly harsh, as far as toxicity."

Realizing you missed an area or if grubs break through chemical control are often cited as other justifications for using the higher-cost nematodes. They're fast acting, as well, doing much of their work within a week. And vertebrate feeding stopped almost immediately - within a day or two, Grant says.

As for advice for superintendents who may consider incorporating beneficial nematodes into their grub-control routine, McGraw says there may be strength in numbers.

"The market is not in your favor, but you should be commended for wanting to integrate nematodes into your management plan," he says. "Group discount? Get more

Keys to success

The tops tips to successfully enlist beneficial nematodes to battle grubs.

TIMING

- . The goal is to prevent drying out of the nematodes
- · It's best to apply before, during or after
- · Avoid direct sunlight during application
- · Apply in the early morning if immediate irrigation is available - or late afternoon/evening

APPLICATION

- · Use immediately after mixing
- · Agitate constantly during application
- · Apply when soil temperatures are between 54 and 86 F at application and at least two weeks after application
- . Do not use the product past the expiration date
- · Never mix fertilizers or pesticides with Nemasys G in the spray solution.

WATER

- · Ensure soil is moist prior to application
- · Keep soil moist for two weeks after application
- · Irrigate after application with at least 1/2 inch of water immediately to move nematodes off leaves and into the soil
- · Irrigation after application must occur within 30 minutes of applications (hot, dry conditions) to 2 hours after (cool, wet conditions)



The POWER in Outdoor Power

The New BL85 900cfm

Featuring the new patented 900 Tornado Tip

900 cin

The lightest, most comfortable and "oh, so very, very powerful"

MARUYAMA BACKPACK BLOWER ... PERIOD

Coming to a Golf Course near you.

See your local Dealer and get one now. Don't be the FALL guy.

- new spring-loaded, anti-vibe suspension
- new ergonomic design and great balance
- · thicker, padded, support straps

www.maruyama.com







KPHITE 7LP Systemic Fungicide Bactericide is proven effective against pythium, dollar spot, brown patch and fungal diseases. KPHITE is EPA labeled, pH neutral and is uniquely formulated to increase plant health and vigor.



TO FIND A DISTRIBUTOR OR LEARN MORE WWW.PLANTFOODSYSTEMS.COM 800.343.7775

PLANT HEALTH



people to buy into the practice and the industry should respond."

Grant takes the same stance she would if a superintendent asked about chemical use on their course.

are generally around \$30-40 per acre.

"I'd recommend to anyone to try a small area [first], regardless of what their strategy is for the next season," she says. "Take an acre or small area of rough.

"This is a good one to have in your back pocket," she adds about beneficial nematodes.

Start by thinking of beneficial nematodes as the live organism they are, comparing the purchase to buying a pet, Graesch says. "You need to take care of them when you get them... Need to take care of them during application... Need to take care of them after application," she says. "They have to be properly stored, properly mixed, properly applied, and properly handled after application." GCI

Rob Thomas is a Cleveland-based freelance writer and frequent GCI contributor.



Want more?

Check out this great research article, which first appeared in the September/October 2009 edition of the USGA Green Section Record, about enlisting

Mother Nature's help in controlling white grubs on golf courses in the transitional climatic zone. According to the study, researchers found insectpathogenic nematodes, Tiphia wasps, milky disease, and other pathogens accounted for moderate to high natural mortality at some sites. Enter bit.ly/ Wvf1LA into your Web browser to read the report. If using the iPad/iPhone app, just tap the image.

By Katie Tuttle

Whac a Grub

Aerification may allow you to more effectively control your white grub problem.

a ther than targeting adult beetles, consider controlling the grubs feasting on your turf's roots with aerification.

In fact, this is a concept Benjamin Mc-Graw, Ph.D., associate professor of golf and plant sciences at the State University of New York (SUNY)-Delhi, has been studying since 2009 and his research has produced some intriguing results.

There's some solid reasoning behind this research. For example, larvae typically damages turfgrass in the fall, the same time superintendents are going through the aerification process.

"We've wondered what the impact of running these machines over the area would have on something that was feeding close to the surface," McGraw says. "So the added benefit (of the research) is that we were able to document some pretty good control of larvae at the same time as doing "So the added benefit (of the research) is that we were able to document some pretty good control of larvae at the same time as doing these practices that are done to reduce compaction and all these other beneficial things outside of pest control."

— Dr. Benjamin A. McGraw, State University of New York - Delhi

all these other beneficial things outside of pest control."

McGraw looked at three different types of cultivation treatments for his study: hollow- and solid-tine aerators using a Toro ProCore 648, solid vibratory tines using First Products UA 60 Area-vator, and air-injection systems using a Cambridge Liquid/Air Injection Systems (R).

The hollow- and solid-tine aerators move vertically, and some inject a core while others have a spike to dig directly into the

ground. The solid vibratory tines rotate on a drum and vibrate side-to-side. The air-injection systems injected air, liquids or a solid material into the soil at a high pressure, frac-

turing the soil.

Of the three types, Mc-Graw found the last two did not work as well as they had hoped. "Once the (solid vibratory tine) goes in the ground, it kind of wiggles and we thought it might crush some of the grubs off to the side," McGraw says. "That didn't really work too well, and it was very traumatic to the turf."

As for the air-injection systems, they did kill grubs, but McGraw did not find it to be overly measurable in the field.


"It didn't really look any different from the untreated control plots" he says.

The traditional method of hollow- and solid-tine aerators seemed to have the most impact on controlling the grubs. "We were able to document some pretty moderate to high levels of control just by aerifying, either in single or multiple passes over the turf," McGraw says.


But before you go out and dump your pesticides, you need to consider the variables.

"It's variable," McGraw says. "From one year in the field to the next you might get great control and you might get poor control. It is dependent on several factors like grub spacing and density, as well as aerator tine diameter, tine spacing, and frequency."

However, McGraw does have confidence that his findings will be effective. "Will it give you 100 percent knockdown? No way," he says. However, the potential exists to get a level of control comparable to that of applying chemical insecticides curatively, thereby eliminating an application. GCI



Left: a white grub speared from one of the aerification processes. Inset: the tines of First Products UA 60 Area-vator.



C. SEASONING

Superintendent Scott Poynot perfects his recipe for a quality playing surface – the right combo of turf and soil that requires the least amount of labor and inputs.

by Dan McDonald

hen it comes to turfgrass, the words "good enough" aren't in Scott Poynot's vocabulary. That – and the desire to find a durable, consistent and eco-friendly grass for Le-Triomphe Golf and Country Club – has driven Poynot to take some extraordinary steps in the turfgrass management field.

"Conventional wisdom sometimes needs to be challenged," says Poynot, agronomist and long-time superintendent at the south Louisiana club. "Turf grass management standards created by our industry do not come in a one-size-fits-all box." That's why Poynot has what amounts to an experimental turf farm set up maybe 100 yards from LeTriomphe's No. 10 green. At that checker-board location, Poynot and LeTriomphe are studying five different grasses, each planted in neat rows on four different soil conditions.

The goal is to learn which grass and soil combinations require the least amount of input and labor while still maintaining the high standards of performance that have become synonymous with the Le-Triomphe course. It's the type of research that is normally restricted to commercial turf farms and university agricultural extension programs.

"When most private clubs are looking for ways to cut costs and corners, we're looking for ways to invest wisely and we want to embrace innovation," says LeTriomphe general manager Dawna Waterbury. "I don't know of another club that's trying such a complete and comprehensive approach to its turf management program."

The 20 small plots include plantings of platinum paspalum, sea dwarf paspalum, mini verde Bermuda, tif dwarf Bermuda and tif eagle Bermuda. The four different soil conditions are all USGA sand-in combinations using different amendments.

It's not like LeTriomphe's turf was in peril... far from it, in fact. During the past year, the course's greens drew raves after Poynot be-



Scott Poynot's goal was to find the perfect turf and soil combo while still maintaining the facility's high standards of performance at LeTriomphe Golf and Country Club.



STRENGTH FROM THE GROUND UP


Nothing offers more plant health benefits than DISARM® fungicide. Xylem Pro Technology™ penetrates the leaf tissue fast to stop and prevent diseases. The end result is a greater number of stronger, longer roots and a healthier course overall.



Premium strobilurin protection



Always read and follow label directions. DISABM and the DISABM logo are registered trademarks of Arysta EdeScience North America, LLC. The "Kylein Pro Technology" slogan is a trademark of Arysta UdeScience North America, LLC. Arysta EdeScience and the Arysta DieScience logo are registered trademarks of Arysta DieScience Corporation, e02013 Arysta DieScience North America, LLC.



gan a full-foliar fertility approach that has also been used at other high-end courses. Tweaking rates of several different nutritional products, growth regulators and hormones eventually yielded a quality product.

"After trying six different companies' foliar products, we found what I believe are the best foliars available in the industry," he says. "We managed the greens by paying very close attention to clipping yields and color. We also monitored scientific data and warm-season growth potential numbers to determine expected growth and compare that actual daily yield."

The research, time and money was worth it.

"The greens at LeTriomphe are something special," says Ted Scott, a LeTriomphe member and caddie for PGA Tour member and Masters champion Bubba Watson, in September. "I have yet to see Bermuda greens better than what LeTriomphe has right now."

That success came at a price, though, and Poynot sought a solution to the significant dollars and the hours of labor to maintain that high level. He and LeTriomphe both received a plethora of advice from experts based on conventional wisdom, but virtually every new report came with the necessity of additional resources.

"We were spending a significant amount of money and hours and we weren't getting the results

"Conventional wisdom sometimes needs to be challenged. Turf grass management standards created by our industry do not come in a one-size-fitsall box.

- Scott Poynot, LeTriomphe Golf and Country Club

"During our annual memberguest tournament this year, our greens' speed was equal to that of the U.S. Open," says LeTriomphe head professional Jeff Anderson. "For the club championship, it was a foot faster than the Open (the staff measured them at 14.5 on the stimpmeter)."

that I expected," Poynot says. "That's when I decided to step back and analyze everything that occurred up to this point. I started thinking about all the different variables that make our course conditions unique, and that's where the journey began to go against conventional wisdom."



GOLF MASTER STOCKING DISTRIBUTORS -

NATIONAL CATALOGS







eagleonegolf.com rrproducts.com

precisionusa.com

LOCAL DISTRIBUTORS























Atlantic Irrigation (CT/DE/NJ/NY/PA/VA) atlanticirrigation.com Bisco (MA/CT/NH) gobisco.com Colorado Golf & Turf (CO) 303-917-4141 Jerry Pate (GA/AL/TN/FL) jerrypate.com Matrix (NY) matrixturf.com Progressive Grower (MA) myturfsupply.com Sierra Pacific (No. CA) sierrapacificturf.com Smith Turf (VA/NC/SC/TN) smithturf.com Spartan (MI) 1-800-822-2216 Sports Turf (So. CA) sportsturfirrigation.com

Products that work...smart.[™] • www.underhill.us

Turf Equipment (DE/MD/PA/VA) turf-equipment.com