

200 185 170

245

PROFESSIONAL WATERING PRODUCTS 2013

When a product does its job day in and day out - it works. When it saves you time, money, or water - it's smart. When it does both - it's from Underhill.

Products that work...smart.[™]







PREMIUM HOSE-END NOZZLES & ACCESSORIES

Step up to the most professional nozzle you can buy - MAGNUM™ UltraMax. Firefighter quality for professionals in any field, these variable flow, multi-function nozzles are virtually indestructible and leak proof. The innovative TURBO SHIFT

models provide two distinct GPM ranges. And the outstanding distribution patterns of all MAGNUM UltraMAX nozzles make them excel in high demand areas like greens/tees. infield conditioning and equipment and stadium washdowns.

- Multi-Pattern Spray: Fog, Jet Stream, Fan
- Built for 1" and ¾" Hose Flow Rates (range: 7-43 GPM)
- Materials: Aircraft Aluminum, Stainless Steel, TPR Rubber

1

Firefighter Grip

Heavy duty ball valve, push-pull on/off control

handle and exceptional build quality for long life

under demanding use. Available in Firefighter Grip

for two-handed operation or ergonomic Pistol Grip for

comfortable, extended use. Nozzles sold separately.

FULL THROTTLE

Single Variable Flow: Delivers steady, maximum volume fog, jet stream and fan patterns.

Low Flow (Residential Use) Model: 12-19 GPM (45-72 L/min)

High Flow Model: 15-40 GPM (57-151 L/min)

Super High Flow Model: 39-100 GPM (148-379 L/min)





UP TO 100 GPM!

Dual Variable Flow: Delivers light fog and low volume jet stream patterns before shifting to high volume jet stream and fan patterns.

Low Flow (Residential Use) Model:

Opens with 7-12 GPM (27-45 L/min) Turbo Shifts to 14-17 GPM (53-64 L/min)

High Flow Model: Opens with 12-17 GPM (45-64 L/min) Turbo Shifts to 20-43 GPM (76-163 L/min)

Super High Flow Model: 34-104 GPM (129-394 L/min)

ordering

Part # NG550-DFH-75 Part # NG550-DFH-10 NEW! Part # NG550-DFL-75 Part # NG550-DFL-10 Part # NG500-SFH-75 Part # NG500-SFH-10 Part # NG500-SFL-75 Part # NG500-SFL-10 NEW! Part # SVPG-75 Part # SVPG-10 Part # SV-75 Part # SV-10

All flow rates based on 80 psi (5,5 bar)

Turbo Shift 12-43 GPM (45-163 L/min) - 3/4" FHT inlet Turbo Shift 12-43 GPM (45-163 L/min) - 1" FHT inlet Part # NG550-DFSH-10 Turbo Shift 34-104 GPM (129-394 L/min) - 1" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - 3/4" FHT inlet Turbo Shift 7-17 GPM (27-64 L/min) - 1" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - 3/4" FHT inlet Full Throttle 15-40 GPM (57-151 L/min) - 1" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 3/4" FHT inlet Full Throttle 12-19 GPM (45-72 L/min) - 1" FHT inlet Part # NG500-SFSH-10 Full Throttle 39-100 GPM (148-379 L/min) - 1" FHT inlet Pistol Grip Valve - 3/4" FHT inlet Pistol Grip Valve - 1" FHT inlet Firefighter Grip Valve - 3/4" FHT inlet Firefighter Grip Valve - 1" FHT inlet

Pistol Grip

Magnum™

SOLID METAL HOSE NOZZLE

Underhill[®] Magnum[™] contains no plastic internal parts to break, stick or wear out. Our unique ratchet mechanism easily adjusts from gentle fan to powerful jet stream and prevents over-tightening damage. Precision-machined, incredibly smooth operation and outstanding distribution patterns make it ideal for high-demand areas like greens and tees. Magnum[™] is also an excellent equipment wash-down nozzle.

features

- Multi-pattern sprays effortless control with hydraulic assist on/off
- Solid metal internal no plastic parts to break or wear out
- · Ratchet mechanism prevents over-tightening damage
- Ultra-durable construction withstands any abuse
- Fire hose quality nozzle feels great in your hands
- · Beautiful, consistent spray patterns for life
- Built for 1" and 3/4" flow rates

specifications

Materials: stainless steel,aluminum, TPR rubber Flow: 37 GPM at 80 psi Inlet: ¾" hose thread (1" brass adapter available, see Page 4) Magnum[™] nozzle pictured with 1" brass adapter (sold separately on Page 4)

solid metal internal body

Won't stick...won't break







CoolPro[™]

COOL WITHOUT OVER WATERING - NO ROOT DAMAGE

A hot summer day can be murder on your greens. Use too much water and you risk damage to the roots. CoolPro[™] is the first nozzle specifically designed for the single purpose of lightly misting the turf canopy to cool without over watering. And its 25 foot fogging pattern gets the job done quickly.

features

CoolPro

- Precision[™] nozzle fogs at 70 psi to deliver a 25 ft. pattern with only 4-6 GPM
- 3/4" inlet (1" brass adapter available, see Page 4)
- Ergonomic handle/valve provides easy grip and variable on/off control.
- Durable solid metal design: zinc, aircraft aluminum and stainless steel.

ordering

Part # NG450 Part # HNC075 Part # HN0600 Part # CV075L MAGNUM[™] Hose Nozzle CoolPro[™] Valve and Nozzle CoolPro[™] Nozzle only CoolPro[™] Valve only

down only enough water to cool the turf canopy. It prevents wilting while maintaining good ball speed. CoolPro is a great tool for protecting grass on hot days without damaging roots.

Perfect for tournament play, CoolPro[™] puts

Underhill

3

Precision™

SOLID METAL, SPECIFIC TASK HOSE NOZZLES

Underhill[®] Precision[™] nozzles deliver millions of soft, uniform droplets to provide rapid yet surprisingly gentle water application over a huge range of flow rates. From soft watering to powerful drenching, patented Precision nozzles are designed with ideal flow rates and droplet sizes to fully irrigate without disturbing turf, dirt, seeds, etc., providing a precise solution for every hand watering application.



precision watering for specific tasks





Rainbow™ TASKS: Greens. tees, seed beds, transplants, delicate landscaping (15 GPM)

Rainmaker™ TASKS: Syringe and spot watering turf and hardy landscaping (23 GPM)





Cloudburst™ TASKS: Dry spots, drenching, and wetting agent application (35+ GPM)



Cyclone[™] Pre-game skins watering, heavy watering of large areas, ideal for hydroseeding (50+ GPM)

Note: GPM will vary with pressure at nozzle.

high-flow valves



COMPOSITE / STAINLESS STEEL: 3/4" hose thread inlet/outlet, oversized handle, up to 55 GPM

SOLID BRASS: 3/4" hose thread inlet/outlet, up to 50 GPM



hose adapters / quick-connectors



ordering

Part # HN1500CV Part # HN2300CV Part # HN4800CV Part # HN5000CV

Nozzle Kits include brass High Flow Control Valve and 34"MHT x 1"FHT Adapter. To order nozzle only: remove "CV" from part number.

Part # CV075H Part # A-BV77FM Part # A-BA107MF Part # A-BQ7M Part # A-BQ7F Part # HN075W

Precision[™] Rainbow[™] Nozzle Kit Precision[™] Rainmaker[™] Nozzle Kit Precision[™] Cloudburst[™] Nozzle Kit Precision[™] Cyclone[™] Nozzle Kit



High-Flow 3/4" Valve - Brass High-Flow 3/4" Valve - Composite/Steel Part # A-BA107FM 1" FHT x 3/4" MHT Brass Hose Adapter 1" MHT x 3/4" FHT Brass Hose Adapter 3/4" Quick-Connect, male end 3/4" Quick-Connect, female end replacement washer, 3/4" hose

NEW! DrainBlaster™

HIGH PRESSURE DRAIN CLEANING NOZZLE

This unique hose-end, high pressure nozzle guides itself in cleaning out drains, to remove debris with ease. Special feature includes a wire attachment connector for using wire locator to determine drain route.

features

- Front jet cuts through blockage
- Rear jets propel nozzle upline
- Two stage flushing action
- Minimum water pressure: 70 PSI
- Heat treated grade 303 stainless steel for long life



Great for cleaning under sidewalks or cart paths



Ideal for 4"-6" drains and catch basins



Wire attachment connector for mapping drain location under greens, bunkers and other locations using a wire locater.

NEW! RainPro[™]

SOLID METAL SHOWER NOZZLE

A truly revolutionary shower nozzle for soaking turf or other landscapes... featuring an exclusive solid brass nozzle plate for outstanding pattern and special rubber bumper for nozzle protection.

features

- Ultra durable construction withstands any abuse
- · Beautiful, consistent and uniform spray pattern
- · Materials: zinc alloy, brass and TPR rubber
- Flow: 40 GPM @ 80psi (built for 1" and ¾" hose flow rates)
- · Nozzle assembly unscrews for easy cleaning





Excellent for golf greens or other turf and landscape applications

RainPro[™] nozzle pictured with 1" brass adapter and ¾" high-flow valve (sold separately on Page 4) Tough TPR rubber bumper protects nozzle

ordering

Part # DN-75	DrainBlaster [™] Drain Cleaner Nozzle – ¾" FHT Inlet
Part # DN-10	DrainBlaster [™] Drain Cleaner Nozzle – 1" FHT Inlet
Part # SHN-75	RainPro [™] Shower Nozzle – ¾" FHT Inlet
Part # SHN-10	RainPro [™] Shower Nozzle -1 " FHT Inlet

866-863-3744 • www.underhill.us

Underhill

5

PelletPro

APPLICATOR GUN FOR SOLID WETTING AGENT TABLETS

Our heavy-duty surfactant applicator, high-flow valve and Precision[™] Cloudburst[™] nozzle combo comprises the finest wetting agent gun available. PelletPro[™] accepts all wetting agent tablets and provides a high volume, vet soft spray for watering or applying surfactants to tight, hydrophobic soils.

features

- 35+ GPM to get the job done faster!
- Ultra Heavy-Duty construction: brass fittings, aircraft aluminum, stainless steel, precision engineered glass
- Pellet rotation (1 RPS) evenly dissolves/applies tablets
- Patented Cloudburst[™] nozzle delivers large droplets in an outstanding fan pattern

IN-LINE APPLICATOR OPTION

Connect directly to a water source (quick coupler, HoseTap, etc.) to get the benefits of PelletPro with less handheld weight.

Two products in 1!

PelletPro and LiquidPro's Precision" Cloudburst[™] nozzle and high-flow valve quickly assemble to create a powerful, 35+ GPM syringe nozzle



UCATION GUI

RHILL US

PelletPro[™] rotates

pellets at one revolution per second (RPS) to

evenly dissolve/apply

wetting agent

PelletPro's bowl works great as an in-line filter replacement for most spray rigs. Heavy-duty, transparent bowl shows fluid levels, won't crack during winter storage.

LiquidPro[™]

APPLICATOR GUN FOR LIQUID WETTING AGENT

LiquidPro's chemical-resistant, UV-protected, lightweight siphon/mixing system can cover 1000 square feet in less than a minute! With unmatched speed and uniformity, you can virtually "paint" your turf with liquid wetting agent, fertilizers, and micronutrients. Adjustable metering dial offers 10 additive settings including "Water Only."

Gasket

With the included 1" FHT x 3/4" MHT brass adapter, PelletPro[™] and LiquidPro[™] work with both 3⁄4" and 1" hoses.

ordering

Part # A-PPWA50K Part # A-PPQ-075 Part # A-PPQ-100 Part # A-PPB Part # A-PPBG Part # A-LPWA50K Part # A-LPWAB-6

PelletPro[™] Applicator Gun (with 1" FHT x ¾" MHT adapter) Part # A-PPWA50K-E PelletPro[™] Applicator Gun (with ¾" quick-connect adapter) PelletPro[™] In-line Applicator: ¾" FHT inlet, ¾" MHT outlet PelletPro[™] In-line Applicator: 1" FHT inlet, 1" MHT outlet In-line Filter Bowl

LiquidPro[™] Applicator Gun (with 1" FHT x ¾" MHT adapter) Part # A-LPWA50K-E LiquidPro[™] Applicator Gun (with ¾" quick-connect adapter) 6-Pack of 32 oz. Polybottles and Carrier -



MADE IN



NEW! ProLocker[™]

THE MOST POPULAR ASSORTMENT ALL IN ONE COMPLETE KIT

Keep all of your Underhill[®] professional watering tools secure and safe in this handy kit. ProLocker attaches easily to any utility vehicle for easy access. Case is ultra-durable, made of high-strength composite material and is lockable.

kit includes

- Entire Precision[™] nozzle series and brass high-flow valve
- CoolPro[™] fogging nozzle
- Magnum[™] UltraMax nozzle
- PelletPro[™] wetting agent applicator
- SuperKey XL[™] golf sprinkler multi-tool
- Gulp™ UltraMax syringe pump
- Gulp[™] UltraMax pump
- TurfSpy[™] stress detection glasses
- HeadChecker[™] nozzle discharge pressure gauge, flex hose and pitot tube



NozzleLocker[™]

THE VERY BEST NOZZLES - KEEP THEM SECURE (and handy)

kit includes

- Entire Precision[™] nozzle series (Rainbow[™], Rainmaker[™], Cloudburst[™] and Cyclone[™])
- Solid Brass High-Flow Valve
- CoolPro[™] with Precision[™] fogging nozzle
- Your choice of MAGNUM[™] multi-pattern nozzle (original, UltraMAX Turbo Shift, or UltraMAX Full Throttle)
- Unbreakable, lockable, corrosion-proof case to keep these tools safe and secure

STOP LOSING Your Nozzles!

ordering

Part # PL-K2	ProLocker [™] with ¾" Magnum UltraMAX Full Throttle nozzle
Part # PL-K3	ProLocker [™] with ¾" Magnum UltraMAX Turbo Shift nozzle
Part # PL-K4	ProLocker [™] with 1" Magnum UltraMAX Full Throttle nozzle
Part # PL-K5	ProLocker [™] with 1" Magnum UltraMAX Turbo Shift nozzle
Part # HP-K1	NozzleLocker [™] with ¾" Magnum (yellow) nozzle
Part # HP-K2	NozzleLocker [™] with ¾" Magnum UltraMAX Full Throttle nozzle
Part # HP-K3	NozzleLocker [™] with ¾" Magnum UltraMAX Turbo Shift nozzle
Part # HP-K4	NozzleLocker [™] with 1" Magnum UltraMAX Full Throttle nozzle
Part # HP-K5	NozzleLocker™ with 1" Magnum UltraMAX Turbo Shift nozzle

Underhill

Quick Coupler Valves & Keys

SOLID BRASS, SINGLE SLOT/LUG ESSENTIALS

Built to last, Underhill[®] valves and keys are constructed of solid red brass and stainless steel. Valves incorporate rugged one-piece design.



Key: Part # QK-075 (¾" MPT x ½" FPT outlet) Valve: Part # QV-100R (1" FPT inlet) Key: Part # QK-100 (1" MPT x ¾" FPT outlet) Valve: Part # QV-150R (1½" FPT inlet)

Key: Part # QK-150 (1½" MPT x 1¼" FPT outlet)

hose swivels

 Part # HS-075
 ¾" FPT x ¾" MHT outlet

 Part # HS-100
 1" FPT x ¾" MHT outlet

 Part # HS-101
 1" FPT x 1" MHT outlet

 Part # HS-151
 1½" FPT x 1" MHT outlet



The Claw[™]


QUICK COUPLER MOTION RESTRAINT

When quick coupler valves become unscrewed from swing joints, it's more than just a hassle - it can be dangerous. The Claw[™], new from Underhill[®], offers a simple solution. Embedded in the soil below the quick coupler, and then securely attached to its base, The Claw provides significant resistance to rotational, vertical and horizontal motion, preventing the valve from moving. Made from high strength ductile iron, this compact anchor attaches easily with a single steel bolt.

ordering

Part # QCA-075100The Claw™ for ¾" and 1" valvesPart # QCA-150The Claw™ for 1½" valves

EASY RETROFIT! Installs without removing valve or valve box!



Products that work...smart.™

The Claw[™] pictured with 1" quick coupler, key and hose swivel.

Impact Sprinklers

3/1"

SOLID BRASS, ULTRA-RELIABLE WORKHORSES

For reliable, trouble-free, high-performance year after year, you just can't beat our brass impact sprinklers. Available in full circle and full/part circle, in inlet sizes of ¾", 1" and 1¼".

features

- Solid brass construction
- Stainless steel drive spring
- · Bearing assembly hood for longer wear life
- Chemical resistant bearing seals
- Solid brass nozzle

Spacing: 40-60 ft.

Flow: 5-15 GPM

1 7

orde	ring		GPM	Radius (ft.)
Part # SI	075F 3	4" MPT Full Circle	13	57
Part # SI	075P	4" MPT Part/Full Circle	11	48
Part # SI	100F 1	L" MPT Full Circle	23	71
Part # SI	100P 1	l" MPT Part/Full Circle	23	71
Part # SI	125F 1	1¼" MPT Full Circle	51	96
Part # SI	125P	1¼" MPT Part/Full Circle	54	78

Performance data shown at 80 psi. GPM and radius will vary with pressure at sprinkler

Underhil® brass impacts atop the RollerPro™ portable base puts a powerful sprinkler anywhere you can run a hose: (See page 12.)

Flow: 15-45 GPM Spacing: 50-80 ft.

11/4'

Flow: 25-120 GPM Spacing: 75-110 ft.

HoseTap™

SOLID METAL HOSE ADAPTER

HoseTap[™] gives you a hose connection anywhere you have a Toro[®] or Rain Bird[®] electric, valve-in-head sprinkler... a fast connection when quick-couplers or hose bibs are not available. Includes aircraft aluminum body (won't break or wear out like plastic) anodized with sprinkler manufacturer color, o-ring, riser, 1" brass swivel and ¾" adapter. Also available without brass swivel/adapter.





 Part # HN-T100S
 HoseTap[™] for Toro[®] 1" inlet golf sprinklers

 Part # HN-T150S
 HoseTap[™] for Toro[®] 1½" inlet golf sprinklers

 Part # HN-R125S
 HoseTap[™] for Rain Bird[®] Eagle 700 Series sprinklers

 NEW!
 Part # HN-R150S
 HoseTap[™] for Rain Bird[®] Eagle 900 Series sprinklers

 Includes 1" brass swivel and ¾" adapter. Add "B" for BSP thread.
 To order without brass swivel: Remove "S" from part number.

REPLACEMENT O-RINGS

Part # OR-100	Fits Toro® 1" inlet and Rain Bird® Eagle 700 Series golf sprinklers / HoseTap
Part # 0R-150	Fits Toro® 1½" inlet golf sprinklers / HoseTap
Part # OR-150R	Fits Rain Bird® 1½" inlet golf sprinklers / HoseTap





9

Serious about saving water?

Profile[™]



SOLID METAL GOLF SPRINKLER NOZZLES


Upgrade your sprinklers with Profile[™], the ultra-high uniformity, water conserving, solid metal nozzles from Underhill[®]. You will see improved results immediately, save millions of gallons of water every year and improve the playability of your course at the same time...guaranteed.





Golf Sprinkler with OEM Nozzles

Use less water, less energy and less manpower and get better course playability.



Logan Spurlock Superintendent, Sherwood Country Club

"The real power is knowing that retrofitting sprinklers with Profile nozzles can be phased in to work within a course's operating budget."

Kurt Thompson

K. Thompson and Associates, Irrigation Consultant and Trainer Huntersville, North Carolina and Pace, Florida August 14: Profile nozzles installed in problem area.

"It was like putting in a new irrigation system. I became a believer overnight."

Mike Huck

Irrigation & Turfgrass Services Former USGA Staff Agronomist Former Superintendent, Murrieta Hot Springs Resort

"The Profile retrofit program has also extended the life of our Toro system while improving course appearance and playability."

Dennis Eichner Assistant Superintendent, Silverado Resort - Napa, California See how Superintendents are upgrading their entire golf courses! Video online now at www.underhill.us

September 6:

Uniform distribution restored, turf is green and healthy.

