


**Keep fairways in
prime condition -**

**AERATE
SLICE
RENOVATE**

**with the
RYAN**

RENOVAIRE



The tractor drawn Renovaire features Ryan's exclusive true contour design which allows each wheel pair (6 pairs in all for a 6-foot swath) to follow the "lie of the land". True contour aerating gives equal tine penetration to the high spots and the low spots to relieve compaction

... to hold moisture evenly and reduce erosion . . . to help moisture, air, and fertilizer go deep into the root zone for healthy growth. To improve your fairways, plan a continuous aerating program. Follow spring coring with regular slicing every 2 to 3 weeks into fall, when you core again or renovate before grass goes into its dormant period. If your tractor has a 3-point hydraulic hitch, ask for literature on the Ryan Tracaire.



◀ See how Ryan units team up to do more jobs: improve those trouble spots on fairways with the self-propelled Ryan Mataway. It controls thatch, thins sod-bound grasses, aerates soggy turf—and is also invaluable for regular greens maintenance use. See your Ryan distributor or write:



Manufacturers of **WORLD FAMOUS** turf equipment

EQUIPMENT COMPANY

2055 WHITE BEAR AVE., ST. PAUL, MINN., 55109

AERATORS, RENOVATORS, VERTICAL MOWERS, SPREADERS, ROLLERS, AND SOD CUTTERS

For more information circle number 236 on card

"WIZARD OF THE CLUBS" PAUL HAHN PREFERS THE MAGIC OF DiFINI!

You can teach an old pro new tricks! Golf showman Paul Hahn learned fast that DiFin's action-cut shirts, slacks, shorts and sweaters deliver all the comfort and freedom he needs to keep him at his spellbinding, crowd-pleasing best!

For her—new course sorcery in color-keyed coordinates! And the wardrobe witchery of DiFin shorts, skirts, slacks, culottes, golf shirts and sweaters.

The choice of the pro — and those in the know! At better professional shops everywhere.

Shirts, sweaters and knits by
DiFin Knitwear, Ltd.

Slacks and shorts by
DiFin Originals, Inc.



For more information circle number 214 on card

PICKING ON PGA

Continued from page 70

The facts are clear that Corcoran played a major role in building tournament golf into the success it has become. He has a broad background in the game and it is our feeling that while he is not employed as an overall public relations man we feel that his ideas and advice will be of vast help in working for the PGA organization. He will not move into the tournament picture but his role is to provide better communication between the PGA as a whole, the home club professional, the touring professional, and the public at large.

Personally I am tired of hearing the parent PGA organization branded as a group of do-nothings and free loaders. Forgive self presentation, but I have been a sectional and national officer of the PGA for over 12 years. I am one of those waspishly referred to as "golf teachers" and yet I feel that we "golf teachers" too are doing a solid, earnest job for the game of golf. No one should forget that the home club professional is the backbone of golf in America. He stimulates and encourages people to play the game at the grass roots level. He conducts clinics and junior classes, and organizes industrial leagues. He has had an important role in the great growth of the game.

I must hold, also, that the parent PGA has been intelligently progressive. One of our latest steps was to start a players' school to qualify Tour hopefuls so that tournament golf will not be cluttered with hopelessly inept players. We have five business schools and are about to embark on home study courses which will teach management, agronomy, rules teaching methods, merchandising, how to operate a successful pro shop and other allied factors designed to elevate the entire profession.

Our sole desire is to help this great game reach ever greater peaks and to weld the professionals—tournament player and home pro alike—into a solid organization in which all pull together shoulder to shoulder. One of the best weapons, as I see it, is open and honest discussion which will wipe out the undercover sniping. •



Dunlop sells
more golf balls
than any other
company in the world.



DUNLOP

...*Everywhere in the worlds of golf, tennis, and tires*

500 Fifth Ave., New York, N. Y. 10036

Draining the turfgrass areas

Soil texture, structure and topography can be just as troublesome as climate.

By ROY GOSS

Normally, we think that the prevailing climate is the chief cause of drainage problems in our local areas. This is only one part of the problem, when we consider the equally important factor of soil characteristics.

When we think of soils, we should consider such things as texture, that is, are the soils heavy or light, clayey or sandy? Another important point, is the structure. Are these soils well aggregated or do they have no structure? Are they puddled and compacted, so that water will have a difficult time of entering and percolating through? Topography, of course, is always a must to consider in the problem of drainage. The problem of topography is one that quite often we cannot change, but we must follow the contours of the land.

The chemical properties of the soil are reasonably important in any drainage problem. In the arid sections of the United States, it is not uncommon to find soils with high amounts of sodium or potassium carbonates. These high percentages will bring about a loss in soil structure, thereby causing severe drainage problems if the condition is not relieved.

Mechanical effects on the soil are most important, especially in the surface few inches. Heavy equipment working on these areas will cause compaction down to a few inches and will render drainage tiles, that have been previously placed, in a useless condition. Soils that are worked in wet conditions lose their structure, and hence will compact and will not allow good drainage.

Benefits of Proper Drainage

Many benefits are evident from proper drainage, and a few of those can be outlined as follows:

1. It deepens the effective profile for root penetration.

2. It conserves the soil since more water will percolate through the soil and less will run off.

3. It lengthens the season that the area can be used, that is, areas can be used earlier in the spring.

4. It raises the soil temperature. Dry soil is much warmer than wet soil. Due to the latent heat of water, it actually takes five times as much heat to raise water one degree as it does to raise an equal volume of soil one degree.

5. It permits uniform use of the area. Mowing around these wet spots on turf areas is a nuisance, as well as the fact that problems arise because this grass gets too long before the areas dry up so it can be mowed.

Where is Drainage Needed?

Actually, there are only about three general areas where drainage is required and they are as follows:

1. Where water stands for more than 24 hours after heavy rainfall.

2. Where high water tables exist at all times, or during certain seasons.

3. Where clay subsoils exist.

The exception to the rules above would be on such specialized areas as putting greens, where rapid drainage would be necessary and would not hold true to the 24 hour factor as listed above. In this case, we are limited by the type of soils that we have, which again points out that the sandiest soils would be preferable for putting green construction in the wetter areas.

Planning the Drainage System

It is needless to say, that the main line is used only for carrying water from the source of pick-up to the source of exit.


Continued on page 76

Save your horse, Paul...AZAK® was used!

Apply Azak® pre-emergence herbicide to established turf while crabgrass seeds still are sleeping, and not even Paul Revere could arouse them. Azak penetrates the seeds when germination begins, and stops initial growth. Nonleaching, one application lasts through the germination period.

Azak is economical. A 12.5-lb. bag of wettable powder covers one acre, or 43,560 sq. ft. Azak is safe for established lawn and other ornamental turf. And, Azak is low in toxicity to warm-blooded animals and is practically odorless.

Produced as an 80% wettable powder (Azak 80-WP), it can be sprayed in conventional equipment. Azak is formulated as a granular product for use in mechanical spreaders. It is also combined with other pesticides and fertilizers for multi-purpose products.



AND USE NITROFORM® TO FEED TURF

Nitroform® slow-release ureaform feeds turf and solves storage problems, too. Unlike low-analysis organic fertilizers, Nitroform contains 38% nitrogen. Stored in the soil, it doesn't leach away, but goes to work when turf and plants need nourishment. Nitroform is available as granular Blue Chip® for conventional spreading, and as Powder Blue* for spray application. And, it won't burn when applied as recommended.



HERCULES TURF AND HORTICULTURAL PRODUCTS

FOR FURTHER INFORMATION WRITE: AGRICULTURAL CHEMICALS, SYNTHETICS DEPT., HERCULES POWDER COMPANY, WILMINGTON, DEL. 19899, OR CONTACT THESE SALES OFFICES: BOSTON, MASSACHUSETTS • BROWNSVILLE, TEXAS • CHICAGO (OAK BROOK), ILLINOIS • DALLAS, TEXAS • FRESNO, CALIFORNIA • GREENVILLE, MISSISSIPPI • LOUISIANA, MISSOURI • MONTGOMERY, ALABAMA • ORLANDO, FLORIDA • PHOENIX, ARIZONA • RALEIGH, NORTH CAROLINA • SAN FRANCISCO, CALIFORNIA • VANCOUVER, WASHINGTON,

© HERCULES TRADEMARK

5TH66-1

For more information circle number 112 on card



McLAUGHLIN

Range, Miniature, Pro Shop Golf Balls

Made of finest materials, carefully supervised. Covers contain the new DUPONT NEOPRENE HC for maximum durability. Finest URETHANE enamel used.

WANT TO SAVE ON RANGE BALLS?

Have your culls rebuilt the McLAUGHLIN way. Exclusive process gives them same durability as new range balls. Covers and paint the same as our new range balls.

Range and miniature supplies and equipment. Send for catalog. Used balls bought, sold and exchanged.

Free samples of balls
on request.

YOU CAN PAY MORE —
BUT YOU CAN'T BUY BETTER!

HUGH J. McLAUGHLIN & SON, Inc.
614 N. Indiana Avenue, Crown Point, Indiana

For more information circle number 166 on card

DRAINING

Continued from page 74

The mains, of course should be as straight as possible, and where curves are necessary, make them as gentle and gradual as possible. Also, avoid grades that are too flat and those that are too steep. And, of course, perhaps the most important factor, is to use adequate pipe size. The laterals are the actual working mechanism of any drainage system; they are the lines that regulate the water table, even though the mains do intercept and carry away some drainage water on their own. The lateral pattern is regulated by topography and soil type, for the most part.


There are a number of lateral systems that can be used in drainage work for turf areas, but the natural or random system, is probably the one most used by turf people, since it is most adaptable to sloping and rolling terrain. For some of the more specialized areas, a herringbone system or the gridiron system, is the one that would be most logical to use.

Design of the System

Depth and spacing of laterals are governed by the characteristics of the soil and whether it is on fairway, which would represent all lawn type turf, or on putting greens. Since deeper mats of grass are encountered on the lawn type turf, and they do not usually become soft and soggy as on putting greens, the depth in spacing of laterals can be increased over that on putting greens. On lawn type turf, such as fairways, the laterals should not be any more than 40 to 50 feet apart for good drainage. In putting greens the spacing of laterals should not be any greater than 10 to 15 feet apart, if maximum drainage is desired.

The depth of placement of laterals on lawn type turf grass should be only deep enough to allow maximum penetration and development of the root system. The tiles should also be deep enough to avoid damage from freezing and heavy equipment. The optimum placement for tile in turf areas, as indicated above, is approximately 16 inches to 2 feet deep. On putting greens, where the immediate surface is the one that takes the greatest beating from play,

Continued on page 80



**"One application of TURF-CIDE
controls insect
problems on greens and tees.
It has residual
build up in soil for
long lasting protection!"**

— Ed Godwin

Superintendent, Country Club of Birmingham



NATIONAL CHEMSEARCH

Just like Ed Godwin... every year more and more of the country's leading golf club superintendents are discovering that National Chemsearch is the leading supplier of chemicals specially formulated and prepared to keep golf courses in championship form.

Ed Godwin uses and recommends **TURF KING**, the fast working, liquid fertilizer with Deepenol 60 for deeper penetration. **FERATE** — liquid iron chelate for quick greening power, excellent for before-tournament applications to grass and turf. **C-A-D** — Fungicide, eliminates Snow-Mold, Copper Spot and Dollar Spot... long-lasting and powerful. **TURF TONIC** — helps promote healthier, denser turf. Contains Deepenol 60 for more effective penetration. **DEEP KILL** — eliminates weed problems faster because of special deep-killing action. Ideal for controlling Crab Grass, Chick Weed, Clover and Ground Ivy. **CHEM-ESTER 123** — the all-purpose weed killer specially designed for use on golf courses... effective on all kinds of turf.

All National Chemsearch turf products are in compatible liquid form... can be mixed with each other to make both an economical and powerful combination spray. Chemsearch turf products save time and money.

Looking for an answer to your golf course maintenance problems or... other maintenance problems... call or write National Chemsearch and one of our highly trained representatives will help you find that answer. We have the experience... we've been solving maintenance problems, through research, since 1919.



Ed Godwin

**NATIONAL
CHEMSEARCH
CORPORATION**

P. O. Box 10087 • Dallas, Texas 75207
Dallas • St. Louis • New York
Los Angeles • Toronto

Maintenance?
You'll probably want to wash
your '66 Allis-Chalmers Golf Cars
once in a while!



Suddenly Allis-Chalmers took the headaches out of golf cars

Golf courses are for playing golf and the one thing a club doesn't want is a car that leaves a man on the fifteenth hole or requires elaborate maintenance.

Allis-Chalmers went to work to build cars that would perform round after round for many seasons. They had to meet the reliability and ruggedness standards set by Allis-Chalmers construction machinery, lift trucks and other industrial equipment that must stand up to heavy use.

They are here now. The new 1966 gasoline and electric powered Allis-

Chalmers Golf Cars. They have the reliability, plus the maneuverability and comfort you have been looking for.

Their sleek styling will be an asset to your club. You'll be so proud of them, you'll want to keep them washed. And your club will like doing business with Allis-Chalmers. If, by chance, you should need parts or service, Allis-Chalmers maintains service facilities all across the country. Your club can choose a leasing or financing plan that is suited to your needs. Find out more. Send in the coupon below now.




Comfort all the way. Wide balloon-type tires, spring cushioned, individually contoured seats. Coil springs and shock absorbers smooth out the roughest terrain.



Up the steep hills. The low center of gravity assures stable operation. Tiller bar or steering wheel gives effortless handling. Brake pedal has a catch lock for parking.



Sleek Fiberglass body. Nothing to snag clothes. Walk-through cockpit with no obstruction makes it easy to get in and out. Body is completely rustproof.



Easy access. Body tilts back, making entire interior visible. Handy built-in battery charger optional on electric models. Plugs into any 115-volt AC outlet for overnight charging.



SEND FOR NEW, FULL COLOR BROCHURE
ALLIS-CHALMERS SPORTS PRODUCTS
Milwaukee, Wisconsin 53201
Please send me your new brochure showing all the '66 golf cars.

Name

Golf Club

Address

City State Zip



1966 Allis-Chalmers Golf Cars available in gas or electric models.

Master COMBINATION PADLOCKS

For Locker Room Security!



MASTER NO. 1525
KEY CONTROLLED

Each padlock has its own combination, yet you control key opens every one! Ideal for use in humid locker rooms — cadmium rustproofing and stainless steel case. Low initial cost . . . no installation expense . . . long-lasting, trouble free service.



No. 1500
without
key control



Master

NO. 1630

BUILT-IN
COMBINATION
LOCK FOR
LOCKER
PROTECTION

WRITE FOR FREE CATALOG

Master Lock Company, Milwaukee 45, Wis.
World's Largest Padlock Manufacturers

For more information circle number 117 on card

DRAINING

Continued from page 76

compaction, and wetness, and also since the grass roots are extremely shallow on most putting greens, then the immediate surface is the most important to consider when laying drainage tile. These tiles should not be laid to any depth greater than 16 to 18 inches in the putting green, and unless the soil is extremely sandy, the drains should not be laid any deeper than 12 to 14 inches.

Tile Size and Slope

It is recommended that for most drainage conditions no tile smaller than 4 inches be used under any circumstances, and 5 inch tile as a minimum is generally better. The reason for this arbitrary lower limit on size is that 5 inch tile carries nearly twice as much water as 4 inch on the same grade or slope and is much more likely to become silted or clogged. In fact, because of its additional capacity, it can lose some capacity by silting and still serve the area for which it was laid. The amount of area that the tile must serve is the primary factor that governs the size used.

One bit of information that may save some of you a lot of money, is to consider that the farther the tile line extends from the outlet, the smaller the size can become due to less area of service. At the head of the watershed, the tile may be no larger than the laterals themselves, since only a small area is being serviced.

The fall, slope, or gradient of the tile line is also an important factor. The greater the fall, the smaller the tile may be to carry the water from any given area. It is possible to have too much fall just as it is possible to have too little. Too much fall tends toward extremely high velocities, which are often responsible for causing blow holes and for washing out entire lines of tile.

Another important factor is how fast the water must be carried away. It has been generally agreed that tile drainage systems must be capable of disposing of from $\frac{1}{4}$ to $\frac{1}{2}$ inch of percolated rainfall in 24 hours. All figures estimated on the $\frac{1}{2}$ drainage co-efficient are generally safe for any locality that is encountered. A simple formula for determining the

Continued on page 82