

ASK THE EXPERTS

Continued from page 60

from a list of 25 of our latest installations on existing courses: complete new main lines on 15 courses; no new main lines on seven courses, and partial new mains on three courses. Our experience has indicated that each golf course has its own characteristics, due to so many variables, so that one course cannot be compared to another, so my answer to the above is neither yes nor no.

(Automatic Irrigation Company)

Question: Will greens have to be rebuilt or re-designed to take care of the extra water?

Answer: We are surprised to realize that "extra water" seems to be associated with automatic irrigation in the minds of many. It is our opinion that a truly automatic system should be capable of delivering water according to the actual soil and turf needs, thus avoiding the possibility of over irrigating. If we are correct in our opinion, automatic irrigation should be just the opposite of a system which would deliver "extra water."

(Delmhorst Instrument Company)

Answer: I do not understand what is meant by "extra water." Watering greens is at the command of the golf superintendent. In all of our designs, all sprinkler heads around the greens can be programmed to come on, all at once, or any one individual sprinkler head can operate without the others, or any combination thereof. This programming is provided for from a central controller, usually installed at the maintenance building and sometimes installed on the wall of the golf superintendent's office. Therefore, greens do not have to be rebuilt. If the greens already have bad drainage, then the condition should improve because of better control of the watering.

(Automatic Irrigation Company)

Continued on page 62



Betasan[®] lets your turf grow free

Selective Herbicide

Your turf grows free all season from unwanted grasses and weeds that compete with the beauty of your landscape.

Free from weed competition for soil moisture, plant food and room for your grass to grow healthy and plush.

Now, treat greens, tees, fairways and other turf with Betasan selective herbicide . . . to stop crabgrass and goosegrass . . . prevent *Poa annua* from developing into a problem. Betasan also controls broadleaves, such as henbit and shepherdspurse.

Betasan liquid or granules stop unwanted weed growth in bentgrass, bluegrass, fescue, Bermudagrass, dichondra and more than 35 ornamentals. Betasan interferes with sprouting weed seed . . . controls them before they get a growing start.

Betasan gives effective, economical and long-lasting grass and weed control in established turf, including dichondra . . . leaves no tell-tale burn often resulting from weed control treatment.

This year, use Betasan . . . produce better turf and grass that's free from unsightly weed growth. See your distributor today for Betasan.

For best results, use Betasan correctly by following label directions carefully. Stauffer Chemical Company, Agricultural Chemical Division, Dept. HD, 299 Park Avenue, New York, NY 10017.



Betasan from

For more information circle number 269 on card

ASK THE EXPERTS

Continued from page 61

Question: Will an automatic system help prevent excessive overlap on greens? Will there be trouble with too much water on the greens when aprons and approaches get enough? How does this compare with a manual irrigation system?

Answer: An automatic system will help prevent excessive overlap on golf greens because the water is only placed where wanted and in the amounts required. In a well-engineered system, there is absolute control over each sprinkler head on each green, and water application rates are computed and converted to running time. Prevailing winds are a major factor and are used advantageously. In case the soil moisture absorption rate changes or is altered, the system can easily be altered to change its application rate.

The well-designed sprinkler

system will "plan in" possible trouble spots and will design part circle sprinklers back to back around some high-crowned greens and each sprinkler will be controlled separately with alterations or program changes a simple spelled out instruction on the plan.

When one has a manual or quick coupling sprinkler system, one is more or less locked in as to the number of sprinklers that can operate in a given area at a given time. Human error is also locked in.

The complete versatility of a well-engineered automatic sprinkler system eliminates the guesswork from irrigation as well as saves water and pumping costs.

(Aqua-Dial)

Question: Can the system be set at 4 p.m. to go on at 1 a.m., allowing the superintendent to sleep without worrying that something may go wrong? Also, must one man continuously make the rounds

checking on the operation? If so, does the automatic system really save labor costs?

Answer: We contacted two outstanding golf course superintendents. Jack Smith has operated an automatic irrigation system for over 10 years. He says a definite yes to the first question; no to the second. Manual Francis of the Belmont CC has watched automatic irrigation to make sure that all the bugs were out of it. He states a yes to the first question, providing the equipment used and the installers were reliable. He stated that the system he has installed at Belmont does not require constant attention and is completely reliable. Both men not only save on labor costs, but find that they do a better job of irrigating with an automatic system.

(Larchmont Engineering and Irrigation Company)

Question: To what extent should the golf course superintendent be made responsible for installation?

Answer: Every golf club should ask themselves this question when they first consider the purchase of an automatic irrigation system. Automatic systems can be installed in many ways.

1) A number of automatic golf course irrigation systems are being installed by clubs, with supervision provided from their suppliers. This can be more easily accomplished if the superintendent feels comfortable with the technical involvement of an automatic system. The superintendent should be involved during the planning and design stage to familiarize himself with the products applied to the system if he plans to supervise the installation. In either event, he should be given a certain amount of freedom from his other duties during installation of the system or put someone in charge of supervising the installation. Installation is a full-time job and requires close attention by the supervisor.

2) An agreement can be worked out with a contractor or supplier

Continued on page 64

Vandal proof!



Super Secur Factory Fabricated Comfort Stations solve vandalism, maintenance and construction problems. Constructed of durable treated steel with unbreakable cast aluminum fixtures.


Truly rugged, Vandal-Proof, Maintenance-Free buildings for use on golf courses, in parks, playgrounds, etc.

Many size and style comfort stations, concession stands, and storage buildings. Factory fabricated for fast, economical installation.

SUPER SECUR COMFORT STATIONS 778 Burlway Road • Burlingame, California 94010

For more information circle number 233 on card

This 25-year-old stunt is brought to you by a 25-year-old lawnmower.



In 1945, trimming neatly around the edge of a hat without touching the hat was a nifty stunt.

And it still is; nobody since has matched the precision of the Locke reel mower.

Or its longevity. The mower you see here has been in constant use at a California high school for 25 years. And we've made quite a few minor improvements since then, so the ones we sell today will do better.

Since we weren't redesigning our mower over again every year, we've found time to design a handy gadget called the Locke Mowing Time Computer. You can use it to figure mowing time for any lawn, using any lawnmower.

Send us the coupon and we'll send you one, along with information that tells why the Locke Mower does such a good job for golf courses.

Please send me the Locke Mowing Time Computer, and information on the Locke Mower. I enclose 25¢ for postage and handling.

Name _____

Address _____

City _____ State _____ Zip _____

Locke Division
Stellar Industries, Inc.
1085 Connecticut Avenue
Bridgeport, Connecticut 06607

G-B



The one that lasts

For more information circle number 218 on card

ASK THE EXPERTS

Continued from page 62

whereby the golf club will assist in part of the installation. That is, the club will contract to automate the pump house and install the the control system. (Or supply the machinery to trench or direct feed the wire or tubing.) On a conversion system, for example, the golf club then supplies the labor to install the swing joints and sprinklers, re-sod where necessary, and so forth. There should be a clear understanding between the golf club and the contractor or supplier of their mutual responsibilities.

3) Building block concept. If the golf club does not have sufficient capital to install a complete system, partial systems can be installed over a period of two or three years depending upon the amount of capital available. In so

doing, it's important to proceed in a manner that will produce a completely integrated system upon completion. That is, each step along the way should be part of a master plan that takes into account the complete system. A typical procedure would be to first automate the pump house, second, automate nine greens, third, automate the other nine greens, and fourth, automate a portion of the fairways.

4) Turn key installation. If sufficient capital is available to invest in a complete system, installed by a contractor, it will provide the most immediate benefit to the club and superintendent with a minimum disturbance to the course. It also assures the club of a custom installation by a professional. Since the superintendent will be using and maintaining the system, it's important that he become completely familiar with its operation. He should receive a thorough

briefing from the contractor in all phases of its operation after the system is installed.

The superintendent should work closely with the irrigation design specialist during the initial planning stages. He can supply important information necessary in order to arrive at a design that will fit his local watering requirements. For example, time available to water and the areas on the course that require special attention because of peculiar soil or climate conditions and existing local conditions.

After these factors are applied to the design, the superintendent should be involved in the programming of the system since he is responsible for the overall quality of the turf. Careful programming will assure the highest quality turf possible.

(Toro Mfg. Corp.)

Continued on page 67

Windsor “plays” better

This improved variety of Kentucky bluegrass feels like velvet — but with resiliency. The ball sits on it invitingly. It forms dense turf that repairs itself rapidly. It can be cut safely to any height. Needs no pampering. Not surprisingly, it is being planted on more and more courses, coast to coast. For technical information write Scotts, Golf Course Div, Marysville, Ohio 43040.

For more information circle number 230 on card

America's foremost sports turf fertilizer . . .

MILORGANITE

*Builds
stronger
healthier
turf*



For more than 40 years, Milorganite has been used by golf courses, athletic fields, parks, cemeteries, and home lawns to produce and maintain outstanding turf.

- Milorganite scores better than chemical fertilizers in experiment station tests.
- Milorganite is the best long-lasting fertilizer.
- Milorganite cannot burn, and is easy to apply because, unlike chemical fertilizers, Milorganite's bulk assures proper coverage.
- Milorganite is granular and dust free.
- Milorganite-fed turf needs less water and holds its color longer.

MILORGANITE

Golf courses use more MILORGANITE than any other fertilizer

THE SEWERAGE COMMISSION P.O. BOX 2079 • MILWAUKEE, WISCONSIN 53201

For more information circle number 191 on card

RED RIDER...



First in the 70's!

**with new ideas for
turf utility equipment**

NEW...an even better Red Rider!

More driver comfort . . . ten new features. New drive chain take-up for longer chain life. Most reliable, most dependable work cart in the country. First in the 70's!

NEW...Red Rider's Spray-Mate!

An all-new, low volume sprayer for greens, tees, trees. Spray-Mate is a self-contained, 4-wheel, piggy back sprayer that needs only *one* man to load and operate. Fifteen-foot boom and fifty-foot hose with nozzle included. Has 65-gallon fiber-glas tank, pump that generates 500 psi.



NEW...“Big Red” – an even bigger Red Rider!

Extra-wide Red Rider carries more men and equipment to more places with fewer trips. BIG RED easily handles the widest aerator or three greensmowers on its 56" broad deck. It's the *biggest* machine and *biggest* bargain on the fairways. BIG RED costs only slightly more than our regular RED RIDER.

All Red Rider utility equipment is designed, engineered and manufactured solely for golf courses and other large turf areas.

**ANOTHER REASON WHY YOU
CAN BE “FIRST IN THE 70's,”
WHEN YOU GO WITH SMITHCO.**

For more information circle number 236 on card



SMITHCO inc.

11 WEST AVENUE, WAYNE, PA. 19087

ASK THE EXPERTS

Continued from page 64

Question: Which is better—double row or single row outlets?

Answer: A double row system is better because the farther one must throw the water, the less control over its behavior pattern. This is due largely to winds. A few more heads may be involved, but the cost of the large heads used in a single row system is higher in price. A double row system can give the desired triangulation necessary in getting even distribution of water.

(Febco, Inc.)

Question: Should we consider electric, hydraulic or thermo-electric controls?

Answer: The electric valve can be either diaphragm or piston-type hydraulic operated by a simple 24-volt solenoid which opens and closes an internal bleed port to actuate valve. Extremely low amperage requirements allows for small gauge wiring. Valves, normally closed in case of power failure, open and close promptly, regardless of distance or elevation from controller. Valves require simple type controller.

The hydraulic valve, same type without electric actuator, require plastic tubing or copper water control lines from controller to each valve. Hydraulic control lines must be completely free of air, protected from freezing, water-tight connections. Most hydraulic valves are normally open in case of hydraulic failure. These valves require a rather complicated controller with rotary solenoid actuator with pressure and drain through hydraulic lines being accomplished at controller, which must also be protected from freezing. Elevations of controller must not be too much higher than lowest valve on any circuit. Hydraulic lines from valves to controller can be blown out with compressed air before freezing weather and re-

Continued on page 70

MOTT

HAMMER KNIFE VERTICAL FLAIL MOWERS DO MORE*



MODEL 72-72" cut
3 Point Hitch—Tractor Operated

UNDER MORE
ADVERSE CONDITIONS
**EASIER
BETTER
SAFER**
THAN ANY OTHER
TYPE MOWER

* YOUR BEST ALL-AROUND BUY
MOTT MOWERS...

- Mow fine park lawn areas
- Mow meadows, parkways and road right-of-ways
- Shred vacant lot weeds
- Mulch leaves and flower bed residues
- Renovate (thin) dense turf
- Scalp (remove) winter killed thatch—prepare areas for seeding of winter grasses
- Pulverize, mix seed, fertilizer, peat moss and other soil conditioner with top surface soil in seeding operations
- Operate in conditions—wet or dry—clean or trashy.

—SIZES AVAILABLE—

18" 32" 38" 48" 60" 72" 74" 88" to 19 ft. GANGS



MOTT CORPORATION

547 Shawmut Ave.

La Grange, Illinois 60525

For more information circle number 273 on card

GOLF

NATION-WIDE DISTRIBUTORS
FOR OVER 30 YEARS
OF
GOLF SHOP-DRIVING RANGE
PAR 3 & MINIATURE COURSE
SUPPLIES

SEND FOR CATALOG:
**NORTHERN
GOLF BALL CO.**
2350 W. ROSCOE ST.
CHICAGO, ILLINOIS 60618

For more information circle number 184 on card

SAVINGS & SERVICE
UNMATCHED


**PEAT
&
TOP SOIL**

BULK or BAGS

MARKHAM PEAT CO.
P.O. Box 3304
Davenport, Iowa 52808
A. C. 319 322-1783

For more information circle number 255 on card





**This herbicide
will self-destruct
when its mission
is accomplished.**

Balan® stops weedgrasses for months . . . and is naturally broken down. No fear of building up harmful residues.

You've probably conducted your share of herbicide tests. Maybe you've seen some chemicals wash out before the job was done. But there's something worse: the herbicide that overstays its welcome.

Balan won't hurt you either way. Won't quit prematurely. Won't stick around after its weed-control mission is accomplished.

Balan breaks down gradually. It is naturally degraded by chemical means and soil microorganisms over a period of months. Applied as directed, repeated applications won't damage established turf. And there's another consideration. Balan contains no poisonous arsenic, mercury or lead to endanger employees or golfers, an important safety factor.

But while it's working, goodbye, weedgrasses. Make no mistake, Balan stays put for

months, stopping annual weedgrasses as they germinate. Poa annua, crabgrass, crowfoot (silver crabgrass or goosegrass)—most major troublemakers. On northern (cool season) turfs, one application gives season-long results. On southern turfs, two applications may be required.

See your distributor for dependable, economical Balan granular now, or contact Elanco for the name of one nearest you. ELANCO PRODUCTS COMPANY • A division of Eli Lilly and Company • Dept. E-455 • Indianapolis, Ind. 46206, U.S.A.

Balan®



(Balan® —benefin, Elanco)

**Goes all out . . .
all over . . .
all season.**

TURFTOP...

U.S. PAT. #2989247

LARCHMONT'S "TURFTOP" A PLAYERS DREAM
A NEW INNOVATION IN SPRINKLERS



Call or write on your letterhead for details and specifications

LARCHMONT
ENGINEERING
& IRRIGATION INC.

LEXINGTON, MASS. 02173

(617) 862-2550



Johns-Manville Transite Pipe
for all permanent installations

For more information circle number 226 on card

We use

Johns-Manville
TRANSITE
IRRIGATION PIPE



ASK THE EXPERTS

Continued from page 67

filled with water, bleeding out all air, after frost danger in the spring. Valves are less expensive than electric, but controllers are higher in price. Tubing is slightly more costly than wire.

The thermal electric valve is directly actuated by a 24-volt thermal heat unit in each valve. Slow opening and closing, time variable depending on ground and water temperatures. The slow opening and closing characteristic can be an advantage where high velocities at high pressure must be dealt with but a disadvantage to sprinkler water distribution. Good hydraulic engineering on the pipe design of the automatic sprinkling system will eliminate the requirement for slow acting valves. Thermal valves, requiring heat, draw higher amperage and require larger control wire sizes.

All three types of valves are practical with the electrically actuated diaphragm hydraulic being overwhelmingly preferred for simplicity, operating characteristics and dependability.

(Buckner Industries, Inc.)

Question: What is the minimum water supply needed for an automatic system?

Answer: The minimum supply for an 18-hole golf course would be approximately 500 g.p.m.

(L.R. Nelson Mfg. Company, Inc.)

Question: How many stations for an automatic system are needed and how can they be protected from vandalism?

Answer: The number of stations required for an automatic system depends upon the flexibility desired in the system. Maximum flexibility would require a station for each sprinkler head. An average would be 150 to 200 stations for an 18-hole automatic system. The best means of protection from vandalism is to place the head inside an enclosure of some type.

(Rain Bird Sprinkler Corp.) □



The New Rondette Golf Shelter \$325⁰⁰

Here is a permanent all-redwood exterior, high-quality, low cost, real rain protector, designed to blend in with the landscape. 250 sq. ft. of shelter for ten golfers and entrances for three carts, the Rondette Golf Shelter can be easily erected in four hours by casual labor. An outstanding value at \$325.00. Larger sizes also available.



Offers a wide variety of Rondette designs. Shown below and at left is a Rondette 12 used as a Pro Shop. Other designs from larger shelters to complete vacation houses are also available.

Rondesics installations now operating at golf courses in 21 states.

Write for free color brochure:

RONDESICS, INC.

Parkway Office Building
Suite 304
Asheville, North Carolina 28801



For more information circle number 168 on card