Golfdom's practical research digest for turf managers

TURFGR#SS TRENDS

TIMING BERMUDAGRASS APPLICATIONS

Bermudagrass Control in Zoysiagrass Fairways

By James T. Brosnan, Ph.D. and Gregory K. Breeden

oysiagrasses (Zoysia spp.) are commonly used on golf course fairways throughout the United States transition zone. Zoysiagrass use has increased due to cultivars that offer high turf quality, low nitrogen fertility requirements, and improved drought, shade and cold tolerance compared to other warm-season species (8).

One of the most troublesome weeds to control in zoysiagrass is bermudagrass (Cynodon dactylon (L.) Pers.), as physiological similarities between these species often render them susceptible to similar herbicide chemistries (4). Several researchers have illustrated that mixtures of Fusilade II (fluazifop)(Syngenta Crop Protection) plus Turflon Ester (triclopyr)(Dow AgroSciences) applied sequentially during midsummer can provide bermudagrass suppression for up to four weeks without inducing significant zoysiagrass injury (5, 7). However, numerous applications are required over several years, rendering control of this species a struggle for superintendents.

Determining optimum timing of applications of Fusilade II plus Turflon Ester to control bermudagrass in zoysiagrass fairways would help superintendents. However, limited data have been published on this topic. Thus, the objective of this research was to determine points in the growing season in which bermudagrass was most susceptible to applications of Fusilade II plus Turflon Ester.

Materials and methods

Research was conducted from 2009 to 2011 on a mature stand of Zenith zoysiagrass (Zoysia japonica Steud) at the East Tennessee Research and Education Center (Knoxville, Tenn.). Turf was established on silt loam soil with a pH of 6.2 and 2.1 percent organic matter content. The stand was mowed at 0.6 inches with a reel mower, and irrigation was applied on an as-needed basis to prevent wilt. A 20-inch section of Riviera bermudagrass sod was installed in the center of each 10.8-sq.-ft. plot two years prior to initiating this research.

Four herbicide treatments were evaluated: (1) Fusilade II at 0.09 lbs. a.i. per acre plus Turflon Ester at 1.0 lbs. a.e. per acre; (2) Fusilade II at 0.19 lbs. a.i. per acre plus Turflon Ester at 1.0 lbs. a.e. per acre; (3) Fusilade II at 0.28 lbs. a.i. per acre plus Turflon Ester at 1.0 lbs. a.e. per acre; and (4) untreated control. The maximumlabeled use rate of Fusilade II is 0.09 lbs. a.i. per acre (1). Rates above this threshold *Continued on page 33*

OUR SPONSORS



www.andersonsinc.com 800-537-3370



www.fmc.com 800-321-1FMC

Editor's note: This research was previously published in Weed Technology and USGA TERO.

TABLE 1: SOIL AND AIR TEMPS

Soil and air temperature on dates which Fusilade II plus Turflon Ester was applied for bermudagrass suppression in 2009 and 2010 in Knoxville, TN.

2009										
DATE	Air temperature ^a at application	Soil temperature ^b at application								
April 22	55	48								
May 20	63	57								
June 18	82	81								
July 20	82	82								
Aug. 24	81	81								
Oct. 5	75	70								

2010										
DATE	Air temperature ^a at application	Soil temperature ^b at application								
April 28	55	64								
May 24	82	81								
June 17	90	90								
July 13	88	82								
Aug. 11	99	90								
Sept. 9	75	79								

^a Air temperature measured in fahrenheit using a hand held weather meter immediately following herbicide application

^b Soil temperature measured in fahrenheit at 1.0 inch depth using a hand held digital soil thermometer immediately following herbicide application.

TABLE 2: APPLICATION EFFECT

Effect of application timing on bermudagrass suppression with Fusilade II plus Turflon Ester in Knoxville, TN in 2009 and 2010.

	2009										2010									
		WEEKS AFTER TREATMENT																		
	1	2	3	4	5	6	7	8	9		1	2	3	4	5	6	7	8	9	
DATE	% BERMUDAGRASS SUPPRESSION																			
April	52	73	97	98	91	68	39	11	4		89	99	96	98	96	86	23	0	0	
May	36	69	72	54	31	8	2	0	0		91	97	96	86	74	3	0	0	0	
June	31	71	71	59	7	16	0	0	0		89	95	61	84	82	57	0	0	0	
July	57	89	93	89	63	4	3	4	9		93	91	94	83	57	0	0	0	0	
Aug	69	81	90	97	95	91	91	87	91		66	89	93	92	78	76	0	0	0	
Sep/Oct	50	81	92	91	91						68	89	92	95	95	_			—	
LSD _{0.05}	13	NS	10	12	11	12	13	11	13		8	3	8	9	12	12	11	NS	NS	
NS <i>= non-significant</i>																				

Continued from page 31

were evaluated to determine if higher rates of Fusilade II would increase bermudagrass suppression or zoysiagrass injury. All herbicide treatments were mixed with a non-ionic surfactant at 0.25 percent v/v and applied with a CO2-powered boom sprayer equipped with four 8002 flat-fan nozzles calibrated to deliver 30 gallons per acre of spray volume.

Treatments were applied on April 22, May 20, June 18, July 20, Aug. 24 and Oct. 5, 2009 and April 28, May 24, June 17, July 13, Aug. 11 and Sep. 9, 2010. Air and soil temperature at application are shown in Table 1. Zoysiagrass reached 100 percent green-up when treatments were initiated, while bermudagrass green-up measured ~85 percent.

Bermudagrass suppression and zoysiagrass injury were visually evaluated on a 0 (no suppression or turf injury) to 100 percent (complete suppression/kill of all turf) scale relative to the untreated control weekly until suppression subsided.

The experimental design was a 4 by 6 factorial randomized complete block with three replications. Data were subjected to ANOVA with main effects and all possible interactions tested using the appropriate expected mean square values. Significant year-by-treatment interactions were detected; thus, data from each year were analyzed and presented individually with Fisher's protected least significant difference (LSD) values used to separate treatment means at the 0.05 level.

Results and Discussion

Few differences in bermudagrass suppression were detected among treatments one to two weeks after treatment. Bermudagrass suppression ranged from 69 to 89 percent at two weeks after treatment in 2009 and 66 to 93 percent one week after treatment in 2010 (Table 2).

Application date affected the length of *Continued on page 34* Herbicide applications at timings in which increased bermudagrass suppression was observed also resulted in the highest degree of zoysiagrass injury.

Top 5Reasons to Sign Up for Our New Digital Edition!

- **1. More timely** (up to 10 days earlier than the mailed copy)
- 2. Easy to save & archive issues
- 3. Ability to search issues
- 4. Easy to forward to others
- 5. Environmentally friendly

And, last but not least, it is **FREE**.

Sign up today at... www.golfdom.com/digital



Golfdom

Zoysiagrass is commonly used on golf course fairways throughout the transition zone.

Continued from page 33

effective bermudagrass suppression following treatment with Fusilade II plus Turflon Ester. Application on April 22, 2009 and April 28, 2010 suppressed bermudagrass ≥ 90 percent at 5 weeks after treatment each year (Table 2). Application on October 5, 2009 and September 9, 2010 also provided \geq 90 percent bermudagrass suppression at 5 weeks after treatment. Comparatively, late spring and mid-summer applications (May 20, June 18 and July 20, 2009 and May 24, June 17 and July 13, 2010) only suppressed bermudagrass 7 to 63 percent in 2009 and 57 to 82 percent in 2010 at five weeks after treatment (Table 2).

Growing conditions at these late spring and mid-summer timings may have allowed bermudagrass to more quickly recover from herbicide injury than following spring and fall applications. Daily high air temperatures following these mid-summer applications were in the range for optimal bermudagrass shoot growth (6).

Increased bermudagrass suppression with spring and fall applications may also be related to herbicide absorption and translocation. As bermudagrass emerges from winter dormancy, young leaves are produced at apical meristems. Fusilade II is more readily absorbed in younger leaves with a thinner cuticle and accumulates primarily in apical meristems (2). This could explain increased efficacy of spring applications. Enhanced efficacy of late-season applications may be due to Fusilade II translocation being concomitant with phloem-translocation of carbohydrates to rhizomes and stolons as bermudagrass transitions into winter dormancy (3). In both years, late-season applications were most successful when average daily air temperatures measured < 72 F on several dates prior to treatment.

Cooler temperatures may be a signal to turf managers that plants are beginning to transition into winter dormancy before visual signs of this transition are apparent and thus plants are more susceptible to herbicide treatment. However, further research is needed to explore this hypothesis in detail.

Significant application date-by-application rate interactions were detected each year (data not shown). However, no statistically significant differences in bermudagrass suppression were detected among the 0.09, 0.18 and 0.28 lb. a.i. per acre rates of Fusilade II applied on April 22, 2009 and April 28, 2010 as well as October 5, 2009 and September 9, 2010, suggesting that bermudagrass susceptibility to Fusilade II plus Turflon Ester may be greatest at these timings. When applied during late spring and mid-summer (May, June, July 2009 and 2010), increasing Fusilade II application rate tended to improve bermudagrass suppression four to six weeks after treatment.

Zoysiagrass injury (< 25 percent) was observed until 5 weeks after treatment each year. Herbicide applications at timings in which increased bermudagrass suppression was observed (April 22 and October 5, 2009 and April 28 and September 9, 2010) also resulted in the highest degree of zoysiagrass injury. However, injury at these timings measured <10 percent by 2 weeks after treatment each year. Except for the May 24, 2010 application, zoysiagrass injury with Fusilade II plus Turflon Ester at labeled rates (0.09 lbs. a.i. per acre and 1.0 lbs. a.e. per acre, respectively) never exceeded 5 percent, which supports the findings of other researchers (5, 7).

Conclusions

Ad Index

Bayer Environmental 3,29,CV4

Greenleaf Technologies

Page

26-27

7.15.20

5

33

CV3

CV2

Insert

38

2

2

22-23, 25, 35

Advertiser

The Andersons

BASF Corp

John Deere

Petro Canada

Solu-Cal USA

Turfco Mfg

Richway Industries

Nufarm

Smithco

Arysta

This index is provided as an ad-ditional service. The publisher does not assume any liability for errors or omissions.

of Fusilade II plus Turflon Ester varied during the growing season.

• Spring and fall applications of Fusilade II plus Turflon Ester resulted in improved bermudagrass suppression compared to applications made during mid-summer. Bermudagrass was most susceptible to applications when transitioning in or out of winter dormancy.

• Applications made when average daily air temperature fell below 72 F provided the greatest suppression each year, provided that both the zoysiagrass and bermudagrass were substantially green at the time of the application.

■ Increasing the rate of Fusilade II above 0.09 lbs. a.i. per acre did not improve bermudagrass suppression when applied at optimal timings.

Mention of trade names or commercial products in this publication is solely for the purpose of providing specific information and does not imply recommendation or endorsement by the University of Tennessee Institute of Agriculture. Jim Brosnan (jbrosnan@utk.edu) is an assistant professor of turfgrass science and Greg Breeden is an Extension Specialist 1 in the Department of Plant Sciences at the University of Tennessee.

FUNDING SOURCES

This research was funded in part by a grant from the USGA Turfgrass and $\ensuremath{\mathsf{Environmental}}$ Research Program.

REFERENCES

1. Anonymous. 2009. Fusilade II product label. Syngenta Crop Protection. Greensboro, NC. pp. 1-37.

 Carr, J. E., L. G. Davies, A. H. Cobb and K. E. Pallett. 1986. Uptake, translocation and metabolism of fluazifop-p-butyl in Setaria viridis. Ann. Appl. Biol. 108:115-123.

 Dunn, J. H. and C. J. Nelson. 1974. Chemical changes occurring in three bermudagrass turf cultivars in relation to cold hardiness. Agron. J. 66: 28-31.

4. Johnson, B. J. 1987. Turfgrass species response to herbicides applied postemergence. Weed Technol. 1:305-311.

 Lewis, D. F., J. S. McElroy, J. C. Sorochan, T. C. Mueller, T. J. Samples, and G. K. Breeden. 2010. Efficacy and safening of anyloxyphenoxypropionate herbicides when tank-mixed with triclopy for bermudagrass control in zoysiagrass turf. Weed Technol. 24:489-494.

 McCarty, L.B. and G. Miller. 2002. Managing bermudagrass turf: selection, construction, cultural practices, and pest management strategies. Chelsea, MI: Ann Arbor Press. p. 3-8.

 McElroy, J. S. and G. K. Breeden. 2006. Triclopyr safens the use of fluazifop and fenoxaprop on zoysiagrass while maintaining bermudagrass suppression. Online. *Appl. Turf. Sci.* doi:10.1094/ATS-2006-0502-01-RS.

8. Patton, A. J. 2010. Selecting zoysiagrass cultivars: turf quality and stress tolerance. *Golf Course Mgmt.* 78: 90-95.

MORE user-friendly.

We've done the research, and product labels have been registered to allow the products listed below to be applied without protective eyewear following dilution with water.* So the choice is up to you.

Making application of our products more flexible and user-friendly: just another way we bring you more where it matters most.

4-SPEED XT COOL POWER



WWW.nufarm.com/usto ©2012 Nufarm. Important: Always read and follow label instructions 4-Speed@, Cool Power@, Horsepower@, Quincept@, and Triplet@ are trademarks of Nufarm. *Minimum dilution rates apply. Consult product label for full details.





The Company Line

NEW PRODUCTS FOR SUPERINTENDENTS



Bunker Rake

The **John Deere** 1200A and 1200 Hydro bunker rakes feature gasoline engines and fuel systems that meet current EPA and CARB requirements. The 1200A's 351 cc engine provides plenty of pushing and pulling power for utilizing front blades and a wide range of rear mounted attachments. A tight turning radius and mechanical transmission offer premium maneuverability and productivity. The 1200 Hydro offers dual pedal hydrostatic traction drive and convenient control locations for excellent ease of use. Both models continue to offer excellent performance while maximizing machine uptime. *johndeere.com*

Poa Control Arysta LifeScience North America announced that

Xonerate Herbicide (active ingredient: Amicarbazone) has received federal approval from the Environmental Protection Agency for use on turf grasses providing control of *Poa annua*. Xonerate contains the active ingredient Amicarbazone in a waterdispersible granule formulation. Xonerate is absorbed by leaves and roots for systemic control of *Poa annua* and inhibits photosynthesis in sensitive plants by interfering with normal electron transport. *Poa annua* initially looses its color, then turns brown. Turfgrass managers will see control of *Poa annua* over a three- to four-week period. *arystalifescience.com*

Greens Roller

Toro is expanding its product lineup with the Toro GreensPro 1200 greens roller, with



Bunker System

Perma Bunker is a process that eliminates contamination of bunker sand, increases water infiltration and minimizes the movement of bunker sand. The Perma Bunker process also reduces maintenance and operation costs, and maximizes long term play-ability, the company says. Perma Bunker utilizes four steps: re-establishing the bunker edge; creating a new stabilized bunker floor; installing proper drainage; installing and compacting the sand. The end result is a new bunker that will drain water and prevent the contamination and movement of bunker sand as well as eliminate the number of man hours for bunker maintenance. Perma Bunker technology was developed nearly five years ago by Mike Archer of **Sequoia Greenscapes**, in collaboration with Bob Blalock. *marcher@sequoiagreenscapes.com*

availability beginning this month. Key features include an offset roller design that delivers a consistent rolling pattern without leaving a roll line. A

floating junction point also allows the rollers to move independently, following undulations in the terrain. Simple foot pedals and an adjustable seat make the GreensPro 1200 easy to operate. It's powered by a Honda engine and provides a rolling width of 47.2-inches with a maximum ground speed of 6 mph. A single person can quickly convert the machine from operation to transport mode without tools. *Toro.com*



Fast-Acting Insecticide

FMC Professional Solutions announced the launch of Talstar XTRA GC granular insecticide, the newest addition to its expanding line of Talstar solutions. Specifically designed for golf courses with a greensgrade, sand-core granule, Talstar XTRA GC protects greens, tees, fairways, roughs and ornamental plants without damage. It is the only granular insecticide that combines the proven residual of Talstar with the speed of the active ingredient, zeta-cypermethrin. For superintendents, this means quick and long-term control of a wide range of surface-feeding insects, such as ants (including red imported fire ants), cutworms, sod webworms, armyworms, mole crickets and more. Talstar XTRA GC eliminates fire ant colonies in 15 minutes or less, the company says. fmcprosolutions.com



COMPETITION... It Brings Out The Best In Us

Take our golf batteries for instance. At Trojan we don't just want to build good golf batteries. We want to build great ones! Batteries that knock out the competition! So we've devoted the heart and soul of our company to engineering the best battery on the market. But don't just take our word for it, let us prove to you why our batteries are the champions in the battery ring.



See for yourself how competition brings out the best in us.

Visit www.trojanbattery.com/competition



Available worldwide. For more information, call (800) 423-6569, +1 (562) 236-3000 or visit us at TrojanBattery.com Muhammad Ali & associated marks are trademarks of Muhammad Ali Enterprises, L.C. Represented by Greenlight.



Time to Lime? Get visibly faster results with less product

Solu-Cal Enhanced High Calcium Lime

- Proven 4X more effective than traditional lime
- Adjusts & maintains soil pH
- 70 & 210 SGN

Solu-Cal S

- **Enhanced Calcium Sulfate**
- Significantly less dusty gypsum alternative
- 95 & 210 SGN

Sulfur MAXX

- Soil pH Reducer • Addresses soils with high pH & high Sodium
- 190 SGN

Micro-Cal Extra

Micro Nutrient Pak

- Micro Greens SGN 100
- Prevents & corrects minor element deficiencies
- Provide Iron to invigorate chlorotic turf and plants

Now Available - NEW

Solu-Cal + Cavalcade Pre-emergence Herbicide

- Trusted prodiamine chemistry prevents weeds
- Supplies Solu-Cal & herbicide in one application
- Controls 30 types of grassy & broadleaf weeds





For more information, contact Solu-Cal USA:

774.678.0288 www.solu-cal.com

The Company Line

Continued from page 36



Filtration

To help professionals successfully address their many irrigation issues, Rain Bird has introduced a line of retrofit filtration products designed to improve water quality and reduce wear-and-tear on irrigation system components. Self-Cleaning Pump Station Screens connect to a pump's inlet pipe and remove large sediment before it can cause damage. Instead of the filter's mesh basket rotating, internal wands rotate to clean the screen, creating less stress on bearings for more reliable performance. Sand Media Filters are an effective solution to remove silt and organic matter measuring less than 100 microns from water after it leaves the pump and before it enters the irrigation system. Its stainless steel, wedge-wire underdrain screens are virtually indestructible, and with only one moving part, these filters are simple to use and maintain. Backwashing Screen Filters (pictured) are powered by source line water pressure. The filter's patented backwashing valve system produces a reverse flow to flush the system of entrapped contaminants. Only one moving part - the valve - means these filters are unlikely to break down even under the harshest conditions. rainbird.com

Irrigation

Techline CV is widely used to irrigate turf, trees, shrubs and bedding areas. It can be installed either subsurface or above ground and delivers water directly to root zones in precise, measured droplets (0.26 to 0.9 GPH). The flexible tubing is available in coils from 100-feet up to 1,000-feet. Physical root barriers in Techline CV micro-emitters protect the tubing from plant and tree root intrusion and are among the reliability features built into **Netafim**'s popular subsurface



Solar Power

E-Z-GO introduces PowerFilm Solar Panel technology designed to improve the battery life and performance of electric golf cars, while providing a simple, cost-effective path to "going green." This innovative technology is available on the E-Z-GO RXV and TXT electric fleet golf cars, and Freedom RXV and Freedom TXT electric personal golf cars. The PowerFilm Solar Panel is lightweight, thin and flexible. Its snap-top system, designed exclusively for E-Z-GO, allows for easy installation without requiring canopy replacement or structural reinforcement. Users of the panel can reduce energy costs required to charge and maintain their E-Z-GO electric vehicles by as much as 20 percent annually. The PowerFilm Solar Panel constantly charges the car's battery when the vehicle is exposed to sunlight, and decreases the depth of discharge during normal use. ezgo.com

dripline. The integral barriers deflect root growth without reliance on chemical applications and help ensure longer dripline performance life and low maintenance. Netafim dripline works efficiently in all soil conditions, including clay, loam or sand, and is also practical in high wind areas. *netafimusa.com*





Our mission is to preserve and enhance green spaces in our communities for today and future generations.

BECAUSE GREEN MATTERS.

A national non-profit service organization, Project EverGreen works to help spread the good word to consumers about well-maintained lawns and landscapes, sports fields, parks—anywhere that green exists. The more people believe in the environmental, economic and lifestyle benefits of green spaces, the better off we'll all be.



WORKING TOWARD A SUSTAINABLE FUTURE.

Together with key industry partners, Project EverGreen has established the following programs to help make a greater impact, sooner:

GreenCare for Troops SnowCare for Troops

- Project EverGreen connects military families with lawn and landscape companies, as well as snow removal companies to receive free services while their loved one is serving overseas.
- More than 3,500 contractor volunteers and 11,000 military families have signed up for GCFT, while 800 contractor volunteers and 700 military families signed up for SCFT.
- These popular programs have garnered attention on TV and in newspapers across the nation including Mike Rowe's *Dirty Jobs* and NBC's *Nightly News*.

GreenCare for Communities

- Creating a focused effort on select communities across the United States, this program brings industry professionals, consumers and anyone who's passionate about healthy green spaces together to improve their city and surrounding areas.
- GREENCARE FOR COMMUNITIES
- Over the last four years, our message has made a positive impact in: Akron, Ohio; Milwaukee, Wisconsin; and from the corridor spanning from Greensboro to Raleigh, North Carolina.
- In 2011, Project EverGreen will bring our message to Ft. Myers, Florida.

GreenCare for Youth

- By reaching out to children of all ages, we can create a greener tomorrow.
- The Art of Green Spaces Competition, sponsored by Birds and Blooms, encourages students to use all forms of art to share how they feel about the green spaces in their lives.
- Golf bag tags, featuring messages on the benefits of green spaces, are given to participants of the GCBAA Sticks for Kids program.
- Youth sports field renovations make playing surfaces better and safer.

YOUR SUPPORT HELPS US SPREAD THE GOOD WORD.

- Company contributions (55%)
- Service contractor contributions (30%)
- Associations/Media/Agencies (10%)
- Individual contributions (5%)



HOW YOUR CONTRIBUTIONS ARE UTILIZED.

- Programs (40%)
- National marketing/communications (30%)
- Administration (25%)
- Fundraising (5%)



For more information about Project EverGreen, call us toll-free at **1-877-758-4835** or check us out on Facebook at www.facebook.com/ProjectEverGreen.

www.ProjectEverGreen.com



The 19th Hole with...



CGCS, Audubon CC, Louisville, Ky.

Audubon Country Club always has some nice craft beers. I'm a sucker for a tasty pale ale.

The Kentucky Derby is great. Being from Tennessee, I went to my first seven Derbys once I moved here. It's laid-back and there's great people

watching. Plus you pick a winner every now and then, it keeps you coming back for more.

My friend was a spokesperson for Jones Soda. He had this Jones Soda RV. We took it to the Derby one year. It had these leopard-print couches, the whole nine yards. He'd hand out T-shirts and stickers all day and invite people to hang out with us. It was a great time.

He was putting these Jones Soda stickers everywhere. He'd go into port-a-potties and put stickers on the wall at eye level. A year later, I went to a University of Louisville football game, and stopped in a port-a-potty. There was a Jones Soda sticker inside.

I've been to the Masters a few times. My Dad took me when I was in high school and then we did it again towards the end of my college career, knowing I was heading into the turf industry. Just hanging out with him on that little piece of property was sweet.

The most amazing thing I've ever seen is the birth of my two children. Grant is 8 and Nicholas is 5.









I'm constantly doing and saying the same things my parents did. "Do you know how much that costs?" and "Shut the door, we aren't cooling the entire neighborhood!" are two of my favorites. If my bedtime begins before theirs, the circle will be complete.

We have a foosball table in the shop. We play it more in the winter than we do during the season. We play random partners, building good chemistry. It's a great chance to bring the crew together and work as a team.

I'm a pretty good foosball player. Paul, our spray tech, is the best player here. But everyone else has raised their level of play. Paul doesn't like that.

As interviewed by Seth Jones, March 21st, 2012