

# TURFGRASS TRENDS

BRIDGING THE GAP

## Daconil Action: Bringing a Fungicide and Plant Activator Together

How much control does the new fungicide bring?

By Michael Agnew, Ph.D.

**D**aconil Action is a new fungicide that builds on the attributes of one of the most utilized active ingredients in turf — chlorothalonil — and the unique attributes of a novel plant activator, acibenzolar-S-methyl.

Chlorothalonil was first registered in the United States in 1966 for use on turfgrass under the trade name Daconil 2787 fungicide. Chlorothalonil is a contact fungicide that exhibits a multi-site mode of action that provides excellent disease protection on the plant surface. Once sprayed onto the plant surface, chlorothalonil deposits are bound by the plant leaf's cuticular wax, where it is then released into the leaf surface water film and redistributed over the leaf. Chlorothalonil protects the plant by inhibiting spore germination by means of attacking the disease-causing pathogen at several biochemical sites.

Furthermore, chlorothalonil is an important fungicide that does not exhibit any signs of resistance developing and can help delay or prevent resistance to single-site fungicides. The Fungicide Resistance Action Committee (FRAC) classifies chlorothalonil as belonging to the M5 FRAC GROUP.

Acibenzolar-S-methyl (ASM) is unlike any traditional methods of disease control. ASM is a plant activator, not a fungicide. ASM belongs to a product category called Host Plant Defense Induction (FRAC GROUP P). The Host Plant Defense Induction group has no direct toxic effect against pathogenic fungi and bacteria; instead, ASM triggers the natural defense response or the Systemic Acquired Resistance of the turfgrass by activating the production of pathogenesis-related (PR) proteins. This internal response within the plant enhances its own defense system against the attack of fungal and bacterial diseases. Thus, ASM bridges the gap between genetic resistance and conventional disease control by activating the plant's own natural defenses against fungi, bacteria and viruses.

The effects of ASM applications on the progression of pathogen development

*Continued on page 32*

### OUR SPONSORS



[www.andersonsinc.com](http://www.andersonsinc.com)  
800-537-3370



[www.fmc.com](http://www.fmc.com)  
800-321-1FMC

*Continued from page 31*

on monocots were studied by Görlach, et. al.<sup>1</sup> Plants treated with ASM had no effect on the pathogen germination or appressorium formation on the leaf surface. However, in plants treated with ASM, penetration of the appressorium was reduced to 30 percent when compared to an untreated plant, and the further disease progression at successful penetration sites was reduced significantly.

### Systemic acquired resistance

The ability of a plant to trigger biochemical responses to protect itself has been observed and researched for many years. In 1961, A. F. Ross coined the term Systemic Acquired Resistance (SAR) to describe the resistance that developed in the distal, untreated portions of Tobacco Mosaic Virus-inoculated plants.<sup>3</sup> Research conducted in the last 25-plus years demonstrates that the Salicylic Acid Pathway is involved in the SAR effect and that this pathway plays an important role in the ability of plants to defend themselves against pathogens. The Salicylic Acid Pathway


can be triggered after the formation of a lesion by a pathogen, microbe or plant activator.

After the formation of a disease-induced necrotic lesion, several responses can occur at the infection site. The initial response is a programmed cell death that is believed to restrict pathogen spread. This is referred to as a hypersensitive response. The cell death compartmentalizes the pathogen; salicylic acid accumulates in the infected tissue that triggers the salicylic acid pathway in the infected tissue; and this results in the accumulation of PR proteins and SAR defense response gene expression near the site of infection.<sup>4</sup> The infection also induces a PR protein production and SAR defense response gene production in non-infected tissue. This naturally occurring phenomenon cannot be relied on for commercial use because it may not happen in a timely manner or be uniform over an entire field.


A plant treated with the plant activator ASM does not result in elevated levels of salicylic acid in the plant; however, ASM does

*Continued on page 34*

**FIGURE 1: THE RESIDUAL EFFECT OF DACONIL ACTION FOLLOWING TWO APPLICATIONS**



To learn more and watch the films visit  
[www.golfdom.com/IUOW](http://www.golfdom.com/IUOW).




## Your kind of movie premiere.

Win a trip to Los Angeles to relax and help name the year's best **water conservation films**. It's time for some time off. Enjoy an all-expenses-paid vacation with your guest to attend the film competition that's raising awareness to preserve the resource you know best. Enter your name at [www.golfdom.com/IUOW](http://www.golfdom.com/IUOW).



# RAIN BIRD®

IN PARTNERSHIP WITH **Golfdom Magazine**

**FIGURE 2: THE EFFECT OF DACONIL ACTION ON ANTHRACNOSE CONTROL**

*Continued from page 32*

activate the SAR response. ASM bypasses the accumulation of salicylic acid by acting downstream of salicylic acid production in the SAR signaling. This results in the activation of the SAR response throughout the plant, and the production of PR proteins and SAR gene expression throughout the plant.

**No fungicide, not even multi-site fungicides, can give continual control of dollar spot and anthracnose when used alone.**

The effect of ASM on the control of dollar spot was published by Lee, et al.<sup>2</sup> and Zhang, et al.<sup>5</sup> These two studies demonstrated that ASM-treated plants had significantly less dollar spot than untreated plants; and plants treated with the combination of ASM and Daconil had significantly less dollar spot than either Daconil-treated plants or ASM-treated plants.

### **Disease control in turf**

Plants treated with Daconil Action exhibit enhanced control of both dollar spot and anthracnose when compared to plants treat-

ed with chlorothalonil alone. This enhancement is demonstrated in extended dollar spot control, lower use rates for fairway dollar spot control and improved anthracnose control.

In a study conducted on a golf course in the Philadelphia area by Steve McDonald (Turfgrass Disease Solutions) during the summer of 2011, a summer rain event prevented the application of scheduled fungicide treatments to his research plots. Instead of making the scheduled treatment on Day 14, the spray had to be delayed to Day 17. Only the Daconil Action-treated creeping bentgrass provided acceptable dollar spot control on Day 17. In an adjacent study, only two fungicide applications were made to the creeping bentgrass, and then the turf was evaluated over a 31-day period to determine the residual effect of Daconil Action (Fig. 1, page 32). Daconil Action-treated turf not only maintained acceptable dollar spot control for 21 days, the turf also had significantly less dollar spot than other fungicides on Day 31 after the application.

*Continued on page 36*

You might not be able to hit 60  
homeruns in one season.



But you can take out more than  
60 weeds in one application.


**Onetime**<sup>®</sup>  
HERBICIDE

Is your weed control program striking out? **Onetime**<sup>®</sup> herbicide helps you win against nearly 70 troublesome weeds. An effective post-emergent herbicide, **Onetime herbicide** combines the latest **Drive**<sup>®</sup> **XLR8 herbicide** technology with MCPP-P and dicamba to deliver excellent, broad-spectrum weed control. **Onetime herbicide** absorbs rapidly, acts quickly and can be used in both cool- and warm-season grasses. Talk about a homerun.

[betterturf.basf.us](http://betterturf.basf.us)

 **BASF**

The Chemical Company

**FIGURE 3: IMPACT OF DACONIL ACTION ON PYTHIUM BLIGHT CONTROL**

Continued from page 34

Daconil Action was also evaluated in 2011 for the use of lower rates under moderate to low disease pressure. Daconil Action was tested at rates as low as 1.6 fl. oz. per 1,000 ft<sup>2</sup> and compared to a 2.0 fl. oz. rate of straight chlorothalonil\*. In multiple trials on fairway height turfgrass, dollar spot control on turfgrass treated with Daconil Action applied at 1.6 fl. oz. was equal to straight chlorothalonil applied at 2.0 fl. oz.

This is significant, as the EPA limits for the 2.0 fl. oz. rate of straight chlorothalonil is 6 applications on a 7- to 14-day interval. The use of the 1.6 fl. oz. rate of Daconil Action allows for up to 8 applications on a 14-day spray interval. The two extra applications at the 1.6 fl. oz. rate can be important in your resistance management strategy when tank mixing a multi-site fungicide with single-site fungicides for dollar spot control.

Dr. John Kaminski of Penn State University conducted a study to demonstrate the enhanced control of anthracnose on annual bluegrass. Daconil Action-treated annual

bluegrass had anthracnose levels of less than 3 percent, better than any other fungicide (Fig. 2, page 34). In addition, plant quality and percent creeping bentgrass encroachment were measured. Daconil Action-treated turf had better plant health as measured by visual plant quality, and the encroachment of creeping bentgrass was 45 percent less than Daconil ULTREX.

Daconil Action also demonstrated the suppression of *Pythium* blight and bacterial diseases. In a study conducted by Dr. Jim Kerns of the University of Wisconsin, *Pythium* blight was significantly reduced by a single application of Daconil Action\*\* at the 2.0 fl. oz. rate (Fig. 3). This suppression of *Pythium* may allow for a subsequent application of a *Pythium* fungicide before the disease progressed too far. In greenhouse trials, Dr. Nathaniel Mitkowski of the University of Rhode Island tested Daconil Action for the control of *Xanthomonas translucens* *pv. poae* and *Acidovorax avenae*. Turfgrass treated with Daconil Action had 73 percent fewer symptoms of *Xanthomonas* on annual

Continued on page 38

\*Syngenta supports a FIFRA Section 2(ee) recommendation for the use of Daconil Action fungicide to control dollar spot at the use rate of 1.6 - 2.0 fl. oz. per 1,000 sq. ft. Please see the Section 2(ee) recommendation to confirm that the recommendation is applicable in your state.

\*\*Syngenta supports a FIFRA Section 2(ee) recommendation for use of Daconil Action for suppression of *Pythium* blight and bacterial wilt on both Group A and Group B turf as listed on the federal label. Please see the Section 2(ee) recommendation to confirm that the recommendation is applicable in your state.

**Our mission is to preserve and enhance green spaces in our communities for today and future generations.**

## BECAUSE GREEN MATTERS.

A national non-profit service organization, Project EverGreen works to help spread the good word to consumers about well-maintained lawns and landscapes, sports fields, parks—anywhere that green exists. The more people believe in the environmental, economic and lifestyle benefits of green spaces, the better off we'll all be.



## WORKING TOWARD A SUSTAINABLE FUTURE.

Together with key industry partners, Project EverGreen has established the following programs to help make a greater impact, sooner:

### GreenCare for Troops SnowCare for Troops

- Project EverGreen connects military families with lawn and landscape companies, as well as snow removal companies to receive free services while their loved one is serving overseas.
- More than 3,500 contractor volunteers and 11,000 military families have signed up for GCFT, while 800 contractor volunteers and 700 military families signed up for SCFT.
- These popular programs have garnered attention on TV and in newspapers across the nation including Mike Rowe's *Dirty Jobs* and NBC's *Nightly News*.



### GreenCare for Communities

- Creating a focused effort on select communities across the United States, this program brings industry professionals, consumers and anyone who's passionate about healthy green spaces together to improve their city and surrounding areas.
- Over the last four years, our message has made a positive impact in: Akron, Ohio; Milwaukee, Wisconsin; and from the corridor spanning from Greensboro to Raleigh, North Carolina.
- In 2011, Project EverGreen will bring our message to Ft. Myers, Florida.




### GreenCare for Youth

- By reaching out to children of all ages, we can create a greener tomorrow.
- The Art of Green Spaces Competition, sponsored by Birds and Blooms, encourages students to use all forms of art to share how they feel about the green spaces in their lives.
- Golf bag tags, featuring messages on the benefits of green spaces, are given to participants of the GCBA Sticks for Kids program.
- Youth sports field renovations make playing surfaces better and safer.


## YOUR SUPPORT HELPS US SPREAD THE GOOD WORD.

- Company contributions (55%)
- Service contractor contributions (30%)
- Associations/Media/Agencies (10%)
- Individual contributions (5%)



## HOW YOUR CONTRIBUTIONS ARE UTILIZED.

- Programs (40%)
- National marketing/communications (30%)
- Administration (25%)
- Fundraising (5%)



For more information about Project EverGreen, call us toll-free at 1-877-758-4835 or check us out on Facebook at [www.facebook.com/ProjectEverGreen](http://www.facebook.com/ProjectEverGreen).

[www.ProjectEverGreen.com](http://www.ProjectEverGreen.com)

*Continued from page 36*  
bluegrass and 77 percent fewer symptoms of *Acidovorax* on creeping bentgrass.

## Plant quality

One of the most interesting results during the development of Daconil Action was the discovery of enhanced plant quality and drought avoidance that resulted in improved plant health. Annual bluegrass plant quality is enhanced with multiple applications of Daconil Action that resulted in a healthier putting green surface. This increased plant quality was in spite of one of the most stressful summers, 2010.

## In a Penn State researcher's study, Daconil Action-treated annual bluegrass had anthracnose levels of less than 3 percent.

Enhanced plant quality was also seen in trials on creeping bentgrass mowed at fairway height, as evidenced by a trial conducted by Steve McDonald in 2011. Plant quality was not only better than any other chlorothalonil product, but the plant quality steadily improved during the heat of the summer. Interestingly, this research site not only was stressed by high temperature, it also received record rainfall to potentially make a bad situation worse. Yet, Daconil Action-treated creeping bentgrass performed very well.

In trials conducted in Syngenta research facilities, Daconil Action-treated creeping bentgrass showed excellent signs of avoiding drought stress. In a greenhouse trial conducted in Vero Beach, Fla., after two applications of fungicides, watering was stopped. Daconil Action-treated creeping bentgrass maintained green turf vigor 2 to 3 days after Daconil-treated plants wilted. In a corresponding study conducted in Switzerland, creeping bentgrass plants were treated on a 14-day spray interval with Daconil Action, where watering was stopped 14 days after last applica-

tion. Wilting of the creeping bentgrass was noted on Day 3 for untreated turf; Day 4 for Daconil; and wilt was not seen in Daconil Action-treated turf on Day 5, when turf was watered. Further research to investigate this phenomenon is ongoing.

## Conclusion

All protectant fungicides work best if applied preventively. This is also true for plant activators. Applying plant activators prior to disease and stress allows for the full activation of stress genes and proteins. This primes the plant to be fully activated to protect itself the best it can. Research demonstrated that ASM fully activated SAR genes in 48 hours.<sup>1</sup> Multiple, consecutive applications on a 14-day spray interval is optimum for continual gene expression.

Spray coverage is critical for chlorothalonil to be effective. Avoid extremely large spray droplets and water volumes that dilute the fungicide too much. The key is to keep the fungicide on the leaf surface and not move it into the thatch.

Daconil Action is best used in a spray program that uses other classes of fungicides. No fungicide, not even multi-site fungicides, can give continual control of dollar spot and anthracnose when used alone. Instead, use Daconil Action in rotational programs and in a tank mixture with single-site fungicides for best disease protection.

Michael Agnew, Ph.D. is a senior technical manager at Syngenta. Contact him at michael.agnew@syngenta.com.

## Ad Index

Advertiser	Page
BASF Corp	3, 35
Bayer Environmental	7, CV4
Becker Underwood	5
Biodiversity	19, 25
Buffalo Turbine	4
FMC Professional	15
Grigg Bros	9
Jacobsen	11
John Deere	CV3
Project Evergreen	37
Rain Bird	33
Syngenta	CV2-1
Toro	21
Turfco Mfg	29

This index is provided as an additional service. The publisher does not assume any liability for errors or omissions.

## REFERENCES

- Görlach, J., S. Vollrath, G. Knauf-Beiter, G. Hengy, U. Beckhove, K. H. Kogel, M. Oostendorp, T. Stäub, E. Ward, H. Kessmann, and J. Ryals. 1996. Benzothiadiazole, a novel class of inducers of systemic acquired resistance, activates gene expression and disease resistance in wheat. *Plant Cell* 8, 629-643.
- Lee, J., J. Fry and N. Tisserat. 2003. Dollar spot and brown patch incidence in creeping bentgrass as affected by acibenzolar-s-methyl and biostimulants. *HortScience*. 38 (6): 1223-1226.
- Ross A.F. 1961. Systemic acquired resistance induced by localized virus infections in plants. *Virology* 14:340-58
- Ryals, J.A., U.H. Neuenschwander, M.G. Willits, A. Molina, H.Y. Steiner, and M.D. Hunt. 1996. Systemic acquired resistance. *Plant Cell* 8, 1809-1819.
- Zhang, Q., J. Fry and N. Tisserat. 2005. Evaluation if plant defense activators for dollar spot and brown patch control on creeping bentgrass putting greens. *Int. Turfgrass Soc. Research Jour.* Vol 10: 180-185



# The Superintendents Have Spoken!

*Golfdom* is the Market's Clear Choice  
for Breaking News and Analysis



“*Golfdom* is always current. I like the way they have articles that are discussed amongst the superintendent community and, quite often, *Golfdom* is ahead of the information curve.”

— *Dave Coote, Wood Ranch Golf Club, Simi Valley, Calif.*



“*Golfdom* does a wonderful job of covering the stories that no other publication covers. There is a lot of great information in *Golfdom* that you just cannot find in other magazines.”

— *Jason Busch, Powder Horn Ranch Golf Course, Sheridan, Wyo.*



“The staff is fantastic, and in general it's a very good read—not just for superintendents, but for owners and GMs and board members, the information is relevant for all parties involved in a golf course.”

— *Brian Anderson, Nemacolin Woodlands Resort, Ohio, Pa.*



“*Golfdom* is always on the cutting edge in research and has great articles that both turf scientists and groundworkers can read and understand.”

— *Robert Carey, Spring Brook Country Club, Morristown, N.J.*



“The best thing about *Golfdom* is information we get on the political issues as well as the technical issues we are being faced with. Also, the State of the Industry Report is huge for us; we have to know where we are headed and what the future holds.”

— *Mark Burchfield, Victoria Club, Riverside, Calif.*



“People don't realize the longevity, how many years *Golfdom* has been in operation. They're a little more cutting edge, they speak more of the truth from what you hear in other magazines. *Golfdom* tells it how it is and isn't afraid to cover the issues.”

— *Joseph Hubbard, Broken Sound Club, Boca Raton, Fla.*

## Golfdom

## The 19th Hole with...

# Rick Wittenberg

General Manager, Cardinal Golf Course, Effingham, Ill.



**I'll have a Select 55.** Low-cal beer. It's as good as regular beer.

**We're a blue collar track.** It's an easy track to walk. We don't have a lot of elevation changes. The beginners and experienced golfers both have a good time.

**I watched a lot of the U.S. Open.** That was a tough course. My golfers... they would still be playing that course today.

**We have one full-time superintendent, and two seasonal staff, plus an intern.** I'm the general manager, but I spend 90 percent of my time working out on the course.

**I enjoy golfing — as long as it's at someone else's course.** I can't relax when I play here!

**I save all my Golfdoms in a pile until October or November, then I dig in.** Because it's so hectic during the season... by the time you get home from work, it's time to get ready for bed.

**The best thing about my job is the variety.** My office is a 100-some acres instead of an 8-by-10 cubicle.

**I've been married (to Debbie) 25 years.** We have two daughters, one is 22 (Alicia), the other is 9 (McKenzie). Alicia is a high school math teacher and a softball coach. She played softball in college, and now her little sister is getting into it. So we're starting all over with it again.

**Effingham is a great place to raise kids.** We love the people. Truly down-to-earth, Midwestern. They'd give you the shirt off their backs. That's why we moved back here from Florida.

**Our golfers are the salt of the earth.** We have everything from lawyers, doctors, district attorneys... you can't tell them from the farmers and the guys who work at the factory. They all play together and then they all sit in the clubhouse together. There aren't cliques out here.

**I enjoy the St. Louis Cardinals.** St. Louis is an hour-and-a-half away. We're 50 percent Cubs fans, and we're 50 percent Cardinals fans here.

**We had to turn on every head with a pair of needle nose pliers until last year.** Then we hooked



up our existing irrigation system to a Rain Bird central control system and a Freedom Radio system. That's been a godsend, especially this year. We haven't had rain to speak of in six weeks. You can tell the difference. What would have been burned up two years ago is nice and green... it's amazing.

**Other equipment we could use?** Oh gosh, how long a list do you want?

-----  
*As interviewed by Seth Jones, June 20th, 2012.*

