

the Chicagoland Golf Course Superintendents Association. Ken Quandt, Superintendent of Glencoe G.C. and Co-Editor, wrote this. It probably is the best article on sand that I have read and explains the thought that must go into making this kind of a decision.

SAND FOR TOPDRESSING

by
Kenneth L. Quandt

The use of pure sand for topdressing is really nothing new. Greenskeepers on Scottish golf courses, which are some of the oldest golf courses in the world, have been topdressing with sand for probably well over 100 years with excellent results.

At the Glencoe Golf Club we have also had excellent results from the use of a pure sand for topdressing, but we haven't been at it quite as long as the Scotts. We started our program in the Spring of 1976 out of what might be termed pure desperation.

Due to a rather drawn out greens rebuilding program that began in 1963 and the use of several different soil mixes, we ended up with greens that are all very different from each other. Some are extremely hard, some are very soft and others are at various points in between. Because of this lack of uniformity, a golfer who had never played our course before didn't know how to play the greens. He didn't know if a green would hold his shot or if it would bounce 20 feet into the air.

Reinders

13400 Watertown Plank Road
Elm Grove, Wisconsin 53122

Sales 414/786-3163
Office 414/786-3300

TURF EQUIPMENT - IRRIGATION SUPPLIES "Your Bicentennial Headquarters"

Toro	Cushman	Lely	Grass Seed	Rain Bird
National	Ryan	Cyclone	Fertilizer	Nelson
Simplicity	Bean	Giant Vac	Chemicals	PVC & Poly Pipe
Brillion	Hudson	Homelite	Fungicides	Sewer & Drain Pipe
Flymo	Myers	Trailers	Tee & Green	Systems Design

Serving Wisconsin and Upper Peninsula of Michigan

LOFT-KELLOGG SEED, INC.

Home Phone JAY Office Phone
414-632-6595 HAGER 414-276-0373
FANCY SEEDS FOR BETTER TURF
Over 40 Varieties Including
All New Varieties
We Can Mix Per Your Specifications!

LAWSON PRODUCTS, INC.

Fasteners of all Types for your
Maint & Equip Repairs; Including Metric's

FAST SERVICE FREE CABINETS

Bob Unger
Muskego, Wis. 53105

W188 S7556 Oak Grove
414-679-3303

This lack of uniformity also hampered our maintenance operations because each green required too much specialized attention. Each one required different amounts of water, fertilizer, fungicide and aeration. Some of the hard greens were aerated several times per season in an attempt to soften them up. This required many man-hours of labor, messed up the greens, and irritated our golfers, but did not succeed in softening them. It did, however, succeed in planting a lot of Poa annua.

Several other methods were also tried to soften our greens and get them to water better. We tried wetting agents, heavy watering, deep aeration with a Sodmaster Subair, and the use of gypsum, just to name a few.

In 1975 our problems came to a head when several of our greens were severely damaged by disease and nematodes. It became apparent that our management practices were not working and that something had to be done.

Since we could not afford to rebuild all of our greens, we decided to try the sand topdressing method of greens management. We were, frankly, very skeptical but we did-

2-FISTED ATTACK ON ALGAE

in ponds and lakes

1. Use LIQUID ALGIMYCIN PLL-C for quick control of filamentous and other kinds of floating algae.

2. Use SLOW RELEASE ALGIMYCIN PLL-C PELLETS to control branched or attached algae - especially Chara and Nitella.

Great Lakes Biochemical co., inc.

6120 W. Douglas Ave., Milwaukee, Wis. 53218 Phone (414) 464-1200



horst distributing, inc.

SERVING NORTHEASTERN WISCONSIN & UPPER MICHIGAN

444 NORTH MADISON STREET

CHILTON, WIS. 53014 PHONE (414) 849-2341

TURF MAINTENANCE EQUIPMENT AND SUPPLIES

n't feel as though we had very much to lose by trying it.

We felt that our first and most important task was finding the right sand. We were very convinced that the normal pit sands available in our area were not acceptable. What we really wanted was a fine, uniformly graded sand. In our quest for this sand, we contacted every sand supplier in the Chicago area and asked for prices and samples. Much to our dismay, we ended up with an office full of sand samples that all appeared very similar. We asked the suppliers for the specifications on the particle size and range of distribution, but, in most cases, we were unable to obtain them.

It was at that point that we decided to purchase our own set of testing sieves. Although they cost nearly \$200, they were well worth it. Using them, we found some very interesting facts about sand: (1) The particle size dis-



Chemicals for Golf Course Maintenance

SPECIALIZING IN CHEMICALS FOR TURF CONTROL

Herbicides: Aquatic-Bareground-Brush-Chemical Trimming & Pruning
Surface Active Agents: Soil Conditioners-Wetting Agents
Fertilizers: Trace Elements - Growth Retardants
Insecticides-Rodenticides-Algaecides

Also a complete line of Maintenance Chemicals for Clubhouse,
Locker Room, Pro Shop and Swimming Pool Needs.

SHARE CORPORATION

P. O. Box 9 Brookfield, Wisconsin 53005

WISCONSIN TURF EQUIPMENT CORP.

P.O. Box 708
1917 W. Court St.
1-608-752-8766
Janesville, Wi. 53545



21520 W. Greenfield Ave.
1-414-544-6421
New Berlin, Wi. 53151

A Local Golf Course Supplier Supporting The Wisconsin
Golf Course Supt. Association For Over Twenty Years.

WE TRY TO EARN YOUR BUSINESS

tribution range of most sands is quite broad, ranging from very fine dust to small pea gravel. (2) The actual particle size distribution range of most sands bore little resemblance to what the suppliers claimed. (3) Samples of sand that were from the same supplier but obtained on different days had vastly different characteristics. (4) Some of the sands that had been approved by the USGA were of very poor quality.

Thanks to Mr. Ray Knapp at the Tuckaway Country Club in Milwaukee, we finally located a sand that we felt was right. This sand had a particle size distribution range between 0.1 mm and 0.5mm. (Madison recommends sand between 0.25 mm and 1.0 mm.) It was also very uniform from one sample to another. Unfortunately this was a special foundry sand that was only available from a supplier in Milwaukee and cost nearly \$10 per ton delivered to Glencoe.

We purchased a load of this sand, rolled up our sleeves, and started our topdressing program. However, because I tend to be a rather conservative little lad, we started on our two newest and worst greens.

These two greens were two years old and had been constructed with a 1-1-1 soil mix. (I thought that 1-1-1 meant one part sand, one part soil, and one part peat, but it seems as though the supplier who mixed this soil interpreted it to mean one part clay, one part pea gravel, and one part Sackrete.) These two greens had less than 50% turf cover, were hard as bricks, drained very poorly, would not take water and, in general, were a real mess.

Prior to our first application of sand in early April, 1976, the greens were aerated twice in the same day with a Ryan Greensaire using 5/8 inch spoons and all of the plugs were removed. Enough sand was then applied to fill up all of the holes. As it turned out, this was nearly 7 tons per 8,000 square foot green. We then waited about five weeks and began regular monthly topdressings of approximately seven cubic feet per 1,000 square feet.

We watched in amazement as these two greens improved daily. By the Fourth of July they had completely recovered and were, in fact, two of our best greens. They had tight healthy turf with very little Poa annua, they took water much better, they started to hold properly played shots, they puttied smooth and true, and they had lots of healthy white roots in the sand-filled aeration holes.

When I saw how rapidly these two greens were progressing, we began to expand the program to other greens and I began to see similar improvements in them. Finally, late in the summer, we put all of our greens on the program and continued with it until the grass quit growing in the fall.

We found, however, that we had to reduce the amount of sand that was applied each time because of excessive sand on the greens that did not drag



MILAEGER Well and Pump Co

INDUSTRIES
MUNICIPALITIES
SUBDIVISIONS

- Deep Well Drilling—
- Well Development by Acidizing & Shooting—
- Deep Well Pump Installation—
- All Makes of Pumps Repaired—
- 24 Hour Service—

BYRON JACKSON PUMPS

Division of Borg Warner Corporation

Line Shaft Turbine Pumps and Submersible Pumps
to 500 HP and 1,000 ft. Settings

SERVICING WISCONSIN AND ILLINOIS
For Over 57 Years

1245 N. 62nd Street 640 Pearson Street
Milwaukee, Wis. 53213 Des Plaines, Ill. 60016
(414) 453-1230 (312) 296-8707

We're The Source For Improved Turf Grass Seeds

DERBY — the turf-type perennial ryegrass that has proven both its drouth resistance and ability to hold color throughout the winter.

ARISTA — an improved turf-type Kentucky Bluegrass with excellent seedling vigor, good resistance to leaf spot, and blends well with other turf grasses.

HIGHLIGHT — the world champion chewings-type red fescue that performs beautifully when used for overseeding and persists in shady areas & the dry root zones under trees.

B & A SALES

P.O. Box 386
Columbus, WI 53925
(414) 623-2529

Lakeshore Equipment & Supply Co.

300 SO. ABBE ROAD, ELYRIA, OHIO 44035 (216) 323-7544

FORMULATORS AND DISTRIBUTORS OF

HERBICIDES - INSECTICIDES - FUNGICIDES

FERTILIZERS - GRASS SEED - IRRIGATION EQUIPMENT

RVC PIPE - ASBESTOS CEMENT PIPE - POLY PIPE

MARKET REPLACEMENT PARTS, TIRES, BATTERIES ETC.

THANK YOU FOR YOUR CORDIAL WISCONSIN WELCOME

BILL SCHUMACHER


297 Dartmoor, Crystal Lake, Illinois 60014

815-455-2284

in completely. After some experimentation, we found that 4 to 4½ cubic feet per 1,000 square feet was about the right amount to apply. At that rate, the sand dragged in completely and disappeared. After the green is watered that night and mowed the next morning, the golfer is not even aware that it has just been topdressed.

Early in the Spring of 1977, we picked up on our top-dressing program where we had left off last fall. We had made four applications by the Fourth of July and had built up a sand layer ½ inch to ¾ inch thick on all of our greens. Before the season is over, we plan to make at least five more applications.

This was also the first year that our greens were not aerated. (We do not plan to ever aerate again because of the noncompactability of the sand we are using.) As of the Fourth of July our greens were showing no signs of



200 TERRA AERATOR


- * Airify green in 15 minutes
- * 200 tines - 36" wide
- * Uniform depth
- * Pull type - just drop a pin
- * Capable of turning without tearing
- * LOW! LOW! LOW! Maintenance

NORTHERN TURF EQUIPMENT, INC.

Rt 1, Box 25C, Chippewa Falls, Wi.
715-834-8707

NORTHERN TURF EQUIPMENT, I INC.

Rt. 1, Box 152, Pardeeville, Wi.
608-429-3402



Helping the superintendent through turf research...

- Controlled Release Fertilizers
- Fertilizer/Pesticide Combinations

- Fungicides—Herbicides—Insecticides
- Soil Testing—Weed & Disease Identification

SCOTTS • LELY • GANDY SPREADERS

Finest quality turfgrass seed—Fairways • Greens • Tees • Roughs
Scotts Windsor and Victa blends

Jerry O'Donnell

Technical Representative
Route 2 - S. Hill Road
DeForest, Wisconsin 53532
Telephone: 608/846-3629

compaction. Heavy traffic areas that have normally thinned out and needed additional aerations are still healthy and dense. There is absolutely no thatch layer in our greens and we have experienced no disease problems. In addition, the hard greens are starting to hold shots very well and all of the greens putt very true. Our golfers have certainly noticed the difference. Even the few die-hard gripers who play at our course have had nothing but compliments about our greens this year. (Don't worry, though, they have found plenty of other things to bitch about.)

While there may be some problems associated with this method of greens management at some point in the future, I am sure that they cannot be any more serious than the ones we faced using the old methods. I really do not, however, expect any major difficulties. As a matter of fact, I believe that topdressing with sand will provide even more benefits in the future than it already has. One of the major benefits I expect to derive from it is a reduction in *Poa annua*. This, I believe, will occur because no more *Poa annua* will be planted during aeration and topdressing procedures and any seed that is present will be buried deeper and deeper under layers of weedseed-free sand.

* * * * *

NOTES ON FUNGICIDE EFFECTIVENESS by Jim Latham

What is the pH of the water you use for spraying?

It might help to know since the fungicides you use may fail if mixed with alkaline water.

Fungicide failure in the metropolitan New York area this month was blamed on water with a pH of 8.6. Paul Sartoretto of W.A.Cleary Corp. was contacted about this and he recommended acidification with ferrous sulfate.

There 3 lbs. per 100 gallons of water lowered the pH to below 5. Tony Grasso of Metro Milorganite learned from an Upjohn representative that Actidione TGF did best at pH levels from 5.8 to 6.2.

To check pH levels use the swimming pool test equipment or litmus paper. Better yet, have a water sample run through a local laboratory. This may sequine more time than you have available, though.

Set up to spray and add ferrous sulfate to the tank in samll increments (1/2 lb.), testing after each until you reach a pH of at least 6. From what we hear, more acid solutions do no damage.

Excessive concentrations of iron should be avoided, though. Black grass isn't exactly pretty.

* * * * *

GOLF COMMITTEE REPORT:

Our July meeting was held at beautiful Clintonville -

**GOLF COURSE
IRRIGATION**
"our only business"

TORO

**R & S
parts, inc.**

Irrigation Planning & Design

call collect

414-964-1322

AS GOLF COURSE SUPERINTENDENTS YOU CANNOT
AFFORD LESS IN SERVICE AND QUALITY THAN
THATS OFFERED BY THE ADVERTIZERS IN
THE "GRASS ROOT"

Riverside Country Club. Host Superintendent Dale Marach had his golf course in super condidion and the clubhouse staff did an outstanding job in preparing a delicious steak dinner. Those of you that didn't attend missed a truly enjoyable day. Our thanks also go to Northern Turf Equipment and Reinders for supplying refreshments on the course. It certainly made the heat more bearable.

Winners of the "Three Best-ball" event were Tom Schaller, Paul Delfoss, Lee Miller and Janet Brown. Congradulations!

August 1st we will be at Bluemound Country Club in Milwaukee where Superintendent Jerry Berkholtz promises a fine day. The event will be a "Fort Lauderdale" or "Scramble" with a shotgun start at 1:00. Lunch will be on your own. Cocktails and Hors d'oeuvres will be available at 5:30 with dinner beginning at 6:30 PM. Cost for the day will be \$16.00.

If you're not familiar with a "Scramble", it is the selection of the best tee shot, with the entire foresome playing from that location, then progressing to the best second shot where each player hits until the foresome

The Golf Course Choice in Wisconsin and the World



Since 1926

MILWAUKEE SEWERAGE COMMISSION
8500 South 5th Ave. Oak Creek, WI 53154

COMPLETE TREE SERVICE

Large
Tree
Moving



Removal
Spraying

Landscaping

EGELHOFF TREE SERVICE INC.

Thiensville, Wis. 242-3390