

products can usually be returned to collection centers where they will be sent to be recycled or reused in another form. We are environmentalists by keeping our equipment in proper working order and recycling as many materials as possible.

Obviously, a golf course should, and does mean more than a well manicured green or a dog leg to the left. It is true that the essence of our existence is to provide an area for recreation for golfers, however, it is also true that we enhance environmental quality through our care of turf, trees and soil. We can hold our heads up high and be proud of the environmental enhancement, the inspiring greenery and all the benefits that go with a golf course which we provide to the entire community. So next time you are confronted by someone who feels that golf courses are a waste of valuable land, remember, we were environmentalists and ecologists before the rest of the country even knew the words existed.

## FORESTRY— RIGHT-OF-WAY— TURF COALITION FORMED

A new coalition has been formed to stand against local governmental bans of pesticides. This coalition will provide accurate, scientific data on the safety of modern chemicals used for industrial, recreation and commercial vegetation management. The group will also serve as a clearing house for information on the recent epidemic of local pesticide rules and regulation which are cropping up all too frequently around Wisconsin. It will operate as a division of the Wisconsin Agri-Business Council, an organization that the Wisconsin Golf Course Superintendents belongs to. Tom Harrison, Golf Course Superintendent at Maple Bluff Country Club and President of the Wisconsin Turfgrass Association, has agreed to serve on the coalition as a representative of the turf industry in Wisconsin.

The coalition will have members

from cooperative and investor owned power companies, county forest associations, tree service contractors, paper companies, highway officials, parks and nursery professionals, as well as the turf industry. Wisconsin Agri-Business Council Executive Director Russ Weisensel reports that a steering committee and technical advisory committee will be named shortly. Funding for the coalition will come from vegetation management user groups. The Agri-Business Council, under Weisensel's leadership, has the expertise to make the coalition work. They are in contact with similar coalitions all across the U.S., a situation that leads to a sharing of ideas and programs and a creation of an awareness of what is going on elsewhere. The goal of the coalition is the supply of accurate and factual data so that intelligent decisions can be made in this critical area of pesticide regulation.


**FLOWABLES**  
TOMORROW'S TECHNOLOGY TODAY

**WACLEARY CHEMICAL**  
CORPORATION

1049 SOMERSET ST., SOMERSET, N.J. 08873 • (201) 247-8000

**SUPPORT OUR  
ADVERTISERS**

## USS Vertagreen ... A product for all reasons



Apply your supplemental potash  
as part of your regular program  
**Professional Use 7-6-16**  
is a homogenous fertilizer with micro nutrients  
sized for tees and greens,  
formulated with sulfate of potash.  
Give your tees and greens the very best.  
Call your Brayton Rep. today.

### BRAYTON CHEMICAL

Jay Powell  
Stoughton, WI  
608-873-3919

**Warehouse:**  
724 Janesville St.  
Oregon, WI 53575  
800-362-6310



## WATER REQUIREMENTS OF TURF GRASS

By Allan Schildnecht

One of the most frequently asked questions we encounter is "how often" or "how long should I water."

The frequency of irrigation is determined by several factors. These include the water holding capacity of the soil, evaporation of the water into the air and the transpiration rate of the plant material. For optimum growth, watering should begin when about one-half of the available water in the soil has been depleted. Most plant material will show the greatest growth response when the soil moisture is maintained between this level and its full capacity. By theory, maximum growth occurs at full capacity because there is a minimum stress at this level of moisture. Assuming equal depth of rooting, sandy soils will have to be watered more frequently than a loam or clay soil.

Other factors such as wind, sun, humidity and temperatures contribute to the evaporation and transpiration rates of the plant. Whenever these factors cause the evaporation/transpiration rate to exceed the rate of intake by the plant, the plant will wilt. Wilting can take place even when there is sufficient soil moisture because of high temperatures at low humidity. At such times, a "syringe water cycle" should be run in order to reduce the air and plant temperature, thereby reducing the evapotranspiration rate of the plant.

However, while trying to maintain this optimum soil moisture level, too frequent watering on poorly drained soils tend to keep the upper layers of the root zone near saturation which encourages shallow rooting and promotes weak turf. A weakened turf is not only more susceptible to weeds, disease and insects but will be more apt to be damaged by traffic and soil compaction.

In sandy soils, excess watering may not cause the problems of the heavy soils but it is not a good economical practice. Not only will you be wasting water but you will be leaching out the nutrients in the soil requiring more fertilizer and manpower to replenish them and causing excess wear and tear on

your equipment.

The amount of water to apply at any one time depends directly on the amount of moisture in the soil, the holding characteristics of the soil and its drainage. Additionally, the water requirements vary with the plant material and current weather conditions. Only through the monitoring of the inter-relationship of all of these factors can you determine the right amount of water that needs to be replenished.

Only by using evapotranspiration charts (see chart below) and comparing it to actual rainfall are you able to compile a guide to determine the amount of water that must be applied through irrigation at any given time.

RF - Average rainfall. Actual rainfall should be measured and compared to evaporation/transpiration.  
 EVT - Evapotranspiration rate.  
 DEFF - Difference (amount of water that needs to be added).

	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	TOTAL
<b>WISCONSIN</b>													
<b>Northwest (Superior)</b>													
RF	.91	.82	1.45	2.43	3.66	4.69	3.85	4.25	3.17	2.00	1.76	.98	29.97
EVT	0.00	0.00	0.00	1.33	3.12	4.76	5.93	5.04	2.91	1.43	.29	0.00	24.81
DIFF	.91	.82	1.45	1.10	.94	-.07	-2.00	-.79	.26	.57	1.47	.98	5.16
<b>North Central (Wausau)</b>													
RF	1.17	1.02	1.55	2.45	3.68	4.80	4.00	4.24	3.65	2.23	2.10	1.15	32.04
EVT	0.00	0.00	0.00	1.25	3.07	4.67	5.64	4.81	2.81	1.42	0.00	0.00	23.67
DIFF	1.17	1.02	1.55	1.20	.61	.13	-1.64	-.57	.84	.81	2.10	1.15	8.37
<b>Northeast (Marinette)</b>													
RF	1.35	1.14	1.56	2.45	3.22	3.91	3.25	3.62	3.27	2.14	2.26	1.27	29.44
EVT	0.00	0.00	0.00	1.41	3.21	4.88	5.88	5.02	3.04	1.52	.37	0.00	25.33
DIFF	1.35	1.14	1.56	1.04	.01	-.97	-2.63	-1.40	.23	.62	1.89	1.27	4.11
<b>West Central (LaCrosse)</b>													
RF	.94	.89	1.75	2.61	3.86	4.64	3.57	3.71	3.27	1.96	1.78	1.02	30.00
EVT	0.00	0.00	0.00	1.61	3.67	5.42	6.47	5.54	3.30	1.68	.37	0.00	28.06
DIFF	.94	.89	1.75	1.00	.19	-.78	-2.90	-1.83	-.03	.28	1.41	1.02	1.94
<b>Central (Stevens Point)</b>													
RF	1.13	1.08	1.65	2.82	3.67	4.36	3.21	3.50	3.40	2.22	2.12	1.14	30.30
EVT	0.00	0.00	0.00	1.59	3.42	5.23	6.26	5.36	3.19	1.61	.37	0.00	27.03
DIFF	1.13	1.08	1.65	1.23	.25	-.87	-3.05	-1.86	.21	.61	1.75	1.14	3.27
<b>East Central (Green Bay)</b>													
RF	1.35	1.26	1.74	2.61	2.95	3.66	3.05	3.14	3.12	2.05	2.19	1.40	28.52
EVT	0.00	0.00	0.00	1.51	3.23	5.03	6.25	5.52	3.33	1.76	.48	0.00	27.11
DIFF	1.35	1.26	1.74	1.10	-.28	-1.37	-3.20	-2.38	-.21	.29	1.71	1.40	1.41
<b>Southwest (Prairie du Chen)</b>													
RF	1.14	1.05	1.94	2.86	3.72	4.88	3.87	3.90	3.46	2.21	2.01	1.21	32.25
EVT	0.00	0.00	.46	1.81	3.81	5.61	6.68	5.74	3.47	1.85	.45	0.00	29.88
DIFF	1.14	1.05	1.48	1.05	-.09	-.73	-2.81	-.84	-.01	.36	1.56	1.21	2.37
<b>South Central (Madison)</b>													
RF	1.45	1.16	1.88	2.76	3.34	4.07	3.63	3.60	3.51	2.24	2.20	1.42	31.26
EVT	0.00	0.00	.47	1.80	3.71	5.61	6.70	5.75	3.58	1.86	.52	0.00	30.00
DIFF	1.45	1.16	1.41	.96	-.37	-1.54	-3.07	-.15	-.07	.38	1.68	1.42	1.26
<b>Southeast (Milwaukee)</b>													
RF	1.75	1.29	2.49	2.88	3.39	3.99	3.66	3.25	2.85	2.11	2.22	1.68	31.56
EVT	0.00	0.00	.47	1.71	3.52	5.39	6.49	5.74	3.58	1.88	.52	0.00	29.30
DIFF	1.75	1.29	2.02	1.17	-.13	-1.40	-2.83	-2.49	-.73	.23	1.70	1.68	2.26

Good water management requires that enough water be applied to insure that the entire root zone will be wetted thereby maintaining a constant level of soil moisture throughout the root zone. This way you will avoid any dry layers which roots will not penetrate.

In heavier soils, which are poorly drained, aeration and the addition

of soil amendments such as "turface" can improve the soils drainage and will provide you with a healthier growth medium. In cases of more severe drainage problems, the areas should be tilled in order to remove excess water quicker.

However, under no circumstances should water be applied any faster than it can be absorbed

by the soil. Sprinklers that do not adequately disperse water or deliver a large volume of water within a concentrated area will cause run off. Whenever this occurs, water and energy are being wasted and the soils are being compacted. A good irrigation program will apply the moisture slowly enough to permit the soil to absorb all of the water being applied. In heavier soils where run off exists, several short cycles will be more advantageous than one long cycle that would cause run off.

In any case, once run off occurs, the irrigation cycle should be turned off. By taking a soil probe sample, you can determine if the soil has been watered to the desired depth. If not, the irrigation cycle should be repeated after about one hour's time. Taking soil samples, adjusting your irrigation frequency and length of cycle should be a routine management function which we recommend be accomplished at least weekly, if not more often.

Good water management requires a good knowledge of the plant material, physical soil properties, how they affect the moisture levels of the soil and the rate and manner in which water must be applied. Proper water use means correlating this basic information with the requirements of play, mowing and other management practices and programming an irrigation cycle to fit the requirements so as to make the most efficient use of your irrigation system and labor force.

In conclusion, we have no simple answer to the question "how often" or "how long should I water." It requires a judgement decision by the turf manager after he has studied the existing conditions and the water needs at that time.

*Editor's Note: Mr. Schildknecht has been associated with Reinders Brothers, Inc., since 1967. For the past 14 years, he has been active as an irrigation designer and equipment distributor serving the turf, ag., and wastewater disposal irrigation markets.*

*Educated at M.A.T.C. — Horticultural College and U.W.-Milw. Mr. Schildknecht additionally taught irrigation design to undergraduates at several local schools and trade associations.*

*Mr. Schildknecht currently is a member of "The Irrigation Association" (I.A.), "American Society of Landscape Architects" (A.S.L.A.), "The American Society of Irrigation Consultants" (A.S.I.C.).*

## UNBEATABLE COMBO RESULTS IN SUCCESSFUL MEETING

Put together good weather, good golf course conditions, a good speaker and a good evening dinner and the result is a great WGCSA meeting. All ingredients were present for our May meeting at Riverside in Janesville, and it was the kind of meeting we would like every month. Host Bruce Schweiger had his golf course in great shape and nearly 60 players participated in the afternoon game. Following are the winners of the golf event:

Bill Sell	
Greg Sell	57
Myron Seavers	
Andy Kronwall	58
Ed Witowski	
Dale Panske	60
Joe Fryman	
Gary Monfre	60
Bruce Schweiger	
Ray Johnson	60
Ron Shara	
Don Steinmetz	61
Jim Knapp	
Bob Allen	61
Ray Merten	
Bill Fox	61

Bruce Williams, Golf Course Superintendent at the Bob O'Link Golf Club in Chicago, made the trip to Janesville to share his thoughts and his experiences with wetting agents and surfactants. Not only did Bruce give some solid results from his golf course operation, but he made some real strong points about careful and objective testing in the field before wholesale use of any new materials.

Refreshments before the dinner meal at the Elks Club were courtesy of Wisconsin Turf of Janesville. H.P. Goodall provided refreshments at the golf course.

A local appliance dealer donated a clock radio for a raffle. Proceeds from the raffle and a donation from Ray Johnson resulted in a fund-raising effort that netted over \$400 for the Wisconsin Turfgrass Association. Nice going, Bruce!

## Wisconsin Golf Course Superintendents Association Officers and Board Members 1983 — 1984

Mr. Monroe S. Miller  
President  
Blackhawk Country Club  
P.O. Box 5129  
Madison, WI 53705

Mr. Danny H. Quast, CGCS  
Vice President  
Milwaukee Country Club  
800 N. Range Line Road  
Milwaukee, WI 53209

Mr. William R. Roberts  
Secretary  
SentryWorld Sports Center  
2200 North Point Drive  
Stevens Point, WI 54481

Mr. Donald Ferger  
Treasurer  
Country Club of Beloit  
2327 Riverside Drive  
P.O. Box 538  
Beloit, WI 53511

### Directors

Mr. Dale E. Marach  
Clintonville Riverside Golf  
Club  
Box 188  
Clintonville, WI 54929

Mr. Roger Bell  
North Shore Golf Club  
Box 337  
Menasha, WI 54952

Mr. Bruce Worzella  
West Bend Country Club  
5858 Highway Z  
West Bend, WI 53095

Mr. Mark Keinert  
North Hills Country Club  
N73 W 13430 Appleton Ave.  
Menomonee Falls, WI 53051

Mr. James Belfield  
Tripoli Country Club  
6401 N. 43rd Street  
Milwaukee, WI 53209

**It's a jungle out there.**



And the Ransomes Bob Cat Diesel is King. With a cunning for cutting fuel consumption. And a quiet engine that purrs through the toughest, tallest terrain.

See your Ransomes Bob Cat distributor for a personal demonstration of this great grass machine or call Ransomes, Inc., One Bob Cat Lane, Johnson Creek, WI 53038, (414) 699-2000.

**RANSOMES**

**BOB-CAT®**

**The grass machine.**

# NEW BANOL.<sup>TM</sup> TAKES THE WORRY OUT OF PYTHIUM.

New systemic action BANOL Turf Fungicide works in a low-cost program of prevention to eliminate the potential turf devastation of Pythium blight. Or BANOL can be used to stop Pythium once it starts. Of course, prevention is best!

BANOL has longer residual, up to 10-21 days, for less frequent applications and additional savings in labor, fuel and equipment. BANOL doesn't wash off like contact fungicides. Your irrigation program can be continued for good turf health and appearance. And BANOL is compatible in a tank mix with many other fungicides and insecticides.

For more information contact:

REINDERS BROTHERS INC.  
13400 WATERTOWN PLANK RD.  
ELM GROVE, WISCONSIN 53122

## BAN ON ROUNDUP VETOED

In March of this year, the Milwaukee County Parks Committee recommended to the county board that it pass a ban on the herbicide ROUNDUP until there was evidence the herbicide was safe. It was a move inspired by a letter, containing a lot of false information, from the Milwaukee County employees' union. The union wanted the material banned because it felt ROUNDUP wasn't safe to use. The county board passed the recommendation from the Parks Committee and ruled out the purchase and use of ROUNDUP herbicide by the county. Following a May 1 public hearing, the Parks Committee voted to rescind their earlier action. The County Executive then vetoed the ban and the veto was not overridden. The Wisconsin Agri-Business Council was deeply involved in the public hearings and in getting information out to the public that was accurate.

This seeming victory has been dampened somewhat. Another resolution has been introduced banning all herbicide use on County controlled lands. What next?



Toro Spartan 7 Gang fairway mowers with frames. Unit is in good condition and ready for use. Equipped with seven blade reels. Call Roger Bell at North Shore Golf Club; (414) 739-729.

Three electric motors: one Westinghouse Lifeline-T 40 H.P., 3530 RPM, 230/460 volts and 95.6/47.8 amps; one Allis-Chalmers Induction motor, 30 H.P., 3530 RPM, 230/460 volts and 70.8/35.4 amps; one U.S. Electrical Unidclosed Motor, 40 H.P., 3000-3600 RPM, 200/220/440 volts, 104/98/49 amps. One Crane-Deming Pump, 100 GPM, 380 Ft., 3500 RPM, 3"x2"x11", 9 9/16 diameter, Type BF. Best offer. Contact Monroe S. Miller at Blackhawk Country Club. (608) 238-3023.

**SUPPORT OUR  
ADVERTISERS**

**LESCO** . . . for all your golf course needs.

- Lescosan\*
- Sulfur-Coated Fertilizers
- Chemicals
- Seed
- Equipment
- Accessories

\*Betasan — A registered trademark of Stauffer Chemical Company.

**LESCO**

Call toll-free:  
**(800) 321-5325 Nationwide**

Lesco, Inc., 20005 Lake Road, Rocky River, Ohio 44116  
(216) 333-9250

Our best to the  
"GREENEST  
THUMBS"  
in the State...  
enjoy a  
bountiful 1984!



**WISCONSIN SECTION  
PGA OF AMERICA**