

TABLE OF CONTENTS

THE PRESIDENT'S MESSAGE Beneficial Obligations	3
GAZING IN THE GRASS How Herbicides Work: Part III - Fate and Environmental Impact	5
PERSONALITY PROFILE After 50 Years at the Same Course, It Has Become a Part of Him.	12
TDL Take Home Messages for Take-All Patch.	19
WGCSA North Brook Country Club - June's WGCSA Meeting	22
TALES FROM THE BACK NINE A Report From Autumn	25
WGCSA Super - Pro Meeting	31
GOLF IN THE FLATLANDS Lessons the Hard Way	33
WGCSA Crystal Springs Hosts July Meeting.	37
THE EDITOR'S NOTEBOOK The Best Season	38
WISCONSIN PATHOLOGY REPORT Impact of One Visionary Thought on the UW Turfgrass Research!	41
JOTTINGS FROM THE GOLF COURSE JOURNAL A "Grand" Grand Opening	42
WTA Newman Fellowship Becomes a Reality	47
NOTES FROM THE NOER FACILITY Dr. Robert Newman Honored at Field Day and Other Highlights from a Wonderful Day.	47
POA TRIVIA	52

ABOUT THE COVER

Participants in this year's Wisconsin Turfgrass Association fundraiser at The Bull will see first hand the autumn beauty of the setting of the 6th green, shown on our cover. It is a par 3, 193-yard hole that may be at its prime beauty in October. Tony Rzadyki will be our host.

"I had never been to Wisconsin, but all my life I had heard about it, had eaten its cheeses, some of them as good as any in the world. And I must have seen pictures.

"Why then was I unprepared for the beauty of this region, for its variety of field and hill, forest, lake?

"I don't know how it is in other seasons,

the summers may reek and rock with heat, the winters may groan with dismal cold, but I saw it for the first and only time in early October; the air was rich with butter-colored sunlight, not fuzzy but crisp and clear so that every frost-gay tree was set off.

"It was a magic day. The land dripped with richness, the fat cows and pigs gleaming against green, and, in the smaller holdings, corn standing in little tents as corn should, and pumpkins all about."

- Travels with Charley
John Steinbeck

THE GRASS ROOTS

THE GRASS ROOTS is a bimonthly publication of the Wisconsin Golf Course Superintendents Association, printed in Wausau, Wisconsin by Kramer Printing. No part of THE GRASS ROOTS may be reprinted without expressed written permission by the editor.

EDITOR AND PUBLISHER
Monroe S. Miller
Blackhawk Country Club
P.O. Box 5129
Madison, WI 53705
groots@glabekdialog.com

EDITORIAL STAFF AND BUSINESS AFFAIRS
Dave Brandenburg
P.O. Box 314
Theresa, WI 53091

2001-2002 WGCSA OFFICERS AND DIRECTORS

PRESIDENT David Brandenburg Rolling Meadows GC P.O. Box 314 Theresa, WI 53091 E-mail: rmeadows@dotnet.com	DIRECTORS Jeff Millies Edgewood GC W238 59560 Kuzendorf Ct. Big Bend, WI 53103 E-mail: jmillies@wi.rr.com
--	--

VICE PRESIDENT Marc Davison Green Bay CC 2400 Klondike Rd. Green Bay, WI 54311 E-mail: mdavison@uschange.net	Jack Tripp La Crosse CC N4627 Timbercrest Dr. Onalaska, WI 54650 E-mail: jtripp@centrytel.net
---	---

TREASURER Mike Lyons Old Hickory CC 316 Grove Street Beaver Dam, WI 53916 E-mail: mlyons@powerweb.net	Dustin Riley Oconomowoc GC W35235 Delafield Rd. Oconomowoc, WI 53966 E-mail: ogcriley@voyager.net
--	---

SECRETARY Brian Ferrie Horseshoe Bay CC 5335 Horseshoe Bay Rd. Egg Harbor, WI 54209 E-mail: bferrie@troongolf.com	Brian Zimmerman Milwaukee Co. Parks 9480 Watertown Plank Rd. Wauwatosa, WI 53226 E-mail: bzimmerman@milwcnty.com
--	---

PAST PRESIDENT
Kris Pinkerton
Oshkosh CC
11 West Ripple Ave.
Oshkosh, WI 54902
E-mail: occkip@vbe.com



BENEFICIAL OBLIGATIONS

By **David Brandenburg**, Golf Course Superintendent, Rolling Meadows Golf Course



Do you think about your obligations, or do you just do the right things in life? We have obligations to ourselves to eat, exercise and rest so we stay healthy. We have obligations to our family to provide food, shelter and love. We have obligations to our employers to do all we can with what they give us in property, people and products. We also have obligations to our

church and community. Although I am obligated to do all these things I also do them because I want to, as I am sure most people do. If you only provide for your family because you're obligated, you should not have a family. The same at work, if you do not like your job you should find a new job or career.

What about the turf industry? What obligations do we have to support the WGCSA, GCSAA and our fellow superintendents? I and many WGCSA members before and after me take this obligation and volunteer to serve as a board member. We volunteer because we want to make the association better and to serve the industry as a whole. Most members are not going to be involved on the board but they still have obligations to participate.

Why do I bring this all up? To be honest I am a little concerned over the lack of participation at some of our industry events. Paying dues to WGCSA supports our industry because any extra revenue we have we turn into research funding. But it takes more than just dues to support the association. Some of our members attend just about every meeting and that is great although not expected of everyone. Some of our members have never been seen and that is unfortunate.

I know we are all busy and come from a variety of situations and some of our members pay their own dues and meeting fees. My opinion is we are in a unique industry where peer interaction is the best education we can have. I have taken a lesson or idea home to Rolling Meadows from every meeting I have attended.

It is a shame when we have a monthly meeting and the superintendents from the local area cannot even come for lunch. The clubs that host monthly meetings give up tee times for us and often the host superintendent and his staff put in extra work to ready the course for our group. Our speakers spend time

preparing their material to teach us the latest in information. You don't have to attend meetings because you're obligated, but you should attend because it is enjoyable, educational and it supports the industry that supports you.

Coming up this fall we have some great events for you to enjoy. Golf and education events are scheduled at Nakoma CC on Sept 22 and Racine CC on October 14. A weekend away with your spouse October 3 & 4 as the dinner dance visits Greenwood Hills CC. The best in education will be provided November 18-19 at the Wisconsin Golf Turf Symposium and then again at the revamped Wisconsin Turfgrass and Greenscape EXPO January 5 - 7.

With all that to choose from there is something for everyone. Hope to see you there. ♣

EXPERIENCED. PROFESSIONAL.

FAIRWAY AERIFICATION



L I N K S & L A W N S
GOLF COURSE AND LANDSCAPE MAINTENANCE

5 years experience, Two Cushman GA-60 Aerators, available day or night, efficient and prompt, professional attitude and appearance, servicing Wisconsin and northern Illinois.

CALL JEFF PORTER - 1.262.642.1630

we encourage reference requests

360 YARDS to BACKYARDS

Drive is a registered trademark of BASF AG. ©2002 BASF Corporation. All rights reserved.

DRIVE
75 DF HERBICIDE

The shortest distance between broadleaf and grassy weed control.

Drive® 75 DF herbicide effectively raises the bar for postemergent weed control. A single, convenient application of **Drive** quickly eliminates a broad spectrum of both broadleaf and grassy weeds—from crabgrass and foxtail to clover and dandelion—in a wide variety of turf species. Then **Drive** keeps weeds under control for 30 to 45 days—in some cases for more than 3 months. **Drive** also offers exceptional seeding and overseeding flexibility—allowing you to seed many varieties of turf immediately before or after application. To learn more about how **Drive**® 75 DF can help you in your drive for turf protection, visit www.turffacts.com. Always read and follow label directions.

BASF
PROFESSIONAL
TURF



**We don't make the turf.
We make it better.**

BASF

How Herbicides Work, Part III: Fate and Environmental Impact



By Dr. John Stier, Department of Horticulture, University of Wisconsin-Madison

Introduction

This is the third and final part of the series "How Herbicides Work". The first installment described the various classes of herbicides, while the second discussed efficacy. Why is it important to understand herbicide fate? From a weed control standpoint, residual activity determines length of control and influences overseeding options. Most post-emergent herbicides have a very short period of activity as they are meant to quickly eliminate weeds, though they may persist in the soil for several weeks after application which delays overseeding. Pre-emergent herbicides stop weeds from germinating but selecting a product with short residual may require a second application to obtain season-long control. In other cases herbicide fate may affect efficacy.

These days it is especially important to understand

herbicide fate because of the societal debates regarding pesticide usage. The Environmental Protection Agency (EPA), designed to safeguard the national interest, in theory determines the types and uses of pesticides allowed for use based on scientific data which balances their benefits and risks. In reality the EPA is subject to indirect political pressure driven by public attitudes and perceptions. Local pesticide practices and regulations are determined by politicians and community officials acting directly on the basis of public perception and goodwill. As professional turf managers it is the responsibility of every superintendent to be able to understand pesticide fates. I recently sent out a notice on the Noernet asking users if an EPA-proposed cancellation of the pre-emergent herbicide DCPA would cause any hardships: if so, we had an opportunity to seek an exemption for turf (I received no responses). Understanding herbicide fate is important not only to ensure safe and proper use of the chemicals but also to educate the public when it is necessary. Without your input the turf industry will continue to be regulated by those without the proper understanding of the turf ecosystem.

Herbicide Fates

Pesticides, including herbicides, dissipate (disperse) in the environment through volatilization, drift, plant/soil adsorption, runoff, and leaching. Volatilization occurs when pesticide is dissolved in water, thus, volatilization is reduced at low humidity because the product dries faster on the plant or soil surface. Drift occurs when winds (usually greater than 5 mph) carry pesticide away from the target site, eventually depositing the pesticide in unintended areas. Spraying when the wind is low, using large droplet sizes, and shielded sprayers can help reduce drift.

Most of the herbicide is adsorbed (stuck) to foliage and/or soil. The abundance of turf leaves and thatch can adsorb a significant amount of herbicide, potentially decreasing the effectiveness of some pre-emergent herbicides by preventing their movement to weed seeds in the upper soil surface (Branham, 1994). Herbicides absorbed by plants are degraded (broken down) by plant enzymes. In some case the breakdown products are more toxic to the plants than the whole compound. If the plant does not completely degrade the herbicide, microbes and soil reactions

PENN G-2 Creeping Bentgrass

*What makes it so different
is what makes it so good*

The list of what makes PENN G-2 so different and so good goes on and on. Moderate fertility, heat tolerance, disease resistance and reduced *Poa annua* invasion are just a few of the highlights. What it all comes down to is simple. Whether you are building, renovating or interseeding, PENN G-2 is your grass. Why? Because it's as good as it is different.



Putting Green Quality
Creeping Bentgrass

The same Bentgrass
used at the 1999
U.S. Open at
Pinehurst No. 2

LESCO

800-321-5325

LESCO is a registered trademark of LESCO Technologies, LLC. The PENN G-2 logo is a trademark of LESCO Technologies, LLC. PENN G-2 is a registered trademark of Tec-2Green, Corp.

generally degrade the remaining product. Most of today's synthetic herbicides are ultimately degraded to relatively harmless products such as hydrogen, carbon dioxide, and water.


Pesticides are degraded beginning the minute they leave the applicator unit through photolysis (degradation by sunlight), plant metabolism, soil degradation, and especially microbial degradation (primarily bacteria and fungi). The degree of each type of degradation depends on many factors. In general, microbes appear to degrade the greatest part of herbicides that aren't absorbed and degraded in the plant, followed by photolysis and soil degradation. Soil degradation occurs when herbicides come into contact with naturally-occurring compounds such as organic acids that may catalyze reactions to break apart the pesticide. The proportion of each type of fate depends on the type of chemical and the environment.

The half-lives of chemicals are most useful for determining pesticide persistence. The half-life is the amount of time required for a compound to degrade to one-half its original amount. Thus, if a compound has a half-life of 40 days, half of the original quantity would degrade in 40 days, with half of the remainder degrading the following

40 days, and so on. Enhanced biodegradation can occur at sites where applications are routinely made over time. With enhanced biodegradation, microbial populations shift to take advantage of the presence of the pesticide, in essence degrading the compound faster and faster with each application. This should not be too surprising given the high number of microbial species that exist in our environment and their proclivity to adapt and thrive in many conditions. The actual half-life of any compound will depend on its formulation and environment, including temperature and soil type. The half-lives of several turf herbicides are listed in Table 1.

Table 1. Half-lives of several commonly used turf herbicides (adapted from Branham, 1994).

Post-emergent Herbicide	Half-life (days)	Pre-emergent herbicide	Half-life (days)
Dicamba, salt	14	Benefin	40
2,4-D, ester	10	Trifluralin	60
2,4-D, salt	10	Pronamide	60
MCPP, salt	21	Pendimethalin	90
MCPA, salt	25	Siduron	90
Triclopyr, salt	46	Bensulide	120



Hunter
GOLF

Professional Irrigation System
Repairs, Renovations, New Construction

www.JohnDeereLandscapes.com

ONE CALL HANDLES IT ALL JOHN DEERE LANDSCAPES

You're working to keep your course 100 percent playable throughout the season. Now there's a new team member ready to provide the irrigation supplies, service and support you need to achieve that goal – John Deere Landscapes. With a nationwide network of branches and staff, John Deere Landscapes has the professional expertise and equipment to solve any site challenge. Call today: 800-642-3706.



Irrigation Systems Featuring Hunter Golf Reliable rotors, valves, central control systems, maintenance radios

Pump Stations Customized for your course

Fountains and Landscape Lighting AquaMaster and Oase fountains, Vista Professional Outdoor Lighting

BoardTronics Controller Board Repairs Replace outdated Toro® and Rain Bird® controller boards: 888-855-9132

Direct Sales Quantity shipments of landscape products and nursery stock: 866-880-9380

More Than 220 Branches Nationwide



JOHN DEERE
LANDSCAPES

On-Site Consultation: 800-642-3706

Occasionally herbicides may move in sufficient amounts to the soil profile and leach past turf root systems, potentially contaminating groundwater supplies. This is especially likely with thin or non-existing turf, sandy soils, near-saturated conditions (often with continuing heavy precipitation), and highly water-soluble herbicides. Numerous studies have been conducted during the past 20 years to determine the extent to which turf-applied herbicides may runoff or leach. Studies conducted with older products such as DDT insecticide, fungicides based on heavy metals, or even the Vietnam-era herbicide 2,4,5-T do not provide valid comparisons for today's herbicides. Unfortunately it is often examples of these older chemistries which are used to incite public fear and regulations.

Herbicide leaching potential is greatest when applications are made to bare soil. Turf, contrary to most agricultural situations, poses an impressive barrier to pesticide movement into and through soil. An established Kentucky bluegrass turf may have over 450,000 roots per gallon in the top 6 inches of soil (Beard, 2000). The roots act as a third barrier after

leaves and thatch. Herbicides with a high water solubility are potentially most at risk including phenoxy herbicides such as 2,4-D. However, the organic carbon partitioning coefficient, or Koc, must also be considered when evaluating leaching or runoff of pesticides. The Koc determines the binding capacity of a substrate, typically organic matter, for a particular herbicide. Clay, loam, and soils with high organic matter have better herbicide-binding capacity than sandy soils. When bound to soil, herbicides are not moving into groundwater or runoff, and microbes may "feast away at will". In general, due partly to the presence of foliage, extensive roots, and thatch, the likelihood of turf herbicides leaching seems to be less than that of runoff.

Urban runoff is often identified as a primary source of nonpoint water pollution, especially in Wisconsin, and it would not be surprising to see legislation aimed at curbing or prohibiting use of turf pesticides in the near future. Data show that pesticide runoff from turf is greatest when water-soluble pesticides are applied to saturated soils within 24 hours prior to heavy precipitation (usually greater than 1 inch per hour). An



GOOLF®

We're Part of the Game



Premium, Professional Fertilizer.

Visit us at springvalleyusa.com or call us at 1-800-635-2123



Insecticides

- Chipco® Choice™
- Chipco® TopChoice™
- Chipco® FireStar™
- DeltaGard®
- Sevin®
- Merit®
- Dylox®
- Tempo®
- NemaCur®*

Fungicides

- 26GT®
- ProStar®
- Banol®
- Chipco® Signature™
- Compass®
- Bayleton®


Herbicides

- Ronstar®
- Prograss®
- Acclaim® Extra
- Illoxan®
- Finale®
- Sencor®
- Revolver®

Plant Growth Regulator

- Proxy®

*Nematicide



Keeping Golf Courses Green

with effective, responsible controls



Kerry Anderson
Sales Representative
(815) 923-1323



Oklahoma study showed up to 15% of mecoprop (MCPP) ran off-site following a 3 inch/75 minute simulated rainfall on a soil having 25-30% moisture by volume (Baird et al., 2000). In nature, precipitation of such an amount occurs rarely, especially when a soil is at or near saturation. Furthermore, the chances of having applied an herbicide to a saturated soil followed closely by a once-in-a-year intense rainstorm are extremely low. Given the timing of most herbicide applications, turf cover, and Koc of even water-soluble herbicides, the maximum herbicide runoff from turf is likely to be at or near zero percent (Petrovic et al., 1994; Watschke and Mumma, 1989). For example, although dicamba is extremely water-soluble (850,000 ppm) and has a low Koc, its leaching and runoff capacity is typically low due to its short half-life of 17-32 days. Microbes are responsible for degrading 90% of the dicamba that reaches soil (Smith, 1973). In our own research at the O.J. Noer Turfgrass Research and Educational Facility we found zero post-emergent herbicide in naturally-occurring turf runoff in 1999

and only 0.009 % herbicide runoff in 2000 (Stier and Williamson, 2003). Pre-emergent herbicides have low water solubility and thus limited leaching and runoff potential (Watschke and Mumma, 1989).

There are some genuine concerns. A recent study from Washington state showed clopyralid, one of the active ingredients in Confront herbicide, did not readily decompose in a lawn waste compost pile. Since lawn waste compost is sometimes used to mulch home gardens, home lawn uses for products containing clopyralid were voluntarily dropped from product labels by the distributors rather than fight the EPA. Dicamba has long been known to be capable of injuring juniper trees and other species of *Taxus* if sufficient dicamba is applied to and moved through the soil. Some herbicide labels do not allow use of a particular product near a well or in sandy soil. Several agricultural chemicals such as atrazine have been found in groundwater supplies throughout the U.S. The average citizen cannot be expected to distinguish between agricultural sources of atrazine and turf



The Reinders Pre-Season Sale comes with 200 years of experience and more

200 years of combined turf industry experience on staff
Early Order Discounts • Delayed Payment Terms • Timely, Flexible Delivery Options

Fertilizer • Grass Seed • Fungicides • Herbicides • Insecticides • Spreaders • Supplies

Consult your Reinders turf specialist today to save.

Reinders

Solutions & Supplies for the Green Industry 1-800-785-3301 www.reinders.com

CUSHMAN JACOBSEN RANSOMES RYAN

www.ttcsp.textron.com
AS-Sportsurf-0599 © 1999 Textron Turf Care And Specialty Products.
All rights reserved. Printed in the U.S.A.



First On The Field.

Textron Turf Care And Specialty Products

The number-one brands in the business are now the top team in turf. Textron Turf Care And Specialty Products may seem to be a new player in the sports turf market, but our brands are seasoned veterans. Individually, Cushman®, Jacobsen®, Ransomes® and Ryan® have been all-star performers for years. Together, they're the most experienced lineup around. From mowers, aerators and infield rakes to utility vehicles, seeders and sprayers, we have the products, service and professional support you need. Put a winner on the field. Come in or call today.



EQUIPMENT CORP.

WISCONSIN TURF EQUIPMENT CORP.

TWO LOCATIONS

1917 W. COURT ST.
JANESVILLE, WI. 53547
608-752-8766

21520 W. GREENFIELD AVE.
NEW BERLIN, WI. 53151
414-544-6421