

TABLE OF CONTENTS

THE PRESIDENT'S MESSAGE
ANOTHER SEASON CLOSES 3

GAZING IN THE GRASS
Preparing for Winter 4

WISCONSIN ENTOMOLOGY REPORT
Can't See the Trees for the Turf. 13

PERSONALITY PROFILE
This Small-Town Businessman is as Solid as They Come . . 14

WGCSA
Ireland's Valley. 21

WISCONSIN PATHOLOGY REPORT
2004-05 Results of Snow Mold Control Trials Conducted in Wisconsin and Minnesota. 22

GOLF IN THE FLATLANDS
Assorted Short Essays of Golf 25

JOTTINGS FROM THE GOLF COURSE JOURNAL
What It Was Like To Receive The WSGA Hall of Fame Award. . 31

THE EDITOR'S NOTEBOOK
A Plan For Autumn 39

NOTES FROM THE NOER FACILITY
Cool Field Day 42

BADGER STATE TURF CLIPPINGS
 44

ABOUT THE COVER

Landscape artist Jennifer L. Samerdyke gives us a bird's eye view of the O.J. NOER TURFGRASS RESEARCH AND EDUCATION FACILITY. The smallest of the UW-Madison's College of Agricultural and Life Sciences Agricultural and Research Stations, it is beautiful in all seasons but especially so in autumn.

"Over the hill in a haze of smoke, pale yellow, orange, the moon comes up, hangs in the hollow where not long before the blossoms sweetened air: blood-root, daisy, buttercup. Still in the quiet wood, quiet as dusk, the moonlight falls, the moonlight creeps, among the grasses makes its magic where shadowed boles and last leaves lie. The katydid keeps at last his summer melody; the cricket, too, is done."

- Hunter's Moon
 By August Derleth
 Sac Prairie, Wisconsin 1941

THE GRASS ROOTS

THE GRASS ROOTS is a bi-monthly publication of the Wisconsin Golf Course Superintendents Association, printed in Waukegan, Wisconsin by Kramer Printing. No part of THE GRASS ROOTS may be reprinted without expressed written permission by the editor.

EDITOR AND PUBLISHER

Monroe S. Miller
 Blackhawk Country Club
 P.O. Box 5129
 Madison, WI 53705
 groots@charter.net

EDITORIAL STAFF AND BUSINESS AFFAIRS

Dave Brandenburg
 P.O. Box 314
 Theresa, WI 53091



Front Row: L-R: Brian Zimmerman, Dustin Riley, Mike Lyons, Marc Davison. Back Row: L-R: Randy Dupont, Pat Sisk, Jeff Millies, Eric Jasin, Dave Brandenburg.

2005-2006 WGCSA OFFICERS AND DIRECTORS

PRESIDENT Marc Davison Green Bay CC 2400 Klondike Rd. Green Bay, WI 54311 E-mail: mdavison@usxchange.net	DIRECTORS Jeff Millies Edgewood GC W238 S9560 Kuzendorf Ct. Big Bend, WI 53103 E-mail: jmillies@wi.rr.com
VICE PRESIDENT Mike Lyons Old Hickory CC 316 Grove Street Beaver Dam, WI 53916 E-mail: mlyons@powerweb.net	Pat Sisk Milwaukee CC 8000 N. Range Line Rd. River Hills, WI 53217 E-mail: milwaukeecc@aol.com
TREASURER Dustin Riley Oconomowoc GC W35235 Delafield Rd. Oconomowoc, WI 53966 E-mail: ogriley@voyager.net	Eric Jasin Lake Arrowhead GC 426 St. Andrews Trail Nekoosa, WI 54457 E-mail: arrowheadlakes@hotmail.com

SECRETARY Brian Zimmerman Milwaukee Co. Parks 9480 Watertown Plank Rd. Wauwatosa, WI 53226 E-mail: bzimmerman@milwcnty.com	Randy Dupont North Hills CC 7519 Arthur Rd. Hartford, WI 53027 E-mail: rmdnhcc@earthlink.net
--	--



Visit our web site at:
www.wgcsa.com

PAST PRESIDENT
 David Brandenburg
 Rolling Meadows GC
 P.O. Box 314
 Theresa, WI 53091
 E-mail: rmeadows@dotnet.com



ANOTHER SEASON CLOSES

By **Marc Davison**, Golf Course Superintendent, Green Bay Country Club

The stress of summer appears to be behind us for the year. This past summer will be remembered as very hot, humid and dry. Isn't it amazing how the grass responds to cooler temperatures and some decent rainfall? It has been a much needed relief for what we have been through June, July and August and all this following a very harsh winter.

Monroe Miller was inducted into the Wisconsin State Golf Association's Hall of Fame on Sunday August 28. A reception was held for him at Blackhawk Country Club Sunday afternoon. It was a beautiful sunny day and over 275 supporters attended the event in honor of Monroe. He has been the superintendent at Blackhawk CC for 33 years, the only superintendent position he has ever held. Monroe is first golf course manager to be inducted into the Hall of Fame, a very well deserved award to an outstanding gentleman. We are very proud of Monroe's accomplishments and honored to have him as our Editor and a true leader in our profession. Be sure to congratulate him next time you see him.

Congratulations Monroe!

The remainder of this article is written by my wonderful and supportive wife, Laurie. She has always wanted to write from a superintendent wife's perspective. Well here it is.

"Dad's Golf Course"

"We're going to go to my Dad's golf course, do you want to come?" Here is a statement and invitation I have often heard one of our children make over the past 19 years. Marc does not own his own golf course; yet, our kids have always referred to the course as "Dad's golf course".

Even though we try to explain to the young ones that Dad does not own the golf course and he only works there, they do not give up — it's still Dad's. Perhaps one reason for this feeling is Marc's sense of ownership in "his" course. The kids see how important his job is to him and how much he enjoys his profession. They witness how he lovingly cares for the people he works with and the land he grooms, protects, and beautifies. The young ones giggle and the teenagers



smirk as Marc shares his excitement over the equipment he uses and his utter joy over the spray of the sprinklers.

His enthusiasm is contagious and spills over onto us, his family. This could explain why I still get a kick out of hearing our kids call Marc's place of employment "Dad's golf course." The phrase rings with a sense of pride I know our kids have in their dad and what he does as a profession. It tickles me to hear them tell others, both peers and adults, what their dad does for a living. They seem to glow as they speak. They know it is a unique and special profession. Even more exciting is listening to and watching how others

respond to what our kids have to say about their dad's job. "Ah, Sweet! I wish my dad was a golf course superintendent."

"You get to drive the carts?!" "Do you get to golf for free?"

I must admit, I too swell with a sense of pride when it is my turn to share with others what my husband does for a living. When I first become acquainted with someone, there is always the inevitable question, "What does your husband do?" As I tell them, the response I typically receive is one of genuine interest and awe (and the usual question, "What does he do in the winter?") Sometimes men share with me a feeling of envy and have stated they think being a golf course superintendent must be one of the best jobs. At a recent dinner event at the country club a female member told me she thought most of the men present that evening wish they had Marc's job.

How can one not feel pride? I am proud of your profession as I hope you are, too. You provide a wonderful environment for others to enjoy. A place where friends or family members can spend some time together. A place where some very important business relationships develop. A place where one can be with him/herself for a time of solitude and reflection. And don't forget a place for birds and the various other critters who find sanctuary on "your" course. You are very fortunate and blessed to work with the beautiful creation of nature and with many wonderful and interesting people.

I'm done rambling, now it's time to go hit a few balls at "Dad's golf course." ♣



Preparing for Winter

By Dr. John Stier, Department of Horticulture, University of Wisconsin-Madison

A tough year for growing grass

Just the other day an assistant superintendent told me how he was looking forward to fall. He was looking forward to the cooler weather and, no doubt, fewer golfers. This year has been difficult for turf managers throughout the state starting with extensive winterkill and continuing on with summer heat stresses. Indeed, I've had more than a few calls regarding summerkill, especially from those courses trying to re-establish turf killed by winter. Even with irrigation our turf struggled to stay green and recover from routine golf-related damages under high summer temperatures. Autumn is when we traditionally see grass rebound and increased turf density. Fewer golfers doing less damage is one reason. But the biggest reason is biology. Our cool-season grasses simply grow best at temperatures 60°-75°F. Understanding how grass responds to autumn conditions is important for getting the best grass possible the following spring.

Grass grows differently under autumn conditions

Progressively cooler temperatures and declining hours of daylight combine to produce physical growth changes in turf plants during the autumn. The amount of actual growth (e.g., leaf mass) increases dramatically compared to summer growth (Fig. 1). Unlike during spring conditions though, much less leaf material is mowed because the growth pattern has altered. Shoot growth becomes prostrate (horizontal) compared to the upright (vertical) shoot growth seen in the spring. The bulk of bud development occurs at this time of the year, setting the stage for numerous new shoots in the spring. The prostrate shoot growth and bud development are important for maintaining dense turf cover to crowd out weeds and produce high quality turf. Root growth, which usually declines during the summer, begins growing rapidly and will continue until the soil freezes, long after the mowers



Proudly Serving the Turf Industry in Wisconsin

Terra's full line of turf industry products includes:

- Herbicides
- Insecticides
- Fertilizer
- Grass Seed
- PGRs
- Fungicides
(Including Thalonil™ 90DF and 4L)
- Colorants
(Including Terramark™ SPI and Terramark Lake Colorant)

**For the products, services and advice you need,
Talk to Terra**



Terra International, Inc. • 3525 Terra Court • Sun Prairie, WI 53590
Conrad Stynchula CGCS • (800) 456-0948 (office) • (608) 235-4999 (mobile)




Fig. 1. Idealized diagram of cool-season turfgrass growth during the year.

have been put away for the year. Drought and other stresses during the critical autumn period can spell disaster for the following year.

The unseen changes inside the grass plant

During autumn turf plant cells become smaller and walls thicken, toughening cell walls to resist ice punctures. More importantly the cooler temperatures of autumn improve the efficiency of photosynthesis: in other words, more sugars are produced per unit of carbon dioxide absorbed by the plant compared to production during high summer temperatures.

Different types of sugars are produced and are used in several ways. Some are used immediately for growth as they usually are throughout the year. Fructans are large sugar molecules that are stored to fuel respiration during the winter when photosynthesis isn't possible, much as hibernating animals burn fat. Smaller sugars such as glucose and sucrose are used as water soluble "osmolytes" in plant cells where they serve as a type of antifreeze to prevent cells from freezing.

Special proteins are produced by turfgrasses which also act as antifreeze by binding water in plant cells. Over time the osmolytes, freeze-protecting proteins, and stored sugars are degraded in the plant and a loss of cold hardiness occurs. Cold hardiness increases during November, achieving a peak in December and January then declining in February with a near total loss by March.

The ability to produce excess sugars and cold-stress proteins in the autumn is important for each turf plant's winter survival. Some plants won't make it but most will survive. The amount of attrition depends to some degree on turf management during the autumn and health of the plants coming out of summer. Plants severely damaged from summer stresses will be delayed in their ability to grow enough leaves by early autumn to produce excess sugars for storage. Research at the University of Wisconsin-Madison indicates summer shade stress can be another cause of attrition during winter conditions as

smaller amounts of stored sugars may be exhausted before winter's end (Steinke and Stier, 2004).

Managing for best results

Mowing. One of the common misperceptions is that turf should be mowed especially short at the last mowing. In reality, maintaining the turf at a normal height throughout the autumn is important for letting it accumulate sugars. Continue using the 1/3 rule by never removing more than 1/3 of the leaf tissue at any one mowing. Removing more than 1/3 of the leaf tissue at one mowing literally stops growth and forces the turf to use sugars in storage to restart growth.

Fertilizing. Turf is always undernourished, which is why we see such a response to fertilization. I recall vividly a superintendent telling me he didn't like to apply fertilizer in the autumn because he didn't think it necessary. Given the tremendous potential for turf growth (read: recovery from summer stress) plus bud and root development it doesn't make sense to not fertilize in the autumn. Early September and late autumn (dormant) applications of fertilizer are crucial for helping turf maintain optimal health before winter and for optimizing spring growth.

The early September applications stimulate leaf, stolon, rhizome, and root growth. The additional leaves


*New Course Construction
Renovation and Restoration*

GOLFCREATIONS
Marengo, IL 815.923.1868



You're either spending too much . . .

Too much time. Too much money. And you aren't getting better brown patch or dollar spot control for your extra investment. So switch to Chipco® 26GT. It knocks down mycelium within 24 hours of application. And it lasts 14 days or more, twice as long as chlorothalonil. Plus, broad-spectrum Chipco 26GT works as a preventive and a curative against dollar spot and brown patch. You can also tank mix 26GT with other fungicides for season-long control. And 26GT will cost you about 32% less than what you'd spend for chlorothalonil.



. . . or getting short changed.

Chipco 26GT was originally known as Chipco 26019, but it was so significantly enhanced in 1997 that it demanded a new name. While the active ingredient remains unchanged, 26GT delivers quicker knockdown of brown patch and dollar spot (up to 48 hours faster than 26019) without sacrificing its excellent 14-day residual.

Save more, and get more. Use 26GT.



Kerry Anderson
Sales Representative
(815) 923-1323



increase the amount of sugars the plant can produce and store for use during winter. Bud formation also depends on nutrient availability throughout the fall. The late autumn, or dormant fertilization, is applied around the time of the final mowing. Late October or early November is usually the time for dormant fertilization, though dates may be sooner in northern Wisconsin and later in southeastern Wisconsin.

Water-soluble fertilizers work great for getting nitrogen into the plant at this time though slow release or natural organic fertilizers could also be used. Usually I like to see a mixture of water-soluble and insoluble nitrogen sources. No more than one lb nitrogen per thousand square feet should be applied in accordance with current Extension recommendations.

Dormant fertilization is primarily intended to feed roots and buds; cool day/night temperatures don't allow much if any leaf growth. The exception is when we get a warm stretch of weather in late November/December which occasionally forces Wisconsin superintendents to get the mowers out. Since golfers are usually showing up on these days anyway, the fertilizer still benefits the turf because the buds being formed will be needed in the spring to repair this late autumn/early winter play.

Unless existing turf damage is being repaired, avoid fertilizing during mid-autumn (late September to mid-October) because temperatures are still warm enough to stimulate new leaf growth which requires sugars and may reduce the amount of sugars stored for winter.

Irrigating. Cooler days in the autumn reduce the need for irrigation. Part of the cold-hardening process requires lower moisture levels in the plant. Of course, a water deficit is not desirable either. In any case, keeping the turf moist enough to stay green during September will help leaf growth. Unfortunately there are no hard and fast guidelines for the amount of irrigation required during autumn. We have had dry autumns during which irrigation was necessary. In any case, irrigation rates can gradually be reduced beginning in early September until

the irrigation system is closed down for winter. The most important consideration is to avoid overly succulent (well-watered) turf immediately before freezing conditions set in.

Overseeding thickens turf

Overseeding during the autumn will help the turf thicken up. The best time to apply seed is between mid-August and mid-September because temperatures are favorable for germination and seedling development. By the time you read this, your next best chance will be a dormant seeding: seeding when temperatures are cold enough that the germination period is past.

Dormant seeding requires an average daily temperature below 40 F. The idea is that the seed stays in place over winter and germinates early next spring. In our studies at the O.J. Noer Facility, dormant seedings can germinate in April. While seed planted several weeks later in the spring may "catch up" by mid-summer to dormant-seeded turf, it's often difficult to seed in early spring due to poor weather (rain, mud) and time demands for other projects.

Dormant seedings are much riskier than late summer seedings, though, as much of the seed may die during winter. It is usually recommended to use



Everything To Make Your Course Beautiful

Turf Seed • Fertilizers • Repair Parts
Golf Course Accessories • Equipment

LESCO®

800-321-5325

LESCO is a registered trademark and Grow With Us is a trademark of LESCO Technologies, LLC.


**GILL
DESIGN INC.**
Golf Course Architects

122 North 2nd Street • River Falls, WI 54022
715-425-9511 • e-mail: info@gilldesigninc.com

Visit our website: www.gilldesigninc.com

**Design • Renovation
Master Planning • Practice Centers**

Member: American Society of Golf Course Architects


Place water precisely when and where you want it.



EAGLE™ rotors provide consistent, uniform coverage and offer versatility for any challenge regardless of soil type or water use.



PAR+ES™ controllers are easy to use, provide multiple schedule operation and are upgradeable.



Rain Bird hose reels make watering with hoses faster, safer and more efficient.

RAIN BIRD

J.D. Huseboe 920-420-3980

Tom Rasmussen 414-313-5244

Reinders is the Proud Supplier of Turf Equipment to the Milwaukee Brewers and Green Bay Packers



www.reinders.com

Reinders

Solutions & Supplies for the Green Industry

MILWAUKEE (262) 786-3306 13400 Watertown Plank Road, (800) 785-3306, Elm Grove
WAUKESHA (262) 524-0200 W239 N390 Pewaukee Road (Hwy. J)
KENOSHA (262) 857-3306 20830A 75th Street (Hwy. 50), Bristol
MADISON (608) 244-0200 4217 Nakoosa Trail
APPLETON (920) 788-0200 900 Randolph Drive, Little Chute
STEVENS POINT (715) 342-3600 3510 Post Road (Hwy. 54 & 51), Plover

double the seed amount for dormant seedings to account for high seed mortality. Some type of mulch (e.g., straw or wood-based mat) is always recommended to hold seed in place during the winter and to help maintain favorable moisture for seedling development when bare soil is seeded. Slit-seeding or seeding in conjunction with core aeration are two other good methods, especially when some the goal is simply to thicken up an existitng but thin turf.

Winter protection.

Low winter temperatures, ice cover, and snow molds can kill turf during the winter (Stier, 2003; Stier, 2005). In our state fungicides are usually required to prevent snow molds from killing closely mown turf. Our pathology group, led by Dr. Jung has done a good job of testing and reporting efficacy of the different products and combination's. A popular approach is to use combinations of chlorothalonil (e.g., Daconil) and iprodione (e.g., Chipco 26GT). Occasionally fungicides seem to "run out" towards the end of the winter and research is still ongoing to determine the best ways to avoid this problem.


"Breathable" turf covers (e.g., Evergreen™) are often useful for protecting elevated greens and tees, particularly those with sand-based root zones, from desiccation during winter. A heavy layer of topdressing can accomplish the same objective.

Of particular interest this year may be covers to pre-

vent ice-related damage. Unfortunately no cover type or method has proven to be effective against winterkill in all situations. Ice formation can kill large areas of turf and at this time we still have courses in Wisconsin recovering from ice-damaged turf. Ice forms where internal and especially surface drainage is poor. The ice layer prevents gas exchange with the atmosphere and can allow gases such as carbon dioxide, cyanide and methane from soil respiration to build to toxic levels.

In addition, during late winter and early spring thaws the melting ice hydrates turf plants, then water freezes inside the plants when temperatures drop. The resulting ice can kill the turf as ice crystals either puncture the cells or draw water out of the cells. Ice inside plants in December and January is usually less of a concern because plants are still relatively winter hardy. In the short term, gas exchange problems caused by surface ice can be prevented by poking or melting holes in the ice. In the long term, and to prevent crown hydration, good surface drainage is key for allowing water to move off the turf surface. Turf at one of the golf courses I visited this spring clearly showed the impact of crown hydration as turf was killed at the lower parts of the greens where drainage off the green was prevented by small berms at the edge of the greens.

Short of good drainage there is no magic bullet for preventing ice damage. At the winterkill symposium



"WE'RE DOING ALL OF THE FAIRWAYS LIKE THIS NOW;
DON'T HAVE TO BUY GAS."

Using technology to increase length and control is a story as old as golf itself.



Always read and follow label directions.
Emerald is a registered trademark of BASF Corporation. ©2003 BASF Corporation. All rights reserved.



Emerald[®]

F U N G I C I D E

Dollar spot's never seen anything like new Emerald' fungicide. Emerald is the first all-new class of fungicide chemistry for dollar spot control to be introduced in years. That's good news for superintendents battling resistance issues. Emerald sets a new standard for dollar spot control, offering you the first fungicide to reliably control dollar spot for three to four weeks with a single application. If you're tired of losing sleep over dollar spot, now you can rest easy knowing Emerald is on the job. It's the only fungicide you can really trust to consistently provide you with dependable dollar spot control for weeks at a time. It's time to make room in your fungicide rotation for the next generation of dollar spot control—Emerald fungicide. To learn more, visit www.turffacts.com. **SETTING A NEW STANDARD.**



We don't make the turf. We make it better.

BASF