

TABLE OF CONTENTS

THE PRESIDENT'S MESSAGE Welcoming in 2008	3
GAZING IN THE GRASS Late Season Golf: To Play or Not to Play	5
TDL Fungicide Resistance in Furfgrass - Future Trends and Possible Problems	13
NOTES FROM THE NOER FACILITY Green is the Color	19
WISCONSIN SOILS REPORT Ten Steps for Developing a Nutrient Management Plan for a Golf Course	22
GREEN SECTION A Balancing Act	28
WGCSA Wisconsin Golf Turf Symposium Why Close At All	31
THE EDITOR'S NOTEBOOK A New Beginning	37
MISCELLANY A USGA Championship Comes to The Badger State	42
BADGER STATE TURF CLIPPINGS	46

ABOUT THE COVER

Grass Roots artist Bev Bergemann shows the beauty and natural terrain of Erin Hills Golf Course. The course will play host to the USGA's Women's Public Links Championship in June.

"Golf is like faith: it is the substance of things hoped for; the evidence of things not seen."

— Arnold Haultain, Author
The Mystery of Golf

THE GRASS ROOTS

THE GRASS ROOTS is a bi-monthly publication of the Wisconsin Golf Course Superintendents Association, printed in Waunakee, Wisconsin by Kramer Printing. No part of THE GRASS ROOTS may be reprinted without expressed written permission by the editor.

EDITORIAL AND BUSINESS AFFAIRS

David Brandenburg CGCS,
Rolling Meadows Golf Course
PO 314 Theresa, WI 53091
grootswi@yahoo.com



Front Row: Matt Schmitz, Jeff Millies, Dustin Riley,
Brian Zimmerman and Mike Lyons
Back Row: Brett Grams, David Swift, Chad Harrington,
Jim Van Herwynen, Mark Storby

2008-2009 WGCSA OFFICERS AND DIRECTORS

PRESIDENT Dustin Riley CGCS, Oconomowoc GC 762 Summit Avenue Oconomowoc, WI 53066 ogcsuper@bizwi.rr.com	DIRECTORS Chad Harrington Autumn Ridge GC 335 Berge Street Valders, WI 54245 putter@lakefield.net
VICE PRESIDENT Brian Zimmerman Milwaukee County Parks 7350 South 69th St. Franklin, WI 53132 bzimmerman@milwcnty.com	Mark Storby Oneida Golf & CC PO Box 10736 Green Bay, WI, 54307 markstorby@aol.com
TREASURER Jeff Millies, CGCS Edgewood GC W238 S9560 Kuzendorf Ct. Big Bend, WI 53103 jmillies@wi.rr.com	David Swift, Whistling Straits GC 4106 N.46th Street, Sheboygan, WI 53083 david.swift@kohler.co.com
SECRETARY Matt Schmitz The Bruce Company 8120 Martinsville Road Cross Plains, WI 53528 mschmitz@bruceco.com	Jim Van Herwynen, CGCS South Hills Golf and CC, 1175 Fond du Lac, Ave Fond du Lac, WI 54935, jkvanherwynen@charter.net
LIAISON Brett Grams Waupaca Sand and Solutions E3481 Hwy 22 & 54 Waupaca, WI 54981 brett@waupacasand.com	PAST PRESIDENT Mike Lyons Old Hickory CC 316 Grove St Beaver Dam, WI 53916 mike@oldhickorycc.com



Visit our web site at:
www.wgcsa.com



Welcoming in 2008

By **Dustin Riley**, Certified Golf Course Superintendent, Oconomowoc Golf Club

It does not seem that long ago that I became part of the Board of Directors of this Association. Yet, 7 years later and hopefully 7 years wiser, I have the opportunity to address the Wisconsin Golf Course Superintendents Association as its President. It is truly an honor and I am excited to work with the newly elected Board of Directors as we guide the affairs of this Association. I must first recognize Dave Brandenburg and Scott Schaller, as both had a significant role in the development and guidance of my career. I hope that I can follow their example and be as much of a positive influence on our profession in Wisconsin, as they were as Presidents and still continue today. Secondly, I need to thank Marc Davison and Mike Lyons for their service to the WGCSA over the last 4 years. Their leadership, devotion and influence will continue within the Association. I want to welcome Mark Storby, of Oneida Golf and CC, to the Board of Directors. Brett Grams, of Waupaca Sand & Solutions has accepted my invitation to join as the Affiliate Representative Director. Brett will replace Dave Oberle from BASF. I am sure Brett's input will be as valuable in the progression of Association activities as Dave Oberle has been over the past 2 years.

Although 2007 is over and we are beginning a new year and preparing for a new season, I want to commend our Education Committee Chair, Chad Harrington. Due to Chad's efforts, the WGCSA is among the leading GCSAA Chapter Affiliates for providing educational opportunities for its membership. For those that have taken advantage of these educational opportunities, please remember to submit your attendance affidavit to GCSAA to acquire the pre-approved point values. We are also open to education suggestions, so please feel free to let us know if there are topics that may be of value to you.


The new NR151 legislation will affect how we provide nutrients to our turf in 2008 and future seasons. Dr. Doug Soldat, UW-Madison, has/is providing workshops detailing the requirements or restrictions pertaining to NR151. In addition to understanding these NR151 restrictions, each of us must assemble a Nutrient Management Plan for our turf areas. Each of us should take the time to educate our owners, board of directors or general managers on the requirements of NR151. Although NR151 details may not excite them, securing your value as their turf grass expert and manager should. Thus, reassuring them that each of



us is managing the turf at our best ability while protecting the environment in accordance to our individual Nutrient Management Plan. I hope that Mother Nature will actually deliver a textbook Wisconsin winter to us, (Whatever that is?) and allow each of us time to complete our Nutrient Management Plans. At least the current blanket of snow that covers the ground has temporarily answered the question proposed by the Golf Turf Symposium, why close at all?

Finally, I would like to extend a very special thank you to Monroe Miller. For decades, Monroe's passion has filled *The Grass Roots* with research articles, editorials and other information that has advanced our profession. After 24 years as the award-winning editor of *The Grass Roots*, Monroe has passed the editor pen onto David Brandenburg. It should be recognized that *The Grass Roots* Editor is a non-paid position. The time, effort and dedication required to excel, takes a special person. *The Grass Roots* is a very important part of the WGCSA. I ask every WGCSA member to take the opportunity to express your appreciation to Monroe for his commitment and accomplishments. Also to David, for his willingness to continue as the editor. Their willingness to provide such a quality publication helps make the WGCSA a great organization.

I wish everyone safe travels throughout the winter and hope to see everyone at the Spring Business Meeting in early March.

Thank you. 

Sod

Grown on Irrigated Sand

Growers and Installers of Fine Turf

Low Mow Bluegrass, Kentucky Bluegrass, Bentgrass & Fine Fescue

Central Wisconsin Sod

Coloma, WI • Robert Heath, owner
Phone: 715-228-4106 • Email: heath@uniontel.net

Adapts to its Surroundings



JACOBSEN® ECLIPSE™ 122 & 122 F

Like a chameleon, the new Eclipse 122 & 122 F walking greens mowers from Jacobsen® can adapt to any turf, condition, operator or environment. Independently adjustable ground speed, reel speed and FOC give you the unprecedented power to dial in to the exact cut you want. 50% more float eliminates scalping – even on the most undulated turf. An advanced control system takes variability out of the operator equation for a more consistent cut every time. And a variable-configuration platform allows for hybrid or battery power to provide stealth-like quietness, fuel savings and reduced emissions. Field tested and superintendent approved, the Jacobsen Eclipse gives you the power to mow with confidence, precision and superior results – every single day. For more information, call 1.888.922.TURF or visit jacobsen.com.

Phone: 608-752-8766

Fax: 608-752-1530

Email: sales@wisconsinturf.com

www.wisconsinturf.com



EQUIPMENT CORP.

Wisconsin Turf Equipment Corp.

P.O. Box 708

Janesville, WI 53548

1.888.922.TURF • jacobsen.com

TEXTRON FINANCIAL



©2007 Jacobsen, A Textron Company. All rights reserved. Pebble Beach®, Pebble Beach Golf Links®, The Heritage Logo, The Long Cypress® and their underlying distinctive images are trademarks, service marks and trade dress of Pebble Beach Company. Used under license.

The Official Turf Equipment Supplier to The PGA of America and The Exclusive Turf Equipment Supplier to PGA Golf Properties.

JACOBSEN®

A Textron Company

When Performance Matters.™

Late Season Golf: To Play or Not to Play

By Dr. John Stier, Department of Horticulture, University of Wisconsin-Madison



The focus of November's Wisconsin Golf Symposium on temperature and golf course maintenance was brilliant in its aim to dissect one of the most fundamental controls (temperature) on turfgrass growth and response. The large number of new golf courses finished in the last 10 years has combined with a stagnant economy, increased fuel and fertilizer costs, and weather extremes that have pushed course management to accept if not encourage more late and early season play. Play at such times, though, may or may not merit the extra income if damage occurs which requires extraordinary effort to repair. Unfortunately there is no formula to use to determine if play should or should not be allowed. Instead, such a decision requires the wisdom and insight of a professional golf course superintendent, often in concert with the club manager and/or golf professional.

Why be concerned?

The main reason for disallowing late or early season play is that the turf may be physically incapable of recovering from damage. Traffic at the wrong times, in the form of vehicles, divots, and even foot traffic may kill the turf or severely limit its growth when favorable temperatures return. The absence of living turf during the winter can allow melting snow and moving surface water to cause soil erosion on a micro-scale, resulting in holes and bumpy turf. Certain weed species, particularly *Poa annua*, henbit, prostrate knotweed, and other winter or early spring annuals will fill in bare spots. Traffic can crush plant tissues and weaken the turf, possibly increasing the likelihood for disease even if a protective fungicide was

applied since low temperatures inhibit the plant's ability to repair the damage. Autumn and spring periods when the trees do not have leaves are critical times for turf to gather sunlight for the production and storage of carbohydrates: traffic during these periods causes the turf to expend some of the carbohydrates to repair damage, robbing the turf of carbohydrates needed for winter or summer survival when photosynthesis is inhibited by unfavorable temperatures and/or shade.


While a few golfers may appreciate the chance to play an extended season, the potential loss of money and goodwill from closing the course has to be balanced with expenditures related to possible repair and loss of goodwill from the golfing majority during the primary season of play.

Plant growth and development changes by season

Changes in turf growth and development occur slowly but steadily during the autumn, perhaps a little less so in the spring. Turfgrasses begin acclimating themselves for winter as the daylength shortens and temperatures decrease during September and October. New leaves and shoots are smaller and darker green than those produced under more favorable growing conditions. The length of time between production of new leaves and shoots is longer. Instead of a new leaf being produced within five days, it may take seven, eight, or more days to produce a new leaf. While a few days difference in leaf appearance rate may seem trivial, it helps to understand the importance of each individual leaf to a turf plant. For example, a Kentucky bluegrass plant may have two shoots with leaves.

Each shoot typically carries five leaves. The oldest leaf, at the bottom of the shoot, usually uses more carbohydrates than it produces and becomes a net drain on the carbohydrate supply of the entire plant. The newest leaf, still emerging from the shoot tip, is also a net drain on carbohydrates. The middle three leaves produce more carbohydrates than are needed—the balance is used elsewhere in the plant or stored for use during times unfavorable for photosynthesis (night, winter, etc.). If foot traffic, or a nine-iron being casually swished in the turf while a golfer awaits their turn, destroys the youngest three leaves on each shoot, the turf density is reduced by 60%. Under favorable conditions, it would take about two weeks to regain 100% density. If the leaf appearance rate is increased from five to eight days because of low

CHAMPION GREENS



Aerification Services

Greens • Tees
Deep tine with hollow or solid tines

KEITH 920.894.4857




A Division of Midwest Well Services, Inc.



We're all about **Water**,
budgets in the **Black**
and your course staying **Green**

*Honesty, Integrity &
Complete Customer Satisfaction*

- Customized System Design*
- Controls & VFD Service*
- Pump Station Retrofits*
- Irrigation Pump Repairs*
- Remote Control Systems*
- Preventative Maintenance*
- System Startups*
- Well Pump Repair*
- Well Drilling & Rehab*
- 24 hr. Emergency Service*



Pumpstation Professionals
Serving Customers throughout Wisconsin & Illinois
Phone: 920-383-7412 Fax 920-324-3431
www.pumpstationpros.com

temperatures, it now would take three weeks to regain 100% density.

Other physical changes also occur during autumn. Turfgrasses essentially “de-water”, that is, the water content of plants is decreased. The lower water content is important for winter survival as too much water reduces the low temperature tolerance of the turf. Think of the situation as the irrigation pipes on a golf course or plumbing in a home: outdoor pipes are drained of their water before freezing temperatures occur to prevent bursting since water expands when it freezes. Turf plants must reduce their water content accordingly or suffer from burst cells and tissues. The reduction in water content, though, comes with a cost. A high water content is needed to cause cells and tissues to expand in what we see as plant growth. Low water content equates to less growth.

Finally, autumn conditions cause turf plants to assume a more horizontal type of growth compared to the vertical growth typical during spring and summer. The horizontal aspect of growth occurs above and below the surface. Leaves tend to grow less upright while more carbohydrates are allocated to rhizome and stolon growth. Axillary buds on the turf crowns form which will develop into new shoots in the spring. While the horizontal growth can theoretically help cover more soil surface to keep weed seed from germinating, it is not necessarily sufficient to offset the reduced growth rate, and damage to plants is even more likely to result in exposed soil than during more favorable growing conditions. Exposed soil is prone to erosion and favors weed development.

Soil temperature ultimately dictates most growth and development of a turf plant. Roots can continue to grow until the soil freezes (Hanson and Juska, 1961). In some years the soil never freezes and roots can grow assuming carbohydrates are available. Since the majority of carbohydrates are stored in the leaves and shoots, a sufficient amount of living vegetation is needed to keep the roots supplied.

Traffic cops needed

Every experienced superintendent dreads the possibility of traffic on frosted turf. Frost itself does not injure our cool-season grasses (warm season grasses like crabgrass are a different matter) but the temporarily brittle tissues are prone to breakage if walked or driven upon. Frost typically occurs during clear nights when the air temperature drops below freezing. Water losses through turf leaf pores or from the leaf surfaces cool the plant. If the leaf temperature is less than the air temperature, atmospheric moisture condenses on the leaf surface. As the air temperature decreases to less than 32 F, the water droplets freeze and frost is formed. Traffic on frosted turf crushes the leaf tissue and the affected leaves die. The result is easily recognized within the next several days as dead leaves outline the footprints or



Fig. 1. Foot traffic during an autumn frost killed Kentucky bluegrass leaves, O.J. Noer Turf Research and Educational Facility, Madison, WI, 2007. Photo courtesy of Tom Schwab.

wheel tracks caused by the traffic (Fig 1). Foot traffic alone will usually only kill the leaves, not the entire plant, particularly when cutting height is one inch or greater. The safety margin diminishes at lower cutting heights and heavier traffic.

The worst conditions possible are when traffic occurs over slushy turf especially when followed by freezing temperatures. In such conditions, even cold-tolerant Kentucky bluegrass can be completely killed at the relatively low pressure of 4 lbs per square inch (Beard, 1965). Golf courses where winter activities such as snowmobiling or cross-country skiing are allowed are particularly at risk for such damage. At least 1.5 inches of snow should cover the ground to avoid direct traffic damage to turf (Eaton and Beard, 1986).

Whether its late autumn, winter, or early spring, someone at the golf course is going to have to play traffic cop. That person needs to have sufficient knowledge of where the traffic is occurring or will be likely to occur, the status of the ground at that particular time, and the impact damage will have on the golf course. Damage from late winter cross-country skiing over slushy ground is less likely to affect golf course operations if it occurs in the rough than across a fairway.

Management can affect low temperature response

Soil moisture. Most superintendents I know take great pride in producing the most perfect turf possible. Planning occurs constantly, including during the winter when snow lies three feet deep on the ground. While nature ultimately dictates the potential for success, proper management can sometimes make the difference between success or failure of golf course turf. Suitable irrigation and drainage, or lack thereof, is necessary during the fall as soil moisture will greatly affect soil temperature and therefore turf growth and quality. Wet soils


tend to hold heat longer in the autumn but warm up slower in the spring. Depressions in putting greens tend to stay greener longer in the winter but are more disposed to winterkill and slower spring greenup. Thus, wet soils may provide more playable conditions later in the fall but should be left out of play longer in the spring. Soil moisture is affected by drainage which is a function of elevation, slope, and soil type. The effect is easily seen when fast-draining sand-based greens are compared to slower-draining soil-based greens. Turf on push-up greens with a root zone of silt loam soil will stay greener longer in the autumn than greens with a sand-based root zone, but will green up slower in the spring.

Re-routing traffic. The effects of routine traffic during the growing season becomes more noticeable in the autumn and early spring as grass growth slows. Re-routing traffic whenever possible to allow turf recovery during the autumn will help keep high traffic areas at their best the following summer. Putting greens in the shade or other trouble spots will benefit from having temporary greens being used for late or early season play. While no golfer particularly likes playing on a temporary green carved out of the fairway, the few grumbles it causes are likely to have a much bigger payback when the majority of the golfers playing

during the summer appreciate the higher quality of the conventional green due to the "rest" it had during late autumn and early spring.

Mowing heights. *Increasing the mowing heights*, particularly on high traffic or stressed areas such as putting greens, during the autumn can have tremendous benefits on improved turf quality. Even slightly higher cutting heights will increase the amount of carbohydrates produced and stored, and often allow the grass to maintain green color longer in the autumn. The extra turf cover will act as an insulator for both temperature and to protect crowns from traffic damage.

Fertilization. Autumn and spring applications of fertilizer can have a profound impact on both apparent and real turf health and quality. Nitrogen fertility needs to be maintained to enhance root and rhizome growth (Hanson and Juska, 1961), but a number of studies have indicated adding too much during the cold acclimation period decreases low temperature tolerance (Stier and Fei, 2008). Consequently, extension recommendations throughout the cool-season zone have appeared to cause a shift to superintendents delaying autumn N applications to late fall, past the time when the N is capable of forcing new shoot



syngenta

There's a better way to control insects.

Invading insects don't stand a chance against new Meridian™ insecticide. An active ingredient never before used in the turf market—thiamethoxam—gives you the power to prevent and control grubs, beetles, billbugs, and ants all-in-one.



Contact:
Shawn Hilliard, UAP Distribution
N125 Co. Hwy C DeForest, WI 54352
Phone: 800-362-8049 Cell: 608-516-4006
Fax: 608-846-1115 E-mail: shawn.hilliard@uap.com

www.syngentaprofessionalproducts.com

©2007 Syngenta. Syngenta Professional Products, Greensboro, NC 27419.
Important: Always read and follow label instructions before buying or using this product.
Meridian™ and the Syngenta logo are trademarks of a Syngenta Group Company.

growth but when roots are still growing. Late fall N applications have been shown to enhance spring greenup (Wehner et al., 1988) which is desirable for early spring play. However, the current regulatory climate surrounding golf course management causes all aspects of management to be weighed, and some data indicate late fall N applications are especially prone to leaching (Mangiafico and Guillard, 2006). Consequently, additional data are needed to determine the actual uptake of N during autumn applications. Fortunately for us, Dr. Doug Soldat and his graduate student Dan Lloyd at the University of Wisconsin-Madison are beginning a study to determine the actual amount of N uptake at low temperatures. The project is partially supported by the Wisconsin Golf Course Superintendents Association and should yield important information for honing fall fertilization practices. Another area where information is needed is the impact of phosphorus fertilization as restrictions are increasing on P application. Currently the Wisconsin state legislature is considering a statewide ban on turf P applications. Preliminary research has shown phosphorus uptake is curtailed by low temperatures, but the effect is cul-

tivar-dependent (Kneebone and Johnson, 1980). The impact of low temperature P uptake on turf growth and health still needs to be determined, as well as how other practices such as N fertility impact P utilization at low temperatures.

Low temperature weed growth. The restricted growth of desirable cool-season grasses in late autumn and early spring allows low-temperature-loving weeds such as annual bluegrass to take advantage of any open surface caused by traffic or divot damage. Murphy et al. (2005) showed *Poa annua* infestation increased markedly between August to September and October in bentgrass-based putting greens. Our own research at the University of Wisconsin-Madison shows creeping bentgrass to have greatly diminished divot recovery rates between autumn and spring, while *Poa* spp. tend to have much greater growth rates (Steinke and Stier, 2003). From a management standpoint, then, it becomes important to maintain as dense of a turf cover as possible to avoid future weed management problems.

Making the decision

Each year I received calls and/or emails from superintendents or club owners asking about whether they

Design.

New Courses, Restoration, Renovation
Construction Management

Build.

New Construction
Renovation and Restoration

In this game, it's all about perfect execution.



Grand Geneva Resort and Spa Before



Proposed



Constructed



Distinctive. Innovative. Memorable.

www.lohmann.com 815.923.3400

GOLFCREATIONS

Building on Experience

www.golfcreations.com 815.923.1868

buy
topdressing
from
Waupaca
Sand +
Solutions

715-258-8566 • www.WaupacaSand.com

Proud supporter of WGCSA

