

TURFGRASS DIAGNOSTIC LAB

Thank you to the 2012 TDL contract members!!!

Names in bold are \$1000 contract members

Abbey Springs CC
Agrium Advanced
Antigo Bass Lake
Blackhawk CC
Bristlecone Pines GC
Big Foot CC
Blackwolf Run
Blue Mound Golf and CC
Brown County GC
Bulls Eye CC
Chenequa CC
Eagle River GC
Eau Claire CC
Edgewood GC
Fox Valley GC
Frontier FS Coop
Green Bay Packers
Hayward Golf & Tennis
Horst Distributing
House on the Rock Resort
Koshkonong Mounds GC
La Crosse CC
Lake Arrowhead GC

Lake Geneva CC
Lurvey Farms
Maple Bluff CC
Milwaukee Brewers
Milwaukee CC
Minocqua CC
New Berlin Hills
New Richmond GC
North Hills CC
North Shore CC
North Shore GC
Oconomowoc CC
Olds Seed Solutions
Oneida Golf & CC
Oshkosh CC
Paul's Turf and Tree Nursery
Pine Hills CC
Portage CC
Racine CC
Reedsburg CC
Reinders
Rhineland CC
Rolling Meadows GC

SAS Management
Sentryworld GC
Silver Bay CC
South Hills CC
Spring Valley Turf
Stano Landscaping
Summit Seed
Syngenta
The Bruce Company
The Legend at Bristlecone
Tripoli CC
Tuckaway CC
Twin River Turf
Two Oaks North GC
University Ridge GC
Watertown CC
Weed Man Lawn Care
West Bend CC
Westmoor CC
Whispering Pines GC
Whistling Straits GC
Wistl Sod Farm



HARTMAN
Golf & Sports Turf
Renovation & Restoration

8099 Bavaria Rd.
Victoria, MN 55386
P - 952.443.2990
www.hartmancompanies.com

Ecological Annual Bluegrass Management

By Dr. Doug Soldat, Department of Soil Science, University of Wisconsin - Madison

Annual bluegrass management is a perennial battle. Over the years, scores of management techniques and strategies have been employed in an attempt to tip the scales in favor of creeping bentgrass over annual bluegrass. The popularity of the management techniques and chemical control strategies ebbs and flows like trends in fashion. As in fashion, some of the bad ideas don't stick around very long, while the better strategies become part of the plan every

season. Entire books have been written on these techniques, so I won't attempt to cover them here. I will, however, spend some time discussing the latest fashion, which is a comprehensive plan involving the use of low disturbance, low nitrogen, growth regulators, soil acidification, and iron. For lack of a better phrase, I am calling this approach "ecological annual bluegrass management". In this article, we'll take a look at each of the components of an ecological ap-

proach to annual bluegrass management based on some recent work done at the O.J. Noer Turfgrass Research and Education Facility and elsewhere.

Disturbance

Disturbance (i.e.) core cultivation, likely plays an important role in annual bluegrass invasion. Annual bluegrass spreads by prolific seed production, and those seeds need an opening in the canopy (bare soil) to germinate. We often create these opportunities for annual bluegrass by cultivating in spring and fall. Research tells us that annual bluegrass seed will germinate anytime temperature and moisture conditions are adequate (Vargas and Turgeon, 2004) which can be all year long in Wisconsin. Indeed, we can see the effect of disturbance on annual bluegrass invasion by comparing the putting greens at University Ridge Golf Course to the research putting greens at the O.J. Noer Facility. The annual bluegrass invasion at the University Ridge was so strong that they recently re-grassed their putting surfaces, but right next door, we lament at the lack of annual bluegrass on our plots which seems to be easily out-competed by the bentgrass. We normally core cultivate at least once per year, but our greens lack the ball marks and traffic of the golf course which means there are fewer opportunities for annual bluegrass to establish and thrive.

There have been far too few studies on how cultivation affects annual bluegrass. Core cultivation will remain an important practice on fine textured playing surfaces to alleviate compaction. However, there is debate about the necessity of core cultivating sand root zones. Sand root zones are not nearly as susceptible to compaction, but are very susceptible to problems associated with organic matter accumulation. Core cultivation of sand root zones has been a strategy to manage this organic matter accumulation.



When you use the best, it shows.

With a portfolio of products unmatched in the industry, Syngenta is a necessity for every great business. From herbicides to fungicides to growth regulators, we have everything you need to maintain healthy turf.

Contact Phil Spitz to learn more about Syngenta products.
Cell: 414-429-2015 philip.spitz@syngenta.com

www.greencastonline.com

syngenta.

©2011 Syngenta Crop Protection, LLC, 410 Being Road, Greensboro, NC 27409. Important: Always read and follow label instructions before buying or using Syngenta products. The label contains important conditions of sale, including limitations of remedy and warranty. Meridian®, Renewal®, and Tenacity® are not currently registered for use in all states. Please check with your state or local extension service prior to buying or using these products. Scimitar® GC is a Restricted Use Pesticide. Auroflor®, Banner MAXX®, Bonicade®, Conquest®, Dapone ULTRAD®, Dapone Weeher 50F®, Dazone Zifl®, Dethroner®, Falcid®, Headway®, Heritage®, Insectar®, Maestro®, Meridian®, Monument®, Renewal®, MAGNAP®, Ring MAXX®, Princep® Liquid®, Renewal®, Renewal®, Scimitar® GC, Subdue MAXX®, Tenacity®, Trinitol®, and the Syngenta logo are trademarks of a Syngenta Group Company.

MESA[®]

Patented Controlled Release Nitrogen

A little bit of blue makes a whole lot of green

Deeper Green Turf


Faster Green-Up

More Nitrogen
to the Plant

Fewer
Clippings

Brilliant Color Response Even
in Cooler Temperatures

Extended Color
for up to 10 Weeks



More brands.
Better performance.



Best of All Worlds™

www.LebanonTurf.com 1-800-233-0628

WISCONSIN SOILS REPORT

However, Dr. Roch Gaussoin and colleagues research at the University of Nebraska has shown that topdressing (not core cultivation) is the key practice for managing organic matter. In a massive survey, they found golf courses applying more than 18 cubic feet of sand per thousand square feet have lower organic matter levels than those applying less than that amount. While there still is a time and place for pulling cores on sand surfaces (layering issues comes to mind), there is a growing consensus that the most important management strategies on sand greens is frequent sand topdressing to dilute organic matter and bury the crown, and poking holes to temporarily increase the oxygen content of the root zone. This minimal approach to disturbance will likely reduce the opportunity for annual blue-

grass invasion.

Nitrogen

The conventional wisdom says that high nitrogen fertilization favors annual bluegrass invasion. There have been many studies documenting this phenomenon. A study we conducted at Oconomowoc Golf Club over the past two years has also confirmed this notion. In that trial, we found that applying about 5 lbs of N/M to a majority bentgrass fairway led to a doubling of the annual bluegrass population in that two year period. The control plots received about 2 lbs of N/M and held steady at 12% annual bluegrass. One of the major challenges is finding that balance between nitrogen low enough to discourage annual bluegrass, but still enough for healthy bentgrass. It's impossible to say what the "right" amount

is for because different soils will have different N needs, and different traffic levels dictate the amount required for recuperation. The best I can do is to tell you that in theory and practice more nitrogen will favor annual bluegrass invasion than less.

Growth Regulation

We've done quite a bit of work on growth regulation here at UW-Madison in the past six years. We've found that applying Primo every 200 growing degree days (base temperature 0°C) is the best for regulating the growth of bentgrass. What little data we have on annual bluegrass suggests that Primo causes slightly more growth regulation than on bentgrass, but the regulation lasts about the same 200 GDD. This suggests that Primo use may actually discourage annual bluegrass growth.




Figure 1. Superintendents underestimated the amount of annual bluegrass on plots not treated with Primo (they estimated 11%, when the actual was 22%). However, superintendents were fairly good at estimating the percent annual bluegrass on plot that had been treated with Primo (actual amount was 16-17%, while estimates ranged from 11-16%).

WISCONSIN SOILS REPORT

In a companion study, we found that two years of Primo applications at 200 GDD led to a 25% decrease in annual bluegrass populations at the O.J. Noer compared to non-regulated turf. However, Primo seems to make the annual bluegrass stand out more in a mixed stand, so superintendents notice it more easily. We found that superintendents attending field day underestimated the annual bluegrass in non-treated plots, but were pretty good at visually estimating the annual bluegrass in Primo treated plots. Even though the Primo plots had less annual bluegrass, it stood out more which led superintendents to believe it had more than the non-treated plots (Fig. 1). A counterpoint would be that Primo increases the summer stress tolerance of turf, so it can increase the survival of annual bluegrass during the summer. Suffice it to say that Primo probably doesn't have much of an effect one way or another on your annual bluegrass populations.

However, class B growth regulators like flurprimidol and paclobutrazol, have shown the potential to reduce annual bluegrass populations. On that same fairway at Oconomowoc Golf Club described above, we found applying Trimmit at 16 oz/A every 300 growing degree days (base temperature 0°C, about every three weeks in summer) led to a fairly large reduction in annual bluegrass populations (from 12% to 5%). This high rate of Trimmit had a negative effect on the visual turfgrass quality, however, and this must be factored into the decision process. In the photo below, you can see that reapplying Trimmit every 300 GDD led to a more rapid decline in annual bluegrass than in the other two plots in each row which were treated with Trimmit at the labeled rate, or nothing at all (Fig. 2).




Figure 2: Trimmit injures annual bluegrass more severely when applied at 300 growing degree days (about every three weeks in mid-summer). The other two plots in each row, which look similar, are either Trimmit applied every seven weeks or non-treated. Photo: Bill Kreuser.

What Makes A Good Topdressing?

- CONSISTENCY - from year-to-year
- COMPATIBILITY - with your rootzone
- STABILITY - proper particle size

ALL PRODUCTS LAB TESTED GOLF COURSE APPROVED

SAND & SOLUTIONS

Waupaca Sand & Solutions
715-258-8566 - www.WaupacaSand.com

WAUPACA

Irrigation

We won't spend much time on irrigation. You've surely heard that high moisture levels favor annual bluegrass and I will not dispel this notion. Annual bluegrass is shallow rooted, so only has access to the moisture in the top few inches of the root zone. Creeping bentgrass roots are often twice as deep (or more), so it has a lower irrigation requirement. In our trial at Oconomowoc, however, we found no difference in annual bluegrass populations after two years from plots that received normal irrigation compared to those receiving the same amount plus a thorough hand-watering once per week. The best advice is to use soil moisture meters to fine tune the irrigation distribution in the soil. Turn off heads in wet areas and increase the runtimes for heads in dry areas. Improve subsurface drainage at every opportunity. By improving drainage and maintaining soil moisture in the ideal range, you'll ensure that excess moisture isn't playing a role in favoring annual bluegrass.

Iron and Root Zone Acidification

Iron and root zone acidification is probably the newest fashion in annual bluegrass

management. The previous strategies have been around for awhile, and are likely here to stay. While iron has long been used to enhance color, the rates I've been seeing of late are out of this world. Up to 40 oz/M or iron per month — that's 2.5 lbs/M! This high rate of iron is being used to mask very low nitrogen application rates and to reduce root zone pH which may favor creeping bentgrass. Defining optimum pH is not an easy task; some authors claim annual bluegrass can tolerate lower pH than creeping bentgrass, while others have stated the opposite. Dr. Max Schlossberg at Penn State has been fine tuning the optimum pH range for bentgrass and finds improved growth and quality when soil pH is less than 7.0. For maximum nitrogen availability, I prefer to keep the soil pH above 5.5 units. Because soil pH influences everything from grass growth to diseases to nutrient availability, I think we could benefit from having more science on this topic.

Back to iron, when I first heard of these high rates I became worried about unintended side effects — particularly the possibility of forming impervious iron layers in the soil which is something Glen Obear

and I have been documenting for the past few years (Fig. 3). We are still investigating the formation of these iron layers, and have not ruled out high rates of iron application as contributing to them.

We have been applying high rates (40 oz/M/month) of iron to a putting green at the O.J. Noer Facility for two years. The color response is incredible (see below) and lasts for about two weeks, which is our re-application interval. In fact, the color response from the iron is strong enough to mask the visual difference between a plot receiving 0.1 lbs N/M/month with iron and 0.4 lbs N/M/month without iron. Similarly, the iron hides the bentgrass "injury" from Trimit. I put injury in quotes because I am not sure how else to describe it, but if you are a Trimit user, you know what I mean. In addition to the masking effect, we found a 50% reduction in dollar spot on the plots treated with iron (Fig. 4). However, at Oconomowoc Golf Club iron applications had no effect on annual bluegrass populations over the two year study period. Granted, the iron rates were lower (12 oz/M/month), and the soil type was less resistant to pH change than a sand might be.



Figure 3. An impermeable iron layer at the sand/gravel interface in a USGA putting green. Photo: Glen Obear

WISCONSIN SOILS REPORT




Figure 4. This picture shows the masking effect of iron, and also the reduction in dollar spot disease. Photo: Glen Obear.

While the benefits of very high iron may sound tempting, I am a believer in “everything in moderation” and the recent trend towards extreme iron rates has me a bit worried. We will continue to closely monitor our high iron plots to see what happens over the long term. For now, I suggest using only moderate rates of iron and perhaps trying other soil acidification strategies like elemental sulfur or ammonium thiosulfate if soil pH reduction is your goal.

New Chemical Control?

The excitement over PoaCure is palatable. This product has been promoted to take annual bluegrass out very slowly, and has a wide margin of safety on creeping bentgrass. We have been testing it since spring 2012, and we have certainly seen the “very slowly” aspect. In fact, we observed no injury or reductions in annual bluegrass on a putting green at Oconomowoc Golf Club through fall. However, OGC’s superintendent, Mr. Dustin Riley, sent me the picture below (Fig. 5) from an application he made in fall where the yellowing of the annual bluegrass is evident. I look forward to tracking the progress of the trials and hope to report some good news at the end of next season.

In summary, there are many management techniques available to you for annual bluegrass management. Obviously, none of these techniques are sufficient for total eradication. If there was a tried and true method, we wouldn’t be talking about this and researching year after year. Each golf course setting is unique and we hope you can use the information we’ve generated to improve (or at least not hinder) your annual bluegrass control efforts. 




Figure 5. The plot on the left was treated with PoaCure seven weeks prior to taking this picture at Oconomowoc Golf Club. The plot on the right was untreated. Photo: Dustin Riley

Grow the Game with a PAR

By **Dustin Riley**, Certified Golf Course Superintendent, Oconomowoc Golf Club

Play A Round (PAR) 4 Research was created by the Wisconsin Golf Course Superintendents Association in 2010. The goal was to assist in funding sustainable turfgrass and environmental research for golfers, homeowners and everyone in between who enjoys a little green in their life. Whether at home, at parks, at sports facilities, or on golf courses, turfgrass improves the quality of our lives by enhancing property values, providing open space, and creating recreational opportunities. Wisconsin is home to over 300,000 acres of turfgrass that equate to a nearly one-billion-dollar-a-year industry that continues to thrive due in part to the cutting-edge turfgrass research at the University of Wisconsin-Madison.

With the support of PGA Tour Professional, Steve Stricker, and our natural spring fever, the PAR 4 Research Auction has become a spring board for Wisconsin Golf in each of the last 3 golf seasons. Since the inaugural event, this event has raised over \$33,850. All net proceeds were donated to the Wisconsin Turfgrass Association for turfgrass and environmental research funding.

But, it's not just about raising funds to support the evolution of our related sciences. It's also about having a direct influence in the growth of the game of golf. Many believe that an elaborate marketing

plan is required to help restore the interest in golf. It doesn't. So what is needed to help grow the game?? It's actually simple...To help grow the game; we simply need to provide opportunities to actually...play the game. Introducing the game to a non-player is fantastic. But, so is increasing the enthusiasm of the casual golfer. If a 4-some of friends

Start with a 4-some and maximize their enjoyment and their experience. If each of us provides such an opportunity, then it can become large scale.

The PAR 4 Research Online Auction is the perfect avenue to help grow the enjoyment and experience of golf in Wisconsin. PAR 4 Research provides many opportunities for all

Wisconsin golfers to obtain a golf experience which may not normally be available. Sample auction items include golf packages to many exclusive private golf or country clubs, nationally renowned golf courses and many other quality golf courses throughout Wisconsin and bordering states. These opportunities could lead to return play, new members or even introduce the game to a beginner.

This message is targeted toward all of us that want to see the interest in golf increase. Join in the effort. Donate a golfing opportunity to the PAR 4 Research Online Auction. Promote the auction to your family, friends, members, clients, etc. Finally, maximize

the enjoyment of those who experience your donation. Your participation is a win-win for everyone, including the game of golf.

To learn more about the PAR 4 Research On-line Auction and help sustain the Turfgrass industry while playing the great game of golf, please visit www.WGCSA.com or www.PAR4Research.com.



typically play golf together 2 times per season and can be increased to 4 times, isn't this growing the game? Growing the game doesn't need to be viewed as a large scale mission.



THE MOWER THEY DON'T WANT YOU TO SEE.



The competition doesn't want you to see the Jacobsen ECLIPSE® 322 riding greens mower. They can't match its **ZERO leak points**. They can't provide **individual reel control** to vary cut patterns. They can't offer **programmable frequency-of-clip** from an LED screen. And they can't get anywhere near the **true hybrid fuel savings** or **legendary quality-of-cut**. When it comes to the ECLIPSE® 322, the competition can't do *anything* except hope you don't see it. I guess we just ruined that for them, too.



Phone: 800-279-2341
Fax: 920-849-9576

www.horstdistributing.com
HORST DISTRIBUTING, INC.
CHILTON, WI

JACOBSEN

1.888.922.TURF | www.jacobsen.com

Jim

By Jake Schneider, Assistant Golf Course Superintendent, Blackhawk Country Club

Jim has been a summer seasonal employee on our staff for the past three seasons, and we're all hoping that he will be back for many more. Granted he only works about four hours per week, but he has become an indispensable component of our crew. Everyday, he comes to work with an ear-to-ear grin, and with rare exception, this grin stays on his face during his time on the course. It's safe to say that Jim is a morale booster to all who pay attention.

When he's at work, he wants to work, and he does so at 100 miles-per-hour. As much as he tried talking me into letting him chip brush during his first summer here, that hasn't happened, and his specialties include helping mow the clubhouse lawn (his favorite job), changing water in the on-course coolers, weeding flower beds, and freshening the water/detergent in the ballwashers. On one occasion, he had to correct Angel, one of our full-time employees, on the proper procedure for changing said ballwasher water.

Overall, he's a man of few words with an impressive sweet tooth. Jim never goes into the field without the proper safety equipment (or his water jug), and he may actually have too much PPE on occasion. He's not always the best with names, but that leaves him in good company. On the weekends, he attends church. Working at Blackhawk is more

of a second job for him, and his primary job involves custodial work.

In many ways, Jim is the perfect employee; he is punctual, has a great attitude, and works hard. Plus, he never forgets to remind us to "clock me out". He is 50 years old but has the energy level of a man 20 years younger. Jim is also autistic.

The above is 100% true, and I can assure that it's meant to be neither a self-serving narrative on hiring "disabled" workers nor a pity party for Jim. Rather, it's meant to serve as a reminder for how lucky we are to work the jobs that we do and on how our attitudes can affect all of those around us. If given the opportunity, I have no doubt that Jim would happily work on the course for 40 hours/week, and in spite of the challenges, we should do our best to maintain that same attitude. Like Jim, let's not dwell in what we don't have in our lives, bank accounts, or maintenance budgets but instead embrace what we do have. Pardon the pun, but the grass isn't always greener on the other side.

After getting over the shock that maintaining a golf course is, in fact, a decent-paying, legitimate career, I'm surprised by the amount of people who think that it's a really cool job. I may not have agreed with that assertion from July 7-August 7 of this past year, but for the most part, I see where they are coming


from. We get paid to work on properties that many with the so-called "desirable" jobs come to relax and to spend their leisure time. Although many of our days are neither relaxing nor leisurely, there are certain days when the weather is just right that it seems like a crime to get paid to do what we do. Rather than staring at a cubicle wall, we get to oversee picturesque landscapes.

Normally, I'm not one to set New Year's resolutions, but this year, I have resolved to be as happy with what I have in all aspects of life. Hopefully, you will do the same. This doesn't mean that I am or that you should be complacent. In fact, quite the opposite is true (I'm talking to you, elusive head superintendent job). Heck, after the hand that we were dealt last year, 2013 has to be better, right?

Prior to leaving on a family vacation to the Ozarks this summer, Jim typed a letter that was addressed to me and various other staff members. I will be hanging onto this letter for a long, long time. In this letter, he briefly details the trip and asks me to call his sister about having the days off to travel. His closing was as follows:

Lots of Love,
Jim

If only all of our employees felt that way about me...

Have a great year, and enjoy your job as much as Jim does. 

	JOHN DEERE LANDSCAPES	Agronomic Sales
Northern Wisconsin	Steve Wasser 920-362-1809	Southern Wisconsin Rob Wasser 262-206-0775