

From the Minnesota Department of Health

## Guidelines for Safe Handling of Drinking Water at a Golf Course

The following are guidelines if you are providing drinking water dispensers at your golf course. If the following guidelines cannot be implemented, providing bottled water as an alternative to dispensers is strongly recommended.

If you are a licensed food and beverage establishment, you must use NSF approved or equivalent equipment. A trained food service staff member should do the handling of water and the filling and cleaning of dispensers.

### Dispenser filling:

- + Wash hands with soap prior to handling water or ice.
- + Water and ice must come from an approved water supply system, either a municipal system or a well that is routinely tested and meets safe drinking water standards.
- + The dispenser should be stored away from chemical storage or contaminants.
- + The dispenser should not be placed on the floor while filling but rather on a clean and sanitary surface.
- + The hose used to fill the dispenser must be food grade (no garden hoses) and stored in a protected manner.
- + Hoses should be used exclusively for drinking water dispenser filling and not to fill other equipment or tanks, such as pesticides, herbicides or used to clean other things.
- + Plumbing used to draw water must meet the Minnesota plumbing code and have proper backflow devices.

- + Ice must be dispensed with an ice scoop to prevent direct hand contact with the ice.
- + Water in the container should be drained and refilled every four hours to prevent the growth of organisms.
- + Dispenser containers must not be stored outside overnight.

### Water dispensers:

- + The water dispenser should be constructed of food grade material and be easily cleanable.
- + The spigot should be a gravity flow design to prevent contamination during use.
- + Dispensers should be designed and placed in a manner to decrease the risk of tampering.
- + The dispenser and nozzle should be washed, rinsed and sanitized every four hours. Wash with soapy water inside and out, followed by a thorough clean water rinse and sanitize using a bleach solution of one tablespoon per two gallons of water.
- + Provide an area for air-drying of the dispenser and nozzle.
- + Single use disposable cups should be provided.

For further information, contact:

Minnesota Department of Health  
Environmental Health Services  
121 East 7th Place, Suite 220  
St. Paul, MN 55101  
651-215-0870 or [www.health.state.mn.us](http://www.health.state.mn.us)



## Superior Turf Services, Inc.



### SUPERIOR ORGANIC

DESIGNED FOR PERFORMANCE, HOMOGENEOUS PRILL,  
THE FINEST IN COMBINED TECHNOLOGIES

Country Club

Lebanon  
TURF PRODUCTS

**NX-PRO**

COMPOSITE  
TECHNOLOGY

8-2-10 Plus

Greens  
& Tees

14-0-14 Fe

Fairways  
& Tees

15-2-5

Roughs & High  
Wear Areas

BIOPRO

NEW FOR SUMMER 2004

Mega-Phos

Potassium Phosphite

- Low Rates
- Higher Active Ingredient
- The Last Word in Phosphite Products

SEED RESEARCH

GENETICALLY SUPERIOR BENTGRASSES FROM THE WORLD'S MOST COMPLETE BENTGRASS PROGRAM

FOR SUPERIOR TURF SERVICES, CALL: LARRY THORNTON

**612-804-1692**