
Introducine

### BUFFALE



Powerful New Generation Debris Blowers




For over 50 years, Buffalo Turbine products have been manufactured with minimal maintenance requirements and years of trouble free service. The unique design and power behind the Models PTOB and KB make

Model PTOB makes a quick job of blowing leaves



Model KB moving stubborn pine needles



The Axial Flow Blower is The HEART of the Models KB and PTOB. Both Blower Units produce

0,000 CFM @ 175+MPI



USHMAN MOTOR (O., INC.

Factory Authorized Dealer Since 1949

2909 E. FRANKLIN AVE., MINNEAPOLIS, MN 55406 . (612) 333-3487 . TOLL FREE: 1-800-759-5343 . FAX: (612) 333-5903

### **HOLE NOTES**

Official Publication of the Minnesota Golf Course Superintendents' Association

### 2000 MGCSA Board of Directors

Officers

President......E. Paul Eckholm CGCS Heritage Links GC 612/440-6494 Fax: 612/440-4655 E-mail: epeckholm@email.msn.com

Vice President..Rick Fredericksen, CGCS Woodhill CC 612/473-5811 Fax: 612/473-0113 E-mail: r fredericksen@msn.com

Secretary......Mike Brower Hillcrest CC 651/777-5186 Fax: 651/777-7463

Treasurer.....Rob Panuska Waseca Lakeside Club 507/837-5996 Fax: 507/835-3472 E-mail: rpanuska@prairie.lakes.com

Ex- Officio......Tom Fischer, CGCS Edinburgh USA 612/315-8582 Fax: 315-8585

#### Directors

James Bade......Somerset CC 651/457-1161 Fax: 651/455-2282 E-mail: jsbade@aol.com

Michael Brual......Faribault G & CC 507/334-8101 Fax: 507/334-9653 E-mail: mikebrual@faribaultgolf.com

Kerry Glader...........Plaisted Companies, Inc. 612/441-1100 Fax: 612/441-7782 E-mail: kbglader@aol.com

Jeff Johnson......The Minikahda Club 612/926-4167 Fax: 612/926-0602

Tom Meier......Worthington CC 507/376-9250 Fax: 507/372-2597 E-mail: wccgolf@mn.frontiernet.net

John Queensland......Cedar River CC 507/582-3595 Fax: 507/582-3133

Steve Shumansky.......Perham Lakeside CC 218/346-6071 Fax: 218/346-6079 E-mail: plcc@eot.com

Bob Simondet......Lesco, Inc. 320/327-2929 Fax: 320/327-2929 E-mail: sls368@lesco.com

Richard Traver Jr., CGCS......Monticello CC 612/295-3323

E-mail: supytrav@soncom.com

\* \* \* Editor

Steve Shumansky E-mail: plcc@eot.com

Editorial and Business Office: Scott Turtinen, Executive Director Minnesota Golf Course Superintendents' Association 240 Minnetonka Avenue South P.O. Box 617 Wayzata, Minnesota 55391-1617 Tel: 952/473-0557 Fax: 952/473-0576

Toll Free: 1-800-642-7227 E-mail: scott@mgcsa.org MGCSA Website: mgcsa.org

### From Your President's Desk

### Friends and Ducks



The monthly meeting at Southbrook G&CC was very informative. Dave Oberle gave us some insights into e-commerce and how it may make our jobs easier. After a delicious lunch we were treated to a fantastic day on a beautiful golf course. Eric Peters and his staff had the course in great shape for the golf. Thanks for all of the hard work.

The time of year has come when we are no longer able to blame the long grass or the bunker that needs to have the weeds pulled on the lack of help. It has come to the time of the season when we, as the professional keepers of the green, need to suck it up and take responsibility for the condition of the course. Now don't take this the wrong way. I am, like the rest of you, a type 'A' personality and rarely can tolerate a course not in pristine condition. But when help is scarce and the turf is growing aggressively it can get away from us. And when this happens the calls from the golfers or the green chairman or the owner are soon to follow.

What follows is known in the computer industry as cascade failure. One problem leads to a second and so on until the whole thing acts like a string of dominos. This can be a very stressful situation and how we handle it says a lot about our strength of character. The number one thing is to remain calm. Very few good decisions have been made during times of crisis. Think the whole situation through and try to determine the best course of action. A hasty decision during the crisis may cause the situation to worsen. Above all the manager needs to project an air of confidence and control which will help your employees to remain calm and focused to fix the problem. To use an old adage, act like the duck, remain calm and collected on the surface but paddle like hell underneath.

The solution may not be in your head or in the heads of your staff. Good managers know their limitations and know when to call for help. I have yet to meet another superintendent who when asked, wasn't willing to help out with advice or equipment or employees if the need arose. Rely on your friends and colleagues when you have times of need. You will not get any help if you don't ask, so ask.

Good friends are the best things this world has to offer. A friend worth having is the kind you can contact any time you have a need. They are there to listen when you just need to vent. They are there to offer advice when you need advice and they are there to lend a hand when you need some additional help. I had an opportunity lately to reconnect with a very close friend I had lost touch with. I am not sure how I let us get so far apart. He was and will again be a strong part of my support network, he has infinite turf knowledge and is a great listener. I am truly glad that he is again a part of my life. But remember that friendship is always a two-way street, you need to be willing to put more into it than you get out of it.

So when you are paddling like hell underneath, don't hesitate to call on some of those friends. It may be the best way to control your stress levels and maintain your sanity throughout the golf season.

-Respectfully submitted, Paul Eckholm, CGCS

HOLE NOTES (ISSN 108-27994) is published monthly except bi-monthly December/January, February/March for \$2 an issue or \$20 per year by the Minnesota Golf Course Superintendents' Association, 240 Minnetonka Avenue South, Wayzata, MN 55391-1617. Scott Turtinen, publisher. Periodicals postage paid at Wayzata, MN. POSTMASTER: Send address changes to HOLE NOTES, 240 Minnetonka Avenue South, Wayzata, MN 55391-1617.

### **Table of Contents**

Dennis Salwei and Clayton Hoyt Win Best Ball at Southbrook G&CC - By Scott Turtinen

Earthworm Casting Creates Maintenance Nightmare By Paul Backman, Washington State University

GCSAA Explores Internet Opportunities

How GCSAA Works With Its Chapters - GCSAA

**Understanding Overhead-Valve Engines** By Robert Zokol, Intertec Publishing Corp.

MGCSA Survey

Protecting Your Irrigation System From Lightning By Dana Blakeslee, Rain Bird Sales Inc.

**Empty Pesticide Container Collection and** Recycling Mini Metro Collection Schedule

### Advertisers

Century Rain Aid	21
Classified Ads.	.34-35
Country Club Turf	
Cushman Motor Co., Inc	IFC
DBI Golf	BC
Double Eagle Golf Construction	9
E-Z-GO Textron	4
Gill Miller, Inc.	
Glenn Rehbein.	13
GreenImage	
Hartman T	29
Hassan Sand & Gravel	15
Herfort Norby	17
Hydrologic	
Hýrdrologic	
Léitner Company	25
MTI Distributing Co., Inc	20
MIT Distributing Co. Inc.	21
MTI Distributing Co., Inc.	IBC
National Mower	29
North Star Turf	
North Star Turf	
North Star Turf	
Novartis Turf Ornamental	8
Par Aide Products Co	5
Paskvan Consulting	11
Plaisted Companies Incorporated	37
Precision Turt	28
Prinsco	36
Rhone-Poulenc	32
Turf Partners	31
Twin City Seed	38
Zeneca	14

### **Departments**

From the President By E. Paul Eckholm, CGCS

Industry News

Editor's Corner By Steve Shumansky


### **UPCOMING MGCSA MEETING SCHEDULE**

Wednesday, June 21 Scholarship Scramble Rich Spring Golf Course

Monday, August 14 MGCSA Championship Interlachen Country Club

Monday, October 16 Tanner's Brook Golf Course

Thursday, September 21 Stodola Scramble Alexandria Country Club



Filling all your golf course and turf needs.



E-Z-GO Division of Textron THE FINEST UTILITY VEHICLES IN THE WORLD. 5105 W. 35th St. St. Louis Park, MN 55416

(612) 922-1550 800-210-9214

© 1999 E-Z-GO Division of Textron Inc. • 1-800-241-5855 w.ezgo.com • e-mail: ezgo@ezgo.textron.co

SALES

SERVICE

**LEASING** 

**PARTS** 

# Earthworm Casting Creates Maintenance Nightmare

Good turf culture creates ideal conditions for earthworms. Thus, with few control strategies available, tolerance currently may be the best option for dealing with these highly adaptable creatures.

By PAUL BACKMAN
Washington State University, Puyallup, Washington

Lumbricus terrestris, popularly known as the night crawler, is a primary producer of casting on golf courses.

Earthworm casting on the surface of golf course fairways rapidly is becoming one of the most challenging management issues for superintendents in the Pacific Northwest and other regions of the United States. I know firsthand that many superintendents are losing sleep over the earthworm-casting issue, and some fear losing their jobs as a result of their inability to control casting. Many golfers, club members, green committees and board members feel the superintendents aren't doing enough to combat the problem.

Casting occurs when earthworms ingest soil and leaf tissue to extract nutrients, then emerge from their burrows to deposit the fecal matter, or casts, as mounds of soil on the turf surface. Extensive earthworm casting on fairways interferes with proper maintenance practices, the playability of the turfgrass and the overall appearance of the fairways. Affected turf can become thin and the playing surface can soften.

Superintendents urgently need management strategies that discourage earthworm casting and population growth, while at the same time maintain soil quality. At Washington State University and Oregon State University, researchers are working to develop a program that golf-course superintendents can use to reduce casting. The aim is to find methods that will reduce initial earthworm populations to a threshold level where the amount of casting is tolerable and to prevent these populations from returning to excessive levels.

### Why Is Earthworm Casting Occurring?

Earthworm populations can reach several million under golf course fairways, with millions more in the roughs going unnoticed due to higher mowing heights. Unfortunately for superintendents, the basic cultural practices that produce excellent fairway surfaces also create optimal living conditions for earthworms. Earthworms feed on fairway clippings returned after mowing and on organic matter in the soil. They love the consistent, moist, fertile conditions that typically are present in fairway turf. In other words, earthworm casting is not an indication of a superintendent's inability to grow healthy turf. In fact, the opposite is true.


Populations can reach damaging levels on golf courses for several reasons:

\* Fairways often are planted on fine-textured soils that receive regular irrigation and nitrogen-fertilizer applications, which provide optimal growing conditions and a continuous food supply for earthworms.

\* Earthworm activity is greatest when the soil moisture is near field capacity, which just happens to be the ideal moisture level for healthy turfgrass.

\* The turfgrass canopy also helps provide favorable

(Continued on Page 7)





# Taking Bluegrass Fairways to a New Level



Renovate your tired tees and fairways with the new 5-Steps Above Kentucky bluegrasses from Medalist America and your golfers will swear they're playing on bentgrass.

Absolute, Award, Bluemoon, Liberator, NuGlade, Odyssey and Rugby II will help reduce *Poa* invasion and give your tees and fairways that smooth country club look. Convert your tees and fairways to these new low-cut varieties and elevate your turf quality to a new level.

Besides going head-to-head with *Poa*, 5 Steps Above quality yields improved turf density and disease resistance, enhanced genetic color, better shade tolerance and overall performance. All this at mowing heights down to a half inch.

There'll never be a better time to renovate your pockmarked fairways than this season. For information and some great looking NTEP trial data on Medalist's new 5-Steps, contact your NST Growth Products Sales Representative.



3080 Centerville Road St. Paul, Minnesota 55117 651.484.8411 • Fax: 651.484.8257 800.592.9513

### Earthworms--

(Continued from Page 5)

temperatures by insulating the soil from extreme weather conditions.

Earthworms cast on the surface for two primary reasons. First, after they ingest organic matter, decaying leaf tissue and mineral soil, they must excrete the leftover material. Second, earthworms live in relatively permanent burrows. When soil fills the burrows (often after heavy rains), earthworms ingest the soil and move it up to the surface to perform "house cleaning." Researchers working with earthworms have estimated that they may bring 20 to 25 tons of soil per acre to the surface each year.

### "Who" Is Responsible for the Casting Problem?

More than 200 species of earthworms with varying behaviors and habitat preferences exist in North America. On Northwest golf courses, the primary species include Lumbricus terrestris, Aporrectodea calignosa and A. longa. Most species do not actually deposit casts on the surface. Many excrete material within the soil profile or not at all. Based on field observations, L. terrestris, familiarly known as the night crawler. Is the earthworm species causing severe casting damage on golf courses throughout the Pacific Northwest and in many other locations across the United States.

Night crawlers typically build permanent vertical burrows that vary in diameter from about 0.125 to 0.5 inch. In certain situations, these can extend up to 12 feet deep in the soil. However, due to regular irrigation and constant food supplies (clippings and other organic matter) on fairways, night crawlers tend to remain closer to the surface, migrating up and down in the soil with fluctuations in moisture content, soil temperature and atmospheric pressure. Peak earthworm activity and casting occurs during the cooler, wetter weather in the spring and late fall through early winter. Earthworms are generally intolerant of drought and frost conditions; they retreat to the bottom of their burrows during extremes in temperature and soil moisture, returning to the surface when conditions improve.

Night crawlers have long lives, with a reported average life span of six to nine years (up to 20). They breed, on average, once every two weeks, producing up to 20 offspring with each cycle. Breeding activity is greatest in the cool, moist conditions of spring and late fall, which also results in increased casting activity as they surface to find a mate. Researchers report that one mature night crawler can produce several hundred offspring in one year. The young night crawlers can grow several inches per year and are sexually mature after the first year. Because fairways provide optimal living conditions, unlimited space and a constant food supply, it is easy to see how earthworm populations and casting can get out of control.

### **Control Options for Managing Casts**

Currently, no pesticides are registered for controlling


earthworms in the United States, which severely limits the ability of superintendents to manage this highly destructive problem.

At Washington State University, Puyallup, Wash., and Oregon State University, we initiated a series of short- and long-term field studies in the spring of 1998 designed to reevaluate several cultural practices that other research has shown to be detrimental to earthworm activity in other regions of the world. These studies are evaluating soilchemistry effects, the effects of clipping removal (alone and in combination with spring, and spring + fall, aerification), and sand topdressing at a rate of 0.625 inch of sand per year (alone and in combination with fertilizer treatments) to determine if sand effectively reduces casting.

Several environmental and cultural factors affect earthworm activity, populations, soil distribution and species. The most critical include an adequate food supply, moisture, temperature, soil texture and pH. Researchers have shown that certain cultural factors alter these critical properties so they are less conducive to earthworm activity.

1. pH. Many researchers have reported declines in earthworm populations directly related to declining soil pH (increasing acidity). Consistent with this is the fact that earthworms are scarce in soils with a pH of 5.0 or less, and plentiful between 6.5 and 7.0. Thus, ammonium-sulfate fer-

(Continued on Page 9)





Design • Renovation • Master Planning • Practice Centers

122 North 2nd Street • River Falls, WI 54022 • 715-425-9511 • e-mail: info@gillmiller.com visit our website www.gillmiller.com

Member: American Society of Golf Course Architects

New Compass. A fairway fungicide so advanced it combines the best of contacts and systemics at the lowest rates ever.





- Unsurpassed control of Brown Patch, Anthracnose, Gray Leaf Spot, and 10 other diseases.
- Tank mix with Banner® MAXX™ for Dollar Spot control and Subdue® MAXX™ for Pythium control.
- · Affordable on fairways, yet effective on greens.
- Mesostemic power delivers locked-in, rainfast control up to 21 days.
- · Lowest rates ever reduce chemical load up to 95%.

Todd Loecke Novartis Turf & Ornamental 515-225-8715

1 NOVARTIS

www.cp.us.novartis.com

Important: Always read and follow label instructions before buying or using these products. ©1999 Novartis Crop Protection, Inc., Turf & Ornamental Products, Greensboro, NC 27419. Compass™, MAXX\*, the Mesostemic device logo, and the Novartis logo are trademarks; Banner® and Subdue® are registered trademarks of Novartis

MGCSA
MEMBERSHIP
DUES
FOR
2000-2001
HAVE
BEEN
MAILED.

PLEASE RETURN PROMPTLY WITH PAYMENT TO THE MGCSA OFFICE.

DUES
RECEIVED
AFTER
JUNE 30
MIGHT
NOT GET
INTO THE
2000-2001
MEMBERSHIP
ROSTER.

### Earthworms--

(Continued from Page 7)

tilizers may be beneficial in this regard by increasing acidity. Similarly, you should avoid using excessive lime.

In the Pacific Northwest, one researcher reported no earthworm activity on plots of creeping bentgrass treated with sulfur. However, it is possible that, instead of population reduction, acidity merely shifts species composition to non-casting earthworms that are more tolerant of acid conditions.

- 2. **Food.** Earthworms feed on organic matter in the soil and decaying clippings returned to fairways after mowing, which provide a practically unlimited food supply. In turf, they often pull leaf clippings down into the mouth of the burrow, where the tissue softens for later consumption. The amount of food in the soil and on the surface can influence earthworm populations. One researcher found that night-crawlers do not burrow deep into the soil profile if adequate food is available near the surface. Other investigators have reported that rates of casting were reduced when clippings were removed. Thus, it is possible that collecting clippings could reduce earthworm populations.
- 3. **Soil texture.** Earthworm populations are highest in light- and medium-textured loam soils. Smaller populations occur in both heavy, poorly drained clay soils and coarse, abrasive, sandy soils. Researchers believe that the susceptibility of such soils to drought and the abrasiveness of sand particles can influence both species composition and overall earthworm numbers in the soil.

One researcher has observed that earthworm populations are low in soils that are compacted, puddled, overgrazed or contain heavy clays. Fairways often are established on heavy soils that are more prone to compaction, which forces *Lumbricus terrestris* to expel the majority of their castings on the surface instead of in the voids within the soil. This probably is one reason we often see more casting in the clean-up areas on the edges of the fairways.

In my own research, after a full year of evaluating soil acidity, clipping removal and sand topdressing, I have not observed a significant reduction in earthworm casting due to variations in these factors. Some authors have reported that the response to various soil factors is not the same for all earthworm species. From my observations, *Lumbricus* 

terrestris is a highly adaptable survivor able to persist in a wide range of soil conditions. Thus, I feel it is probable that the species of earthworms present in many of the research projects I mentioned above were not L. terrestris. In addition, most of the above studies required several years of treatment applications before the earthworm reductions were evident, and in most cases the reductions reported typically were only in the range of 20 to 50 percent.

### New Strategies for Reducing Earthworm Populations


To explore novel methods of reducing earthworm populations, we are working with several earthworm-harvesting companies in Washington and Oregon. A large demand exists around the world for the type of earthworm located under golf course fairways, primarily for use as fishing bait. This demand makes earthworms a fairly valuable commodity. Currently, harvesting the worms involves bringing them to the surface by applying an irritant to the site and handpicking the earthworms when they emerge from their burrows. Obviously, this process is very labor intensive. Thus, we also are attempting to develop efficient methods for superintendents to bring the worms to the surface and remove them by mechanical or handpicked methods. We have currently assessed a core harvester, several turf vacuums and triplex brush units, but with limited success so far.

In evaluating the short- and long-term effects of physical removal, we have found that it significantly reduces casting in the short term, but it does not completely eliminate casts. A methodical, long-term approach of repeated harvests is necessary to continue to see measurable reductions. For example, an 18-hole country club in western Oregon hired a company to harvest all of their fairways in the spring of 1998. The final removal count over a 4-week period was 2.1 million worms. A second complete harvest in the fall produced about 750,000 additional worms. Although this seems like a lot of worms, this site still needs additional harvests to reduce casting to an acceptable level.

### Tolerance and Education

The issue of earthworm casting is one that surfaces over and over again (no pun intended) in pro shops, clubhouses and board and green committee meetings. Unfortunately, the issue is usually addressed without a complete understanding of the problem. At the heart of the issue is the quality of turf and how casting affects the type of lie a golfer has on the fairways. Fairway casting, when severe, can affect the implementation of summer and winter rules, with earlier winter rules initiated in the fall and a later start on summer rules in thespring. The golfers and club members who prefer to "play the ball down" year round tend to be the most vocal about

(Continued on Page 10)



Mel Strand, CEO 35 years experience

## Double Eagle Golf Construction

Redesign the Old ...Construct the New

17715 Jefferson St. NE - Ham Lake, MN 55304 (612) 434-0054

### Earthworms--

(Continued from Page 9)

earthworm casting.

For the record, I am an avid golfer. I understand the frustrations associated with soft fairways and thin turf caused by the soil deposits of casting. In addition, as an assistant superintendent at Everett Golf and Country Club in western Washington, I experienced firsthand the challenges of managing earthworm casting.

However, after studying earthworms for the last year and a half, I have gained a great deal of respect for their ability to adapt, survive and persist, even in less-than-optimal environments. Thus, earthworm casting is an issue that inevitably will require some tolerance on the part of golfers. It is unfortunate and unfair that there are superintendents around the country that face so much pressure over earthworm casting that they fear losing their jobs. After all, earthworms prefer the same conditions required to maintain healthy turfgrass.

I cannot over-emphasize that no products or pesticides are specifically labeled to control earthworms. This severely limits the ability of superintendents to manage this problem. Also, in most (not all) regions of the United States that experience heavy earthworm casting, the most severe cast-

ing tends to occur in late fall and winter when the recuperative ability of the turf is minimal. Fortunately, the number of rounds during these months typically is lower.

We must remember that earthworms provide far more benefit than harm to the soil/turf environment. The earthworm's burrowing and feeding activity initiates thatch decomposition, stimulates microbial activity, makes certain plant nutrients more available, increases soil aeration and, in general, improves overall soil quality.

Our research project will continue until we are able to develop an Integrated Management System for reducing casting. This is not an easy task. With time, we should have a better picture of how soil acidity, clipping removal, sand topdressing and other strategies affect earthworm casting after multiple years of treatment applications. We also will continue to look at new, untested strategies for earthworm-casting reduction. In the meantime, we must accept that few chemical options exist for earthworm control, and cultural strategies are not well understood. Golfer education and tolerance of casting are necessary for the time being.

(Editor's Note: Paul Backman is a research associate in turf management at Washington State University, Puyallup, Wash. This article was reprinted with permission from Grounds Maintenance magazine.)

### remier Services, LLC Golf Course Renovation **New Golf Projects** • Site evaluation • Seeding • Drainage Total course seeding Erosion control Erosion control Irrigation Wetland renovation Wetland & prairie establishment Prairie renovation & controlled burning Premier Services will match your courses' needs. We also help you determine appropriate plant usage taking into consideration: Site conditions Projected maintenance Budgetary constraints Using the latest in seeding technologies to promote the greatest in success for our customer and our environment. Proud Member of 112 SOUTH CONCORD EXCHANGE SOUTH ST. PAUL MN 55075 651.451.2388 651.451.2585 FAX

10 HOLE NOTES JUNE 2000