

## INDEX

- Bentgrass
  - Mat . . . . . 15-17
  - Penncross
    - Seed-Treatment . . . 13-14
  - Toronto (C-15) . . . . . 49
    - Red Leafspot . . . . . 49
    - Stripe Smut . . . . . 49
  - Wear Tolerance . . . . . 15-17
- Bluegrass, Kentucky
  - A-34 . . . . . 12
  - Merion . . . . . 1, 59
    - Seed-Treatment . . . 13-14
  - Nugget . . . . . 1, 12
  - Seed Quality . . . . . 54-55, 60-61
  - Shade . . . . . 12
    - A-34 . . . . . 12
    - Nugget . . . . . 12
  - Thatch . . . . . 15-17
  - Wear Tolerance . . . . . 15-17
- Budgeting
  - Equipment cost . . . . . 70-74, 82-83
  - Golf Courses . . . . . 63-67
  - Labor Costs . . . . . 75-81
- Cultivation
  - Coring . . . . . 5
  - Fairway . . . . . 43-48
    - Renovation . . . . . 24-26
  - Green aerification . . . . . 33
  - Tee . . . . . 43-48
- Diseases
  - Brown Patch
    - Fairways . . . . . 46
  - Dollar Spot . . . . . 1
    - Fairways . . . . . 46
  - Fairways . . . . . 43-48
  - Fusarium Blight . . . . . 1
    - Fairways . . . . . 46
    - Nematode . . . . . 56
    - Sod . . . . . 52-53
  - Fusarium Patch . . . . . 6-11
  - Helminthosporium . . . . . 1
    - Fairways . . . . . 46
    - Shade . . . . . 12
    - Stripe Smut, Relationship to . . . . . 12
  - Stripe Smut . . . . . 1, 49
    - Control of . . . . . 12
    - Fertilizer and Fungicide combinations . . . . . 12
    - Helminthosporium, Relationship to . . . . . 12
    - Merion . . . . . 59
  - Tees . . . . . 43-48

Typhula Blight . . . . .	6-11
Fairways . . . . .	46
Drainage	
Fairway . . . . .	43-48
Infiltration . . . . .	34-37
Percolation . . . . .	34-37
Tees . . . . .	43-48
Energy Crisis	
Equipment Costs . . . . .	70-74, 82-83
Public Relations . . . . .	84-87
Equipment	
Budgeting . . . . .	63-67
Costs . . . . .	70-74, 82-83
Fairways	
Culture . . . . .	43-48
Mowing . . . . .	44
Renovation . . . . .	24-26
Weed Control . . . . .	46
Fertilizers	
Ammonium Nitrate . . . . .	3-4
Ammonium Sulfate . . . . .	3-4
Cost and Availability . . . . .	68-69
Efficient Use . . . . .	52
Fairways . . . . .	43-48
IBDU . . . . .	3-4
Milorganite . . . . .	3-4
Potassium Nitrate . . . . .	3-4
Sod Production . . . . .	50-51
Sulfur-coated Urea . . . . .	3-4
Tees . . . . .	43-48
Ureaformaldehyde . . . . .	3-4
Fescues	
Meadow . . . . .	2
Seed Quality . . . . .	54-55, 60-61
Red . . . . .	1
Pennlawn	
Seed Treatment . . . . .	13-14
Fungicides	
Acti-Dione RZ . . . . .	6-13
Acti-Dione TGF . . . . .	6-13
Acti-Dione Thiram . . . . .	6-13
Bay . . . . .	6-13
Bromosan . . . . .	6-13
Cad-Trete . . . . .	6-13
Chloroneb, Systemic Activity of . . . . .	12
Cleary's 3336 . . . . .	6-13
Cleary's 4221 . . . . .	6-13
Cleary's 4222 . . . . .	6-13
Combinations	
Acti-Dione TGF + Tersan SP . . . . .	6-13
Acti-Dione Thiram + Tersan SP . . . . .	6-13
Daconil 6F + Tersan SP . . . . .	6-13
Tersan 1991 + Tersan SP . . . . .	6-13

Thiram 75 + Tersan SP . . . . .	6-13
Daconil 6F . . . . .	6-13
MF 582 . . . . .	6-13
MF 583 . . . . .	6-13
Rhodia . . . . .	6-13
Tersan 1991 . . . . .	6-13, 52-53
Tersan SP . . . . .	6-13
Terraclor 10G . . . . .	6-13
Terraclor 75 . . . . .	6-13
Terraclor Super X . . . . .	6-13
Thiram . . . . .	6-13
U-34-910 . . . . .	6-13
Greens	
Mat . . . . .	15-17
Soil Mixes	
Compaction & aerification . . . . .	33
Infiltration . . . . .	34-37
Inorganic . . . . .	28-30
Organic . . . . .	27-28
Percolation . . . . .	34-37
Physical Measurements . . . . .	33
Porosity . . . . .	37-39
Soil Modification . . . . .	30-33
Subirrigation . . . . .	20-23
Nitrogen Effects . . . . .	22
Herbicides	
Fairways	
DSMA . . . . .	46
Phenoxy . . . . .	46
Inflation	
Equipment Costs . . . . .	70-74, 82-83
Labor Costs . . . . .	75-81
Public Relations . . . . .	84-87
Irrigation	
Fairways . . . . .	43-48
Greens	
Infiltration . . . . .	34-37
Percolation . . . . .	34-37
Subirrigation . . . . .	20-23
Purwick . . . . .	20-23
Tees . . . . .	43-48
Labor	
Budgeting . . . . .	63-67, 75-81
Mat	
Measurement Techniques . . . . .	15-17
Nutritional Effects . . . . .	15-17
Mowing	
Fairway . . . . .	43-48
Frequency	
Fairway . . . . .	44
Tees . . . . .	43-48
Nematicides	
Fumazone . . . . .	52-53, 56-58
Nemacur . . . . .	52-53, 56-58
Nemagon . . . . .	52-53, 56-58

Nematodes	
Control of . . . .	56-58
Home Lawns . . . .	57-58
Cyst . . . .	56
Diagnosing Problems . . . . .	18-19
Root-Knot . . . .	56
Sod . . . .	50-53, 56-58
Stubby-Root . . . .	56
Stunt . . . .	56
Nitrogen	
Carriers	
Ammonium Nitrate . . . .	3-4
Ammonium Sulfate . . . .	3-4
IBDU . . . .	3-4
Milorganite . . . .	3-4
Potassium Nitrate . . . .	3-4
Sulfur-coated Urea . . . .	3-4
Ureaformaldehyde . . . .	3-4
Cost and Availability . . . .	68-69
Sod Production . . . .	50-51
Sub-Irrigation . . . .	20-23
Phosphorus	
Clipping Effects . . . .	3
Cost & Availability . . . .	68-69
Potassium	
Clipping Effects . . . .	3
Cost & Availability . . . .	68-69
Ryegrass, Perennial	
Manhattan	
Seed Treatment . . . .	13-14
Seed	
Blending . . . .	54-55, 61
Mixing . . . .	54-55, 61
Pre-Germination Treatments . . . .	13-14
Quality . . . .	54-55, 60-61
Shade Adaptations	
Helminthosporium Leaf Spot . . . .	12
Nugget . . . .	12
Warrens A34 . . . .	12
Sod	
Fertilizer	
Sod Production . . . .	50-51
Home Owner	
Fusarium Blight . . . .	50-53
Nematodes . . . .	50-53
Soil	
Green Mixtures	
Aerification . . . .	33
Compaction . . . .	33
Infiltration . . . .	34-37
Inorganic Amendments . . . .	28-30
Modification . . . .	30-33
Organic Amendments . . . .	27-28
Percolation . . . .	34-37
Porosity . . . .	37-39
Physical Measurements . . . .	33

Hydrophobic . . . .	3
Tees	
Culture . . . .	43-48
Mowing Frequency . . . .	44
Weed Control . . . .	46
Thatch	
Measurement Techniques . . . .	15-17
Nutritional Effects . . . .	15-17
Wear Tolerance	
Measurement Techniques . . . .	15-17
Nutritional Effects . . . .	15-17
Weeds	
Control of	
Fairways . . . .	43-48
Tees . . . .	43-48
Crabgrass . . . .	46
Wetting Agents	
Aqua-Gro . . . .	3-5
Hydro-Wet . . . .	3-5