

John  
McGregor  
Supt.  
Chicago  
Golf Club

## The new TORO Junior Tractor

Specially equipped with rubber-tired wheels for the Chicago Golf Club

*"The new TORO Junior is exceptionally well built and thoroughly satisfactory"*—Says John McGregor

**J**OHN MCGREGOR, Superintendent of the Chicago Golf Club, understands golf course maintenance problems thoroughly, and also the value of modern machinery.

Like many other progressive Superintendents, he watches the market closely and is quick to see the value of an improved piece of equipment.

So this spring, after looking the market over, he decided that the new Toro Junior Tractor was the best general utility tractor that was offered and promptly placed his order.

As a result, he is not only highly satisfied, but has received many commendations from the members of the Chicago Golf Club on the appearance and quietness of the new Toro Junior.

It is interesting to know that the fast growing list of Toro Junior tractor owners includes some

of the most prominent golf clubs in this country, among them being Old Elm, Knollwood, The Ridge Club, Walnut Hills of Chicago, the Sunningdale Country Club, Shinnecock Hills, National Golf Links of America, Cherry Valley, Shelter Rock, Wee Burn of New York, Pinehurst, San Francisco Golf Club, Beresford Golf Club of San Francisco, and hundreds of others.

The new Toro Junior is the best-built small tractor that is offered on the American market. It is not a makeshift, but on the contrary, is built from the ground up to provide trouble-free service over a long period of years.

Noiseless in its operation, it will receive the approval of every player on your course. Its trim lines and fine appearance will gain many friends for you. Its heavy-duty rear end will never cause a moment's trouble or expense. By all means, investigate the new Toro Junior today.

**Toro Manufacturing Co., 3042-3160 Snelling Ave., Minneapolis, Minn.**

**Service Stations at**—New York, N.Y., Philadelphia, Pa., Jacksonville, Fla., Cleveland, Ohio, Chicago, Ill., San Francisco, Calif.,  
Los Angeles, Calif., Newton, Mass., Yonkers, N.Y., Syracuse, N.Y., Troy, N.Y., Detroit, Mich.,  
Indianapolis, Ind., Des Moines, Iowa, Kansas City, Mo., Dallas, Texas, Toronto, Ont., Can., Winnipeg, Man.,  
Calgary, Alta., Can., Buenos Aires, S.A., Hamburg, Germany, H. R. Jahn, Export Distributor, N. Y.

**TORO**



# The NATIONAL GREENKEEPER

(Registered U. S. Patent Office)

Official Organ of The National Association of Greenkeepers of America

Published monthly at 405 Caxton Building, Cleveland, Ohio.

Contents copyright, 1928, by The National Greenkeeper, Inc., Publishers.

Robert E. Power, President and Editor; Frank H. Pelton, Sec'y.; C. F. Lowe, Treas.; M. J. Fox, Asst.-Sec'y.

Herman Sonneborn, Eastern Representative, 152 W. 42nd St., New York City

Entered as second-class matter, Aug. 25, 1928, at the post office, Cleveland, Ohio, under act of March 3, 1879

All Rights Reserved—None of the contents of this Magazine, either wholly or in part, may be reprinted without permission.

## Contents

A NEW PHASE IN THE CONTROL OF LARGE BROWN PATCH By Prof. L. S. Dickinson	5	GREENKEEPERS STUDY GRUB CONTROL By M. E. Farnham	26
RIGGS MILLER WINS FIRST PRIZE	9	MIDWEST GREENKEEPERS' PAGE	27
GOLF COURSE CONSTRUCTION FROM THE GREENKEEPER'S STANDPOINT Chapter No III—Moulding the Course By Edward B. Dearie, Jr.	15	CANADIANS FACE PROBLEMS By J. H. Evans	28
HOW I CONTROL BROWN PATCH By Prof. George M. McClure	22	MICHIGAN GREENKEEPERS MEET	30
JOHN QUAILL SAYS:	24	AROUND THE OFFICE DESK Tournament Schedule SUCCESS By John Morley	31
CONSIDER MAINTENANCE FIRST By Alfred E. Lundstrom	25	NEW ENGLAND NOTES By Llewellyn L. Derby	32
		MARKET PLACE AND BUYERS' GUIDE	33

## Officers—National Ass'n of Greenkeepers of America

**John Morley**, President  
Youngstown Country Club  
2248 Selma Avenue  
Youngstown, Ohio

**John Quail**, Secretary  
Highland Country Club  
426 Highland Avenue  
West View, Pittsburgh, Penn.

**Fred A. Burkhardt**, Treasurer  
Westwood Country Club  
Cleveland, Ohio

**John MacGregor**, First Vice Pres.  
Chicago Golf Club  
Box 717, Wheaton, Illinois

**Lewis M. Evans**, Second Vice Pres.  
Cedarbrook Country Club  
Mt. Airy, Philadelphia, Penna.

**Wm. J. Sansom**, Third Vice Pres.  
Toronto Golf Club  
Long Branch, Ontario, Can.

**George Davies**, Fourth Vice Pres.  
Big Springs Golf Club  
Louisville, Kentucky

**Robert J. Hayes**, Fifth Vice Pres.  
Pelham Country Club  
Pelham Manor, New York

### DISTRICT VICE PRESIDENTS

**ELMER F. AFFELDT**, Glen Oaks Golf & Country Club, Great Neck, L. I., New York.

**JOHN ANDERSON**, Crestmont Country Club, W. Orange, N. J.

**WALTER G. ANDERSON**, Sunnehanna Country Club, Johnstown, Penn.

**A. E. ARNOLD**, Masonic Country Club, Grand Rapids, Mich.

**C. J. AUGUSTO**, Del Monte Country Club, Del Monte, Calif.

**G. W. BARNES**, Banff Springs Golf Course, Banff, Alberta, Canada.

**C. G. BARTON**, Sylvania Golf Club, Toledo, Ohio.

**C. BASHAM**, River Crest Country Club, Fort Worth, Texas.

**ALEX. BINNIE**, Shoreacres Golf Club, Lake Bluff, Ill.

**JAMES BOLTON**, Berkshire Country Club, Reading, Penn.

**W. A. BOSTIC**, Biltmore Forest Country Club, Biltmore, N. C.

**CARL A. BRETZLAFF**, Meridian Hills Country Club, Indianapolis, Ind.

**PAUL BROCKHAUSEN**, New Blue Mound Country Club, Wauwatosa, Wisconsin.

**FRED A. BURKHARDT**, Westwood Country Club, Cleveland, Ohio

**JOHN CAIRD**, Manito Golf Club, Spokane, Wash.

**J. O. CAMPBELL**, Wethersfield Country Club, Hartford, Conn.

**JAMES CONNAUGHTON**, Monroe Golf Club, Pittsford, New York

**DENNIS CROWLEY**, Wollaston Golf Club, Boston, Mass.

**CARL DAVIS**, Moonbrook Country Club, Jamestown, New York

**E. E. DAVIS**, Meadville Country Club, Meadville, Penn.

**THOS. E. DOUGHERTY**, Springhaven Country Club, Chester, Penn.

**GORDON W. EARL**, Ogdensburg Country Club, Ogdensburg, N. Y.

**CHARLES ERICKSON**, Minekahda Club, Minneapolis, Minn.

**D. ALLEN FRASER**, Berkshire Hunt and Country Club, Lenox, Mass.

**FORD GOODRICH**, Flint Country Club, Flint, Michigan

**JOHN GRAY**, Essex Golf and Country Club, Sandwich, Ontario

**HARRY HANSON**, Maple Bluff Country Club, Madison, Wisconsin

**H. HAWKINS**, Lakeview Golf Club, Port Credit, Ontario

**ROBERT HENDERSON**, Country Club of Buffalo, Williamsville, N. Y.

**ARTHUR J. JENSEN**, Fargo Country Club, Fargo, N. D.

**OSCAR JOHNSON**, Happy Hollow Club, Omaha, Nebraska

**M. W. LAWRENCE**, West End Country Club, New Orleans, Louisiana

**GEORGE LIVINGSTON**, Belle Meade Country Club, Nashville, Tenn.

**HUGH LUKE**, Garden City Country Club, Garden City, N. Y.

**WILLIAM MAYNE**, Jasper Park Lodge, Alberta, Canada

**JOE P. MAYO**, Pebble Beach Country Club, Pebble Beach, Calif.

**CHESTER MENDENHALL**, Sim Park Golf Club, Wichita, Kansas

**T. H. RIGGS MILLER**, Richmond Country Club, Staten Island, New York

**HUGH C. MOORE**, St. Simon's Island Golf Club, St. Simon's Island, Georgia

**JAMES MUIRDEEN**, Ridgewood Golf Club, Cincinnati, Ohio

**JOSEPH O'GRADY**, New Bedford Country Club, New Bedford, Mass.

**WILHELM PETER**, Lynnhaven Golf Course, Kansas City, Mo.

**JOHN PIRIE**, Country Club of Fairfield, Fairfield, Conn.

**CLARENCE PLOSS**, Salem, Mass.

**WALTER C. REED**, Westwood Country Club, St. Louis, Mo.

**CAPT. DAVID L. REES**, Progress Country Club, Purchase, New York

**CHARLES A. ROBINSON**, Brookside Country Club, Lake Tarleton, Pike, N. H.

**GEORGE SARGENT**, Scioto Country Club, Columbus, Ohio

**ROBERT SCOTT**, Baltimore Country Club, Baltimore, Maryland

**H. E. SHAVE**, Oakland Hills Country Club, Birmingham, Mich.

**FRED J. TIENKEN**, Colorado Springs, Colorado

**D. R. VALENTINE**, Beaumont Country Club, Beaumont, Texas

**JOSEPH VALENTINE**, Merion Cricket Club, Philadelphia, Penna.


**GEORGE WELLIN**, Tumblebrook Country Club, New Britain, Conn.

**JACK WELSH**, Wakonda Country Club, Des Moines, Iowa

**WALTER WOODWARD**, Senneville Country Club, Montreal, Quebec, Canada



# EACH CUTTING UNIT.... *PUSHED* LIKE A HAND MOWER



**I**DEAL Bulldog Mowers avoid all bobbing or swaying when cutting hillsides. They hold right to the ground under even the heaviest cutting. Smoother fairways result.

Each of the cutting units is pushed by the strong Bulldog frame—pushed forward and into the work just like a hand mower. A hinged arm allows vertical action for rising and falling ground. Two levers lift all five cutting units.

These cutting units can't skip over tough and heavy grass. No dead weight is needed to hold them to the ground. Write today for the facts on the five reasons why Ideal Bulldogs mean better work.

## IDEAL POWER LAWN MOWER COMPANY

444 Kalamazoo Street

LANSING, MICHIGAN

### BRANCHES:

413 West Chicago Avenue  
Chicago, Illinois

273 Boylston Street  
Brookline, Mass.

237 Lafayette Street  
New York City

161 Vester Street  
Ferndale (Detroit), Mich.

*Dealers in all principal cities*

Canadian Distributors: Aikenhead Hardware, Ltd., 17 Temperance Street, Toronto, Ont.

# IDEAL GOLF COURSE EQUIPMENT



## A New Phase in the Control of Large Brown Patch

SUMMARY OF A SPEECH GIVEN AT FOURTH ANNUAL CONVENTION OF THE NATIONAL GREENKEEPERS ASSOCIATION AT LOUISVILLE, KENTUCKY

BY PROF. LAWRENCE S. DICKINSON  
*Massachusetts Agricultural College, Amherst, Mass.*

IN ATTEMPTING to control the fungus disease known as large brown patch, we must recognize, or better still, accept certain facts that at present appear to be inevitable. These facts are set forth as follows:

1. The disease is caused by a fungus known as *rhizoctonia solani* (Kuhn).

2. This fungus attacks not only most grasses but many other kinds of plants, such as potato, cotton seedlings, vegetable seedlings and many other species.

3. The resting bodies or sclerotia are found in most cultivated soils.

4. The resting bodies are of corky texture, and resistant to the usual extremes of temperature remaining over winter in the soil or upon the grass leaves.

5. The fungus appears in three phases: (a) the resting stage; (b) what may be called the critical stage, or the stage in which the hyphae or what may be termed feeding roots, have developed from the resting body, but have not begun to feed upon the plant; (c) the parasitic stage in which the fungus is living upon the plant.

Because of the wide distribution of the fungus and because the resting bodies being corky, are difficult to destroy with fungicides, it has long appeared to me that the disease should be accepted and controlled rather than any attempt made to exterminate it; especially should the greenkeeper control rather than exterminate.

Fungicides are Helpful

SUCH a statement may sound out of order, for fungicides appear to destroy the fungus and therefore exterminate it. Fungicides are helpful in the control of the disease, and many of the resting bodies are destroyed when fungicides are applied. However, in the practical application of fungicides not all of the resting bodies are destroyed, and also there is a very large probability that resting bodies are transported on the shoes of golfers,



PROF. LAWRENCE S. DICKINSON  
*Massachusetts Agricultural College*

in the top-dressing, and numerous other ways.

Control methods to be of general use must be simple and not costly, and it has been with such an idea in mind that I have been working with the large brown patch disease for the past five years.



The greenkeepers have furnished much valuable data with which to work by reporting their experiences with the disease. Their experiences when classified and the conditions noted were so uniform that they led me to believe that air temperature was a vital factor in the development of the fungus. Reporting temperature (usually soil temperature because most of the work has been done on potatoes) was of vital significance.

Five years of field observations with a recording thermometer were so uniform as to air temperature and the appearance of the brown patch disease, that I spent a few weeks at the Boyce Thompson Institute for Plant Research at Yonkers, N. Y., submitting my conclusions drawn from the field observations to laboratory tests. The laboratory results confirmed the field results, and while I would have liked to wait another year to still further confirm my ideas as to the control of the disease, enough pressure has been brought to bear to demand that I tell you in general about the conclusions as I have made them.

#### Summary of Field Observations

TWO phenomena must be given consideration, the growth of short "feeding roots" from the resting body which are entirely dependent upon the resting body and the development of these short "feeders" to active feeders that are parasitic upon the grass.

The optimum temperature range for the growth of the short feeders appears to be from 64°-68° F and the required duration within such range seems to be variable.


If the resting bodies are present, the short feeders will appear from 30 minutes to one hour after a sudden drop in air temperature to within the optimum temperature range. Virulent growth appears to require a rather rapid rise in air temperature from 64°-68° F to 80°-85° F and parasitism commences about 73° and ceases at about 90° F.

If the air temperature falls below 62° F the short feeders are destroyed.

Moisture and humidity appear to have no influence over the development of the short feeders, but growth from the short non-parasitic stage is much more rapid on moist grass than on dry grass.

The typical thermograph records will illustrate better than I can tell you how the air temperature effects the development of this disease.


#### *Development of Mycelia from Dormant Sclerotia. Representative Thermograph Readings Selected from Three Seasons' Records*



Record A

Under field conditions, if the optimum temperature was reached from a higher temperature, growth did not occur unless the change was very rapid.

- 1.—No growth of sclerotia was expected since abrupt drop in temperature failed to reach the optimum range (64°-68° F.) until four hours after the fall, indicated as A.
- 2.—No growth of sclerotia was expected since the optimum range was not reached.
- 3.—Very severe attack was expected and did occur since the sudden drop in air temperature was to the optimum range, indicated at B. Spread of mycelia began at 4:30 p. m. (73° F.), indicated at C. Immediate poling completely checked the mycelia already developed. On an unpoled plot the spread of mycelia was noted until the cool evening temperature was reached. (70°).



Record B


After short growth from the sclerotia the mycelia will remain inactive until environmental conditions favor their development, or they may be destroyed by attrition or excessive heat or cold.

- 1.—It is to be noted in the instance illustrated that on Thursday, growth of the sclerotia



should be expected at between 7 and 8 p. m. (A). The temperature was too low for rapid development of mycelia, but realizing that there were many sclerotia covered with very short mycelia, the green was not disturbed.

- 2.—On Friday no attack was noticeable to the ordinary observer because the mycelia had not developed sufficiently to be visible as cobweb-like masses.
- 3.—7, 8, 9, 10 and 11 a. m. observations found no apparent attack of the fungus. 11:45 a. m. observation found that the mycelia had developed so rapidly that the usual circular patches of diseased area were very noticeable.



Record C

The records also showed that if the optimum temperature range (64°-68° F.) is reached from a lower temperature, the air must remain from eight to ten hours at a nearly constant temperature within the optimum range to secure growth of sclerotia.

It is interesting to note that during the seasons 1928 and 1929 environmental conditions forecast the appearance of the disease on twelve and **only** twelve occasions at Amherst. Brown patch occurred on these twelve occasions and on the forecasted occasions only.

#### Practical Adaptation of Observation

ON THE test putting greens at the Massachusetts Agricultural College, no control methods were used to prevent the appearance of the disease, and when the disease was forecasted the greens were treated as follows:

One section was left untouched and the fungus permitted to develop as it wished. A second section was divided, one-half of which was heavily and thoroughly poled very soon after the optimum temperature range was reached, and at the same time the other half was

treated with a fungicide. The third section was treated with a fungicide after the disease had appeared in its usual circular patches.

The results of the various treatments showed that poling during the critical stage is inexpensive and effective if thoroughly done. Fungicides if applied during the critical stage are comparatively inexpensive, effective in control, and seldom injurious to the turf.

Brown patch is not nocturnal but may appear any time when environmental conditions favor its development. It happens that a large per cent of the "right times" occur after mid-afternoon.

#### Practical Significance

IT IS possible to forecast the appearance of the fungus and therefore limit control measures to such occasions, thereby effecting a saving in cost.

It is practical to check effectively the development of the mycelia by poling or any such attrition and if the attrition is applied soon after the short feeders grow from the resting stage, control is as complete as when fungicides are applied and with less injury to the turf.

**T**O GROW thick and vigorous turf, use V-C Fairway, the fertilizer for golf courses. Clean, inoffensive, unobjectionable in every way—a rich food for grass, easy and inexpensive to apply.

**V-C**  
**Fairway**  
**GRASS FOOD**

**VIRGINIA-CAROLINA**  
**CHEMICAL CORP.**

**LAWN AND GARDEN DEPT.**  
Richmond, Virginia



# *Tested Seeds*

**N**O matter how well the soil has been prepared, or how fully the thousand and one little details have been taken care of—if the seeds you plant are not right, it is largely wasted effort. This is why we emphasize, at all times, what we term “The Henderson Standard of Quality,” rather than our prices.

We have always believed that there is a demand for the highest grade of Grass Seed—Grass Seed that could be depended upon, and the results have fully justified this belief.

Let us quote you on your requirements, and you will be surprised to find that the prices for Seeds of the Henderson Quality are about the same as you have been paying, but with a vast difference as to results.

We can help you with your course problems. Our staff of trained men is competent to assist you, whether it be a complete new course, the renovation of your present one, or the usual problems that come from day to day.

An inquiry does not obligate you in any way.

**PETER HENDERSON & CO.**

SEEDSMEN

*Everything for the Golf Course*

35 Cortlandt St.

--

--

New York City



# Riggs Miller Wins First Prize

STATEN ISLAND GREENKEEPER AWARDED GREATEST NUMBER OF POINTS BY JUDGES OF CONVENTION PRIZE STORY CONTEST. ALEX BOYD AND EDW. B. DEARIE, JR., BOTH ILLINOIS GREENKEEPERS, FINISH SECOND AND THIRD

1st PRIZE—T. H. Riggs Miller—Richmond County Country Club, Staten Island, N. Y. 175 points—\$100.00

2nd PRIZE—Alex Boyd—Sunset Ridge Country Club, Winnetka, Ill.—150 points—\$75.00

3rd PRIZE—Edward B. Dearie, Jr.—Ridgemoore Country Club, Norwood Park, Ill.—125 points—\$50.00

4th PRIZE—R. E. Farmer—Brynwood Country Club, Milwaukee, Wisconsin—100 points—\$12.50

4th PRIZE—Lewis M. Evans, Cedarbrook Country Club, Mt. Airy, Philadelphia, Penna.—100 points—\$12.50

## HONORABLE MENTION

L. J. Feser—Wood Hill Country Club, Wayzata, Minnesota—75 points.

Harry Burkhardt—Manakiki Country Club, Cleveland, Ohio—25 points.

Judges: Robert J. Hayes, Pelham Manor, N. Y., John MacGregor, Chicago, Ill., and John Morley, Youngstown, Ohio.

\* \* \*

## Riggs Miller Story



T. H. RIGGS MILLER  
Richmond County Country Club

## FEATURES of the Show—

There were really no outstanding features of the show; everything was in such excellent harmony that nothing stood out or over-shadowed the other.

The reason for this I feel was due in no little way to Mr. Burkhardt's

initiative, in securing the adornments of the Auto show, and using them to such advantage, that every exhibition had a fine stand. It must have instilled a deep sense of pride in the heart of every greenkeeper entering the Armory at Louisville.

To think, within a short span of years, their association had grown to such proportions, due of course, to the safe and sane management exercised by its officers. These men who have had the helm through the first and most stormy years deserve the gratitude of each and every greenkeeper in America whether he belongs to the organization or not. What helps one greenkeeper helps all.

The flowering forth of the biggest and best

exhibition of golf course equipment ever assembled under one roof, does not come about by accident but, by the hard continuous work of our organization officers, and with the co-operation of every member, better things still will be in store.

## The Educational Conference

IF A vote were taken I do not doubt that Prof. Dickinson would win, for the popularity of the subjects discussed. His article on large brown patch, has borne out what many greenkeepers have felt to be true. Here lies the great use of trained investigators; no greenkeeper could possibly give the time or study to this subject, even though he were equipped by training to do so. It is to hope that the good professor will shortly enlighten us on methods for combating the small brown patch as well.

All the other subjects were well chosen and treated in a masterly way. BUT—Where were the greenkeepers?—One of the articles published in the February number of the National Greenkeeper that I heard praised on all sides was by Mr. A. E. Lundstrom, criticising the U. S. G. A. Green Section meeting in New York for ignoring the practical greenkeeper at their meeting in N. Y. C. Therefore, it was a keen disappointment to many of those, who thought like Mr. Lundstrom, to see the greenkeepers themselves practically do the same thing.

## Suggestions on Improvement

THE consensus of opinion of those who visited Louisville was that as far as the re-



*Put in a drainage  
system with a*  
**REPUTATION  
for SERVICE**



*BEFORE* you decide that this kind or that kind of drainage product shall go under your course, consider its record for life in service. Has it done a good job elsewhere? How many years did it last without repairs? Was it costly because short lived, or economical because it endured many years of trouble-free service?

Armco engineers, who have provided Armco Perforated Pipe for many of the country's best courses, know from extensive field investigations and research the amount of service you may expect from any product. They possess the facts to show that Armco Perforated Pipe has endured 24 years in the ground, under every condition of soil, water, impact and pressure.

Armco Perforated Pipe is also easier to haul and install, is not affected by frost or pressure, and calls for no attention year to year. Comparative facts to help you choose will be gladly given you by any Armco engineer. Write.

*Armco culverts and drains are manufactured from the Armco Ingot Iron of The American Rolling Mill Company and always bear its brand.*

**ARMCO CULVERT MFRS.  
ASSOCIATION**

*Middletown, Ohio*

**ARMCO**  
*Perforated*  
**PIPE**

© 1930. A. C. M. A.

ception of members were concerned, the reception committee failed to function.

The first recommendation for improvement—have the Chairman of the Reception committee be at convention headquarters a day or so before opening. He will make inquiries as to available hotel rooms, with prices, etc., and have same on file. Those in charge of delegations will telegraph reception headquarters the train number, number on board train, etc. The chairman will then delegate one of his committee to meet each such group, and see that they get the type of accommodations they are looking for.

Second—Some method should be devised whereby the general meeting and election take place on the second day of the convention. This will give the officers a better chance to feel the pulse of the visiting members, and thus learn the conditions over the length and breadth of the land.

Third—Lectures should be given by greenkeepers themselves, and those members of organizations, colleges, etc., who are doing so much to further the solutions of the greenkeepers' problems.

Fourth—The building of model greens was an innovation; without precedence, and a very good one. So that any criticism must be of a constructive nature. Therefore I would suggest for the future to have a given problem, preferably a short hole, designed by some non-competitor. The scale would naturally have to be smaller than used at Louisville, because it ought to take in from tee to green. These plans should not be given out until the convention opens. The one or the group giving the best interpretation according to the designer and a committee will be the winner. The question of who would be eligible, etc., would have to be discussed and a charge to enter the competition might be made.

No one can deny the improvement of the show and convention each year—but, this ought not be an excuse to rest on laurels gained. No greenkeeper must think for a moment that he is on the top of the world, and that the organization is too strong to attack. Eternal vigilance is now, and always will be, necessary.