stem, a leaf blade that extends away from the stem, and a collar at the junction of the blade and sheath. The leaf base, the junction of the leaf sheath and the leaf blade, is a very important portion of the grass leaf.

The ligule is a little portion of tissue that arises from the inside of the leaf sheath and is present in all grasses as an upward extension of tissue (either as a membrane or a row of hairs from the inner surface of the sheath). All of the stomata, which allow for gas exchange and moisture release, are located on the inside of the leaf, not on the outer surface. The reason being that in a drought situation, certain cells shrink, the leaf closes up, and there is practically no moisture loss from the inside of the leaf. Auricles are present in some grasses as small hook-like structures that extend from the lowermost edges of the leaf blade and clasp the stem and collar. Features of the leaf base are very important in the identification of grasses in the vegetative stage.

#### Identification and Classification

Technical identification and classification of grasses are almost exclusively based on features of the inflorescence. The basic unit is a spikelet. These are arranged in branching panicles, in spike-like panicles, or in spikes. Each spikelet contains one or more flowers (3 stamens and a pistil) enclosed by tiny bracts called glumes and lemmas. •



#### **Brian Rosenberg**

Technical Sales Representative

Tel: 1-800-461-6471 Cell: 519-581-2636 Fax: 1-800-305-0914 E-mail: brianr@nu-gro.ca

#### **Nu-Gro Professional**

2270 Speers Road Oakville, ON L6L 2X8

Product Info Line: 1-800-268-2806



#### **Paul Turner**

Sales Representative

Cellular: (416) 566-0211 Pager: (416) 547-0148

1184 PLAINS ROAD EAST, BURLINGTON, ON L7S 1W6 Burlington (905) 637-5216 Toronto (905) 338-2404 1-800-883-0761 Fax: (905) 637-2009

# We've heard a Rumour ... You're about to buy a Groomer!





#### **BallPark-6 Groomer**

The **BallPark-6** is the original groomer. It combines five essential and individually adjustable grooming tools as illustrated. Hundreds of ball diamonds in North America are now being groomed regularly with the **BallPark-6**.

Options available for both models include: 50 Gallon Water Spray Tank, Extention Wing Brush Kit, & Hydraulic Top

#### **Diamond Master**

The **Diamond Master** carries the same tools, does the same job, but we've made it much easier. Individual tool adjustments can now be made with simple screw jacks.

That's a big help when you have 5 to 20 diamonds to do in a hurry.



The home of Sportsturf Magic

41 Kelfield Street ~ Rexdale, Ontario ~ M9W 5A3 CDN 1-800-325-4871 ● USA 1-800-665-2696

# Drain Envelopes: To Use or Not to Use

Dr. R.W. Sheard, P.Ag., Agronomist, Guelph Turfgrass Institute

ile systems have been known to fail when sediment enters the pipe through the crack between abutting clay tile or through the slots in the more common corrugated plastic tube. Many architects design a system which has a geotextile cloth envelope or covering on the tile to prevent the infiltration of sediment into the tile. In many cases, the use of the envelope not only increases the cost of the system, but may lead to the very clogging of the system for which it was intended to prevent.

In most soils, the wide distribution of particle sizes from clay through sands and small gravel form natural bridges of particles over the entry points of water into the tile. Soils, however, which are of a relatively uniform particle size, are unable to form these natural bridges and are considered to be unstable when saturated with water; the condition which exists when water is about to flow into the tile line. These soils have been identified as very fine sands, loamy fine sands, fine sands, and silts. Clays would be expected to cause even greater problems, however, because of the plate-like nature of clay particles. Due to strong cohesive forces between the particles, clays react similar to bridging soils.

Certainly an envelope should never be used in a drainage system for USGA design of a sports field. The fine material that will wash out of the sand root zone will, with time, clog the pores in the envelope. It is wiser to ensure that the tile lines have sufficient grade so that they are self-flushing, which will ensure the fines are washed out of the system when a flush of water runs through the line after a heavy rain. A grade of greater that 0.5% on a four inch tube should ensure self-flushing.

The use of an envelope in conditions where it is not required, particularly in clay soils, will result in the clay forming a film over the geotextile material and clogging the pores in the envelope. The film of clay over the envelope in turn reduces the drainage efficiency of the pipe. If the envelope were not used, the clay particles not trapped in the bridging effect would move the slits in the tube and be flushed out during the next full flow period.

How does one determine whether an envelope is required? The recommended procedure is to have a uniformity analysis

> In Western Ontario Call: Chris Meier 519-357-6583

In Eastern Ontario Call: **John Konecny** 705-878-6153



1-888-768-4935



done on the soil materials which are to overlay the tile system. A uniformity analysis requires a particle size analysis for the various sand sizes, silt, and clay. The results are plotted as a graph of percent particles equal to or less than the sieve size versus the particle diameter. From this graph, the size of particles above which 60% of the particles lie and the particle size below which 10% of the particles lie is determined. The uniformity ratio or coefficient is calculated as  $D_{60}/D_{10}$ . Where the ratio is less than five, an envelope should be considered. If the ratio is greater than five, there is no need for an envelope.

Figure 1 is an illustration of the particle size distribution curve for several soils. Soil 1 represents a silt soil where the particles fall primarily in the silt and very fine sand categories resulting in a uniformity index of 3.9. The drain pipe used in this soil *should* have an envelope. Soil 2 is a sandy loam which has a wide distribution of sand, silt, and clay size particles to give a uniformity index of 12. The wide spectrum of particle sizes will provide the natural bridging effect and *will not* require an envelope. Soil 3, with a uniformity index of 9.3, is a sand used for the sand root zone of a soccer field and *will not* require an envelope.


There is a rough approximation test which can be performed on site to determine whether a soil is unstable and requires an envelope. The test requires three 105 x 175 mm juice cans. The tops are removed from all three cans. The bottom is removed from one. The second can has only the centre of the bottom removed to leave a 10 mm wide retaining ring at the edge. These two cans are soldered together to form a tube. A 95 mm diameter piece of wire screen which has 2 to 3 mm openings is placed on the retaining lip in the tube. The third can is marked at the 165 mm depth and used for a measuring device.

The moist soil in question is placed on the screen and packed to a 25 mm depth by tamping to give a compaction similar to that in the native condition. The third can is filled to the 165 mm depth with water and it is gently poured on the soil surface. Placing a long drinking straw across the mouth of the can and pouring the water down the side of the straw will introduce the water onto the soil with minimal disturbance.

If the soil does not wash out the bottom after standing undisturbed for 15 minutes, the drained pipe probably does not require a filter envelope. It must be realized, however, that the procedure is a quick test and highly subject to how the soil is packed on the screen. A uniformity coefficient derived from a particle size distribution analysis is the preferred procedure.

When drains are initially installed, the discharge water may be seen to carry a significant amount of sediment. Do not panic. With time, the amount of sediment will decline because the natural bridging of soil particles across the slits in the drain is taking place and within a year or so the water, should run clear.

A few dollars spent on a soil analysis, followed by the interpretation of the results, will save you money for an unnecessary cost addition to the tile system and the potential for reduced performance in the future.



Soil 1  $(D_{60}/D_{10}) = .0097/.0025 = 3.9$ Soil 2  $(D_{60}/D_{10}) = .018/.0015 = 12$ Soil 3  $(D_{60}/D_{10}) = .28/.03 = 9.3$ 

A - Clay

B - Silt

C - Very Fine Sand

D - Fine Sand

E - Medium Sand

F - Coarse Sand

G - Very Coarse Sand

H - Gravel

Figure 1: The particle size distribution curves for three soil samples having different uniformity indexes and envelope requirements. Please note that for interpretative purposes, the data must be plotted on a logarithmic scale.

"People of character don't allow the environment to dictate their style." — Lucille Kallen



# Vanden Bussche Irrigation & Equipment Limited

Irrigation Specialists for More Than 45 Years

R.R. #4, Milton, ON L9T 2X8 Metro Toronto: (416) 798-4745 Milton: (905) 875-4545 or 1-800-263-4112 Fax: (905) 878-4501

Distributors and designers of sprinkler systems to the turf grass industry and the Ontario distributor of Rain Bird products.

Call us. We can meet your irrigation needs.





Red and grey clay products designed for baseball, cricket and tennis, along with groundskeeping tools and accessories.

#### MAR-CO CLAY PRODUCTS INC.

Box 67, Hwy. 86, Wallenstein, ON N0B 2S0 Tel. 519-669-3657 Fax: 519-669-8799

# **PICKSEED®**

good things growing ...

PICKSEED Canada Inc. Box 304 Lindsay, ON K9V 4S3 **1-800-661-4769** FAX (705) 878-9249

#### **Charlie Pick**

Lindsay, ON Car: 705-878-7604

#### Doug MacMillan

Lindsay, ON Car: 705-328-6663

#### Larry White

London, ON

Car: 519-649-8777

Peter Coon - Central Ontario Bill Carnochan - West Ontario Victor Freiberg - East Ontario Chuck Demers - North Ontario



OSCO. INC. "The turfseed specialists"

210 Wanless Dr., Brampton, Ontario L6V 1A1 Phone 905-846-5080 or 1-800-668-5080 Fax 905-846-6909

# Grass Seeds AVAILABLE FROM MAJOR SEED COMPANIES IN ONTARIO

The Sports Turf Association strongly recommends to athletic field managers that they use only improved cultivars that have been tested and found superior under local conditions.

00000	SUPPLIER								
SPECIES	Bishop	Ontario	Oseco		Pickseed	Rothwell	Spe	Speare	
Kentucky Blue	Baron Barzan Goldrush Liberty Minnfine Rambo Regent Rugby II Shamrock	Argyle Baron Classic Eclipse Liberty Limousine Nustar Regent	Arcadia Award Baron Baronie Chateau Gnome Haga Jefferson Midnight Nublue	Nugget Nuglade Nustar Regent Sydsport	Alpine America Banff Bronco Crest Indigo Limousine Marquis Quantum Leap Touchdown	Adelphi Nuglade Apollo Nustar Argyle Preakness Award Princeton 10: Classic Raven Eclipse Regent Georgetown Sebring Glade Washington Kenblue Welcome Midnight 1757 Nuggett DW-184 Creeping	Eclipse Freedom II Georgetown Goldrush Liberator	Liberty Limousine Lofts 1757 Minnfine Nassau Ram I Regent Shamrock	
Ryegrass	Competitor Elf Envy Omega II Palmer II Seville Spectacular	Calypso Envy Nighthawk Palmer II Repell Riviera Seville Top Gun Yorktown III	Affinity Gettysberg Pinnacle Secretariat Stallion Select Wizard		Cutter Edge Express Fiesta II Futura 3000 Lowgrow	Ice Imagine Palmer III Pegasus Prelude III	Academy Archer Competitor Elf Envy Monteray Omega II Palmer II Prizm	Saturn Seville Sovereign Yorktown III	
Fescue: Creeping Red	Franklin	Fenway Franklin Jasper Vista	Eugene Herald		Boreal Jasper Perneille	Cindy Franklin	Franklin Vista		
Fescue: Chewings	Jamestown Southport Treazure	Cascade Jamestown II Koket Southport Victory	Banner Bridgepor Centre Rudax Wilma	t	Victory II	Dignity	Jamestown K2 Koket Southport Treazure		
Fescue: Hard	Serra Nordic	Nordic Reliant Serra	Vernon		Spartan	Saxon	Brigade Nordic	Reliant Serra	
Fescue: Sheeps	MX86	MX86	MX86 Quatro			Azure	MX86 Azure		
Fescue: Tall	Jaguar II Rebel II Shenandoah	Excalibur Jaguar II Williamette	Bonsal Lexus Vegas Watersaver		Crossfire Mini Mustang Mustang II Shortstop II Team Jr.	Minx Palisade Rebel Jr.	Emperor Jaguar II Rebel Jr. Shenandoah Tribute		
Bentgrass: Colonial	Highland				Exeter Highland	Highland	Highland		
Bentgrass: Creeping	Penn G-6 Penncross Pennlink Pennway Southshore 18th Green	National Sea Penn A-4 Sou	National Seaside Penn A-4 Southshore Penn G-6 18th Green Penncross Penneagle Pennlink		Aggressor Cato Mariner National Penncross Penneagle Pennlinks Pennway	L-93 Penn A-4 Penn A-6 Penn G-6 Penncross Penneagle Pennlink Pennway	Crenshaw DC-P G6 Penncross Penneagle Pennlink Pennway Southshore	18th Green	
Poa trivialis	Sabre	Laser Sabre Snowbird	Cypress Polder		Colt	Sabre	Sabre Sunup	*	
Poa supina		,	Supranov	a					
Poa compressa	Canada Blue	Canada Blue Reubens				Canada Blue Talon Canada Blue		Canada Bluegrass	
Weeping alkali	Fults	Salty	Fults			Salty	Salty		

# **New Product Releases**

# SoftRail™: A Fence and Rail Padding That Works!

premium quality rail and fence padding called SoftRail<sup>TM</sup> is available by Covernaster Inc., a leading supplier of protective sports surface covers in North America. The product is better than anything else on the market today. SoftRail<sup>TM</sup> is designed specifically to reduce the possibility of serious injury around ballparks and sportsfields when a player attempts to make a running catch over a chain link fence or guard rail.

SoftRail<sup>TM</sup> consists of a core of dense foam laminated to heavy gauge vinyl covering. Quick-fasten, self-locking nylon ties, spaced every four inches, hold the padding securely in place. SoftRail<sup>TM</sup> is a well made product intended for long-term use. It is

also surprisingly affordable. You can order SoftRail<sup>TM</sup> in any length and colour that suits your needs.

For samples, literature, and complete information on SoftRail<sup>™</sup>, call Covermaster Inc. toll free at 1-800-387-5808. You can also fax your request to 416-74-COVER (742-6837) or visit www.covermaster.net. ◆



## OSECO: The Turfseed Specialists

seco Inc. is pleased to announce the release of eight *Blue Chip* golf course/sport mixtures for 1999 deliveries. *Blue Chip* mixtures contain premium cultivars of Kentucky bluegrass, fine fescue, and turf-type perennial ryegrass varieties. These certified varieties are thoroughly tested and exhibit enhanced resistance to disease, insects, and winter hardiness. Oseco's *Blue Chip* golf course/sport mixtures include: *Blue Chip Intensive Use Mix; Blue Chip Bluegrass Fairway Mix; Blue Chip Rough Mix; Blue Chip Renovation Mix; Blue Chip Sportsfield - New Seeding Mix; Blue Chip Overseeding Mix with Endophyte; Blue Chip Park Mix; and Blue Chip Heavy Traffic Mix.* 

When you use Oseco *Blue Chip* brand mixtures containing 100% certified seed, the *Blue Chip* name is your assurance of quality. Please contact Oseco Inc. At 1-800-668-5080 for more information. ◆

# **News Brief**

### Giant Steps Forward in Portable Grass

A lthough groundskeepers at New Jersey's Giants Stadium have temporarily converted their artificial turf playing surface to natural turfgrass at times in the past, this year they opted for a portable system. Clark Company of Delhi, New York perfected this technology and completed the first ITM installation in May 1997 when a natural turfgrass surface was required for soccer.

The ITM system is constructed of a series of sixteen-square-foot plastic modules with folding sides. The modules are filled with a root-zone mix and have turfgrass sod growing on top. To construct the playing field, the module sides are folded down and forklifts place the modules over corner locator footplates.

This installation is the first modular playing field used since the concept was originated for 1994 World Cup Soccer at the Silverdome in Pontiac, Michigan. ◆

- Manderley Report, Spring 1998

