



EATH



Robert Heggie, Turf Manager, BMO Field



Rugby SetUp. Displaying the field for its first ever rugby game, Canada vs USA, Summer 2011

are 12 inches of a 95/5 USGA mix above the glycol heating system. The drainage is encased pea stone and is hooked up to the SubAir System.

One of the highlights of BMO Field's construction is the glycol heating system. This system provides the ability to control the temperature of the soil through conductive heat. There are over 42 km of $\frac{3}{4}$ " piping that run 6" apart under the soil that carries the heated glycol to and from the 8 million BTU's of heat generated by the 4 natural gas boilers. The guidelines that we follow for root growth temperatures for

Kentucky bluegrass and perennial ryegrass are as follows: 8°C : Too cool; 8-15°C Roots become active; 15-22°C Optimum root temperature; 22-26°C Risk of Burn; >26°C Burn

With the ability to control root zone temperature we can break plant dormancy and actually grow turf in early spring or late fall, while weather is less than ideal. When the heater is used in conjunction with a grow cover it creates a 2 acre heated greenhouse. The temperature of the field is monitored by 12 sensors spread throughout the field in a uniform pattern. These Turfguard sensors monitor moisture, salinity and temperature and I can access the information online. The glycol system is wirelessly connected to these sensors and the valves on the heating system open and close depending on their need. Even with the ability to control soil temperature however, the lack of sunlight in the early spring and late fall restricts plant growth. We don't supplement sunlight to BMO Field. Some stadiums that have greenhouse grade lights move them around the field as needed.

The second major feature of BMO Field is the SubAir system. It is basically an oversized, glorified shop-vac that's hooked up to the drainage system. It gives us the ability to remove moisture from the field prior to games and during rainfall, helping to minimize a saturated soil profile and ensure a firm pitch for game play. The system can pull up to 15" of water per hour; the soil profile only drains at 8.7" of water per hour. There is a layer issue which I will explain later, it only drains at 0.9" per hour.

ing oxygen and gas levels. Pressurizing the system also pushes the heat from the glycol system up through the profile to the surface. The glycol system would not be as efficient as it is without the help of the SubAir system. It can also be used in the summer to lower soil temperatures, pushing a cooler night time air into the soil. The combination of the glycol and SubAir systems gives Toronto one of the most state-of-the-art fields in Canada and even North America.

We keep things basic and don't over complicate anything for pitch maintenance. I am a strong believer in soil, tissue and water tests to determine what nutrients, supplements and soil conditioners need to be focussed on. My granular program is a mix of different NPK fertilizers, K-Mag and a few different micro packages focusing mainly on iron. For a surge of growth and field recovery after heavy use, I focus on soil drenches (ammonium thio-sulfate), then harden the plant off with foliar applications of different nutrients like calcium, silicon and potassium. Humic acids are used to drench the soil breaking up bicarbonates and releasing vital nutrients into the soil for plant availability. The majority of my foliar applications are used to enhance the field's colour for games, focusing on magnesium, iron, a little bit of nitrogen and other micro nutrients. I am also a believer in silicon and seaweed products, spraying them before most big events and when I know there will be lots of play. My fertility program might sound a little extensive, but I believe that this is the reason I have NEVER needed to spray any pesticide. A healthy plant combined

ONE OF THE HIGHLIGHTS OF BMO FIELD'S CONSTRUCTION IS THE GLYCOL HEATING SYSTEM.

There are two sensors in the field for the monitoring of oxygen levels allowing for optimal levels for plant growth. We try to maintain an 18-21.5% moisture level for plant health. The SubAir system applies suction to the drainage lines removing water through the profile so that we don't have to wait for the effects of gravity and percolation. Conversely, the system can be pressurized pushing air through the drainage lines into the soil profile increas-

with the ability to control temperature and moisture levels, helps limit or eliminate insect, disease and weed pressure.

There is a constant need for aeration and topdressing to relieve compaction and level the playing surface. The problem that arises is there are very few times in the team's schedule that provides the opportunity for recovery from an aeration process. Overseeding with perennial ryegrass and Kentucky bluegrass is done



GlycolSystem. The copper pipes on the far left are the outgoing pipes to the field. Those to the right are the return lines. On the right you can see the 4 x 2 million BTU boilers.

on a regular basis to promote juvenility of the pitch. The mix I use is 85% Champion perennial rye and 15% KBG. The seeding rate that I follow is 8-12 lbs/1000ft², and higher rates in heavy traffic areas like the goal mouths, sidelines and training areas.

When the field was planted a little over 2 years ago, there was little notice given to the sod supplier that there was going to be a need for a Kentucky bluegrass grown in a USGA mix. Since there was no way to get a field ready in time, it was planted with a locally harvested sod with a local soil. The field was planted the end of March and there were only 2 weeks to get the field to knit before the first home game. The sod was cut thick to ensure that it would not shift for the first game. As well so there were more roots, which in turn means more carbohydrates, maximizing the odds of a tight field for the first game. Since the sod was cut so thick, it was clear that there was a layer issue that I would have to deal with. To try to beat the layer up, I aerate as often as I can; aerating more than 10 times

in two years. Every time I aerate I also top-dress with 35-40 tons of sand. Based on 2" spacing and 1/2" tine sizes I am only

ANOTHER INTERESTING MATERIAL WHICH WILL BE USED IN FUTURE APPLICATIONS IS A NYLON FIBRE THAT IS INJECTED INTO THE TOP LAYER OF THE SOIL PROFILE.

removing a little less than 5% of the field with each aeration process, making the layer issue an almost neverending battle.

The problem with the layer is it hardens off too quickly, minimizing gas exchange and water penetration. The layer creates a reversed water table effect. This isn't just a problem in itself; it also drastically reduces the efficiency of the SubAir system. The long term solution would be to continue aerating and topdressing, or considering a drill and fill program. The quick solution would be either to re-sod the pitch using a sod grown specifically for this application or using a washed sod. In both situations, the layer issue would no longer be present and would create a better growing environment.


Another interesting material which will be used in future applications is a product called StaLok. It is a nylon fibre that is injected into the top layer of the soil profile. The idea behind it is that it creates reinforcement for the root hairs. It is harder to tear nylon than it is to tear a root hair. So if a root hair wraps itself around a tiny piece of nylon it should make it stronger. A good analogy that I often use for the

product is, “it’s like a rebar for your soil and turfgrass”. They say that it increases root strength by up to 215% and soil porosity by up to 7%.

Field usage is a topic I often get asked about as people sometimes think that my pitch doesn’t get a lot of play. To be honest it sees a higher than average amount of play for a professional level pitch. The field sees about 30 home games (Team Canada Men’s, Woman’s and Toronto FC) with two practices for each game, one or two rugby games plus practices, corporate partner events, and 24-48 hours of community rentals per month. It is also used as the practice field for Toronto FC since they do not have a practice facility as of yet. The time frame in the schedule may not always exist for resodding damaged areas. In my opinion a dead spot is still safer to players and officials than a newly sodded area that could flip up during game play. So if you ever happen to catch a glimpse of a little bare spot on the pitch when you are watching a game, remember that there is more than just the one game being played on the field.

The pressure on BMO Field will be alleviated in the summer of 2012. The Toronto FC Academy practice facility is being built at Downsview Park and will consist of 3 natural turf fields and one artificial, as well as an indoor field house, gyms, and locker rooms. Two of the natural fields will be built with a heated SubAir system, a different method for heating a field. The artificial field will be bubbled in the winter, providing a place for the teams to practice all winter and early spring. This facility is the first of its kind in Canada and will surely be a great step forward for the sport of soccer in the Greater Toronto Area and for the whole country. It is an exciting time for soccer and sports field management in Ontario!

There are many unique systems in place at BMO Field all ensuring a high quality turf at any time of year. It is not inex-



Profile. Turf is cut at 3/4"-1", 12" of 95/5 mix, glycol pipes displayed in green, pea stone layer and drainage displayed in blue.

pensive or easy to grow turf in Canada at certain times of year, but the benefits are well worth it. When you have professional sports teams being televised across Canada and the USA, near field perfection is always a must!

If you have never been to a Toronto FC game, I would highly recommend it. It is unlike any other sports atmosphere in Toronto. Plus I hear they have really nice grass...

FiNALSAN

a non selective fatty acid herbicide

Fast Acting, no fumes, gentle on applicators and equipment, and Economical.

A Finalsan Specialty!

Flambéed Field Horsetail



Breathe new life into your Turf



Now in 200L Drums

CPR

Creeping Perennial Rye Grass

A spreading perennial rye has long been on the wish list for managers across all turf sectors. Well, wish no more... It's here!

LAWN LIFE

Lawn Care Solutions For Today

www.lawnlifenaturalturfproducts.com

Sales & Service by email kpavelj.lawnlife@xplornet.ca or by phone **519.939.6063**

General Mailbox: info@dufferinlawnlife.com

Office: **1.800.265.1605** (toll free Ontario) or **519.942.9333** (local)



Lawn Care | Professional Turf | Sports Fields | Sod | Municipalities

Scott Bowman, Turf Specialist

P 519.338.3840

sbowman@speareseeds.ca



**Turf Genius®
Self Repairing PR Mixture**

- Regenerating Perennial Ryegrass
- Aggressive lateral growth
- Excellent wear tolerance

**Turf Genius®
Self Repairing TF Mixture**

- Rhizomatous Tall Fescue
- Superior deep root system
- Advanced technology

**Jump Start
Kentucky Bluegrass**

- 5 to 7 day germination
- Compact Kentucky Bluegrass
- High traffic tolerance

**Yellow Jacket®
Seed Coating**

- Higher germination
- Holds 600 times its weight in water
- Helps seed thrive while conserving water

Jacobsen names G.C. Duke Equipment as North American Dealer of the Year



BURLINGTON, ON. MARCH 13, 2012. Jacobsen, a Textron Company, named G.C. Duke Equipment of Burlington, ON as “North American Dealer of the Year” during the company’s annual Dealer Meeting held in conjunction with the GCSAA Show in Las Vegas.

This annual award is presented to recognize outstanding performance in sales and customer service. G.C. Duke Equipment is a four-time winner of this award since becoming a Jacobsen Dealer in 1999. Nolan Duke, Dick Raycroft and Neil Beech accepted this prestigious award from Jacobsen’s President - David Withers, Vice President - Ric Stone, Regional Manager - Tony Whelan, and Territory Manager - Barry Larson.

Jacobsen, a Textron Company, is a North Carolina based manufacturer of premium golf course maintenance equipment.

Smithco names G.C. Duke Equipment as Dealer of the Year

BURLINGTON, ON. MARCH 13, 2012. G.C. Duke Equipment was named “Dealer of the Year” by Smithco Inc. at the recent GCSAA Show in Las Vegas. This award is presented annually to the Smithco dealer who has achieved strong sales growth as well as provided exceptional after-sales customer support. G.C. Duke has won this award twice in the past seven years that this award has been in existence.

Smithco is a Pennsylvania based manufacturer of high quality golf course and sports turf maintenance equipment.

**EVERGREEN™ Turf Blankets...
...trusted around the world!**

**“Results Outstanding...,
Could Not Believe...”**

wrote **Dann Daly**, Park Maintenance Supervisor,
Parks & Recr. Dept., North Smithfield, RI

- Earlier spring green up
- Faster seed germination
- Deeper root development
- Delays dormancy in fall
- Ideal winter blanket
- 3, 7 & 10 yr. warranty covers
- Best for quick turf repairs
- Available in any size

**Want to know more?
CALL TOLL FREE
1-800-387-5808**

**COVERMASTER™
COVERMASTER
COVERMASTER**
MASTERS IN THE ART OF SPORTS SURFACE COVERS

COVERMASTER INC., 100 WESTMORE DR., 11-D, REXDALE, ON, M9V 5C3 TEL 416-745-1811 FAX 416-742-6837



Covers for baseball fields are also readily available.

Covered...

Uncovered... It works on the greenhouse principle, every time!

covermaster.com

E-MAIL: info@covermaster.com





OTS HIGHLIGHT
Presented February, 2012
Guelph, Ontario.



Circle Checks Are Not Just For Your Equipment

Terry Piche, Technical Director, Ontario Recreation Facilities Association Inc.

Parks and open space job positions today require demonstrated competency, independence and knowledge as well as the ability to perform routine assignments and tasks. The old way of hiring and releasing workers into the work-force hoping they knew their stuff is no longer considered acceptable. Today's parks and open space professionals must build set training objectives into their hiring and staff preparation process. Operations that either rehire experienced seasonal workers from year to year or that believe a worker with a certification in their résumé requires no additional training, are at risk of legal accountability.

The first test is the competency of those who are conducting the hiring. Are they well informed and knowledgeable regarding the employer's legislative workplace obligations? Have they remained current and up-to-date by actively attending professional development courses, reading industry related publications and staying in tune with advancing techniques and technologies?

If you are conducting business the same today as you were 5 years ago chances are that you have not stayed up-to-date. A common trap is the hiring job description. Too many operations set the job skill expectation level too high when hiring. Most fail to realize that when you ask for a variety of skill sets in the hopes of capturing the best candidate, you

FOR EVERY EXPECTED TASK THERE MUST BE AN EQUAL AMOUNT OF TRAINING PROVIDED TO HELP PROVE COMPETENCY OF THE INDIVIDUAL.

will need to provide training for the skills not arriving with the candidate or restrict their work until adequate training can be provided.

Management must set their required training objectives by reviewing what work

is to be conducted by each of their workers. For every expected task there must be an equal amount of training provided to help prove competency of the individual. For example, if the worker is expected to use a push mower, there must be sharing of written information and standard operating procedures followed by a demonstration by a competent person on what the shared information has stated. It is a simple 3-step approach: 1. Theoretical review – read it! 2. Practical review – do it! 3. Sign-off on it! If you have not completed all 3 steps then the worker should not be doing the work.

Begin by collecting all internal written policies and procedures as well as owner's manuals and operational videos. Then consider creating tests to confirm that the worker has read, viewed and understands the material. Now follow it up with an in-house hands-on training session. All workplaces must invest in comprehensive ongoing worker training. Training was once considered a nicety... it is now considered a necessity!

GOAL ANCHORS LOCK IN TO GOAL SAFETY®

Ensure that your goals are anchored securely and not moved without permission by using one of Kwik Goal's industry leading lock and cable anchoring systems.

Goal Secure™ Turf Anchor - 10B5301



Designed for securing goals on artificial surfaces. The Turf Anchor is made to comply with the Ville de Montreal specifications.

Two anchors secure any size soccer goal.

*Sold in sets of 4 to accommodate a pair of soccer goals

Available with a green or blue cover

Box Anchor - 10B5303



Designed for natural surfaces, the Box Anchor can be installed without concrete or excavation.

Two anchors secure any size soccer goal.

*Sold in sets of 2 to accommodate an individual soccer goal

Available in green only

Box Anchor T Wrench - 10B5303T

Used to install the 10B5303 Box Anchor



OFFICIAL
SUPPLIER TO



For full product details, visit  **KWIKGOAL.ca**



KWIKGOALBLOG.COM



.COM/KWIKGOAL



.COM/KWIKGOAL



.COM/KWIKGOALLTD

For more soccer goal safety information, visit

